




RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 10.MAR.2009 20:50:07



Report No.: HK09030782-1  
Model no.: TL91278  
Talk Mode  
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP  
Trace2: CF15MAV  
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
2	Average	172.5 kHz	35.13	L1 gnd	-19.70
1	Quasi Peak	190.5 kHz	54.01	N gnd	-9.99
2	Average	217.5 kHz	34.85	L1 gnd	-18.06
1	Quasi Peak	289.5 kHz	42.82	L1 gnd	-17.71
2	Average	298.5 kHz	34.58	N gnd	-15.69
1	Quasi Peak	330 kHz	35.17	N gnd	-24.27
2	Average	465 kHz	23.33	L1 gnd	-23.26
1	Quasi Peak	559.5 kHz	36.53	L1 gnd	-19.47
2	Average	582 kHz	23.73	L1 gnd	-22.27
1	Quasi Peak	739.5 kHz	31.65	L1 gnd	-24.34
2	Average	865.5 kHz	22.55	L1 gnd	-23.44
1	Quasi Peak	955.5 kHz	39.64	L1 gnd	-16.35
1	Quasi Peak	1.158 MHz	38.43	N gnd	-17.56
2	Average	1.356 MHz	21.04	L1 gnd	-24.95
1	Quasi Peak	1.923 MHz	33.31	L1 gnd	-22.68
2	Average	2.094 MHz	19.01	L1 gnd	-26.98
2	Average	2.1255 MHz	18.66	L1 gnd	-27.33
1	Quasi Peak	2.6745 MHz	30.82	L1 gnd	-25.17
1	Quasi Peak	3.1335 MHz	30.37	L1 gnd	-25.62

Date: 10.MAR.2009 20:49:58

Ctrl No.: N/A




Report No.: HK09030782-1  
Model: TL92278  
Talk Mode  
AC Mains "N"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK09030782-1  
Model: TL92278  
Talk Mode  
AC Mains "N"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15500	48.8	65.7	-16.9
0.21000	42.2	63.2	-21.0
0.31000	35.3	60.0	-24.7
0.51500	34.6	56.0	-21.4
0.73500	34.5	56.0	-21.5
0.84000	33.1	56.0	-22.9
1.25000	36.9	56.0	-19.1
1.54500	32.1	56.0	-23.9
2.79500	30.5	56.0	-25.5
3.90500	31.1	56.0	-24.9
5.63000	31.5	60.0	-28.5
6.22500	33.1	60.0	-26.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.27500	30.5	46.0	-15.5

\* Limit exceeded




Report No.: HK09030782-1  
Model: TL92278  
Talk Mode  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK09030782-1  
Model: TL92278  
Talk Mode  
AC Mains "L"

Scan Settings (1 Range)

|----- Frequencies -----|----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15500	47.9	65.7	-17.8
0.21000	41.4	63.2	-21.8
0.30500	36.2	60.1	-23.9
0.41500	32.6	57.6	-25.0
0.78000	31.2	56.0	-24.8
0.97000	34.5	56.0	-21.5
1.33500	38.7	56.0	-17.3
1.52500	31.1	56.0	-24.9
2.69000	32.3	56.0	-23.7
3.83000	31.3	56.0	-24.7
5.69000	33.9	60.0	-26.1
6.34500	33.5	60.0	-26.5
7.99000	31.8	60.0	-28.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.33500	26.3	46.0	-19.7

\* limit exceeded