

Page 1 of 80

Specific Absorption Rate (SAR) Evaluation Report

For

DECT 6.0 Cordless Telephone Handset Unit

Model Number: DS6151-2 Brand Name: vtech

FCC ID: EW780-7009-01

Test Report: 14071086HKG-001

Date of Report: 15 September, 2014

Prepared for VTech Telecommunications Ltd. 23/F, Tai Ping Industrial Centre, Block 1, 57 Ting Kok Road, Tai Po, Hong Kong



Testing Laboratory

Prepared and Checked by: Approved by:

Chan Chun Foo, Bike Senior Lead Engineer

Date: 15 September, 2014

Nip Ming Fung, Melvin Assistant Manager

Date: 15 September, 2014

⁻ The test report only allows to be revised within the retention period unless further standard or the requirement was noticed.

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



Page 2 of 80

Table of Contents

1 Test Result Summary	3
2 General Information	4
3 Measurement System Description and Procedure	6
4 Tissue Verificaiton	14
5 SAR Measurement System Verification	16
6 SAR Evaluation	18
7 Test Insturments	24
8 Measurement Uncertainty	25
9 E-Field Probe and Dipole Antenna Calibration	25
10 References	25
APPENDIX A – System Verification Data	26
APPENDIX B – SAR Evaluation Data	28
APPENDIX C – E-Field Probe and Dipole Antenna C	Calibration57
APPENDIX D – SAR Tissue Specification	79
APPENDIX E – SAR System Validation	80



Page 3 of 80

1. Test Result Summary

Applicant : VTech Telecommunications Ltd.

Applicant Address 23/F, Tai Ping Industrial Centre, Block 1,

57 Ting Kok Road, Tai Po, Hong Kong.

Model : DS6151-2

Brand Name : vtech

EUT Description : DECT 6.0 Cordless Telephone Handset Unit

Exposure Category : General Population/Uncontrolled Exposure

Test Device : Production Unit

Date of Sample Received : 25 July, 2014

Date of Test : 12 August, 2014

Date of Report : 15 September, 2014

Intertek Testing Services Hong Kong

Place of Testing : 5/F, Garment Centre, 576 Castle Peak Road,

Kowloon, Hong Kong

Temperature: +20 to 25°C Environmental Conidtions

Humidity 30 to 70%

ANSI/IEEE C95.1: 1992 IEEE Std 1528: 2003 IEEE Std 1528a: 2005

Test Specification : FCC KDB Publication 447498 D01 v05r02

FCC KDB Publication 865664 D01 v01r03 FCC KDB Publication 865664 D02 v01r01 FCC KDB Publication 648474 D04 v01r02

The maximum spatial peak SAR value for the sample device averaged over 1g was found to be:

Band	Operating Mode	TX Frequency (MHz)	Highest Re	ported SAR
Dallu	Operating Mode	TA Frequency (MHZ)	1 g Head	1g Body-Worn
1.9GHz DECT	Voice	1921.536 – 1928.448	0.058 W/kg	0.023 W/kg

This wireless portable device has been shown to be capable of compliance for localized specific absorption rate (SAR) for uncontrolled environment / general population exposure limits specified in ANSI/IEEE C95.1.



Page 4 of 80

2. General Information

2.1. Description of Equipment under test (EUT)

EUT Description : DECT 6.0 Cordless Telephone Handset Unit

Model : DS6151-2
Brand Name : vtech

FCC ID : EW780-7009-01

Serial Number : N/A

Manufacturer : VTech (Dongguan) Telecommunications Limited

Manufacturer Address : VTech Science Park, Xia Ling Bei Management Zone,

Liaobu, Dongguan, Guangdong, China.

Device dimension (L x W) : 160 (mm) x 45 (mm)

Device thickness : 27 (mm)

Operating Configuration(s) / mode

Held to head (Voice call)

Body-worn (Voice Call)

Head

RF Exposure Condition(s) : Body-worn

Dody-Worn

Device Category : Portable Device

Tx Frequency : 1921.536 – 1928.448 MHz (UPCS)

Duty Cycle* : 1/24

2.4V 500mAh Ni-MH rechargeable battery pack
Battery Type : - Model: Corun BT18433 / BT28433

- Model: Corun BT18433 / BT28433 - Model: GPI BT18433 / BT28433

Body-worn Accessories : Belt-clip

*Note:

Nominal and Maximum Output Power Specifications

The EUT operates using the following maximum and nominal output power specifications. SAR values were scaled to the maximum allowed power to determine compliance per KDB Publication 447498.


			Output Power		
Band	Operating Mode	TX Frequency (MHz)	Nominal	Maximum	
			(dBm)	(dBm)	
1.9GHz DECT	Voice	1921.536 – 1928.448	+20 dBm	+21 dBm	

^{1.} DECT has a TDD/TDMA frame structure with a complete frame of 10ms duration with 24 time slots. And under these 24 time slots, the first 12 slots are allocated for the transmission from base station to handsets, and the other 12 slots are for the transmission from handsets to base station. During a call, the handset of this product will use one of 24 time slots to transmit under worst case, which gives a duty cycle of 1/24 (= 4.2%).



Page 5 of 80

2.2. EUT Antenna Locations



Antenna Type : Fixed Type

Antenna Location Intregral Antenna

Antenna Gain : 0 dBi

Details of antenna specification are shown in separate antenna dimension document.



Page 6 of 80

3. Measurement System Description and procedure

Robot system specification

The SAR measurement system being used is the IndexSAR SARA2 system, which consists of a Mitsubishi RV-E2 6-axis robot arm and controller, IndexSAR probe, amplifier and the phantom with Head or Box Shape. The robot is used to articulate the probe to programmed positions inside the phantom head to obtain the SAR readings from the DUT.

The system is controlled remotely from a PC, which contains the software to control the robot and data acquisition equipment. The software also displays the data obtained from test scans.




Figure 1: Schematic diagram of the SAR measurement system

The position and digitized shape of the phantom heads are made available to the software for accurate positioning of the probe and reduction of set-up time.

The SAM phantom heads are individually digitized using a Mitutoyo CMM machine to a precision of 0.02mm. The data is then converted into a shape format for the software, providing an accurate description of the phantom shell.




Page 7 of 80

IndexSar isotropic immersible SAR probe

The probe contains three orthogonal dipole sensors arranged on a triangular prism core, protected against static charges by PEEK cylindrical enclosure material.



This amplifier has a time constant of approx. 50µs, which is much faster than the SAR probe response time. The overall system time constant is therefore that of the probe (<1ms) and reading sets for all three channels (simultaneously) are returned every 2ms to the PC. The conversion period is approx. 1 µs at the start of each 2ms period. This enables the probe to follow pulse modulated signals of periods >>2ms. The PC software applies the linearisation procedure separately to each reading, so no linearisation corrections for the averaging of modulated signals are needed in this case. It is important to ensure that the probe reading frequency and the pulse period are not synchronised and the behaviour with pulses of short duration in comparison with the measurement interval need additional consideration.





Page 8 of 80

In operation, the system first does an area (2D) scan at a fixed depth within the liquid from the inside wall of the phantom scanning area is greater than the projection of EUT and antenna.

Area Scan Parameters extracted from KDB 865664 D01

	≤ 3 GHz	> 3 GHz	
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface	5 ± 1 mm	½·8·ln(2) ± 0.5 mm	
Maximum probe angle from probe axis to phantom surface normal at the measurement location	30° ± 1°	20° ± 1°	
	≤ 2 GHz: ≤ 15 mm 2 – 3 GHz: ≤ 12 mm	3 – 4 GHz: ≤ 12 mm 4 – 6 GHz: ≤ 10 mm	
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}	When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be ≤ the corresponding x or y dimension of the test device with at least one measurement point on the test device.		

When the maximum SAR point has been found, the system will then carry out a 3D scan centred at that point to determine volume averaged SAR level. The first 2 measurements points in a direction perpendicular to the surface of the phantom during the zoom scan and closest to the phantom surface, were only 3.5mm and the probe is kept at greater than half a diameter from the surface.

Zoom Scan Parameters extracted from KDB 865664 D01

Maximum zoom scan spatial resolution: Δx _{Zoom} , Δy _{Zoom}			≤ 2 GHz: ≤ 8 mm 2 – 3 GHz: ≤ 5 mm*	3 – 4 GHz: ≤ 5 mm* 4 – 6 GHz: ≤ 4 mm*
Maximum zoom scan spatial resolution, normal to phantom surface	uniform g	rid: Δz _{Zoom} (n)	≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm
	graded	Δz _{Zoom} (1): between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm
	grid $\Delta z_{Zoom}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{Z_{00m}}(n-1)$		
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm

Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details.

When zoom scan is required and the <u>reported</u> SAR from the area scan based *I-g SAR estimation* procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.



Page 9 of 80

a. SARA2 interpolation and extrapolation schemes

SARA2 software contains support for both 2D cubic B-spline interpolation as well as 3D cubit B-spline interpolation. Additionally, for extrapolation purposes, a general n-th order polynomial fitting routine is implemented following a singular value decomposition algorithm. A 4th order polynomial fit is used by default for data extrapolation, but a linear-logarithmic fitting function can be selected as an option. The polynomial fitting procedures have been tested by comparing the fitting coefficients generated by the SARA2 procedures with those obtained using the polynomial fit functions of Microsoft Excel when applied to the same test input data.

b. Interpolation of 2D area scan

The 2D cubic B-spline interpolation is used after the initial area scan at fixed distance from the phantom shell wall. The initial scan data are collected with approx. 10mm spatial resolution and spline interpolation is used to find the location of the local maximum to within a 1mm resolution for positioning the subsequent 3D scanning.

c. Extrapolation of 3D scan

For the 3D scan, data are collected on a spatially regular 3D grid having (by default) 6.4 mm steps in the lateral dimensions and 3.5 mm steps in the depth direction (away from the source). SARA2 enables full control over the selection of alternative steps in all directions.

The digitised shape of the head is available to the SARA2 software, which decides which points in the 3D array are sufficiently well within the shell wall to be "visited" by the SAR probe. After the data collection, the data are extrapolated in the depth direction to assign values to points in the 3D array closer to the shell wall. A notional extrapolation value is also assigned to the first point outside the shell wall so that subsequent interpolation schemes will be applicable right up to the shell wall boundary.

d. Interpolation of 3D scan and volume averaging

The procedure used for defining the shape of the volumes used for SAR averaging in the SARA2 software follow the method of adapting the surface of the "cube" to conform with the curved inner surface of the phantom.

For each row of data in the depth direction, the data are extrapolated and interpolated to less than 1 mm spacing and average values are calculated from the phantom surface for the row of data over distances corresponding to the requisite depth for 1g and 10g cubes. This results in two 2D arrays of data, which are them cubic B-spline interpolated to sub mm lateral resolution. A search routine then moves an averaging square around through the 2D array and records the maximum value of corresponding 1g and 10g volume averages.



Page 10 of 80


3.1. Device test positions relative to the head

This practice specifies two handset test positions against the head phantom—the "cheek" position and the "tilt" position. These two test positions are defined in the following subclauses. The handset should be tested in both positions on left and right sides of the SAM phantom. If handset construction is such that the handset positioning procedures described below to represent normal use conditions cannot be used, e.g., some asymmetric handsets, alternative alignment procedures should be adapted with all details provided in the test report. These alternative procedures should replicate intended use conditions as closely as possible according to the intent of the procedures described in this subclause.

Definition of the cheek position

The cheek position is established as follows:

- 1. Ready the handset for talk operation, if necessary. For example, for handsets with a cover piece (flip cover), open the cover. If the handset can transmit with the cover closed, both configurations must be tested.
- 2. Define two imaginary lines on the handset—the vertical centerline and the horizontal line. The vertical centerline passes through two points on the front side of the handset—the midpoint of the width wt of the handset at the level of the acoustic output (point A in below figure), and the midpoint of the width wb of the bottom of the handset (point B). The horizontal line is perpendicular to the vertical centerline and passes through the center of the acoustic output (see below left figure). The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output; however, the acoustic output may be located elsewhere on the horizontal line. Also note that the vertical centerline is not necessarily parallel to the front face of the handset (see right figure), especially for clamshell handsets, handsets with flip covers, and other irregularly-shaped handsets.
- **3.** Position the handset close to the surface of the phantom such that point A is on the (virtual) extension of the line passing through points RE and LE on the phantom (see the figure as next page), such that the plane defined by the vertical centerline and the horizontal line of the handset is approximately parallel to the sagittal plane of the phantom.
- **4.** Translate the handset towards the phantom along the line passing through RE and LE until handset point A touches the pinna at the ERP.






Report No.: 14071086HKG-001

Page 11 of 80

5. While maintaining the handset in this plane, rotate it around the LE-RE line until the vertical centerline is in the plane normal to the plane containing B-M and N-F lines, i.e., the Reference Plane.

- **6.** Rotate the handset around the vertical centerline until the handset (horizontal line) is parallel to the N-F line.
- **7.** While maintaining the vertical centerline in the Reference Plane, keeping point A on the line passing through RE and LE, and maintaining the handset contact with the pinna, rotate the handset about the N-F line until any point on the handset is in contact with a phantom point below the pinna on the cheek.






Page 12 of 80


Definition of the tilt position

The tilt position is established as follows:

- **1.** Repeat steps to place the device in the cheek position.
- 2. While maintaining the orientation of the handset, move the handset away from the pinna along the line passing through RE and LE far enough to allow a rotation of the handset away from the cheek by 15°.
- **3.** Rotate the handset around the horizontal line by 15°.
- **4.** While maintaining the orientation of the handset, move the handset towards the phantom on the line passing through RE and LE until any part of the handset touches the ear. The tilt position is obtained when the contact point is on the pinna. See the figure as below. If contact occurs at any location other than the pinna, e.g., the antenna at the back of the phantom head, the angle of the handset should be reduced.
- **5.** In this case, the tilt position is obtained if any point on the handset is in contact with the pinna and a second point on the handset is in contact with the phantom, e.g., the antenna with the back of the head.









Page 13 of 80

3.2 Device test positions relative to body-worn accessory

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration. Per FCC KDB Publication 648474, Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body worn accessories. The body-worn accessory procedures in FCC KDB Publication 447498 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode, when applicable. When the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is >1.2W/kg, the highest reported SAR configuration for that wireless mode and frequency band should be reported for that body-worn accessory with a headset attached to the handset.

SAR evaluation is required for body-worn accessories supplied with the host device. The test configurations must be conservative for supporting the body-worn accessory use conditions expected by users. Body-worn accessories that do not contain metallic or conductive components may be tested according to worst-case exposure configurations, typically according to the smallest test separation distance required for the group of body-worn accessories with similar operating and exposure characteristics. All body-worn accessories containing metallic components, either supplied with the product or available as an option from the device manufacturer, must be tested in conjunction with the host device to demonstrate compliance

Body-worn accessories may not always be supplied or available as options for some devices intended to be authorized for body-worn use. In this case, a test configuration with a separation distance between the back of the device and the flat phantom is used. Test position spacing was documented. Transmitters that are designed to operate in front of a person's face, as in push-to-talk configurations, are tested for SAR compliance with the front of the device positioned to face the flat phantom in head fluid.



Page 14 of 80

4. Tissue Verification

The head tissue parameter should be used to test operating frequency band of transmitters. When a transmission band overlaps with one of the target frequencies, the tissue dielectric parameters of the tissue medium at the middle of a device transmission band should be within ±5% of the parameters specified at that target frequency.

Brain Tissue Simulating Liquid Recipes

Brain Ingredients Frequency (1900 MHz)					
Tween20	45.08 %				
De-ionised Water	54.34 %				
Acticide SPX	0.22 %				
Salt	0.36 %				

The dielectric parameters were verified prior to assessment using the AGILENTTECH 85033D calibration kit and the AGILENTTECH E5071B network Analyzer. The dielectric parameters were:

Freq.	Temp.	ε _r / Relative Permittivity						ρ **(kg/m³)
(MHz)	(°C)	measured	Target*	Δ (±5%)	measured	Target*	Δ (±5%)	p (g/ /
1900	23.0	39.67	40.0	-0.82%	1.43	1.40	2.14%	1000
1920	23.0	39.54	40.0	-1.15%	1.44	1.40	2.86%	1000
1930	23.0	39.52	40.0	-1.20%	1.45	1.40	3.57%	1000

^{*} Target values refer to KDB 865664

Note:

1. Date of tissue verification measurement: 12 August, 2014

2. Ambient temperature: 23.0 deg C

3. The temperature condition is within +/- 2 deg. C during the SAR measurements.

Details of SAR Tissue specifications are shown in the Appendix D.

^{**} Worst-case assumption



Page 15 of 80

Body Tissue Simulating Liquid Recipes

Body Ingredients Frequency (1900 MHz)					
Tween20	29.21 %				
De-ionised Water	70.09 %				
Acticide SPX	0.28 %				
Salt	0.42 %				

The dielectric parameters were verified prior to assessment using the AGILENTTECH 85033D calibration kit and the AGILENTTECH E5071B network Analyzer. The dielectric parameters were:

Freq.	Temp.	$\epsilon_{ \rm r}/$ Relative Permittivity			σ / Conductivity			ρ **(kg/m³)
(MHz)	(°C)	measured	Target*	Δ (±5%)	measured	Target*	Δ (±5%)	ρ (ng /)
1900	23.0	53.9	53.3	1.12%	1.45	1.52	-4.54%	1000
1920	23.0	53.8	53.3	0.88%	1.46	1.52	-3.88%	1000
1930	23.0	53.8	53.3	0.85%	1.46	1.52	-3.62%	1000

^{*} Target values refer to KDB 865664

Note:

- 4. Date of tissue verification measurement: 12 August, 2014
- 5. Ambient temperature: 23.0 deg C
- 6. The temperature condition is within +/- 2 deg. C during the SAR measurements.

Details of SAR Tissue specifications are shown in the Appendix D.

^{**} Worst-case assumption



Page 16 of 80

5. SAR measurement system verification

Routine record keeping procedures should be established for tracking the calibration and performance of SAR measurement system. When SAR measurements are performed, the entire measurement system should be checked daily within the device transmitting frequency ranges to verify system accuracy. A flat phantom irradiated by a half-wavelength dipole is typically used to verify the measurement accuracy of a system. According to KDB 865664, at 300MHz to 6GHz, measurements must be within ±100MHz of the probe calibration point frequency or the valid frequency range supported by the probe calibration, whichever is less. The measured one-gram SAR should be within 10% of the expected target values specified for the specific phantom and RF source used in the system verification measurement.

Procedures

The SAR evaluation was performed with the following procedures:

- 1. The SAR distribution was measured at the exposed side of the bottom of the box phantom and was measured at a distance of 15 mm for $300 \sim 1000$ MHz and 10 mm for $1000 \sim 3000$ MHz from the inner surface of the shell. The feed power was 1/5W.
- 2. The depth of tissue-equivalent liquid in a phantom must be ≥ 15.0cm ± 0.5cm for SAR measurement ≤ 3000MHz.
- 3. The dimension for this cube is 32 mm x 32 mm x 30 mm was assessed by measuring 5 x 5 x 7 points for $300 \sim 2000$ MHz and 30 mm x 30 mm x 30 mm was assessed by measuring 7 x 7 x 7 points for $2000 \sim 3000$ MHz. On the basis of this data set, the spatial peak SAR value was evaluated with the following procedure:
 - i. The data at the surface were extrapolated, since the center of the dipoles is 2.7 mm away from the tip of the probe and the distance between the surface and the lowest measurement point is 5 mm. The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in Z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip.
 - **ii.** The maximum interpolated value was searched with a straightforward algorithm. Around this maximum, the SAR values averaged over the spatial volumes (1g or 10g) were computed using the 3-D spline interpolation algorithm. The 3-D spline is composed of three one-dimensional splines with the "Not a knot" condition (in x, y and z directions). The volume was integrated with the trapezoidal algorithm. 1000 points (10 x 10 x 10) were interpolated to calculate the average.
 - **iii.** All neighboring volumes were evaluated until no neighboring volume with a higher average value was found.
- **4.** Re-measurements of the SAR value at the same location as in step a. above. If the value changed by more than 5 %, the evaluation was repeated.
- **5.** The test scan procedure for system verification also applies to the general scan procedure except for the set-up position. For general scan, the EUT was placed at the side of phantom. For Verification scan, the dipole antenna was placed at the bottom of phantom.



Page 17 of 80

System Verification results

System Verification (1900MHz)								
Date	Freq. (MHz)	Liquid Type	System Diople	Serial No.	Target SAR _{1g} (W/kg)	Measured SAR _{1g} (W/kg)	Normalized SAR _{1g} (W/kg)	Deviation (±10%)
12/08/2014	1900	Head	Type IXD-190	0217	39.7*	7.661	38.3	-3.51%

^{*} the target was quoted from 1900 dipole antenna calibration report

1900 Head SAR_{1g} ambient measured value: 0.001 (W/kg)

Details of System Verification plot is shown in the Appendix A - plot 1.

System Verification (1900MHz)								
Date	Freq. (MHz)	Liquid Type	System Diople	Serial No.	Target SAR _{1g} (W/kg)	Measured SAR _{1g} (W/kg)	Normalized SAR _{1g} (W/kg)	Deviation (±10%)
12/08/2014	1900	Body	Type IXD-190	0217	38.9*	7.563	37.8	-2.79%

^{*} the target was quoted from 1900 dipole antenna calibration report

1900 Body SAR_{1g} ambient measured value: 0.001 (W/kg)

Details of System Verification plot is shown in the Appendix A - plot 2.

^{*} Input power level = 23dBm (0.2W)

^{*} Input power level = 23dBm (0.2W)



Page 18 of 80

6. SAR Evaluation

6.1. RF Output Power Measurements

Frequency	Channel	Duty Cycle	Measured Conducted Power (Peak)	Measured Conducted Power (Time average)
DECT	Low – 4		19.41 dBm	5.61 dBm
1.9GHz	Middle – 2	1/24	19.35 dBm	5.55 dBm
1.9GHZ	High - 0		19.41 dBm	5.61 dBm

Note:

- 1. Time Average power (dBm) = Peak power (dBm) + Time Average factor.
- 2. Time Average factor = 10*log(duty cycle) = -13.8dB
- 3. DECT has a TDD/TDMA frame structure with a complete frame of 10ms duration with 24 time slots. And under these 24 time slots, the first 12 slots are allocated for the transmission from base station to handsets, and the other 12 slots are for the transmission from handsets to base station. During a call, the handset of this product will use one of 24 time slots to transmit under worst case, which gives a duty cycle of 1/24 (= 4.2%)
- 4. Fully charged battery was used for each measurement.
- 5. Per KDB 447498, when antenna port was not available on the device to support conducted power measurement and test software was used to establish transmitter power levels, the power level was verified separately according to design and component specifications and product development information specified by the manufacturer.
- 6. There was no power reduction used for any band/mode implemented in this device



Page 19 of 80

6.2. Exposure Conditions

Head Exposure Conditions

Test Configurations	Operation Mode	SAR Required	Note
Left Cheek	Voice	Yes	2.4V 500mAh GPI Ni-MH rechargeable battery installed
Right Cheek	Voice	Yes	2.4V 500mAh GPI Ni-MH rechargeable battery installed
Left Tilt (15 degree)	Voice	Yes	2.4V 500mAh GPI Ni-MH rechargeable battery installed
Right Tilt (15 degree)	Voice	Yes	2.4V 500mAh GPI Ni-MH rechargeable battery installed
Left Cheek	Voice	Yes	2.4V 500mAh Corun Ni-MH rechargeable battery installed

Note:

1. Per KDB 648474, highest reported SAR test configuration was repeated for additional supported batteries since the measured SAR was < 1.2W/kg

Body-worn accessory Exposure Conditions

Test Configurations	Distance to phantom	Operation Mode	SAR Required	Note
Back	0mm	Voice	Yes	2.4V 500mAh GPI Ni-MH rechargeable battery installed
Back	0mm	Voice	Yes	2.4V 500mAh Corun Ni-MH rechargeable battery installed

Note:

1. Per KDB 447498, devices that support transmission while used with body-worn accessories must be tested for body-worn accessory SAR compliance.



Page 20 of 80


6.3. General Device Setup

The device was first charged on a telephone base or charger over a duration defined by the applicant to make sure the installed battery was fully charged.

The device was then placed into TBR6 test mode to simulate the worst case voice call configuration through the middle channel, where the operating parameters established in this TBR6 test mode is identical to those programmed in production units, including output power levels, amplifier gain settings and other RF performance tuning parameters. The test frequency is corresponded to actual channel frequencies defined for domestic use.

During testing, the device was evaluated with a fully charged battery, power saving function disabled and was configured to operate at maximum output power. A receive antenna and a base station simulator – Digital Radiocommunication Tester, model: CMD60 were placed with a distance > 50cm away from the device to establish the voice call.

In order to verify that the device was tested throughout the SAR test at maximum output power, the SAR measurement system measures a "point SAR" at an arbitrary reference point at the start and end of the 1 gram SAR evaluation, to assess for any power drifts during the evaluation. If the power drift deviated by more than 5%, the SAR test and drift measurements were repeated.



SAR Test Device Set Up block diagram



Page 21 of 80

6.4. Test Result

The results on the following page(s) were obtained when the device was tested in the condition described in this report. Detailed measurement data and plots, which reveal information about the location of the maximum SAR with respect to the device, are reported in Appendix B.

Head SAR

	Measurement Result									
Channel	Freq. (MHz)	Battery	Operation Mode	Test Position	Maximum Allowed Power (dBm)	Measured Power (dBm)	Measured SAR _{1g} (W/kg)	Scaling factor	Reported SAR _{1g} (W/kg)	Plot
Middle	1924.992	2.4V 500mAh GPI Ni-MH	Voice	Left cheek	21	19.35	0.040	1.46	0.058	1
Middle	1924.992	2.4V 500mAh GPI Ni-MH	Voice	Right cheek	21	19.35	0.028	1.46	0.041	2
Middle	1924.992	2.4V 500mAh GPI Ni-MH	Voice	Left tilt	21	19.35	0.027	1.46	0.039	3
Middle	1924.992	2.4V 500mAh GPI Ni-MH	Voice	Right tilt	21	19.35	0.022	1.46	0.032	4
Middle	1924.992	2.4V 500mAh Corun Ni-MH	Voice	Left cheek	21	19.35	0.039	1.46	0.057	Note 8

Note:

- 1. Fully charged batteries were used at the beginning of each SAR measurement.
- 2. There was no power reduction used for any band/mode implemented in this device.
- 3. This device supports only voice transmission for held to head configuration.
- 4. Per KDB 447498, the tested device was within the specified tune-up tolerances range, but not more than 2dB lower than the maximum tune-up tolerance limit and the reported SAR results were scaled to the maximum allowed power with the scaling factor 10^[(Maximum power measured power) / 10].
- 5. Per KDB 447498, when the maximum output power variation across the required test channels was < 0.5dB, measurement on middle channel was required.
- 6. Per KDB 447498, if the reported SAR value was ≤ 0.8 W/kg and the transmission band was ≤ 100MHz, SAR testing was not required for the other test channels in the band.
- Per KDB 865664, repeated measurement was not required when the original highest measured SAR was < 0.8W/kg.
- 8. Per KDB 865664, SAR plot is required for the highest measured SAR in each exposure configuration, wireless mode and frequency band combination.



Page 22 of 80

Body SAR

	Measurement Result									
Channel	Freq. (MHz)	Battery	Operation Mode	Test Position	Maximum Allowed Power (dBm)	Measured Power (dBm)	Measured SAR _{1g} (W/kg)	Scaling factor	Reported SAR _{1g} (W/kg)	Plot
Middle	1924.992	2.4V 500mAh GPI Ni-MH	Voice	Back	21	19.35	0.016	1.46	0.023	5
Middle	1924.992	2.4V 500mAh Corun Ni-MH	Voice	Back	21	19.35	0.015	1.46	0.022	Note 9

Note:

- 1. Fully charged batteries were used at the beginning of each SAR measurement.
- There was no power reduction used for any band/mode implemented in this device.
- 3. This device supports only voice transmission for Body-worn configuration.
- 4. Per KDB 447498, the tested device was within the specified tune-up tolerances range, but not more than 2dB lower than the maximum tune-up tolerance limit and the reported SAR results were scaled to the maximum allowed power with the scaling factor 10[^][(Maximum power – measured power) / 10].
- 5. Per KDB 447498, when the maximum output power variation across the required test channels was < 0.5dB, measurement on middle channel was required.
- 6. Per KDB 447498, if the reported SAR value was ≤ 0.8 W/kg and the transmission band was ≤ 100MHz, SAR testing was not required for the other test channels in the band.
- 7. Per KDB 865664, repeated measurement was not required when the original highest measured SAR was < 0.8W/kg.
- 8. Per KDB 648474, when the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is < 1.2 W/kg, there is no need for the highest reported SAR configuration for that wireless mode and frequency band be repeated for that body-worn accessory with a headset attached to the handset.
- 9. Per KDB 865664, SAR plot is required for the highest measured SAR in each exposure configuration, wireless mode and frequency band combination.



Page 23 of 80

6.5 SAR Limits

The following FCC limits (Std. C95.1-1992) for SAR apply to devices operate in General Population/Uncontrolled Exposure and Controlled environment:

General Population / Uncontrolled Environments:

Defined as location where there is the exposure of individuals who have no knowledge or control of their exposure.

EXPOSURE	SAR
(General Population/Uncontrolled Exposure environment)	(W/kg)
Spatial Peak SAR (Head)*	1.60
Spatial Peak SAR (Partial Body)*	1.60
Spatial Peak SAR (Whole Body)*	0.08
Spatial Peak SAR (Hands / Wrists / Feet / Ankles)**	4.00

Occupational / Controlled Environments:

Defined as location where there is the exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation)

EXPOSURE (Occupational/Controlled Exposure environment)	SAR (W/kg)
Spatial Peak SAR (Head)*	8.00
Spatial Peak SAR (Partial Body)*	8.00
Spatial Peak SAR (Whole Body)*	0.40
Spatial Peak SAR (Hands / Wrists / Feet / Ankles)**	20.00

Notes:

- * The Spatial Peak value of the SAR averaged over any 1 gram of tissue. (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time
- ** The Spatial Peak value of the SAR averaged over any 10 gram of tissue. (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time



Page 24 of 80

7. Test Instruments

Instruments List

The Specific Absorption Rate (SAR) tests were performed with the INDEXSAR SARA2 SYSTEM. The following major equipment/components were used for the SAR evaluations:

SAR Measurement Sys	tem					
EQUIPMENT	SPECIFICATIONS	Intertek ID No.	Last Cal.	Due Date		
Balanced Validation Dipole Antenna	1900MHz	EW-2900-04	09/03/2012	09/03/2015		
Controller	Mitsubishi CR-E116	EW-2902-04	N	/A		
Robot	Mitsubishi RV-E2	EW-2902-05	N	/A		
	Repeatability: ± 0.04mm; Number of Axes	s: 6				
E-Field Probe	IXP-050	EW-2900-01	16/02/2013	16/02/2015		
	Frequency Range: 450 MHz – 3000 MHz Probe outer diameter: 5.2 mm; Length: 5 the dipole center: 2.7 mm	350 mm; Distance	between the	probe tip and		
Data Acquisition	SARA2	N/A	N	/A		
	Processor: Pentium 4; Clock speed: 1.5G Software: SARA2 ver. 2.54 VPM	Hz; OS: Windows >	KP; I/O: two RS	5232;		
Phantom	Upright Head Specific Anthropomorphic Mannequin (SAM) phantom, 2mm wall thickness box phantom	N/A	N/A			
	The head and body phantom shell shoul dielectric constant and loss tangent less thickness for all regions coupled to the te \pm 0.2 mm. The phantom should be fille tissue medium to a depth of 15.0 \pm 0.5 cr mm ³ .	ss than 5.0 and 0. est device and its are ed with the require	.05 respective ntenna should d head or boo	ly. The shell be within 2.0 dy equivalent		
Device holder	Material: clear Perspex	N/A	N	/A		
	Dielectric constant: less than 2.85 Loss Tangent of the device holder: less th	nan 0.05				
Simulated Tissue for Head	Mixture	N/A	12/08	3/2014		
	Please see section 3.0 for details					
RF Power Meter	AGILENTTECH N1911A	EW-2270b	26/01/2014	26/01/2015		
	Frequency Range: 50 MHz to 18 GHz, -39	5~+20dBm				
Vector Network Analyzer	AGILENTTECH E5071B	EW-9001	30/01/2014	30/01/2015		
	9kHz to 8.5GHz					
Signal Generator	AGILENTTECH E8247C	EW-1983	06/05/2014	06/05/2015		
	250kHz to 40GHz					

Note: The above equipments are within the valid calibration period



Page 25 of 80

8. Measurement Uncertainty

Per KDB 865664, the extensive SAR measurement uncertainty analysis was not required when the highest measured SAR was < 1.5 W/kg for all frequency bands.

9. E-Field Probe and Dipole Antenna Calibration

Probe calibration factors and dipole antenna calibration are included in Appendix C.

10. References

- [1] IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", IEEE Std 1528[™]-2003
- [2] IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques Amendment 1: CAD File for Human Head Model (SAM Phantom) , IEEE Std 1528a[™]-2005
- [3] FCC KDB Publication 865664 D01 SAR measurement 100MHz to 6GHz v01r03
- [4] FCC KDB Publication 865664 D02 SAR Reporting v01r01
- [5] FCC KDB Publication 447498 D01 General RF Exposure Guidance v05r02
- [6] FCC KDB Publication 648474 D04 SAR Handsets Multi Xmiter and Ant v01r02



Report No.: 14071086HKG-001

Page 26 of 80

APPENDIX A – System Verification Data

Plot #1

Date / Time: 12/08/2014 09:15:44 AM

Filename: 1900H_VAL_12_08_2014.tx

Device Tested: 1900_Val

Antenna: 1900MHz Dipole

Shape File: none.csv

Operation Mode: N/A Position: bottom of box phantom

Phantom: HeadBox1-val.csv

Test Channel: N/A

1900MHz **Test Frequency:**

Power Level: 23dBm

Modn. Duty Cycle: N/A

Probe: 0136

Cal File:

Cal Factors:

SN0136_1900_Head

.374

Lin

Z Χ 459 Air 362 378 **DCP** 20 20 20

.374

.374

Extrapolation: Poly 4

15.5 cm **Liquid Depth:**

Liquid Type: 1900 MHz Head


Conductivity: 1.43 **Relative Permittivity:** 39.67

Liquid Temp (Before): 23.0 deg Liquid Temp (After): 23.0 deg

Ambient Temp: 23.0 deg 65 %

Ambient RH (%):

Density (kg/m3): 1000



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

Change during Scan (%) Max E-field

(V/m):

73.38

Max SAR (W/kg)

1g	10g
7.661	4.047

End Scan

0.878

Start Scan

0.897

-2.13

7.7

Max Spot SAR (W/kg):

Location of Max (mm):

Х	Y	Z
0.0	0.0	-219.1

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm

Normalized to an input power of 1W and averaged over 1g of tissue -Max SAR = 38.3 W/kg



Report No.: 14071086HKG-001

Page 27 of 80

Plot #2

Date / Time:12/08/2014 06:08:44 PMPosition:bottom of box phantom

Filename: 1900B_VAL_12_08_2014.txt Phantom: HeadBox1-val.csv

Device Tested:1900_ValTest Channel:N/AAntenna:1900MHz DipoleTest Frequency:1900MHz

Shape File:none.csvPower Level:23dBmOperation Mode:N/AModn. Duty Cycle:N/A

Ζ

Probe: 0136

Cal File: SN0136_1900_Body

X Y

 Cal Factors:
 Air
 459
 362
 378

 DCP
 20
 20
 20


 Lin
 .411
 .411
 .411

Extrapolation: Poly 4

Liquid Depth: 15.5 cm

Liquid Type: 1900 MHz Body

Conductivity: 1.45
Relative Permittivity: 53.9
Liquid Temp (Before): 23.0 deg
Liquid Temp (After): 23.0 deg
Ambient Temp: 23.0 deg
Ambient RH (%): 65 %
Density (kg/m3): 1000



ZOOM SCAN RESULTS:

Spot SAR	Start Scan	End Scan
W/kg):	1.147	1.143

Change during Scan (%) Max E-field

-0.35

(V/m): 64.90

 Max SAR (W/kg)
 1g
 10g

 7.563
 4.090

Max Spot SAR (W/kg):

7.59

Location of Max (mm):

Х	Υ	Z
0.0	0.0	-219.1

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm

Normalized to an input power of 1W and averaged over 1g of tissue – Max SAR = 37.815 W/kg



Report No.: 14071086HKG-001

Page 28 of 80

APPENDIX B - SAR Evaluation Data

Plot #1

Date / Time: 12/08/2014 07:10:21 PM **Filename:** DS6151 1900H GP LC 1

DS6151_1900H_GP_LC_12 08_2014.txt

Device Tested: DS6151-2
Antenna: Integral Antenna

Battery used: 2.4V 500mAH GPI Ni-MH

rechargeable battery pack

Operation Mode: Voice call

Phantom: HeadFT06.csv

Left cheek

Test Channel: 2 - Middle
Test Frequency: 1924.992 MHz
Power Level: 19.35 dBm

Modn. Duty Cycle: 1/24

Position:

Probe: 0136

Cal Factors:

Cal File: SN0136_1900_HEAD

 X
 Y
 Z

 Air
 459
 362
 378

 DCP
 20
 20
 20


 Lin
 .374
 .374
 .374

Extrapolation: Poly 4

Liquid Depth: 15.5 cm

Liquid Type: 1900 MHz Head

Conductivity: 1.43
Relative Permittivity: 39.67
Liquid Temp (Before): 23.0 deg
Liquid Temp (After): 23.0 deg
Ambient Temp: 23.0 deg
Ambient RH (%): 65




AREA SCAN:

Scan Extent:

	Min	Max
Υ	-70.0	30.0
Z	-180.0	-100.0

Measurement Resolution (11x9): dy = 10mm, dz = 10mm,



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

0.017

Start Scan

Change during Scan (%)

-2.45

Max E-field(V/m):

5.50

Max SAR (W/kg)

 1g
 10g

 0.040
 0.027

End Scan

0.015

Max Spot SAR (W/kg):

0.04

Location of Max (mm):

X Y Z 76.8 -48.7 -125.8

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm



Report No.: 14071086HKG-001

Page 29 of 80

Plot #2

Date / Time: 12/08/2014 08:19:37 PM **Filename:** DS6151_1900H_GP_RC_12

_08_2014.txt

Device Tested: DS6151-2
Antenna: Integral Antenna

Battery used: 2.4V 500mAH GPI Ni-MH

rechargeable battery pack

Operation Mode: Voice call

Position: Right cheek
Phantom: HeadFT06.csv

Test Channel: 2 - Middle
Test Frequency: 1924.992 MHz
Power Level: 19.35 dBm

Modn. Duty Cycle: 1/24

Probe: 0136

Cal File: SN0136 1900 HEAD

Lin

 X
 Y
 Z

 Air
 459
 362
 378

 DCP
 20
 20
 20

.374

.374

.374


Extrapolation: Poly 4

Cal Factors:

Liquid Depth: 15.5 cm

Liquid Type: 1900 MHz Head

Conductivity: 1.43
Relative Permittivity: 39.67
Liquid Temp (Before): 23.0 deg
Liquid Temp (After): 23.0 deg
Ambient Temp: 23.0 deg
Ambient RH (%): 65




AREA SCAN:

Scan Extent:

	Min	Max	
Υ	-30.0	70.0	
Z	-180.0	-100.0	

Measurement Resolution (11x9): dy = 10mm, dz = 10mm,



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

Change during Scan (%)

Max E-field(V/m):

Max SAR (W/kg)

Max Spot SAR (W/kg):

Location of Max (mm):

Start Scan	End Scan	
0.013	0.015	

4.85

4.56

1g 10g

0.028 0.021

0.03

Х	Υ	Z
77.8	18.5	-129.3

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm



Report No.: 14071086HKG-001

Page 30 of 80

Plot #3

Date / Time: 12/08/2014 09:10:56 PM Filename: DS6151_1900H_GP_LT_12

_08_2014.txt

Device Tested: DS6151-2 Antenna: Integral Antenna

Battery used: 2.4V 500mAH GPI Ni-MH

rechargeable battery pack

Operation Mode: Voice call Position: Left Tilt

Phantom: HeadFT06.csv

Test Channel: 2 - Middle **Test Frequency:** 1924.992 MHz

Power Level: 19.35 dBm

Modn. Duty Cycle: 1/24

Probe: 0136

Cal Factors:

Cal File: SN0136 1900 HEAD

Lin

Χ Z Υ Air 459 362 378 **DCP** 20 20 20

.374


.374

.374

Extrapolation: Poly 4 **Liquid Depth:** 15.5 cm

Liquid Type: 1900 MHz Head

Conductivity: 1.43 **Relative Permittivity:** 39.67 Liquid Temp (Before): 23.0 deg Liquid Temp (After): 23.0 deg **Ambient Temp:** 23.0 deg Ambient RH (%): 65




AREA SCAN:

Scan Extent:

Min		Max	
Υ	-70.0	30.0	
Z	-180.0	-100.0	

Measurement Resolution (11x9): dy = 10mm, dz = 10mm,



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

Start Scan End Scan 0.013 0.013

Change during Scan (%)

0.21

4.54

Max E-field(V/m):

Max SAR (W/kg)

10g	

Max Spot SAR (W/kg):

0.03

Location of Max (mm):

X Υ Z 77.9 -41.5 -123.1

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm



Report No.: 14071086HKG-001

Right Tilt

2 - Middle

19.35 dBm

HeadFT06.csv

1924.992 MHz

Page 31 of 80

Plot #4

 Date / Time:
 12/08/2014 10:01:45 PM
 Position:

 Filename:
 DS6151 1900H GP RT 12
 Phantom:

DS6151_1900H_GP_RT_12 _08_2014.txt

Device Tested: DS6151-2
Antenna: Integral Antenna

Battery used: 2.4V 500mAH GPI Ni-MH

Operation Mode: Voice call

rechargeable battery pack

Test Channel:

Power Level:

Test Frequency:

ce call Modn. Duty Cycle: 1/24

Probe: 0136

Cal File: SN0136 1900 HEAD


Χ Υ Z 378 Air 459 362 **Cal Factors: DCP** 20 20 20 Lin .374 .374 .374

Extrapolation: Poly 4

Liquid Depth: 15.5 cm

Liquid Type: 1900 MHz Head

Conductivity: 1.43
Relative Permittivity: 39.67
Liquid Temp (Before): 23.0 deg
Liquid Temp (After): 23.0 deg
Ambient Temp: 23.0 deg
Ambient RH (%): 65




AREA SCAN:

Scan Extent:

	Min	Max	
Υ	-30.0	70.0	
Z	-180.0	-100.0	

Measurement Resolution (11x9): dy = 10mm, dz = 10mm,



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

(W/kg): Change during

Scan (%)

Max E-field(V/m):

Max SAR (W/kg)

Max Spot SAR (W/kg):

Location of Max (mm):

Start Scan	End Scan	
0.013	0.011	

-2.89 4.06

1g 10g 0.022 0.016

0.02

Х	Y	Z
73.8	-7.8	-117.8

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm



Report No.: 14071086HKG-001

Page 32 of 80

Plot #5

Date / Time: 12/08/2014 11:52:45 PM

Filename: DS6151 1900H GP Back

12_08_2014.txt DS6151-2 **Device Tested:** Antenna: Integral Antenna

Battery used: 2.4V 500mAH GPI Ni-MH

rechargeable battery pack

Operation Mode: Voice call Position: Back

Phantom: Headbox2-test.csv

Test Channel: 2 - Middle **Test Frequency:** 1924.992 MHz **Power Level:** 19.35 dBm

Modn. Duty Cycle: 1/24

Probe: 0136

Cal File: SN0136 1900 Body

> Χ Z Υ Air 459 362


Cal Factors:

378 **DCP** 20 20 20 .411 .411 .411 Lin

Extrapolation: Poly 4 **Liquid Depth:** 15.5 cm

Liquid Type: 1900 MHz Body

Conductivity: 1.45 **Relative Permittivity:** 53.9 Liquid Temp (Before): 23.0 deg Liquid Temp (After): 23.0 deg **Ambient Temp:** 23.0 deg Ambient RH (%): 65




AREA SCAN:

Scan Extent:

	Min Max	
Υ	-80.0	80.0
Z	-155.0	-95.0

Measurement Resolution (17x7): dy = 10mm, dz = 10mm,



ZOOM SCAN RESULTS:

Spot SAR (W/kg):

Change during Scan (%)

Max E-field(V/m):

Max SAR (W/kg)

Max Spot SAR (W/kg):

Location of Max (mm):

0.016 0.02

-3.52

3.42

Start Scan

0.006

1g

Χ	Y	Z
75.7	-71.5	-137.0

End Scan

0.005

10g

0.009

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm



Page 33 of 80

APPENDIX C – E-Field Probe and Dipole Antenna Calibration



Page 34 of 80




IMMERSIBLE SAR PROBE

CALIBRATION REPORT

Part Number: IXP - 050

S/N 0136

February 2013



Indexsar Limited Oakfield House **Cudworth Lane** Newdigate Surrey RH5 5BG

Tel: +44 (0) 1306 632 870 Fax: +44 (0) 1306 631 834 e-mail: enquiries@indexsar.com

Reproduction of this report is authorized by Indexsar Ltd provided the report is reproduced in its entirety

Page 1 of 24

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2785 5487 Website: www.hk.intertek-etlsemko.com



Page 35 of 80



Type:

Indexsar Limited Oakfield House **Cudworth Lane** Newdigate Surrey RH5 5BG

Tel: +44 (0) 1306 632 870 Fax: +44 (0) 1306 631 834 e-mail: enquiries@indexsar.com

Calibration Certificate 1302/0136 Date of Issue: 16th February 2013 Immersible SAR Probe

IXP-050

Manufacturer:	IndexSAR, UK			
Serial Number:	0136			
Place of Calibration:	IndexSAR, UK			
Date of Receipt of Probe:	8 th January 2013			
	50 PM-1	-		
Calibration Dates:	8 th January – 15 th February 2	2013		
Customer:	Intertek Testing Services			
IndexSAR Ltd hereby declares that the IXP-050 Probe named above has been calibrated for conformity to the current versions of IEEE 1528, IEC 62209-1, IEC 62209-2, and FCC OET65 standards using the methods described in this calibration document. Where applicable, the standards used in the calibration process are traceable to the UK's National Physical Laboratory.				
Calibrated by: A. Bruklow Technical Manager				
	a a			
Approved by:	Xth.	Director		
Please keep this certificate with	the calibration document	t. When the probe is		

sent for a calibration check, please include the calibration document.



Page 36 of 80

INTRODUCTION

This Report presents measured calibration data for a particular Indexsar SAR probe (S/N 0136) only and describes the procedures used for characterisation and calibration.

Indexsar probes are characterised using procedures that, where applicable, follow the recommendations of IEC 62209-1 [Ref 1], IEEE 1528 [Ref 2], IEC 62209-2 [Ref 3] and FCC OET65 [Ref 4] standards. The procedures incorporate techniques for probe linearisation, isotropy assessment and determination of liquid factors (conversion factors). Calibrations are determined by comparing probe readings with analytical computations in canonical test geometries (waveguides) using normalised power inputs.

Each step of the calibration procedure and the equipment used is described in the sections below.

CALIBRATION PROCEDURE

1. Objectives

The calibration process comprises four stages

- 1) Determination of the channel sensitivity factors which optimise the probe's overall rotational isotropy in 900MHz brain fluid
- Determination of the channel sensitivity factors and angular offset of the X channel which together optimise the probe's spherical isotropy in 900MHz brain fluid
- 3) Numerical combination of the two sets of channel sensitivity factors to give both acceptable rotational isotropy and acceptable spherical isotropy values
- 4) Since isotropy and channel sensitivity factors are frequency independent, at each frequency of interest, application of these channel sensitivity factors to model the exponential decay of SAR in a waveguide fluid cell, and hence derive the liquid conversion factors at that frequency

Probe output

The probe channel output signals are linearised in the manner set out in Refs [1] and [2]. The following equation is utilized for each channel:

$$U_{lin} = U_{o/p} + U_{o/p}^{2} / DCP$$
 (1)

where U_{lin} is the linearised signal, $U_{o/p}$ is the raw output signal in mV and DCP is the diode compression potential in similar voltage units.

DCP is determined from fitting equation (1) to measurements of U_{lin} versus source feed power over the full dynamic range of the probe. The DCP is a characteristic of the Schottky diodes used as the sensors. For the IXP-050 probes with CW signals the DCP values are typically 100mV (or 20 in the voltage units used by Indexsar software, which are V*200).



Page 37 of 80

For this value of DCP, the typical linearity response of IXP-050 probes to CW and to GSM modulation is shown in Figure 8, along with departures of this same dataset from linearity.

In turn, measurements of E-field are determined using the following equation (where output voltages are also in units of V*200):

$$E_{liq}^{2} (V/m) = U_{linx} * Air Factor_{x} * Liq Factor_{x} + U_{liny} * Air Factor_{y} * Liq Factor_{y} + U_{linz} * Air Factor_{z} * Liq Factor_{z}$$
(3)

Here, "Air Factor" represents each channel's sensitivity, while "Liq Factor" represents the enhancement in signal level when the probe is immersed in tissue-simulant liquids at each frequency of interest.

3. Selecting channel sensitivity factors to optimise isotropic response

After manufacture, the first stage of the calibration process is to balance the three channels' Air Factor values, thereby optimising the probe's overall axial response ("rotational isotropy").

To do this, a 900MHz waveguide containing head-fluid simulant is selected. Like all waveguides used during probe calibration, this particular waveguide contains two distinct sections: an air-filled launcher section, and a liquid cell section, separated by a dielectric matching window designed to minimise reflections at the air-liquid interface.

The waveguide stands in an upright position and the liquid cell section is filled with 900MHz brain fluid to within 10 mm of the open end. The depth of liquid ensures there is negligible radiation from the waveguide open top and that the probe calibration is not influenced by reflections from nearby objects.

During the measurement, a TE₀₁ mode is launched into the waveguide by means of an N-type-to-waveguide adapter. The probe is then lowered vertically into the liquid until the tip is exactly 10mm above the centre of the dielectric window. This particular separation ensures that the probe is operating in a part of the waveguide where boundary corrections are not necessary.

Care must also be taken that the probe tip is centred while rotating.

The exact power applied to the input of the waveguide during this stage of the probe calibration is immaterial since only relative values are of interest while the probe rotates. However, the power must be sufficiently above the noise floor and free from drift.

The dedicated Indexsar calibration software rotates the probe in 10 degree steps about its axis, and at each position, an Indexsar 'Fast' amplifier samples the probe channels 500 times per second for 0.4 s. The raw $U_{\text{o/p}}$ data from each sample are packed into 10 bytes and transmitted back to the PC



Page 38 of 80

controller via an optical cable. U_{linx} , U_{liny} and U_{linz} are derived from the raw $U_{o/p}$ values and written to an Excel template.

Once data have been collected from a full probe rotation, the Air Factors are adjusted using a special Excel Solver routine to equalise the output from each channel and hence minimise the rotational isotropy. This automated approach to optimisation removes the effect of human bias.

Figure 5 represents the output from each diode sensor as a function of probe rotation angle.

4. Measurement of Spherical Isotropy

The setup for measuring the probe's spherical isotropy is shown in Figure 2.

A box phantom containing 900MHz head fluid is irradiated by a vertically-polarised, tuned dipole, mounted to the side of the phantom on the robot's seventh axis. During calibration, the spherical response is generated by rotating the probe about its axis in 20 degree steps and changing the dipole polarisation in 10 degree steps.

By using the VPM technique discussed below, an allowance can also be made for the effect of E-field gradient across the probe's spatial extent. This permits values for the probe's effective tip radius and X-channel angular offset to be modelled until the overall spherical isotropy figure is optimised.

The dipole is connected to a signal generator and amplifier via a directional coupler and power meter. As with the determination of rotational isotropy, the absolute power level is not important as long as it is stable.

The probe is positioned within the fluid so that its sensors are at the same vertical height as the centre of the source dipole. The line joining probe to dipole should be perpendicular to the phantom wall, while the horizontal separation between the two should be small enough for VPM corrections to be applicable, without encroaching near the boundary layer of the phantom wall. VPM corrections require a knowledge of the fluid skin depth. This is measured during the calibration by recording the E-field strength while systematically moving the probe away from the dipole in 2mm steps over a 20mm range.

The directionality of the orthogonally-arranged sensors can be checked by analysing the data using dedicated Indexsar software, which displays the data in 3D format, a representative image of which is shown in Figure 3. The left-hand side of this diagram shows the individual channel outputs after linearisation (see above). The program uses these data to balance the channel outputs and then applies an optimisation process, which makes fine adjustments to the channel factors for optimum isotropic response.

5. Determination of Conversion ("Liquid") Factors at each frequency of interest

A lookup table of conversion factors for a probe allows a SAR value to be derived at the measured frequencies, and for either brain or body fluid-simulant.



Page 39 of 80

The method by which the conversion factors are assessed is based on the comparison between measured and analytical rates of decay of SAR with height above a dielectric window. This way, not only can the conversion factors for that frequency/fluid combination be determined, but an allowance can also be made for the scale and range of boundary layer effects.

The theoretical relationship between the SAR at the cross-sectional centre of the lossy waveguide as a function of the longitudinal distance (*z*) from the dielectric separator is given by Equation 4:

$$SAR(z) = \frac{4(P_f - P_b)}{\rho ab\delta} e^{-2z/\delta}$$
(4)

Here, the density ρ is conventionally assumed to be 1000 kg/m³, ab is the cross-sectional area of the waveguide, and P_f and P_b are the forward and reflected power inside the lossless section of the waveguide, respectively. The penetration depth δ (which is the reciprocal of the waveguide-mode attenuation coefficient) is a property of the lossy liquid and is given by Equation (5).

$$\delta = \left[\operatorname{Re} \left\{ \sqrt{(\pi / a)^2 + j\omega \mu_o (\sigma + j\omega \varepsilon_o \varepsilon_r)} \right\} \right]^{-1}$$
 (5)

where σ is the conductivity of the tissue-simulant liquid in S/m, ε_r is its relative permittivity, and ω is the radial frequency (rad/s). Values for σ and ε_r are obtained prior to each waveguide test using an Indexsar DiLine measurement kit, which uses the TEM method as recommended in [2]. σ and ε_r are both temperature- and fluid-dependent, so are best measured using a sample of the tissue-simulant fluid immediately prior to the actual calibration.

Wherever possible, all DiLine and calibration measurements should be made in the open laboratory at 22 \pm 2.0°C; if this is not possible, the values of σ and ε_r should reflect the actual temperature. Values employed for calibration are listed in the tables below.

By ensuring the liquid height in the waveguide is at least three penetration depths, reflections at the upper surface of the liquid are negligible. The power absorbed in the liquid is therefore determined solely from the waveguide forward and reflected power.

Different waveguides are used for 835/900MHz, 1800/1900MHz, 2100/2450/2600MHz and 5200/5800MHz measurements. Table A.1 of [1] can be used for designing calibration waveguides with a return loss greater than 20 dB at the most important frequencies used for personal wireless communications, and better than 15dB for frequencies greater than 5GHz. Values for the penetration depth for these specific fixtures and tissue-simulating mixtures are also listed in Table A.1.



Page 40 of 80

According to [1], this calibration technique provides excellent accuracy, with standard uncertainty of less than 3.6% depending on the frequency and medium. The calibration itself is reduced to power measurements traceable to a standard calibration procedure. The practical limitation to the frequency band of 800 to 5800 MHz because of the waveguide size is not severe in the context of compliance testing.

During calibration, the probe is lowered carefully until it is just touching the cross-sectional centre of the dielectric window. 200 samples are then taken and written to an Excel template file before moving the probe vertically upwards. This cycle is repeated 150 times. The vertical separation between readings is determined from practical considerations of the expected SAR decay rate, and range from 0.2mm steps at low frequency, through 0.1mm at 2450MHz, down to 0.05mm at 5GHz.

Once the data collection is complete, a Solver routine is run which optimises the measured-theoretical fit by varying the conversion factor, and the boundary correction size and range.

For 450 MHz calibrations, a slightly different technique must be used — the equatorial response of the probe-under-test is compared with the equivalent response of a probe whose 450MHz characteristics have already been determined by NPL. The conversion factor of the probe-under-test can then be deduced.

VPM (Virtual Probe Miniaturisation)

SAR probes with 3 diode-sensors in an orthogonal arrangement are designed to display an isotropic response when exposed to a uniform field. However, the probes are ordinarily used for measurements in non-uniform fields and isotropy is not assured when the field gradients are significant compared to the dimensions of the tip containing the three orthogonally-arranged dipole sensors.

It becomes increasingly important to assess the effects of field gradients on SAR probe readings when higher frequencies are being used. For Indexsar IXP-050 probes, which are of 5mm tip diameter, field gradient effects are minor at GSM frequencies, but are major above 5GHz. Smaller probes are less affected by field gradients and so probes, which are significantly less than 5mm diameter, would be better for applications above 5GHz.

The IndexSAR report IXS0223 [Ref 5] describes theoretical and experimental studies to evaluate the issues associated with the use of probes at arbitrary angles to surfaces and field directions. Based upon these studies, the procedures and uncertainty analyses referred to in P1528 are addressed for the full range of probe presentation angles.

In addition, generalized procedures for correcting for the finite size of immersible SAR probes are developed. Use of these procedures enables application of schemes for virtual probe miniaturization (VPM) – allowing probes of a specific size to be used where physically-smaller probes would otherwise be required.



Page 41 of 80

Given the typical dimensions of 3-channel SAR probes presently available, use of the VPM technique extends the satisfactory measurement range to higher frequencies.

CALIBRATION FACTORS MEASURED FOR PROBE S/N 0136

The probe was calibrated at 450, 835, 900, 1800, 1900, 2100, 2450 and 2600 MHz in liquid samples representing brain and body liquid at these frequencies.

The calibration was for CW signals only, and the axis of the probe was parallel to the direction of propagation of the incident field i.e. end-on to the incident radiation. The axial isotropy of the probe was measured by rotating the probe about its axis in 10 degree steps through 360 degrees in this orientation.

The reference point for the calibration is in the centre of the probe's cross-section at a distance of 2.7 mm from the probe tip in the direction of the probe amplifier. A value of 2.7 mm should be used for the tip to sensor offset distance in the software. The distance of 2.7mm for assembled probes has been confirmed by taking X-ray images of the probe tips (see Figure 9).

It is important that the diode compression point and air factors used in the software are the same as those quoted in the results tables, as these are used to convert the diode output voltages to a SAR value.

CALIBRATION EQUIPMENT

The table on page 20 indicates the calibration status of all test equipment used during probe calibration.



Report No.: 14071086HKG-001

Page 42 of 80

MEASUREMENT UNCERTAINTIES


A complete measurement uncertainty analysis for the SARA-C measurement system has been published in Reference [6]. Table 17 from that document is re-created below, and lists the uncertainty factors associated just with the calibration of probes.

Source of uncertainty	Uncertainty value ± %	Probability distribution	Divisor	c _i	Standard uncertainty ui ± %	v _i or v _{eff}
Forward power	3.92	N	1.00	1	3.92	00
Reflected power	4.09	N	1.00	1	4.09	00
Liquid conductivity	1.308	N	1.00	1	1.31	00
Liquid permittivity	1.271	N	1.00	1	1.27	00
Field homgeneity	3.0	R	1.73	1	1.73	00
Probe positioning	0.22	R	1.73	1	0.13	00
Field probe linearity	0.2	R	1.73	1	0.12	00
Combined standard uncertainty		RSS			6.20	

At the 95% confidence level, therefore, the expanded uncertainty is $\pm 12.4\%$



Page 43 of 80



Surface Isotropy diagram of IXP-050 Probe S/N 0136 at 900MHz after VPM (rotational isotropy axial +/-0.10dB, spherical isotropy +/-0.28dB). (NB Spherical Isotropy is frequency independent)

Probe tip radius	1.25
X Ch. Angle to red dot	-12.9

	He	ad	Body		
Frequency	Bdy. Corrn. – f(0)	Bdy. Corrn. – d(mm)	Bdy. Corrn. – f(0)	Bdy. Corrn. – d(mm)	
450	0.0	1.0	0.0	1.0	
835	1.32	1.13	0.50	1.94	
900	0.54	1.68	1.05	1.28	
1800	0.50	1.99	0.48	2.50	
1900	0.54	1.91	0.48	2.51	
2100	0.54	2.12	0.60	2.07	
2450	0.88	1.53	0.84	1.68	
2600	0.99	1.39	0.93	1.59	



Page 44 of 80

SUMMARY OF CALIBRATION FACTORS FOR PROBE IXP-050 S/N 0136

	X	Υ	Z	
Air Factors	459	362	378	(V*200) ² /mV
CW DCPs	20	20	20	V*200

NB Air Factors are frequency independent

	Axial Isotropy		SAR (
Freq (MHz)*	(+/- dB)		(liq/	Notes	
	Head	Body	Head	Body	
450	-	-	0.267	0.262	3
835	-	-	0.305	0.320	1,2
900	0.10	-	0.307	0.321	1,2,4
1800	-	-	0.372	0.398	1,2
1900	-	-	0.374	0.411	1,2
2100	-	-	0.409	0.438	1,2
2450	-	-	0.424	0.478	1,2
2600	-	-	0.431	0.496	1,2

The valid frequency of SARA2 are ±50MHz (F<300MHz) and ±100MHz (F>300MHz); while SARA-C are ±100MHz (F<300MHz) and ±200MHz (F>300MHz).

Notes	
1)	Calibrations done at 22°C +/-2°C
2)	Waveguide calibration
3)	Transfer calibration
4)	Axial Isotropy is frequency independent



Page 45 of 80

PROBE SPECIFICATIONS

Indexsar probe 0136, along with its calibration, is compared with BSEN 62209-1 and IEEE standards recommendations (Refs [1] and [2]) in the Tables below. A listing of relevant specifications is contained in the tables below:

Dimensions	S/N 0136	BSEN [1]	IEEE [2]
Overall length (mm)	350		
Tip length (mm)	10		
Body diameter (mm)	12		
Tip diameter (mm)	5.2	8	8
Distance from probe tip to dipole centers (mm)	2.7		

Typical Dynamic range	S/N 0136	BSEN [1]	IEEE [2]
Minimum (W/kg)	0.01	< 0.02	0.01
Maximum (W/kg)	>100	>100	100
N.B. only measured to > 100 W/kg			
on representative probes			

Isotropy (measured at 900MHz)	S/N 0136	BSEN [1]	IEEE [2]
Axial rotation with probe normal to source (+/- dB)	0.10	0.5	0.25
Spherical isotropy covering all	0.28	1.0	0.50
orientations to source (+/- dB)			

NB Isotropy is frequency independent

Construction	Each probe contains three orthogonal dipole sensors arranged on a triangular prism core, protected against static charges by built-in shielding, and covered at the tip by PEEK cylindrical enclosure material. No adhesives are used in the immersed section. Outer case materials are PEEK and heat-shrink sleeving.
Chemical resistance	Tested to be resistant to TWEEN20 and sugar/salt-based simulant liquids but probes should be removed, cleaned and dried when not in use. NOT recommended for use with glycol or soluble oil-based liquids.



Page 46 of 80

REFERENCES

References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.

For a specific reference, subsequent revisions do not apply.

For a non-specific reference, the latest version applies.

[1] IEC 62209-1.

Human exposure to radio frequency fields from hand-held and bodymounted wireless communication devices — Human models, instrumentation, and procedures — Part 1: Procedure to determine the specific absorption rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)

[2] IEEE 1528

Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques

[3] IEC 62209-2

Human exposure to radio frequency fields from hand-held and bodymounted wireless communication devices – Human models, Instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)

[4] FCC OET65

Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields

- Indexsar Report IXS-0300, October 2007.
 Measurement uncertainties for the SARA2 system assessed against the recommendations of BS EN 62209-1:2006
- [6] SARA-C SAR Testing System: Measurement Uncertainty, v1.0.3. October 2011.



Page 47 of 80






Figure 1. Spherical isotropy jig showing probe, dipole and box filled with simulated brain liquid (see Ref [2], Section A.5.2.1)




Figure 2. Schematic diagram of the test geometry used for isotropy determination

Page 14 of 24



Page 48 of 80




Figure 3. Graphical representation of a typical probe's response to fields applied from each direction. The diagram on the left shows the individual response characteristics of each of the three channels and the diagram on the right shows the resultant probe sensitivity in each direction. The colour range in the figure images the lowest values as blue and the maximum values as red. For probe S/N 0136, this range is (+/-) 0.28.




Figure 4. Geometry used for waveguide calibration (after Ref [2]. Section A.3.2.2)



Page 49 of 80




Figure 5. The rotational isotropy of probe S/N 0136 obtained by rotating the probe in a liquid-filled waveguide at 900 MHz. (NB Axial Isotropy is frequency independent)



Report No.: 14071086HKG-001

Page 50 of 80





Figure 6. The measured SAR decay function along the centreline of the WG4 waveguide with conversion factors adjusted to fit to the theoretical function for the particular dimension, frequency, power and liquid properties employed.




Page 51 of 80





Report No.: 14071086HKG-001


Page 52 of 80





Report No.: 14071086HKG-001

Page 53 of 80







Figure 7. The measured SAR decay function along the centreline of the R22 waveguide with conversion factors adjusted to fit to the theoretical function for the particular dimension, frequency, power and liquid properties employed.



Report No.: 14071086HKG-001

Page 54 of 80






Figure 8: The typical linearity response of IXP-050 probes to both CW (blue) and GSM (pink) modulation in close proximity to a source dipole. The top diagram shows the SAR reading as a function of dipole feed power, with GSM modulation being approx a factor of 8 (ie 9dB) lower than CW. The lower diagram shows the departure from linearity of the same two datasets.



Page 55 of 80




Figure 9: X-ray positive image of 5mm probes



Report No.: 14071086HKG-001

Page 56 of 80

Table indicating the dielectric parameters of the liquids used for calibrations at each frequency

Гиалианан	Christ	Meas	sured	Tai	get	% Dev	viation .	Ver	dict
Frequency (MHz)	Fluid Type	Relative Permittivity	Conductivity (S/m)	Relative Permittivity	Conductivity (S/m)	Relative Permittivity	Conductivity	Relative Permittivity	Conductivity
450		43.92	0.878	43.5	0.87	1.0	0.9	Pass	Pass
835		42.25	0.900	41.5	0.90	1.8	0.0	Pass	Pass
900		41.45	0.962	41.5	0.97	-0.1	-0.8	Pass	Pass
1800	Head	39.87	1.408	40.0	1.40	-0.3	0.6	Pass	Pass
1900	neau	39.60	1.400	40.0	1.40	-1.0	0.0	Pass	Pass
2100		41.02	1.481	39.8	1.49	3.1	-0.6	Pass	Pass
2450		39.79	1.828	39.2	1.80	1.5	1.6	Pass	Pass
2600		39.32	1.963	39.0	1.96	0.8	0.2	Pass	Pass
450		56.94	0.927	56.7	0.94	0.4	-1.4	Pass	Pass
835		55.15	0.958	55.2	0.97	-0.1	-1.2	Pass	Pass
900		54.54	1.023	55	1.05	-0.8	-2.6	Pass	Pass
1800	Body	53.11	1.526	53.3	1.52	-0.4	0.4	Pass	Pass
1900	Бойу	52.85	1.533	53.3	1.52	-0.8	0.9	Pass	Pass
2100		53.94	1.574	53.2	1.62	1.4	-2.8	Pass	Pass
2450		52.91	1.964	52.7	1.95	0.4	0.7	Pass	Pass
2600		52.45	2.112	52.5	2.16	-0.1	-2.2	Pass	Pass



Page 57 of 80

Table of test equipment calibration status

Instrument description	Supplier / Manufacturer	Model	Serial No.	Last calibration date	Calibration due date
Power sensor	Rohde & Schwarz	NRP-Z23	100063	09/08/2012	09/08/2014
Dielectric property measurement	Indexsar	DiLine (sensor lengths: 160mm, 80mm and 60mm)		(absolute) – checked against NPL values using reference liquids	N/A
Vector network analyser	Anritsu	MS6423B	003102	17/01/2013	17/01/2014
SMA autocalibration module	Anritsu	36581KKF/1	001902	17/01/2013	17/01/2014



Page 58 of 80

Indexsar Report SN0217_1203




Report No. SN0217_1203 9th March 2012

INDEXSAR 1900 MHz Validation Dipole Type IXD-190 S/N 0217

Performance measurements

Dr Tony Brinklow



Indexsar, Oakfield House, Cudworth Lane, Newdigate, Surrey RH5 5BG. UK.

Tel: +44 (0) 1306 632 870 Fax: +44 (0) 1306 631 834 E-mail: enquiries@indexsar.com



Page 59 of 80

Indexsar Report SN0217 1203

1. Measurement Conditions

Measurements were performed using a box-shaped phantom made of PMMA with dimensions designed to meet the accuracy criteria for reasonably-sized phantoms that do not have liquid capacities substantially in excess of the volume of liquid required to fill the Indexsar upright SAM phantoms used for SAR testing of handsets against the ear. The wall thickness was 2mm.

An Anritsu MS4623B vector network analyser was used for the return loss measurements. The dipole was placed in a special holder made of low-permittivity, low-loss materials. This holder enables the dipole to be positioned accurately in the centre of the wall of the Indexsar box-phantom used for flat-surface testing and validation checks.

The validation dipoles are supplied with special spacers made from a low-permittivity, low-loss foam material. These spacers are fitted to the dipole arms to ensure that, when the dipole is offered up to the phantom surface, the spacing between the dipole and the liquid surface is accurately aligned according to the guidance in the relevant standards documentation [1]. The spacers are rectangular with a central hole equal to the dipole arm diameter and dimensioned so that the longer side can be used to ensure a spacing of 15mm from the liquid in the phantom (for tests at 1000MHz and below) and the shorter side can be used for tests at 1000MHz and above to ensure a spacing of 10mm from the liquid in the phantom. The spacers are made on a CNC milling machine with an accuracy of 1/40th mm but they may suffer wear and tear and need to be replaced periodically. The material used is Rohacell, which has a relative permittivity of approx. 1.05 and a negligible loss tangent.

The apparatus supplied by Indexsar for dipole validation tests thus includes:

Balanced dipoles for each frequency required are dimensioned according to the guidelines given in IEEE 1528 [1]. The dipoles are made from semi-rigid 50 Ohm co-ax, which is joined by soldering and is gold-plated subsequently. The constructed dipoles are easily deformed, if mis-handled, and periodic checks need to be made of their symmetry.

Rohacell foam spacers designed for presenting the dipoles to 2mm thick PMMA box phantoms. These components also suffer wear and tear and should be replaced when the central hole is a loose-fit on the dipole arms or if the edges are too worn to ensure accurate alignment. The standard spacers are dimensioned for use with 2mm wall thickness (additional spacers are available for 4mm wall thickness).




Page 60 of 80

Indexsar Report SN0217_1203

2. Dipole impedance and return loss

The dipoles are designed to have low return loss ONLY when presented against a lossy-phantom at the specified distance. A Vector Network Analyser (VNA) was used to perform a return loss measurement on the specific dipole when in the measurement-location against the box phantom. The distance was as specified in the standard i.e. 10mm from the liquid (for 1900MHz). The Indexsar foam spacers (described above) were used to ensure this condition during measurement.

The impedance was measured at the SMA-connector with the network analyser. The following parameters were measured against Head fluid:



Dipole impedance at 1900 MHz Re{Z} = 47.4 Ω

 $Im{Z} = +3.9 \Omega$


Return loss at 1900MHz -26.4 dB

The measurements were also repeated against 1900 Body fluid:



Page 61 of 80

Indexsar Report SN0217_1203



Dipole impedance at 1900 MHz Re{Z} = 48.1 Ω Im{Z} = -0.4 Ω

Return loss at 1900MHz -34.0 dB


3. SAR Validation Measurement in Brain Fluid

SAR validation checks have been performed using the 1900MHz dipole and the box-phantom located on the SARA-C phantom support base on the SARA-C robot system. Tests were then conducted at a feed power level of approx. 0.25W. The actual power level was recorded and used to normalise the results obtained to the standard input power conditions of 1W (forward power). The ambient temperature was 21°C +/- 1°C and the relative humidity was around 35% during the measurements.

The phantom was filled with a 1900MHz brain liquid using a recipe from [1], which has the following electrical parameters (measured using an Indexsar DiLine kit) at 1900MHz at the measurement temperature:

Relative Permittivity 39.78 Conductivity 1.40 S/m

The SARA-C software version v6.07.10 was used with Indexsar IXP_050 probe Serial Number 0227 previously calibrated by NPL using waveguides.






Page 62 of 80

Indexsar Report SN0217_1203

The 3D measurement made using the dipole at the bottom of the phantom box is shown below:



SAR measurement standard 62209-1 [ref 2] tabulates the volume-averaged 1g and 10g SAR values over a range of frequencies up to 3000MHz. The following values are listed for 1900MHz:

SAR values (W/kg) (Normalised to 1W feed pow			
1g SAR	39.7		
10g SAR	20.5		

The validation results, also normalised to an input power of 1W (forward power) were:



Page 63 of 80

Indexsar Report SN0217_1203

	Measured SAR values (W/kg) (Normalised to 1W feed power)	% Deviation from Standard		
1g SAR	38.7	-2.5%		
10g SAR	20.5	0.0%		

4. SAR Measurement in Body Fluid

SAR validation checks are only defined in the standard against brain simulant fluid. Nonetheless, it is possible to measure the effective volume-averaged SAR values against body fluid, simply to provide a reference value.

The ambient temperature was 22°C +/- 1°C and the relative humidity was around 32% during the measurements.

The phantom was filled with a 1900MHz body liquid using a recipe from [1], which has the following electrical parameters (measured using an Indexsar DiLine kit) at 1900MHz at the measurement temperature:

Relative Permittivity 52.84 Conductivity 1.52 S/m

The SARA-C software version v6.07.10 was used with Indexsar IXP_050 probe Serial Number 0227 previously calibrated by NPL using waveguides.


The 3D measurement made using the dipole at the bottom of the phantom box is shown below:



Report No.: 14071086HKG-001

Page 64 of 80

Indexsar Report SN0217_1203



The validation results, also normalised to an input power of 1W (forward power) were:

	Measured SAR values (W/kg) (Normalised to 1W feed power)	% Deviation from Standard		
1g SAR	38.9	N/A		
10g SAR	20.7	N/A		

5. Dipole handling

The dipoles are made from standard, copper-sheathed coaxial cable. In assembly, the sections are joined using ordinary soft-soldering. This is necessary to avoid excessive heat input in manufacture, which would destroy the polythene dielectric used for the cable. The consequence of the construction material and the assembly technique is that the dipoles are fragile and can be deformed by



Page 65 of 80

Indexsar Report SN0217_1203

rough handling. Conversely, they can be straightened quite easily as described in this report.

If a dipole is suspected of being deformed, a normal workshop lathe can be used as an alignment jig to restore the symmetry. To do this, the dipole is first placed in the headstock of the lathe (centred on the plastic or brass spacers) and the headstock is rotated by hand (do NOT use the motor). A marker (lathe tool or similar) is brought up close to the end of one dipole arm and then the headstock is rotated by 0.5 rev. to check the opposing arm. If they are not balanced, judicious deformation of the arms can be used to restore the symmetry.

If a dipole has a failed solder joint, the dipole can be fixed down in such a way that the arms are co-linear and the joint re-soldered with a reasonably-powerful electrical soldering iron. Do not use gas soldering irons. After such a repair, electrical tests must be performed as described below.

Please note that, because of their construction, the dipoles are short-circuited for DC signals.

6. Tuning the dipole

The dipole dimensions are based on calculations that assumed specific liquid dielectric properties. If the liquid dielectric properties are somewhat different, the dipole tuning will also vary. A pragmatic way of accounting for variations in liquid properties is to 'tune' the dipole (by applying minor variations to its effective length). For this purpose, Indexsar can supply short brass tube lengths to extend the length of the dipole and thus 'tune' the dipole. It cannot be made shorter without removing a bit from the arm. An alternative way to tune the dipole is to use copper shielding tape to extend the effective length of the dipole. Do both arms equally.

It should be possible to tune a dipole as described, whilst in place in the measurement position as long as the user has access to a VNA for determining the return loss.

7. References

[1] IEEE Std 1528-2003. IEEE recommended practice for determining the peak spatial-average specific absorption rate (SAR) in the human body due to wireless communications devices: Measurement Techniques – Description.

[2] BS EN 62209-1:2006 Human exposure to radio frequency fields from handheld and body-mounted wireless communication devices — Human models, instrumentation, and procedures — Part 1: Procedure to determine the specific absorption rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)



Page 66 of 80

INDEXSAR 1900MHz Validation Dipole Type IXD-190 S/N 0217

Performance Verification Report

Date of Report: 05 Mar, 2014 Date of test: 03 Mar, 2014 to 05 Mar, 2014

Total No of Pages Contained in this Report: 13



Page 67 of 80

1.0 Introduction

According to KDB 865664 SAR measurement 100MHz to 6GHz v01, it is necessary to recalibrate reference dipoles at regular intervals to confirm the electrical specifications and SAR targets. A dipole must be calibrated using a fully validated SAR system according to the tissue dielectric parameters and SAR probe calibration frequency required for device testing. It is generally unacceptable to calibrate a dipole using the SAR system that has been validated by the same dipole; therefore, dipoles should be returned to the SAR system manufacturer or its designated calibration facilities for re-calibration. However, instead of the typical annual calibration recommended by measurement standards, longer calibration intervals of up to three years may be considered when it is demonstrated that the SAR target, impedance and return loss of a dipole have remain stable according to the following requirements.

- 1. The test laboratory must ensure that the required supporting information and documentation are included in the SAR report to qualify for the three-year extended calibration interval; otherwise, the IEEE Std 1528-2003 recommended annual calibration applies.
- 2. Immediate re-calibration is required for the following conditions.
 - a. After a dipole is damaged and properly repaired to meet required specifications.
 - b. When the measured SAR deviates from the calibrated SAR value by more than 10% due to changes in physical, mechanical, electrical or other relevant dipole conditions; i.e., the error is not introduced by incorrect measurement procedures or other issues relating to the SAR measurement system.
 - c. When the most recent return-loss result, measured at least annually, deviates by more than 20% from the previous measurement (i.e. value in dB x 0.2) or not meeting the required 20 dB minimum return-loss requirement.
 - d. When the most recent measurement of the real or imaginary parts of the impedance, measured at least annually, deviates by more than 5 Ω from the previous measurement.

And the purpose of this dipole validation report is to demonstrate the SAR target, impedance and return loss of the dipole are still remain stable with reference to the annual calibration data.



Page 68 of 80

2.0 Measurement Conditions

Measurements were performed using a box-shaped phantom made of PMMA with dimensions designed to meet the accuracy criteria for reasonably-sized phantoms that do not have liquid capacities substantially in excess of the volume of liquid required to fill the Indexsar upright SAM phantoms used for SAR testing of handsets against the ear. The wall thickness was 2mm.

An Aglient E5071B vector network analyzer was used for the return loss measurements. The dipole was placed in a special holder made of low permittivity, low-loss materials. This holder enables the dipole to be positioned accurately in the centre of the wall of the Indexsar boxphantom used for flat surface testing and verification checks.

2.1 Instruments List

The Specific Absorption Rate (SAR) tests were performed with the INDEXSAR SARA2 SYSTEM. The following major equipment/components were used for the SAR evaluations:

SAR Measurement S	vstem						
EQUIPMENT	SPECIFICATIONS	Intertek ID No.	Last Cal.	Due Date			
Balanced Validation Dipole Antenna	1900MHz	EW-2900-04	09 Mar,2012	09 Mar,2015			
Controller	Mitsubishi CR-E116	EW-2902-04	N	/A			
Robot	Mitsubishi RV-E2	EW-2902-05	N	/A			
	Repeatability: ± 0.04mm; Num	ber of Axes: 6					
E-Field Probe	IXP-050	EW-2900-01	16 Feb,2013	16 Feb,2015			
	Frequency Range: 450 MHz – 3000 MHz Probe outer diameter: 5.2 mm; Length: 350 mm; Distance between the probe tip and the dipole center: 2.7 mm						
Data Acquisition	SARA2	N/A	N	/A			
	Processor: Pentium 4; Clock s Software: SARA2 ver. 2.54 VF		Windows XP; I/0	D: two RS232;			
Phantom	2mm wall thickness box phantom	N/A	N	/A			
	The body phantom shell should be made of low-loss dielectric material with dielectric constant and loss tangent less than 5.0 and 0.05 respectively. The shell thickness for all regions coupled to the test device and its antenna should be within 2.0 ± 0.2 mm. The phantom should be filled with the required head or body equivalent tissue medium to a depth of 15.0 ± 0.5 cm. Body capacity: $168 \times 395 \times 174$ (W x L x D) mm ³ .						
Simulated Tissue	Mixture	N/A	05 Mar,2014				
	Please see section 2.2 for deta	ails					
Vector Network Analyzer	AGILENTTECH E5071B	EW-9001	30 Jan,2014	30 Jan,2015			
	9kHz to 8.5GHz	kHz to 8.5GHz					

Note: The above equipments are within the valid calibration period



Page 69 of 80

2.2 Tissue Simulating Liquid

The brain and body tissue parameters should be used to test operating frequency band of transmitters. When a transmission band overlaps with one of the target frequencies, the tissue dielectric parameters of the tissue medium at the middle of a device transmission band should be within ±5% of the parameters specified at that target frequency.

2.2.1 Brain Tissue Simulating Liquid Recipes

Brain Ingredients Frequency (1900 MHz)					
Tween20	45.08%				
De-ionised Water	54.34%				
Acticide SPX	0.22%				
Salt	0.36%				

The dielectric parameters were verified prior to assessment using the AGILENTTECH 85033D calibration kit and the AGILENTTECH E5071B network Analyzer. The dielectric parameters were:

			• • • • • • • • • • • • • • • • • • •			σ / Conductivity			ρ **(kg/m³)
	(MHz) (°C	(°C) measured Target*	Target*	Δ (±5%)	measured	Target*	Δ (±5%)	ρ ()	
Î	1900	22.0	38.87	40.00	-2.82%	1.42	1.40	+1.13%	1000

^{*} Target values refer to KDB 865664

Note:

- 1. Date of tissue verification measurement: 03-Mar-2014
- 2. Ambient temperature: 23.0 deg C
- 3. The temperature condition is within +/- 2 deg. C during the SAR measurements.

^{**} Worst-case assumption



Page 70 of 80

2.2.2 Body Tissue Simulating Liquid Recipes

Body Ingredients Frequency (1900 MHz)					
Tween20	29.21%				
De-ionised Water	70.09%				
Acticide SPX	0.28%				
Salt	0.42%				

The dielectric parameters were verified prior to assessment using the AGILENTTECH 85033D calibration kit and the AGILENTTECH E5071B network Analyzer. The dielectric parameters were:

Freq.	Temp.	$\epsilon_{\rm r}$ / Relative Permittivity		σ / Conductivity			ρ **(kg/m³)	
(MHz)	(°C)	measured	Target*	Δ (±5%)	measured	Target*	Δ (±5%)	p (g/ /
1900	22.0	53.8	53.3	+0.94%	1.46	1.52	-3.95%	1000

^{*} Target values refer to KDB 865664

Note:

- 1. Date of tissue verification measurement: 03-Mar-2014
- 2. Ambient temperature: 23.0 deg C
- 3. The temperature condition is within +/- 2 deg. C during the SAR measurements.

^{**} Worst-case assumption




Page 71 of 80

3.0 Dipole impedance and return loss

The dipoles are designed to have low return loss ONLY when presented against a lossy-phantom at the specified distance. A Vector Network Analyzer (VNA) was used to perform a return loss measurement on the specific dipole when in the measurement-location against the box phantom. The distance was as specified in the standard i.e. 10mm from the liquid (for 1900MHz). The Indexsar foam spacers (described above) were used to ensure this condition during measurement.

The impedance was measured at the SMA-connector with the network analyzer.


The following parameters were measured against Head fluid:





Report No.: 14071086HKG-001

Page 72 of 80



Test Summary

	Freq. Temp.		Dipole impedance Re{Z}			Dipole impedance Im{Z}		
	(MHz)	(°C)	measured	Target*	Δ (±5Ω)	measured	Target*	Δ (±5Ω)
Γ	1900	22.0	47.1 Ω	47.4 Ω	-0.3 Ω	3.4Ω	3.9 Ω	-0.5 Ω

Freq.	Temp.	Return loss				
(MHz)	(°C)	measured	Target*	Δ (±20%)		
1900	22.0	-26.8 dB	-26.4 dB	-1.52 %		


^{*} the target was quoted from 1900 dipole antenna calibration report



Report No.: 14071086HKG-001

Page 73 of 80


The following parameters were measured against Body fluid:





Report No.: 14071086HKG-001

Page 74 of 80



Test Summary

Freq. Ten		Dipole	impedance Re{Z}		Dipole impedance Im{Z}		
(MHz)	(°C)	measured	Target*	Δ (±5Ω)	measured	Target*	Δ (±5Ω)
1900	22.0	47.7 Q	48.1 O	- 0.4 Ω	1.3 0	-0.4 Ω	0.9 Q

Freq. (MHz)	Temp.	Return loss					
		measured	Target*	Δ (±20%)			
1900	22.0	-31.4 dB	-34.0 dB	7.6 %			

^{*} the target was quoted from 1900 dipole antenna calibration report



Page 75 of 80

4.0 SAR Verification Measurement

Routine record keeping procedures should be established for tracking the calibration and performance of SAR measurement system. When SAR measurements are performed, the entire measurement system should be checked daily within the device transmitting frequency ranges to verify system accuracy. A flat phantom irradiated by a half-wavelength dipole is typically used to verify the measurement accuracy of a system. According to KDB 865664, at 300MHz to 6GHz, measurements must be within ±100MHz of the probe calibration point frequency or the valid frequency range supported by the probe calibration, whichever is less. The measured one-gram SAR should be within 10% of the expected target values specified for the specific phantom and RF source used in the system verification measurement.

Procedures

The SAR evaluation was performed with the following procedures:

- a. The SAR distribution was measured at the exposed side of the bottom of the box phantom and was measured at a distance of 15 mm for $300 \sim 1000$ MHz and 10 mm for $1000 \sim 3000$ MHz from the inner surface of the shell. The feed power was 1/5W.
- b. The depth of tissue-equivalent liquid in a phantom must be ≥ 15.0cm ± 0.5cm for SAR measurement ≤ 3000MHz.
 - c. The dimension for this cube is 32 mm x 32 mm x 30 mm was assessed by measuring 5 x 5 x 7 points for 300 \sim 2000 MHz and 30 mm x 30 mm x 30 mm was assessed by measuring 7 x 7 x 7 points for 2000 \sim 3000 MHz. On the basis of this data set, the spatial peak SAR value was evaluated with the following procedure:
 - i) The data at the surface were extrapolated, since the center of the dipoles is 2.7 mm away from the tip of the probe and the distance between the surface and the lowest measurement point is 5 mm. The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in Z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip.
 - ii) The maximum interpolated value was searched with a straightforward algorithm. Around this maximum, the SAR values averaged over the spatial volumes (1g or 10g) were computed using the 3-D spline interpolation algorithm. The 3-D spline is composed of three one-dimensional splines with the "Not a knot" condition (in x, y and z directions). The volume was integrated with the trapezoidal algorithm. 1000 points (10 x 10 x 10) were interpolated to calculate the average.
 - iii) All neighboring volumes were evaluated until no neighboring volume with a higher average value was found.
- d. Re-measurements of the SAR value at the same location as in step a. above. If the value changed by more than 5 %, the evaluation was repeated.
- e. The test scan procedure for system verification also applies to the general scan procedure except for the set-up position. For general scan, the EUT was placed at the side of phantom. For Verification scan, the dipole antenna was placed at the bottom of phantom.



Page 76 of 80

4.1 System Verification results

	System Verification (1900MHz)									
Date	Freq. Liquid System Serial Target Measured Normalized Dev (MHz) Type Diople No. SAR_{1g} SAR_{1g} SAR_{1g} SAR_{1g} (W/kg) (W/kg)									
3 Mar 2014	1900	Brain	Type IXD-190	0217	38.7*	7.661	38.31	-1.00%		

System Verification (1900MHz)									
Date	DateFreq.LiquidSystemSerialTargetMeasuredNormalizedDeviation(MHz)TypeDiopleNo.SAR1gSAR1gSAR1g(±10%)(W/kg)(W/kg)(W/kg)(W/kg)								
3 Mar 2014	1900	Body	Type IXD-190	0217	38.9*	7.050	35.25	-9.38%	

^{*} the target was quoted from 1900 dipole antenna calibration report * Input power level = 23dBm (0.2W)

1900 Head SAR $_{1g}$ ambient measured value: 0.001 (W/kg) 1900 Body SAR $_{1g}$ ambient measured value: 0.001 (W/kg)

Details of System Verification plot is shown in plot 1 and 2



Page 77 of 80

End Scan

0.804

10g

4.027

Z

-222.6

Plot 1: System Verification (1900MHz) for Brain tissue liquid

Date / Time: 03/03/2014 03:19:56 PM Position: bottom of box phantom Filename: 1900H_VAL_03_03_2014.t Phantom: HeadBox1-val.csv

Device Tested: 1900H Val **Test Channel:** N/A Antenna: 1900MHz Dipole **Test Frequency:** 1900MHz **Shape File: Power Level:** 23dBm none.csv **Operation Mode:** N/A Modn. Duty Cycle: N/A

0136 Probe:

Cal File: SN0136_1900_HEAD


Lin

X Ζ Air 459 362 378 **Cal Factors: DCP** 20 20 20 .374

.374

.374

Extrapolation: Poly 4 **Liquid Depth:** 15.5 cm **Liquid Type:** 1900 MHz Head Conductivity: 1.42 **Relative Permittivity:** 38.87 Liquid Temp (Before): 22.0 deg Liquid Temp (After): 23.2 deg **Ambient Temp:** 23.4 deg Ambient RH (%): 60 Density (kg/m3): 1000





Page 78 of 80

Plot 2: System Verification (1900MHz) for Body tissue liquid

Date / Time: bottom of box phantom 03/03/2014 12:11:55 PM Position: Filename: 1900B_VAL_03_03_2014.t Phantom: HeadBox1-val.csv

Device Tested: 1900H Val **Test Channel:** N/A Antenna: 1900MHz Dipole **Test Frequency:** 1900MHz **Shape File: Power Level:** 23dBm none.csv **Operation Mode:** N/A Modn. Duty Cycle: N/A

0136 Probe:

Cal File: SN0136_1900_BODY

Lin

X Ζ Air 459 362 378 **Cal Factors: DCP** 20 20 20


.411

.411

.411

Extrapolation: Poly 4 **Liquid Depth:** 15.5 cm **Liquid Type:** 1900 MHz Body Conductivity: 1.50 **Relative Permittivity:** 53.84 Liquid Temp (Before): 22.6 deg Liquid Temp (After): 22.7 deg **Ambient Temp:** 23.0deg Ambient RH (%): 60

Density (kg/m3):



ZOOM SCAN RESULTS:

Start Scan **End Scan** Spot SAR (W/kg): 0.957 0.963

-0.64

68.80

Change during Scan (%) Max E-field

(V/m):

1g 10g Max SAR (W/kg) 7.050 3.749

Max Spot SAR (W/kg):

7.1

Location of Max (mm):

Х	Y	Z
0.0	0.0	-222.3

1000

Measurement Resolution (5x5x7): dx = 8mm, dy = 8mm, dz = 5mm

Normalized to an input power of 1W and averaged over 1cm3 (1g) of tissue -Max SAR = 35.25 W/kg



Page 79 of 80

APPENDIX D - SAR Tissue Specification

1900MHz Brain Tissue Simulating Liquid Measurement Result

Freq	Amp	Phase		Cond
(MHz)	(dBm)	(°)	Perm	(S/m)
1900	-35.945	103.718	39.667	1.428
1910	-36.077	99.65	39.592	1.434
1920	-36.212	95.199	39.544	1.44
1930	-36.336	90.426	39.519	1.445
1940	-36.434	85.394	39.514	1.45
1950	-36.648	80.397	39.499	1.46
1960	-36.86	75.689	39.465	1.47
1970	-37.155	71.101	39.418	1.484
1980	-37.379	67.075	39.338	1.494
1990	-37.6	62.965	39.265	1.504
2000	-37.787	58.602	39.211	1.512

1900MHz Body Tissue Simulating Liquid Measurement Result

Freq Amp		Phase		Cond
(MHz)	(dBm)	(°)	Perm	(S/m)
1900	-33.266	-82.649	53.895	1.451
1910	-33.4	-87.778	53.814	1.457
1920	-33.468	-93.319	53.771	1.461
1930	-33.539	-99.172	53.752	1.465
1940	-33.669	-105.345	53.756	1.472
1950	-33.83	-111.526	53.758	1.482
1960	-34.064	-117.367	53.73	1.495
1970	-34.305	-123.057	53.689	1.508
1980	-34.536	-128.645	53.642	1.521
1990	-34.718	-134.1	53.586	1.531
2000	-34.868	-139.275	53.511	1.538



Page 80 of 80

APPENDIX E – SAR System Validation

Per KDB 865664, SAR system validation status should be documented to confirm measurement accuracy. SAR measurement systems are validated according to procedures in KDB 865664. The validation status is documented according to the validation date(s), measurement frequencies, SAR probe and tissue dielectric parameters. When multiple SAR system is used, the validation status of each SAR system is needed to be documented separately according to the associated system components.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probe and tissue dielectric parameters are shown as below.

		i Fred	Tissue Type	Cond.	Perm	CW Validation		Mod. Validation			
Date S/N	Probe S/N					Sensitivity	Probe Linearity	Probe Isotropy	Mod. Type	Duty Factor	Peak to average power ratio
06/03/2013	0136	1900	Head	39.62	1.43	PASS	PASS	PASS	GFSK	PASS	N/A
06/03/2013	0136	1900	Body	53.68	1.59	PASS	PASS	PASS	GFSK	PASS	N/A
13/03/2013	0136	2450	Head	39.16	1.75	PASS	PASS	PASS	OFDM	N/A	PASS
13/03/2013	0136	2450	Body	51.61	1.97	PASS	PASS	PASS	OFDM	N/A	PASS
22/03/2013	0136	900	Head	41.12	0.95	PASS	PASS	PASS	GMSK	PASS	N/A
20/05/2013	0136	450	Head	44.31	0.87	PASS	PASS	PASS	FM	PASS	N/A
20/05/2013	0136	450	Body	58.50	0.97	PASS	PASS	PASS	FM	PASS	N/A
10/12/2013	0136	2450	Head	38.70	1.82	PASS	PASS	PASS	FHSS	PASS	N/A
10/12/2013	0136	2450	Body	51.35	2.02	PASS	PASS	PASS	FHSS	PASS	N/A
22/01/2014	0136	2450	Body	50.82	2.00	PASS	PASS	PASS	GFSK	PASS	N/A
04/03/2014	0136	1900	Head	38.89	1.42	PASS	PASS	PASS	GFSK	PASS	N/A
04/03/2014	0136	1900	Body	53.83	1.51	PASS	PASS	PASS	GFSK	PASS	N/A
08/05/2014	0136	2450	Head	39.55	1.82	PASS	PASS	PASS	OFDM	N/A	PASS
08/05/2014	0136	2450	Body	53.20	2.02	PASS	PASS	PASS	OFDM	N/A	PASS