



Report no.: HK09111031-1
Model no.: LS6315-2
Talk Mode
AC Mains “L”

Report No.:HK09111031-1

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1 9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09111031-1
Model no.: LS6315-2
Talk Mode
AC Mains "L"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dB	dB	dB

11.31000	33.0	60.0	-27.0
----------	------	------	-------

Frequency	AV Level	AV Limit	Delta
MHz	dB	dB	dB

1.59000	26.2	46.0	-19.8
13.82550	31.2	50.0	-18.8

* limit exceeded



Report no.: HK09111031-1
Model no.: LS6315-2
Talk Mode
AC Mains “N”

Report No.:HK09111031-1

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1 9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09111031-1
Model no.: LS6315-2
Talk Mode
AC Mains "N"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
11.31450	33.3	60.0	-26.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
13.82550	30.7	50.0	-19.3

* limit exceeded



Report no.: HK09111031-1
Model no.: LS6315-2
Charging Mode (Extra Charger)
AC Mains "L"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
----------------	-------	------	------

1	1	9k	30M	2454
2	9k	30M	0700	
3	9k	30M	0090	





Report no.: HK09111031-1
Model no.: LS6315-2
Charging Mode (Extra Charger)
AC Mains "L"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:


no Results

Report No.:HK09111031-1
Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement: x QP / + AV

Transducer No.	Start	Stop	Name
1	1 9k	30M 2454	
2	9k	30M 0700	
3	9k	30M 0090	

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB





Report no.: HK09111031-1
Model no.: LS6325-2
Adaptor: Ten Pao
Talk Mode
AC Mains "N"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB

0.46500	29.9	56.6	-26.7
0.71250	27.8	56.0	-28.2
1.06350	30.0	56.0	-26.0
1.27950	43.0	56.0	-13.0
1.68900	34.5	56.0	-21.5
2.39550	31.8	56.0	-24.2
3.15600	31.1	56.0	-24.9
4.48350	29.9	56.0	-26.1
7.92150	32.1	60.0	-27.9
8.13300	32.4	60.0	-27.6

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

1.28400	27.8	46.0	-18.2
---------	------	------	-------

* limit exceeded

Report No.: HK09111031-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09111031-1
Model no.: LS6325-2
Adaptor: Salcomp
Talk Mode
AC Mains "L"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB

0.15000	48.2	66.0	-17.8
0.21750	39.7	62.9	-23.2
0.38400	39.9	58.3	-18.4
0.40650	37.4	57.7	-20.3
0.58650	34.2	56.0	-21.8
0.80250	34.5	56.0	-21.5
1.51800	29.1	56.0	-26.9
1.63950	34.6	56.0	-21.4
2.41350	31.4	56.0	-24.6
3.10650	28.7	56.0	-27.3
8.79450	31.5	60.0	-28.5

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

1.63500	26.8	46.0	-19.2
---------	------	------	-------

* limit exceeded

Report No.: HK09111031-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1	9k	30M
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09111031-1
Model no.: LS6325-2
Adaptor: Salcomp
Talk Mode
AC Mains "N"

Report No.:HK09111031-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB

0.15000	43.0	66.0	-23.0
0.38850	38.3	58.1	-19.8
0.40650	36.8	57.7	-20.9
0.60450	34.9	56.0	-21.1
1.05900	32.1	56.0	-23.9
1.51350	33.1	56.0	-22.9
1.52700	33.6	56.0	-22.4
2.22000	31.9	56.0	-24.1
3.04350	30.3	56.0	-25.7
8.54700	33.1	60.0	-26.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

1.63950	28.6	46.0	-17.4
---------	------	------	-------

* limit exceeded