




RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 9.OCT.2010 02:23:13

Ctrl No.: N/A



Report no.: HK10100083-1
Adaptor: Salcomp
Charging Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	181.5 kHz	45.53	L1 gnd	-18.88
1	Quasi Peak	289.5 kHz	40.76	L1 gnd	-19.77
1	Quasi Peak	393 kHz	53.31	L1 gnd	-4.68
2	CISPR Average	393 kHz	40.55	N gnd	-7.44
1	Quasi Peak	537 kHz	48.53	L1 gnd	-7.46
2	CISPR Average	537 kHz	32.77	N gnd	-13.22
2	CISPR Average	568.5 kHz	30.85	N gnd	-15.14
1	Quasi Peak	771 kHz	47.45	N gnd	-8.54
2	CISPR Average	816 kHz	31.73	N gnd	-14.27
1	Quasi Peak	1.0005 MHz	48.76	L1 gnd	-7.23
1	Quasi Peak	1.4865 MHz	51.32	L1 gnd	-4.67
2	CISPR Average	1.5225 MHz	35.12	L1 gnd	-10.87
1	Quasi Peak	1.527 MHz	50.01	L1 gnd	-5.98
2	CISPR Average	1.698 MHz	38.27	N gnd	-7.72
1	Quasi Peak	2.202 MHz	49.92	L1 gnd	-6.07
2	CISPR Average	2.2065 MHz	35.86	L1 gnd	-10.13
1	Quasi Peak	3.102 MHz	44.76	N gnd	-11.23
2	CISPR Average	3.939 MHz	27.74	N gnd	-18.25
1	Quasi Peak	4.1145 MHz	42.96	L1 gnd	-13.03
2	CISPR Average	4.3935 MHz	26.95	N gnd	-19.04

Date: 9.OCT.2010 02:22:53

Ctrl No.: N/A



Report no.: HK10100083-1
Adaptor: Salcomp
Charging Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	7.368 MHz	48.02	L1 gnd	-11.97
2	CISPR Average	7.485 MHz	30.72	L1 gnd	-19.27
1	Quasi Peak	8.0025 MHz	43.34	N gnd	-16.65
2	CISPR Average	8.0025 MHz	28.91	L1 gnd	-21.08


Date: 9.OCT.2010 02:23:04

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 9.OCT.2010 01:18:30

Ctrl No.: N/A



Report no.: HK10100083-1
Adaptor: Salcomp
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1 Quasi Peak	154.5 kHz	47.25 L1 gnd	-18.49
1 Quasi Peak	289.5 kHz	44.05 L1 gnd	-16.48
2 CISPR Average	289.5 kHz	31.35 L1 gnd	-19.18
1 Quasi Peak	375 kHz	50.07 L1 gnd	-8.31
2 CISPR Average	397.5 kHz	38.46 L1 gnd	-9.44
1 Quasi Peak	505.5 kHz	42.71 L1 gnd	-13.28
2 CISPR Average	505.5 kHz	28.82 L1 gnd	-17.18
2 CISPR Average	726 kHz	28.36 L1 gnd	-17.63
1 Quasi Peak	730.5 kHz	45.58 L1 gnd	-10.41
1 Quasi Peak	973.5 kHz	45.52 L1 gnd	-10.47
2 CISPR Average	973.5 kHz	31.11 L1 gnd	-14.88
2 CISPR Average	1.4415 MHz	30.33 L1 gnd	-15.66
1 Quasi Peak	1.5 MHz	45.55 N gnd	-10.44
1 Quasi Peak	1.5675 MHz	42.17 N gnd	-13.82
2 CISPR Average	1.6395 MHz	37.39 N gnd	-8.60
1 Quasi Peak	2.1345 MHz	45.87 L1 gnd	-10.12
2 CISPR Average	2.3055 MHz	30.00 L1 gnd	-15.99
2 CISPR Average	2.967 MHz	26.24 N gnd	-19.75
1 Quasi Peak	3.0435 MHz	43.25 L1 gnd	-12.74
2 CISPR Average	4.3665 MHz	24.61 L1 gnd	-21.38

Date: 9.OCT.2010 01:17:42

Ctrl No.: N/A



Report no.: HK10100083-1
Adaptor: Salcomp
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	4.947 MHz	38.64 N gnd	-17.36
1	Quasi Peak	7.3815 MHz	46.91 L1 gnd	-13.09
2	CISPR Average	7.413 MHz	28.37 L1 gnd	-21.62
1	Quasi Peak	8.025 MHz	43.08 N gnd	-16.91


Date: 9.OCT.2010 01:18:12

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 9.OCT.2010 00:44:31



Report no.: HK10100083-1
Adaptor: Ten Pao
Talk Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	537 kHz	28.55	N gnd	-27.44
1 Quasi Peak	748.5 kHz	29.49	L1 gnd	-26.50
1 Quasi Peak	1.0275 MHz	33.45	N gnd	-22.54
1 Quasi Peak	1.2345 MHz	42.08	N gnd	-13.91
2 CISPR Average	1.2615 MHz	27.54	L1 gnd	-18.45
1 Quasi Peak	1.5765 MHz	34.99	L1 gnd	-21.00
1 Quasi Peak	2.571 MHz	33.02	N gnd	-22.97
1 Quasi Peak	3.8715 MHz	31.67	N gnd	-24.32
1 Quasi Peak	4.659 MHz	31.03	N gnd	-24.96
1 Quasi Peak	7.1925 MHz	36.52	N gnd	-23.48
1 Quasi Peak	8.0565 MHz	33.65	N gnd	-26.34

Date: 9.OCT.2010 00:44:24

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 9.OCT.2010 01:03:19



Report no.: HK10100083-1
Adaptor: Ten Pao
Charging Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	402 kHz	33.86	L1 gnd	-23.94
1	Quasi Peak	487.5 kHz	32.90	N gnd	-23.30
1	Quasi Peak	721.5 kHz	31.81	L1 gnd	-24.18
1	Quasi Peak	1.0365 MHz	34.39	N gnd	-21.60
2	CISPR Average	1.275 MHz	30.36	L1 gnd	-15.63
1	Quasi Peak	1.2885 MHz	43.84	L1 gnd	-12.15
1	Quasi Peak	1.6935 MHz	35.47	L1 gnd	-20.52
1	Quasi Peak	2.193 MHz	34.17	N gnd	-21.82
1	Quasi Peak	3.444 MHz	32.27	N gnd	-23.72
1	Quasi Peak	4.7175 MHz	31.31	N gnd	-24.68
1	Quasi Peak	7.512 MHz	37.42	N gnd	-22.58
1	Quasi Peak	8.0475 MHz	33.24	N gnd	-26.75

Date: 9.OCT.2010 01:03:11

Ctrl No.: N/A