



Report no.: HK10060831-4  
PC Mode (Audio Recording) - PC  
AC Mains "L"

Report No.: HK10060831-4

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN	OFF


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1	9k	30M
2	9k	30M	2454
0700	3	9k	30M
0090			



PAGE 1

Ctrl No.: N/A



Report no.: HK10060831-4  
PC Mode (Audio Recording) - PC  
AC Mains "L"

Report No.:HK10060831-4

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	41.4	66.0	-24.6
0.21300	45.9	63.1	-17.2
0.48300	33.0	56.3	-23.3
0.64500	35.8	56.0	-20.2
1.05450	31.5	56.0	-24.5
1.09500	36.7	56.0	-19.3
1.63050	31.7	56.0	-24.3
3.70050	27.4	56.0	-28.6
24.00000	45.9	60.0	-14.1

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.42900	29.0	47.3	-18.3
0.64500	26.6	46.0	-19.4
0.86550	24.7	46.0	-21.3
1.99950	30.1	46.0	-15.9
24.00000	30.1	50.0	-19.9

\* limit exceeded



Report no.: HK10060831-4  
PC Mode (Audio Recording) -Base  
AC Mains "L"

Report No.:HK10060831-4


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN	OFF

Final Measurement: x QP / + AV

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1	9k	30M
2	9k	30M	2454
0700	3	9k	30M
0090			





Report no.: HK10060831-4  
PC Mode (Audio Recording) -Base  
AC Mains "L"

Report No.:HK10060831-4

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
11.99850	28.1	60.0	-31.9
24.00000	40.4	60.0	-19.6

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

no Results

\* limit exceed



Report no.: HK10060831-4  
PC mode (Audio Playing) - PC  
AC Mains "L"


Report No.: HK10060831-4

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1	9k	30M
2	9k	30M	2454
0700	3	9k	30M
0090			





Report no.: HK10060831-4  
PC mode (Audio Playing) - PC  
AC Mains "L"

Report No.:HK10060831-4

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15900	40.7	65.5	-24.8
0.21750	44.9	62.9	-18.0
0.64500	35.0	56.0	-21.0
1.03200	34.6	56.0	-21.4
1.35150	34.4	56.0	-21.6
1.56750	32.1	56.0	-23.9
3.91650	27.8	56.0	-28.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.82050	22.3	46.0	-23.7
1.99950	30.3	46.0	-15.7

\* limit exceeded



Report no.: HK10060831-4  
PC Mode (Audio Recording) - PC  
AC Mains "N"


Report No.: HK10060831-4

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	1	9k	30M
2	9k	30M	2454
0700	3	9k	30M
0090			



Ctrl No.: N/A



Report no.: HK10060831-4  
PC Mode (Audio Recording) - PC  
AC Mains "N"

Report No.:HK10060831-4

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15450	38.3	65.7	-27.4
0.21300	43.7	63.1	-19.4
1.07700	36.3	56.0	-19.7
1.10400	36.3	56.0	-19.7
1.61250	32.9	56.0	-23.1
3.87600	27.9	56.0	-28.1

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.99950	30.1	46.0	-15.9

\* limit exceeded