




RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 19:02:33



Report no.: HK10120047-1
Model: D704
Charging Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
2 CISPR Average	447 kHz	35.83	L1	-11.09	
1 Quasi Peak	447 kHz	41.60	N	-15.32	
1 Quasi Peak	3.849 MHz	33.28	N	-22.71	
2 CISPR Average	4.8525 MHz	27.79	N	-18.20	
1 Quasi Peak	5.6535 MHz	41.25	N	-18.74	
1 Quasi Peak	7.5075 MHz	42.37	N	-17.62	
2 CISPR Average	7.8495 MHz	34.99	N	-15.00	
1 Quasi Peak	8.106 MHz	38.99	N	-21.00	
2 CISPR Average	8.844 MHz	32.37	L1	-17.62	

Date: 6.DEC.2010 19:02:24

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 18:41:54



Report no.: HK10120047-1
Model: D704
Ringing Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1 Quasi Peak	181.5 kHz	39.69	N	-24.72
1 Quasi Peak	249 kHz	35.21	N	-26.58
1 Quasi Peak	316.5 kHz	35.59	N	-24.20
2 CISPR Average	451.5 kHz	33.41	N	-13.43
1 Quasi Peak	451.5 kHz	41.38	N	-15.46
1 Quasi Peak	627 kHz	33.33	N	-22.67
1 Quasi Peak	897 kHz	29.99	N	-26.01
1 Quasi Peak	2.076 MHz	26.64	N	-29.35
1 Quasi Peak	2.778 MHz	30.07	N	-25.92
1 Quasi Peak	4.074 MHz	36.08	N	-19.91
2 CISPR Average	4.6995 MHz	27.93	N	-18.07
1 Quasi Peak	4.7985 MHz	39.12	N	-16.87
1 Quasi Peak	7.0665 MHz	44.60	N	-15.39
2 CISPR Average	7.413 MHz	34.30	N	-15.69
1 Quasi Peak	8.0475 MHz	43.21	N	-16.78
2 CISPR Average	8.052 MHz	33.26	N	-16.73

Date: 6.DEC.2010 18:41:46

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 20:57:57



Report no.: HK10120047-1
Model: D714
Answer Machine Recording
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1 Quasi Peak	397.5 kHz	47.29 N		-10.60
2 CISPR Average	402 kHz	42.84 L1		-4.97
2 CISPR Average	406.5 kHz	35.57 L1		-12.15
1 Quasi Peak	406.5 kHz	45.54 N		-12.17
2 CISPR Average	771 kHz	27.74 L1		-18.25
2 CISPR Average	802.5 kHz	29.60 L1		-16.39
1 Quasi Peak	838.5 kHz	36.71 N		-19.28
1 Quasi Peak	1.0995 MHz	33.47 N		-22.52
2 CISPR Average	1.1175 MHz	24.93 L1		-21.06
1 Quasi Peak	1.7295 MHz	33.29 N		-22.70
2 CISPR Average	2.112 MHz	25.58 L1		-20.41
2 CISPR Average	2.4045 MHz	28.05 L1		-17.94
1 Quasi Peak	2.4675 MHz	34.84 N		-21.15
2 CISPR Average	3.741 MHz	27.13 N		-18.86
1 Quasi Peak	4.0875 MHz	41.34 N		-14.66
2 CISPR Average	4.8165 MHz	31.10 N		-14.89
1 Quasi Peak	4.965 MHz	43.44 N		-12.55
2 CISPR Average	6.027 MHz	34.09 N		-15.90
1 Quasi Peak	6.306 MHz	41.79 N		-18.20
2 CISPR Average	7.9935 MHz	31.34 N		-18.65

Date: 6.DEC.2010 20:57:47

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 19:40:23



Report no.: HK10120047-1
Model: D714
Charging Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1	Quasi Peak	159 kHz	39.60	N	-25.91
1	Quasi Peak	402 kHz	46.36	N	-11.44
2	CISPR Average	402 kHz	36.22	N	-11.58
2	CISPR Average	406.5 kHz	40.53	L1	-7.18
1	Quasi Peak	411 kHz	46.01	N	-11.61
2	CISPR Average	798 kHz	27.14	L1	-18.85
1	Quasi Peak	802.5 kHz	32.60	N	-23.39
1	Quasi Peak	1.509 MHz	32.31	N	-23.68
2	CISPR Average	2.094 MHz	25.07	N	-20.92
1	Quasi Peak	2.112 MHz	35.83	N	-20.16
1	Quasi Peak	2.742 MHz	37.74	N	-18.25
2	CISPR Average	2.778 MHz	27.98	N	-18.01
1	Quasi Peak	3.903 MHz	36.96	N	-19.03
2	CISPR Average	4.0065 MHz	28.77	N	-17.22
2	CISPR Average	4.623 MHz	28.40	N	-17.59
1	Quasi Peak	4.8165 MHz	40.86	N	-15.13
1	Quasi Peak	6.3825 MHz	43.25	N	-16.74
2	CISPR Average	7.5615 MHz	32.69	N	-17.30
1	Quasi Peak	7.9935 MHz	36.37	N	-23.62
2	CISPR Average	8.8125 MHz	30.04	L1	-19.96

Date: 6.DEC.2010 19:40:12

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 19:52:37

Ctrl No.: N/A



Report no.: HK10120047-1
Model: D714
Ringing Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average	397.5 kHz	33.36	L1	-14.54
1	Quasi Peak	402 kHz	41.29	N	-16.51
2	CISPR Average	411 kHz	37.54	N	-10.08
1	Quasi Peak	411 kHz	43.91	N	-13.71
1	Quasi Peak	771 kHz	30.62	L1	-25.37
1	Quasi Peak	793.5 kHz	33.09	N	-22.90
1	Quasi Peak	1.518 MHz	30.20	N	-25.79
1	Quasi Peak	2.0895 MHz	32.84	N	-23.15
1	Quasi Peak	2.373 MHz	31.77	N	-24.22
2	CISPR Average	3.39 MHz	24.89	N	-21.10
1	Quasi Peak	3.651 MHz	33.49	L1	-22.51
2	CISPR Average	4.6905 MHz	28.84	N	-17.15
1	Quasi Peak	4.785 MHz	38.91	N	-17.08
1	Quasi Peak	5.91 MHz	43.18	L1	-16.81
2	CISPR Average	6.018 MHz	32.16	N	-17.83
1	Quasi Peak	9.1545 MHz	34.48	L1	-25.51

Date: 6.DEC.2010 19:52:27

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 19:57:52



Report no.: HK10120047-1
Model: D714
Talk Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
2	CISPR Average	402 kHz	33.28 L1		-14.52
1	Quasi Peak	402 kHz	39.60 L1		-18.21
2	CISPR Average	411 kHz	36.12 N		-11.50
1	Quasi Peak	411 kHz	42.34 L1		-15.28
1	Quasi Peak	771 kHz	31.18 N		-24.81
1	Quasi Peak	802.5 kHz	28.17 L1		-27.82
1	Quasi Peak	1.5225 MHz	29.21 L1		-26.78
1	Quasi Peak	1.5315 MHz	29.78 N		-26.21
1	Quasi Peak	2.7825 MHz	34.61 N		-21.38
1	Quasi Peak	4.083 MHz	37.69 N		-18.30
2	CISPR Average	4.083 MHz	26.44 N		-19.55
1	Quasi Peak	4.65 MHz	36.32 N		-19.67
2	CISPR Average	4.749 MHz	29.70 N		-16.29
2	CISPR Average	5.7345 MHz	31.02 N		-18.97
1	Quasi Peak	7.4895 MHz	40.94 N		-19.05
1	Quasi Peak	8.1645 MHz	34.50 N		-25.49

Date: 6.DEC.2010 19:57:43

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 22:25:19



Report no.: HK10120047-1
Model: D724
Ringing Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP

Trace2: CF15MAV

Trace3: ---


	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
2	CISPR Average	402 kHz	42.55 N	-5.25
1	Quasi Peak	402 kHz	49.02 N	-8.78
1	Quasi Peak	406.5 kHz	46.14 N	-11.57
2	CISPR Average	406.5 kHz	35.83 L1	-11.88
2	CISPR Average	771 kHz	27.71 L1	-18.28
2	CISPR Average	802.5 kHz	30.69 L1	-15.30
1	Quasi Peak	933 kHz	29.62 N	-26.37
2	CISPR Average	1.1085 MHz	26.74 L1	-19.25
1	Quasi Peak	1.2345 MHz	35.05 N	-20.94
1	Quasi Peak	2.0715 MHz	35.93 N	-20.06
2	CISPR Average	2.409 MHz	26.59 N	-19.40
1	Quasi Peak	2.85 MHz	39.04 N	-16.95
2	CISPR Average	3.7275 MHz	29.69 N	-16.31
1	Quasi Peak	3.7905 MHz	37.68 N	-18.32
2	CISPR Average	4.83 MHz	30.75 N	-15.24
1	Quasi Peak	4.8525 MHz	41.37 N	-14.62
2	CISPR Average	6.135 MHz	34.39 N	-15.60
1	Quasi Peak	6.3735 MHz	43.76 N	-16.23
1	Quasi Peak	7.998 MHz	39.46 N	-20.53
2	CISPR Average	8.0025 MHz	32.06 N	-17.93

Date: 6.DEC.2010 22:25:03

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 6.DEC.2010 22:02:33




Report no.: HK10120047-1
Model: D724
Charging Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average	402 kHz	40.44	L1	-7.37
1	Quasi Peak	402 kHz	48.86	N	-8.94
2	CISPR Average	406.5 kHz	39.53	L1	-8.18
1	Quasi Peak	406.5 kHz	46.67	N	-11.04
1	Quasi Peak	591 kHz	33.71	N	-22.28
2	CISPR Average	798 kHz	26.71	L1	-19.28
1	Quasi Peak	928.5 kHz	30.35	N	-25.64
1	Quasi Peak	1.0995 MHz	30.53	L1	-25.46
1	Quasi Peak	1.5765 MHz	37.30	N	-18.69
2	CISPR Average	1.5765 MHz	26.98	N	-19.01
2	CISPR Average	2.7825 MHz	27.52	L1	-18.48
1	Quasi Peak	2.9085 MHz	36.09	N	-19.90
2	CISPR Average	3.1515 MHz	29.06	N	-16.93
1	Quasi Peak	3.975 MHz	40.29	N	-15.70
2	CISPR Average	4.7625 MHz	30.69	N	-15.30
1	Quasi Peak	4.839 MHz	40.83	N	-15.16
1	Quasi Peak	5.8695 MHz	44.74	N	-15.25
2	CISPR Average	6.252 MHz	34.44	N	-15.55
2	CISPR Average	8.016 MHz	31.18	N	-18.81
1	Quasi Peak	8.1195 MHz	37.08	N	-22.91

Date: 6.DEC.2010 22:02:23

Ctrl No.: N/A



Date: 6.DEC.2010 22:18:26



Report no.: HK10120047-1
Model: D724
Base Speakerphone Online
AC Mains (3-way Conference)

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1 Quasi Peak	402 kHz	44.71 N		-13.09
2 CISPR Average	402 kHz	34.42 L1		-13.39
2 CISPR Average	406.5 kHz	37.51 N		-10.20
1 Quasi Peak	406.5 kHz	44.97 N		-12.74
2 CISPR Average	798 kHz	25.17 L1		-20.82
1 Quasi Peak	1.9095 MHz	28.95 N		-27.04
1 Quasi Peak	2.7375 MHz	33.28 N		-22.71
2 CISPR Average	2.7825 MHz	25.90 N		-20.09
1 Quasi Peak	4.101 MHz	36.81 N		-19.18
2 CISPR Average	4.1055 MHz	27.05 N		-18.94
1 Quasi Peak	4.722 MHz	38.74 N		-17.26
2 CISPR Average	4.749 MHz	30.90 N		-15.09
2 CISPR Average	5.7345 MHz	31.68 N		-18.32
1 Quasi Peak	5.901 MHz	39.72 N		-20.27
1 Quasi Peak	8.0025 MHz	37.25 N		-22.74

Date: 6.DEC.2010 22:18:17

Ctrl No.: N/A