




RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.DEC.2011 11:51:22

Ctrl No.:



Report no.: HK11111229-1  
Model: CS6519  
Adaptor: TenPao  
Mode: Ringing  
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB $\mu$ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	982.5 kHz	11.70 N gnd	-44.29
1	Quasi Peak	2.2695 MHz	10.89 L1 gnd	-45.10
1	Quasi Peak	3.5655 MHz	10.95 L1 gnd	-45.04
1	Quasi Peak	4.8615 MHz	12.10 L1 gnd	-43.89
1	Quasi Peak	6.171 MHz	18.22 L1 gnd	-41.77


Date: 1.DEC.2011 11:51:04

Ctrl No.:



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.DEC.2011 11:02:58

Ctrl No.:



Report no.: HK11111229-1  
Model: CS6529  
Adaptor: TenPao  
Mode: Charging  
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	339 kHz	35.00	L1 gnd	-24.22
1	Quasi Peak	514.5 kHz	36.61	L1 gnd	-19.38
1	Quasi Peak	690 kHz	34.49	L1 gnd	-21.50
1	Quasi Peak	861 kHz	32.79	L1 gnd	-23.21
1	Quasi Peak	1.383 MHz	32.43	L1 gnd	-23.57
1	Quasi Peak	1.887 MHz	31.45	L1 gnd	-24.54
1	Quasi Peak	2.58 MHz	28.97	N gnd	-27.02
1	Quasi Peak	3.615 MHz	28.64	L1 gnd	-27.36
1	Quasi Peak	4.8435 MHz	28.21	L1 gnd	-27.78
1	Quasi Peak	7.368 MHz	33.45	L1 gnd	-26.54

Date: 1.DEC.2011 11:02:28

Ctrl No.: