




Date: 7.DEC.2011 15:17:20



Report no.: HK11111247
Model: CS6619-2
Adaptor: Ten Pao
Mode: Standby
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
1 Quasi Peak	11.9625 MHz	41.90 L1 gnd	-18.09	

Date: 7.DEC.2011 15:17:04

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 2.DEC.2011 10:15:38



Report no.: HK11111247
Model: CS6629-2
Mode: Charging
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP

Trace2: CF15MAV

Trace3: ---

	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
1	Quasi Peak	352.5 kHz	34.91 L1 gnd	-23.98
1	Quasi Peak	532.5 kHz	34.50 L1 gnd	-21.49
1	Quasi Peak	618 kHz	32.83 L1 gnd	-23.17
1	Quasi Peak	928.5 kHz	31.12 L1 gnd	-24.87
1	Quasi Peak	1.239 MHz	32.74 L1 gnd	-23.25
1	Quasi Peak	1.6935 MHz	31.67 N gnd	-24.32
1	Quasi Peak	2.823 MHz	28.51 N gnd	-27.48
1	Quasi Peak	3.0975 MHz	29.61 N gnd	-26.38
1	Quasi Peak	4.758 MHz	29.10 L1 gnd	-26.89
1	Quasi Peak	7.161 MHz	36.98 L1 gnd	-23.01
1	Quasi Peak	7.98 MHz	31.94 N gnd	-28.06

Date: 2.DEC.2011 10:15:17

Ctrl No.: N/A