



FUJI PHOTO FILM CO.,LTD.

26-30, NISHIAZABU 2-CHOME,
MINATO-KU, TOKYO 106, JAPAN

Telephone: (03) 3406-2934
Facsimile : (03) 3406-9967

page 4 of 6

FCC ID : F5GSM-R1

Part 15 Sub.part B Class B Digital Device

3. SUMMARY OF OPERATION AND FUNCTION

FUJIFILM, Model SM-R1 is an Image Memory Card Reader which is able to read digital images onto an image memory card so called the SmartMedia and copy those from the hard disk to the SmartMedia.

That is, digital images can be transferred to the USB (Universal Serial Bus) port of a personal computer with high-speed by using this Card Reader.

Those images on the SmartMedia can be also displayed on a PC monitor connected to the personal computer when you inserted a SmartMedia to the SM-R1.

To display the images fetched to a Windows personal computer, commercial JPEG image reading software is necessary.

When there are two or more USB connectors, the SM-R1 can be connected to any port of USB hub.

This Image Memory Card Reader has a pet name of SmartMedia Reader/Writer since this is able to read and write images on the SmartMedia shown as the above mention.

This is compact and light-weight (weight: 130g, dimension: 80(W) x 24 (H) x 115 (D) mm), so it's easy to take along.

4. TEST FACILITY

The open area test site and conducted measurement facility of Akzo Kashima Limited, EMC Division used to collect the radiated data is located in 322, Shimotaruki, Kakegawa-shi, Shizuoka-ken 436-0222 Japan.

This Akzo Kashima Limited, EMC Division, Kakegawa Open Site has been fully described in a report that they have submitted to your office, and accepted in your letter dated January 16, 1998 (31040 / SIT).

5. SUMMARY OF TEST RESULTS

Radiated Radio Noise Measurement -----	PASS
Conducted Radio Noise Measurement -----	PASS



FUJI PHOTO FILM CO.,LTD.

26-30, NISHIAZABU 2-CHOME,
MINATO-KU, TOKYO 106, JAPAN
Telephone: (03) 3406-2934
Facsimile : (03) 3406-9967

page 5 of 6

FCC ID : F5GSM-R1

Part 15 Sub.part B Class B Digital Device

6. TESTED SYSTEM DETAILS

6.1 Peripherals and Others :

<i>Description</i>	<i>Model Name</i>	<i>Serial No.</i>	<i>Manufacturer</i>	<i>FCC ID</i>
Personal Computer	D6612A	SG84601229	Hewlett Packard	DoC
PC Monitor	8512-001	72-0024028	IBM	ANO7NF8512
Keyboard	SK25-02	M9810100728	Hewlett Packard	GYUR41SK
Mouse	M-S34	LZAB84118164	Hewlett Packard	DZL210029
Printer	C3941	JPCL014342	Hewlett Packard	B94C3941A

Note:

*DoC: Device was tested and authorized under a Declaration of Conformity to the applicable FCC rules.

6.2 List of Cables :

<i>Description</i>	<i>Length</i>	<i>Type of shield</i>	<i>Ferrite Core</i>
EUT / Personal Computer	1.0 m	Shielded	Add
Printer / Personal Computer	1.5 m	Shielded	N/A
Personal Computer / PC Monitor	1.5 m	Shielded	N/A
Keyboard / Personal Computer	1.7 m	Shielded	N/A
Mouse / Personal Computer	1.8 m	Shielded	N/A
AC Power Cord for PC	2.2 m	Non-shielded	N/A
AC Power Cord for PC Monitor	1.9 m	Non-shielded	N/A
AC Power Cord for Printer	1.9 m	Non-shielded	N/A

Note:

Add: One ferrite core is permanently attached to USB cable between the EUT and a personal computer to be supplied with the device.



FUJI PHOTO FILM CO.,LTD.

26-30, NISHIAZABU 2-CHOME,
MINATO-KU, TOKYO 106, JAPAN
Telephone: (03) 3406-2934
Facsimile : (03) 3406-9967

page 6 of 6

FCC ID : **F5GSM-R1**

Part 15 Sub.part B Class B Digital Device

Figure 6-1 System Configuration Diagram :

