

***Electromagnetic Emissions Test Report
and
Application for Grant of Equipment Authorization
pursuant to
FCC Part 15, Subpart C Specifications for an
Intentional Radiator on the
Schlumberger Resource Management Services, Inc.
Model: Water Wall MIU1***

FCC ID: F9CTALWCNMIU1

GRANTEE: Schlumberger Resource Management
Services, Inc.
1600 Alabama Highway 229
Tallasse, AL 36078TEST SITE: Elliott Laboratories, Inc.
684 W. Maude Avenue
Sunnyvale, CA 94086

REPORT DATE: November 24, 1998

FINAL TEST DATE: November 16, 1998

AUTHORIZED SIGNATORY:


Mark Briggs
Manager, EMC Consulting Services

This report shall not be reproduced, except in its entirety, without the written approval of Elliott Laboratories, Inc.

TABLE OF CONTENTS

COVER PAGE	1
TABLE OF CONTENTS.....	2
SCOPE	3
OBJECTIVE	3
STATEMENT OF COMPLIANCE	3
EMISSION TEST RESULTS	4
LIMITS OF CONDUCTED INTERFERENCE VOLTAGE.....	4
LIMITS OF RADIATED INTERFERENCE FIELD STRENGTH.....	4
EQUIPMENT UNDER TEST (EUT) DETAILS.....	5
GENERAL.....	5
INPUT POWER.....	5
PRINTED WIRING BOARDS.....	5
SUBASSEMBLIES.....	5
ENCLOSURE.....	5
SUPPORT EQUIPMENT.....	5
EXTERNAL I/O CABLING.....	6
TEST SOFTWARE	6
TEST SITE.....	7
GENERAL INFORMATION.....	7
CONDUCTED EMISSIONS CONSIDERATIONS.....	7
RADIATED EMISSIONS CONSIDERATIONS	7
MEASUREMENT INSTRUMENTATION	8
INSTRUMENT CONTROL COMPUTER	8
LINE IMPEDANCE STABILIZATION NETWORK (LISN)	8
POWER METER.....	9
FILTERS/ATTENUATORS.....	9
ANTENNAS.....	9
ANTENNA MAST AND EQUIPMENT TURNTABLE.....	9
INSTRUMENT CALIBRATION.....	9
TEST PROCEDURES.....	10
EUT AND CABLE PLACEMENT	10
CONDUCTED EMISSIONS	10
RADIATED EMISSIONS.....	10
SPECIFICATION LIMITS AND SAMPLE CALCULATIONS.....	11
CONDUCTED EMISSIONS SPECIFICATION LIMITS, SECTION 15.207 ...	11
RADIATED EMISSIONS SPECIFICATION LIMITS, SECTION 15.209.....	11
SAMPLE CALCULATIONS - CONDUCTED EMISSIONS.....	12
SAMPLE CALCULATIONS - RADIATED EMISSIONS	13
EXHIBIT 1: Test Equipment Calibration Data	1
EXHIBIT 2: Test Data Log Sheets.....	2
EXHIBIT 3: Radiated Emissions Test Configuration Photographs.....	3
EXHIBIT 4: Proposed FCC ID Label & Label Location.....	5
EXHIBIT 5: Detailed Photographs of Schlumberger Model Water Wall MIU1 Construction	6
EXHIBIT 6: Block Diagram of Schlumberger Model Water Wall MIU1	7
EXHIBIT 7: Schematic Diagrams for Schlumberger Model Water Wall MIU1	8
EXHIBIT 8: Theory of Operation for Schlumberger Model Water Wall MIU1	9
EXHIBIT 9: Operator's Manual for Schlumberger Model Water Wall MIU1.....	10

SCOPE

An electromagnetic emissions test has been performed on the Schlumberger spread spectrum water meter model Water Wall MIU1 pursuant to Subpart C of Part 15 of FCC Rules for intentional radiators. Conducted and radiated emissions data has been collected, reduced, and analyzed within this report in accordance with measurement guidelines set forth in ANSI C63.4-1992.

The intentional radiator above has been tested in a simulated typical installation to demonstrate compliance with the relevant FCC performance and procedural standards.

Final system data was gathered in a mode that tended to maximize emissions by varying orientation of EUT, orientation of power and I/O cabling, antenna search height, and antenna polarization.

Every practical effort was made to perform an impartial test using appropriate test equipment of known calibration. All pertinent factors have been applied to reach the determination of compliance.

The test results recorded herein are based on a single type test of the Schlumberger model Water Wall MIU1 and therefore apply only to the tested sample. The sample was selected and prepared by Mohammed S. Ali of Schlumberger Resource Management Services, Inc..

OBJECTIVE

The primary objective of the manufacturer is compliance with Subpart C of Part 15 of FCC Rules for the radiated and conducted emissions of intentional radiators. Certification of these devices is required as a prerequisite to marketing as defined in Part 2 the FCC Rules.

Certification is a procedure where the manufacturer or a contracted laboratory makes measurements and submits the test data and technical information to the FCC. The FCC issues a grant of equipment authorization upon successful completion of their review of the submitted documents. Once the equipment authorization has been obtained, the label indicating compliance must be attached to all identical units which are subsequently manufactured.

STATEMENT OF COMPLIANCE

The tested sample of Schlumberger model Water Wall MIU1 complied with the requirements of Subpart C of Part 15 of the FCC Rules for low power intentional radiators.

Maintenance of FCC compliance is the responsibility of the manufacturer. Any modification of the product which may result in increased emissions should be checked to ensure compliance has been maintained (i.e., printed circuit board layout changes, different line filter, different power supply, harnessing or I/O cable changes, etc.).

EMISSION TEST RESULTS

The following emissions tests were performed on the Schlumberger model Water Wall MIU1. The actual test results are contained in an exhibit of this report.

LIMITS OF CONDUCTED INTERFERENCE VOLTAGE

The EUT does not connect to an AC power source and is powered from an internal 3.6Vdc battery. No conducted emissions tests were required.

LIMITS OF RADIATED INTERFERENCE FIELD STRENGTH

The EUT tested complied with the limits detailed in FCC Rules Part 15 Section 15.247 and 15.209 in the case of emissions falling within the frequency bands specified in Section 15.205.

The following measurement was extracted from the data recorded during the radiated electric field emissions scan and represents the highest amplitude emission relative to the specification limit. The actual test data and any correction factors are contained in an exhibit of this report.

30 - 9170 MHz (excluding designated band of 902 - 928 MHz)

Frequency MHz	Level dBuV/m	Pol v/h	§15.209* Limit	§15.209* Margin	Detector Pk/QP/Avg	Azimuth degrees	Height meters	Comments
3670.146	64.1	v	74.0	-9.9	Peak	280	1.2	In restricted band

* §15.209 limit applied to emissions falling in restricted bands. All other emissions subject to a limit 20dB below the level of the fundamental signal level.

LIMITS OF POWER AND BANDWIDTH

The EUT tested complied with the limits detailed in FCC Rules Part 15 Section 15.247.

The output power output was 22.2 dBm (0.166 Watts). The power density was measured to be 2.0dBm in a 3kHz bandwidth averaged over 1 second. The 6 dB bandwidth was 1.36 MHz.

Power measurements were calculated from a radiated field strength measurement made at a test distance of 3m. The formula used to calculate the Power (P, in Watts) from the radiated field strength (E, in V/m) at a distance d (3m) from the EUT was:

$$P = \frac{E^2 d^2}{30G} \quad (\text{Note that the EUT antenna gain, } G, \text{ was assumed to be unity})$$

The actual test data and any correction factors are contained in an exhibit of this report.

PROCESSING GAIN

The Processing Gain was measured by the manufacturer to be 14.8 dB. The actual test data and any correction factors are contained in an exhibit of this report.

EQUIPMENT UNDER TEST (EUT) DETAILS**GENERAL**

The Schlumberger model Water Wall MIU1 is a Water Meter Interface Unit (MIU), with an integrated CellNet RF transmitter. The sample was received on November 13, 1998 and tested on November 16, 1998. The EUT consisted of the following component(s):

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger RMS/ Wall MIU1 / Water Meter Interface Unit	0001836957	F9CTALWFNMIU1

INPUT POWER

The EUT is powered by a 3.6 VDC battery.

PRINTED WIRING BOARDS

The EUT contained the following printed wiring boards during emissions testing:

Manufacturer/Description	Assembly #	Rev.	Serial #	Crystals (MHz)
Schlumberger/ Wall MIU1 PWB	442160-001	8	None	14.56 , 0.032768

SUBASSEMBLIES

The EUT contained the following subassembly modules during emissions testing:

Manufacturer/Description	Assembly #	Rev.	Serial Number
Schlumberger/ Battery Pack	12213-000	B	none

ENCLOSURE

The EUT enclosure is primarily constructed of molded plastic. It measures approximately 11 cm deep by 14 cm wide and 6 cm high.

SUPPORT EQUIPMENT

The following equipment was used as local support equipment for emissions testing:

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger/ ProRead/ Encoder	01983026	-

EXTERNAL I/O CABLING

The I/O cabling configuration during emissions testing was as follows:

Cable Description	Length (m)	From Unit/Port	To Unit/Port
Unshielded 3 conductor	130.0	EUT	Encoder

TEST SOFTWARE

The EUT was set to transmit once per second.

TEST SITE

GENERAL INFORMATION

Final test measurements were taken on November 16, 1998 at the Elliott Laboratories Open Area Test Site #3 located at 684 West Maude Avenue, Sunnyvale, California. The test site contains separate areas for radiated and conducted emissions testing. Pursuant to section 2.948 of the Rules, construction, calibration, and equipment data has been filed with the Commission.

The FCC recommends that ambient noise at the test site be at least 6 dB below the allowable limits. Ambient levels are below this requirement with the exception of predictable local TV, radio, and mobile communications traffic. The test site contains separate areas for radiated and conducted emissions testing. Considerable engineering effort has been expended to ensure that the facilities conform to all pertinent FCC requirements.

CONDUCTED EMISSIONS CONSIDERATIONS

Conducted emissions testing is performed in conformance with ANSI C63.4-1992. Measurements are made with the EUT connected to the public power network through a nominal, standardized RF impedance, which is provided by a line impedance stabilization network, known as a LISN. A LISN is inserted in series with each current-carrying conductor in the EUT power cord.

RADIATED EMISSIONS CONSIDERATIONS

The FCC has determined that radiation measurements made in a shielded enclosure are not suitable for determining levels of radiated emissions. Radiated measurements are performed in an open field environment. The test site is maintained free of conductive objects within the CISPR defined elliptical area incorporated in ANSI C63.4 guidelines.

MEASUREMENT INSTRUMENTATION

RECEIVER SYSTEM

An EMI receiver as specified in CISPR 16-1 is used for emissions measurements. The receivers used can measure over the frequency range of 9 kHz up to 2000 MHz. These receivers, allow both ease of measurement and high accuracy to be achieved. The receivers have Peak, Average, and CISPR (Quasi-peak) detectors built into their design so no external adapters are necessary. The receiver automatically sets the required bandwidth for the CISPR detector used during measurements.

For measurements above the frequency range of the receivers, a spectrum analyzer is utilized because it provides visibility of the entire spectrum along with the precision and versatility required to support engineering analysis. Average measurements above 1000MHz are performed on the spectrum analyzer using the linear-average method with a resolution bandwidth of 1 MHz and a video bandwidth of 10 Hz.

INSTRUMENT CONTROL COMPUTER

The receivers utilize either a Rohde and Schwarz EZM Spectrum Monitor/Controller or contain an internal Spectrum Monitor/Controller to view and convert the receiver measurements to the field strength at an antenna or voltage developed at the LISN measurement port, which is then compared directly with the appropriate specification limit. This provides faster, more accurate readings by performing the conversions described under Sample Calculations within the Test Procedures section of this report. Results are printed in a graphic and/or tabular format, as appropriate. A personal computer is used to record all measurements made with the receivers.

The Spectrum Monitor provides a visual display of the signal being measured. In addition, the controller or a personal computer run automated data collection programs which control the receivers. This provides added accuracy since all site correction factors, such as cable loss and antenna factors are added automatically.

LINE IMPEDANCE STABILIZATION NETWORK (LISN)

Line conducted measurements utilize a fifty microhenry Line Impedance Stabilization Network as the monitoring point. The LISN used also contains a 250 uH CISPR adapter. This network provides for calibrated radio frequency noise measurements by the design of the internal low pass and high pass filters on the EUT and measurement ports, respectively.

POWER METER

A power meter and thermister mount are used for all output power measurements from transmitters as they provides a broadband indication of the power output. The power meter used was the Hewlett Packard model 432A, S/N 992-05509 and the thermister mount was the Hewlett Packard model 478A, S/N 46397.

FILTERS/ATTENUATORS

External filters and precision attenuators are often connected between the receiving antenna or LISN and the receiver. This eliminates saturation effects and non-linear operation due to high amplitude transient events.

ANTENNAS

A biconical antenna is used to cover the range from 30 MHz to 300 MHz and a log periodic antenna is utilized from 300 MHz to 1000 MHz. Narrowband tuned dipole antennas are used over the entire 30 to 1000 MHz range for precision measurements of field strength.

The antenna calibration factors are included in site factors which are programmed into the test receivers

ANTENNA MAST AND EQUIPMENT TURNTABLE

The antennas used to measure the radiated electric field strength are mounted on a non-conductive antenna mast equipped with a motor-drive to vary the antenna height.

ANSI C63.4 specifies that the test height above ground for table mounted devices shall be 80 centimeters. Floor mounted equipment shall be placed on the ground plane if the device is normally used on a conductive floor or separated from the ground plane by insulating material from 3 to 12 mm if the device is normally used on a non-conductive floor. During radiated measurements, the EUT is positioned on a motorized turntable in conformance with this requirement.

INSTRUMENT CALIBRATION

All test equipment is regularly checked to ensure that performance is maintained in accordance with the manufacturer's specifications. All antennas are calibrated at regular intervals with respect to tuned half-wave dipoles. An exhibit of this report contains the list of test equipment used and calibration information.

TEST PROCEDURES

EUT AND CABLE PLACEMENT

The FCC requires that interconnecting cables be connected to the available ports of the unit and that the placement of the unit and the attached cables simulate the worst case orientation that can be expected from a typical installation, so far as practicable. To this end, the position of the unit and associated cabling is varied within the guidelines of ANSI C63.4, and the worst case orientation is used for final measurements.

CONDUCTED EMISSIONS

Conducted emissions are measured at the plug end of the power cord supplied with the EUT. Excess power cord length is wrapped in a bundle between 30 and 40 centimeters in length near the center of the cord. Preliminary measurements are made to determine the highest amplitude emission relative to the specification limit for all the modes of operation. Placement of system components and varying of cable positions are performed in each mode. A final peak mode scan is then performed in the position and mode for which the highest emission was noted on all current carrying conductors of the power cord.

RADIATED EMISSIONS

Radiated emissions measurements are performed in two phases as well. A preliminary scan of emissions is conducted in which all significant EUT frequencies are identified with the system in a nominal configuration. At least two scans are performed from 30 to 1000 MHz. One or more of these is with the antenna polarized vertically while the one or more of these is with the antenna polarized horizontally. During the preliminary scans, the EUT is rotated through 360°, the antenna height is varied and cable positions are varied to determine the highest emission relative to the limit.

A speaker is provided in the receiver to aid in discriminating between EUT and ambient emissions. Other methods used during the preliminary scan for EUT emissions involve scanning with near field magnetic loops, monitoring I/O cables with RF current clamps, and cycling power to the EUT.

Final maximization is a phase in which the highest amplitude emissions identified in the spectral search are viewed while the EUT azimuth angle is varied from 0 to 360 degrees relative to the receiving antenna. The azimuth which results in the highest emission is then maintained while varying the antenna height from one to four meters. The result is the identification of the highest amplitude for each of the highest peaks. Each recorded level is corrected in the receiver using appropriate factors for cables, connectors, antennas, and preamplifier gain. Emissions which have values close to the specification limit may also be measured with a tuned dipole antenna to determine compliance.

SPECIFICATION LIMITS AND SAMPLE CALCULATIONS

The limits for conducted emissions are given in units of microvolts, and the limits for radiated emissions are given in units of microvolts per meter at a specified test distance. Data is measured in the logarithmic form of decibels relative to one microvolt, or dB microvolts (dBuV). For radiated emissions, the measured data is converted to the field strength at the antenna in dB microvolts per meter (dBuV/m). The results are then converted to the linear forms of uV and uV/m for comparison to published specifications.

For reference, converting the specification limits from linear to decibel form is accomplished by taking the base ten logarithm, then multiplying by 20. These limits in both linear and logarithmic form are as follows:

CONDUCTED EMISSIONS SPECIFICATION LIMITS, SECTION 15.207

Frequency Range (MHz)	Limit (uV)	Limit (dBuV)
0.450 to 30.000	250	48

RADIATED EMISSIONS SPECIFICATION LIMITS, SECTION 15.209

Frequency Range (MHz)	Limit (uV/m @ 3m)	Limit (dBuV/m @ 3m)
0.009-0.490	$2400/F_{\text{KHz}} @ 300\text{m}$	$67.6-20*\log_{10}(F_{\text{KHz}}) @ 300\text{m}$
0.490-1.705	$24000/F_{\text{KHz}} @ 30\text{m}$	$87.6-20*\log_{10}(F_{\text{KHz}}) @ 30\text{m}$
1.705 to 30	30 @ 30m	29.5 @ 30m
30 to 88	100	40
88 to 216	150	43.5
216 to 960	200	46.0
Above 960	500	54.0

The above radiated emissions limits were applied to all spurious emissions falling within the restricted bands of operation as detailed in §15.205. The limit for all other spurious emissions was 20 dB below the level of the intentionally transmitted signal.

SAMPLE CALCULATIONS - CONDUCTED EMISSIONS

Receiver readings are compared directly to the conducted emissions specification limit (decibel form) as follows:

$$R_r - B = C$$

and

$$C - S = M$$

where:

R_r = Receiver Reading in dBuV

B = Broadband Correction Factor*

C = Corrected Reading in dBuV

S = Specification Limit in dBuV

M = Margin to Specification in +/- dB

* Broadband Level - Per ANSI C63.4, 13 dB may be subtracted from the quasi-peak level if it is determined that the emission is broadband in nature. If the signal level in the average mode is six dB or more below the signal level in the peak mode, the emission is classified as broadband.

SAMPLE CALCULATIONS - RADIATED EMISSIONS

Receiver readings are compared directly to the specification limit (decibel form). The receiver internally corrects for cable loss, preamplifier gain, and antenna factor. The calculations are in the reverse direction of the actual signal flow, thus cable loss is added and the amplifier gain is subtracted. The Antenna Factor converts the voltage at the antenna coaxial connector to the field strength at the antenna elements. A distance factor, when used for electric field measurements, is calculated by using the following formula:

$$F_d = 20 * \text{LOG}_{10} (D_m / D_s)$$

where:

$$F_d = \text{Distance Factor in dB}$$

$$D_m = \text{Measurement Distance in meters}$$

$$D_s = \text{Specification Distance in meters}$$

Measurement Distance is the distance at which the measurements were taken and Specification Distance is the distance at which the specification limits are based. The antenna factor converts the voltage at the antenna coaxial connector to the field strength at the antenna elements.

The margin of a given emission peak relative to the limit is calculated as follows:

$$R_c = R_r + F_d$$

and

$$M = R_c - L_s$$

where:

$$R_r = \text{Receiver Reading in dBuV/m}$$

$$F_d = \text{Distance Factor in dB}$$

$$R_c = \text{Corrected Reading in dBuV/m}$$

$$L_s = \text{Specification Limit in dBuV/m}$$

$$M = \text{Margin in dB Relative to Spec}$$

EXHIBIT 1: Test Equipment Calibration Data

Test Equipment List - SVOATS#3

<u>Manufacturer/Description</u>	<u>Model</u>	<u>Asset #</u>	<u>Interval</u>	<u>Last Cal</u>	<u>Cal Due</u>
<input checked="" type="checkbox"/> Elliott Laboratories 300-1000 MHz Log Periodic	EL300.1000	55, (F130)	12	9/26/98	9/26/99
<input checked="" type="checkbox"/> Elliott Laboratories Biconical Antenna, 30-300 MHz	EL30.300	54, (F131)	12	11/24/97	11/24/98
<input type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18 GHz	3115	Metric, 953	12	10/21/98	10/21/99
<input type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18GHz	3115	487	12	6/18/98	6/18/99
<input type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18GHz	3115	786	12	11/13/97	5/13/99
<input type="checkbox"/> Fischer LISN	FCC-LISN-50/2	810	12	1/29/98	1/29/99
<input type="checkbox"/> Hewlett Packard EMC Receiver /Analyzer	8595EM	780	24	10/24/97	10/24/99
<input checked="" type="checkbox"/> Hewlett Packard EMC Receiver /Analyzer	8595EM	787	12	10/27/97	10/27/98
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5	8449B	Metric, 644	12	9/15/98	9/15/99
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5GHz	8449B	263, (F303)	12	6/8/98	6/8/99
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5GHz	8449B	785	12	11/10/97	12/10/98
<input type="checkbox"/> Hewlett Packard Power Meter	432A	259, (F304)	12	3/10/98	3/10/99
<input type="checkbox"/> Hewlett Packard Spectrum Analyzer	8563B	284, (F194)	24	1/14/98	1/14/2000
<input type="checkbox"/> Hewlett Packard Spectrum Analyzer, 9 KHz-6.5 GHz	8595E-041-103-	Metric, 885	12	5/11/98	5/11/99
<input type="checkbox"/> Hewlett Packard Thermistor Mount	478A	652	12	3/10/98	3/10/99
<input type="checkbox"/> Narda-West EMI Filter 2.4 GHz, High Pass	60583 HPF-161	248	12	8/10/98	8/10/99
<input type="checkbox"/> Narda-West EMI Filter 5.6 GHz, High Pass	60583 HXP370	247	12	8/10/98	8/10/99
<input type="checkbox"/> Rohde & Schwarz Pulse Limiter	ESH3Z2	812	12	2/5/98	2/5/99
<input checked="" type="checkbox"/> Rohde & Schwarz Test Receiver, 0.009-30 MHz	ESH3	274	12	4/8/98	4/8/99
<input checked="" type="checkbox"/> Rohde & Schwarz Test Receiver, 20-1300MHz	BSVP	213, (F196)	12	10/4/98	10/4/99

File Number:

T29203

Date:

11/13/98

Engr:

ANIL A

Test Equipment List - SVOATS#3

<u>Manufacturer/Description</u>	<u>Model</u>	<u>Asset #</u>	<u>Interval</u>	<u>Last Cal</u>	<u>Cal Due</u>
<input type="checkbox"/> Elliott Laboratories 300-1000 MHz Log Periodic	EL300.1000	55, (F130)	12	9/26/98	9/26/99
<input type="checkbox"/> Elliott Laboratories Biconical Antenna, 30-300 MHz	EL30.300	54, (F131)	12	11/24/97	11/24/98
<input type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18 GHz	3115	Metric, 953	12	10/21/98	10/21/99
<input checked="" type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18GHz	3115	487	12	6/18/98	6/18/99
<input type="checkbox"/> EMCO D. Ridge Horn Antenna, 1-18GHz	3115	786	12	11/13/97	5/13/99
<input type="checkbox"/> Fischer LISN	FCC-LISN-50/2	810	12	1/29/98	1/29/99
<input type="checkbox"/> Hewlett Packard EMC Receiver /Analyzer	8595EM	780	24	10/24/97	10/24/99
<input type="checkbox"/> Hewlett Packard EMC Receiver /Analyzer	8595EM	787	12	10/27/97	11/30/98
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5	8449B	Metric, 644	12	9/15/98	9/15/99
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5GHz	8449B	263, (F303)	12	6/8/98	6/8/99
<input type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5GHz	8449B	785	12	11/10/97	12/10/98
<input checked="" type="checkbox"/> Hewlett Packard Microwave Preamplifier, 1-26.5GHz	8449B	870	12	11/12/98	11/12/99
<input type="checkbox"/> Hewlett Packard Power Meter	432A	259, (F304)	12	3/10/98	3/10/99
<input checked="" type="checkbox"/> Hewlett Packard Spectrum Analyzer	8563E	284, (F194)	24	1/14/98	1/14/2000
<input type="checkbox"/> Hewlett Packard Spectrum Analyzer, 9 KHz-6.5 GHz	8595E-041-103-	Metric, 885	12	5/11/98	5/11/99
<input type="checkbox"/> Hewlett Packard Thermistor Mount	478A	652	12	3/10/98	3/10/99
<input checked="" type="checkbox"/> Narda-West EMI Filter 2.4 GHz, High Pass	60583 HPF-161	833	12	8/10/98	8/10/99
<input type="checkbox"/> Narda-West EMI Filter 5.6 GHz, High Pass	60583 HXF370	247	12	8/10/98	8/10/99
<input type="checkbox"/> Rohde & Schwarz Pulse Limiter	ESH3Z2	812	12	2/5/98	2/5/99
<input type="checkbox"/> Rohde & Schwarz Test Receiver, 0.009-30 MHz	ESH3	274	12	4/8/98	4/8/99
<input type="checkbox"/> Rohde & Schwarz Test Receiver, 20-1300MHz	ESVP	213, (F196)	12	10/4/98	10/4/99

File Number: 729225

Date: 11/16/98
Engr: Randy Sney

EXHIBIT 2: Test Data Log Sheets

ELECTROMAGNETIC EMISSIONS

TEST LOG SHEETS

AND

MEASUREMENT DATA

<i>T29203</i>	<i>4 Pages</i>
<i>T29225</i>	<i>11 Pages</i>
<i>Processing Gain Data</i>	<i>4 Pages</i>

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Anil / Rudy
Product:	Water Wall MIU1	File:	T29203	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC B Part §15.247	Page:	1 of 3	Approved:	
Revision	1.0				

Ambient Conditions
Temperature: 11 °C
Humidity: 84 %

Test Objective

The objective of this test session is to perform final qualification testing the EUT defined below relative to the specification(s) defined above.

Test Summary

Run #1 - Transmitted power Measurements @ 917.58 MHz in accordance with §15.247 (b)

PASS Results: Output power was measured and calculated from the radiated field strength to be 22.2 dBm, -7.8 dBm below the maximum permitted output of 30 dBm (1 Watt)

Run #2 - 6 dB Bandwidth measurement @ 917.58 MHz in accordance with §15.247 (a) (2)

PASS Results: 6 dB bandwidth was measured to 1.36 MHz, meeting the minimum requirement of 500 kHz.

Run #3 - Power Density Measurements @ 917.58 MHz in accordance with §15.247 (d).

PASS Results: Output power density in 3 kHz bandwidth was calculated from the radiated field strength to be 2.0dBm, -6.0dBm below the maximum permitted density of 8 dBm/kHz.

Run #4 - Unmaximized Preliminary Radiated Emissions Scan, 30-902 MHz and 928-1000 MHz.

Results: §15.209 -15.8 dB QP @ 974.898 MHz Vertical



EMC Test Log

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Anil / Rudy
Product:	Water Wall MIU1	File:	T29203	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC B Part §15.247	Page:	2 of 3	Approved:	
Revision	1.0				

Run #5 - Maximized Radiated Emissions from Run #4

PASS Results: §15.209 -15.8 dB QP @ 974.898 MHz Vertical

Emissions lying in the restricted bands was compared to FCC Class B Limits. The limits at all other frequencies were 20dB below the fundamental emission of 117.4 dBuV/m

Equipment Under Test (EUT) General Description

The EUT is a Water Meter Interface Unit (MIU), with an integrated CellNet RF transmitter. Normally, the EUT would be mounted onto a wall during operation. For the purpose of testing the EUT was treated as table top equipment.

Equipment Under Test (EUT)

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger RMS/ Wall MIU1 / Water Meter Interface Unit	0001836957	F9CTALWFNMIU1

Power Supply and Line Filters

The EUT is powered by a 3.6 VDC battery.

Printed Wiring Boards in EUT

The following information was provided by the manufacturer:

Manufacturer/Description	Assembly #	Rev.	Serial Number	Crystals (MHz)
Schlumberger/ Wall MIU1 PWB	442160-001	8	None	14.56 , 0.032768

Subassemblies in EUT

The following information was provided by the manufacturer:

Manufacturer/Description	Assembly #	Rev.	Serial Number	Crystals (MHz)
Schlumberger/ Battery Pack	12213-000	B	none	none



EMC Test Log

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Anil / Rudy
Product:	Water Wall MIU1	File:	T29203	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC B Part §15.247	Page:	3 of 3	Approved:	
Revision	1.0				

EUT Enclosure(s)

The EUT enclosure is primarily constructed of molded plastic. It measures approximately 11 cm deep by 14 cm wide and 6 cm high.

EMI Suppression Devices (filters, gaskets, etc.)

None

Local Support Equipment

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger/ ProRead/ Encoder	01983026	-

Remote Support Equipment

None

Interface Cabling

Cable Description	Length (m)	From Unit/Port	To Unit/Port
Unshielded 3 conductor	130.0	EUT	Encoder

Test Software

The EUT was set to transmit once per second.

General Test Conditions

During radiated testing, the EUT was powered by a 3.6 VDC internal battery. The EUT and local support equipment were located on the turntable for radiated testing .

Test Data Tables

See attached data



Emissions Test Data

Client:	Schlumberger RMS.	Date:	11/13/98	Test Engr:	Anil Allamaneni
Product:	Schlumberger water wall (MIU)	File:	T29203	Proj. Engr:	Mark Briggs
Objective	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S Ali
Spec:	FCC B Part 15.247	Distance:	3 m	Approved:	

Ambient Conditions

Temperature: 11 °C

Humidity: 84 %

Run #1: Fundamental Measurement with peak detector and 1MHz RBW on ESVP.

Frequency	Level	Pol	EIRP	15.247 (b)	15.247 (b)	Azimuth	Height	Comments
MHz	dBuV/m	v/h	dBm	Limit	Margin	degrees	meters	
917.580	117.2	v	22.0	30.0	-8.0	0	1.0	RBW = 1MHz
917.580	115.8	h	20.6	30.0	-9.4	228	1.0	RBW = 1MHz

Run #2: Transmitted Power Measurements @ 917.5 MHz in accordance with 15.247 (b)

On the 8595EM with the Spectrum Analyzer mode.

Frequency	Level	Pol	EIRP	15.247 (b)	15.247 (b)	Azimuth	Height	Comments
MHz	dBuV/m	v/h	dBm	Limit	Margin	degrees	meters	
917.580	117.4	v	22.2	30.0	-7.8	0	1.0	RBW = VBW = 3 MHz
917.580	114.5	h	19.3	30.0	-10.7	228	1.0	RBW = VBW = 3 MHz

Run #3: Power Density Measurements @ 917.5 MHz in accordance with 15.247 (d)

Frequency	Level	Pol	EIRP	15.247 (d)	15.247 (d)	Azimuth	Height	Comments
MHz	dBuV/m	v/h	dBm	Limit	Margin	degrees	meters	
917.580	97.2	v	2.0	8.0	-6.0	0	1.0	RBW = VBW = 3 kHz
917.580	95.9	h	0.7	8.0	-7.3	228	1.0	RBW = VBW = 3 kHz

Run #4: Preliminary unmaximized emissions scan, 30 MHz-902 MHz and 928 MHz- 1000 MHz.

Limits for signals not in the restricted bands is 20dB below the fundamental emission level of 110 dBuV/m

Frequency	Level	Pol	FCC B	FCC B	Detector	Azimuth	Height	Comments
MHz	dBuV/m	v/h	Limit	Margin	Pk/QP/Avg	degrees	meters	
974.898	38.2	v	54.0	-15.8	QP	322	1.0	In restricted band
974.898	36.9	h	54.0	-17.1	QP	0	1.3	In restricted band
401.441	26.3	v	46.0	-19.7	QP	100	1.0	In restricted band
401.441	25.6	h	46.0	-20.4	QP	358	1.0	In restricted band
895.227	44.7	v	90.0	-45.3	QP	12	1.1	Not in restricted band.
895.227	41.5	h	90.0	-48.5	QP	18	1.0	Not in restricted band.
458.206	25.8	v	90.0	-64.2	QP	201	1.0	Not in restricted band.
458.206	24.6	h	90.0	-65.4	QP	29	1.0	Not in restricted band.



Emissions Test Data

Client:	Schlumberger RMS.	Date:	11/13/98	Test Engr:	Anil Allamaneni
Product:	Schlumberger water wall (MIU)	File:	T29203	Proj. Engr:	Mark Briggs
Objective	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S Ali
Spec:	FCC B Part 15.247	Distance:	3 m	Approved:	

Run #5: Maximized readings from Run # 4

Frequency	Level	Pol	FCC B	FCC B	Detector	Azimuth	Height	Comments
MHz	dBuV/m	v/h	Limit	Margin	Pk/QP/Avg	degrees	meters	
974.898	38.2	v	54.0	-15.8	QP	0	1.0	In restricted band
974.898	36.2	h	54.0	-17.8	QP	0	1.2	In restricted band
401.441	26.3	v	46.0	-19.7	QP	100	1.0	In restricted band
401.441	25.6	h	46.0	-20.4	QP	0	1.0	In restricted band
895.227	45.2	v	90.0	-44.8	QP	229	1.0	Not in restricted band.
895.227	41.8	h	90.0	-48.2	QP	225	1.1	Not in restricted band.



EMC Test Log

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Rudy Suy
Product:	Water Wall MIU1	File:	T29225	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC Part 15	Page:	1 of 3	Approved:	
Revision	1.0				

Ambient Conditions
Temperature: 13 °C
Humidity: 73 %

Test Objective

The objective of this test session is to perform final qualification testing the EUT defined below relative to the specification(s) defined above.

Test Summary

Run #2 - Maximized Radiated Emissions, 1 - 9.1758 GHz

PASS* Results: FCC -9.9 dB Pk @ 3670.146 MHz Vertical

Emissions lying in the restricted bands was compared to FCC Class B Limits. The limits at all other frequencies were 20dB below the fundamental emission of 117.4 dBuV/m.

Equipment Under Test (EUT) General Description

The EUT is a Water Meter Interface Unit (MIU), with an integrated CellNet RF transmitter. Normally, the EUT would be mounted onto a wall during operation. For the purpose of testing the EUT was treated as table top equipment.

Equipment Under Test (EUT)

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger RMS/ Wall MIU1 / Water Meter Interface Unit	0001836957	F9CTALWFNMIU1



EMC Test Log

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Rudy Suy
Product:	Water Wall MIU1	File:	T29225	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC Part 15	Page:	2 of 3	Approved:	
Revision	1.0				

Power Supply and Line Filters

The EUT is powered by a 3.6 VDC battery.

Printed Wiring Boards in EUT

The following information was provided by the manufacturer:

Manufacturer/Description	Assembly #	Rev.	Serial Number	Crystals (MHz)
Schlumberger/ Wall MIU1 PWB	442160-001	8	None	14.56 , 0.032768

Subassemblies in EUT

The following information was provided by the manufacturer:

Manufacturer/Description	Assembly #	Rev.	Serial Number	Crystals (MHz)
Schlumberger/ Battery Pack	12213-000	B	none	none

EUT Enclosure(s)

The EUT enclosure is primarily constructed of molded plastic. It measures approximately 11 cm deep by 14 cm wide and 6 cm high.

EMI Suppression Devices (filters, gaskets, etc.)

None

Local Support Equipment

Manufacturer/Model/Description	Serial Number	FCC ID Number
Schlumberger/ ProRead/ Encoder	01983026	-

Remote Support Equipment

None



EMC Test Log

Client:	Schlumberger RMS.	Date:	11/16/98	Test Engr:	Rudy Suy
Product:	Water Wall MIU1	File:	T29225	Proj. Eng:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS # 3	Contact:	Mohammed S. Ali
Spec:	FCC Part 15	Page:	3 of 3	Approved:	
Revision	1.0				

Interface Cabling

Cable Description	Length (m)	From Unit/Port	To Unit/Port
Unshielded 3 conductor	130.0	EUT	Encoder

Test Software

The EUT was set to transmit once per second.

General Test Conditions

During radiated testing, the EUT was powered by a 3.6 VDC internal battery. The EUT and local support equipment were located on the turntable for radiated testing .

Test Data Tables

See attached data



Emissions Test Data

Client:	Schlumberger RMS	Date:	11/16/98	Test Engr:	Rudy Suy
Product:	Water Wall MIU1	File:	T29225	Proj. Engr:	Mark Briggs
Objective:	Final Qualification	Site:	SVOATS #3	Contact:	Mohammed S. Ali
Spec:	FCC part 15	Distance:	3m	Approved:	

Ambient Conditions

Temperature: 13 °C
Humidity: 73 %

Run #1: Maximized radiated scan, 1-9.17 GHz

Frequencies that falls within the Restricted Band was compared to Class B.

Frequencies that does not falls within the Restricted Band must be -20dB below the fundamental emissions (117.4dBuV/m).

Measurements made at 3m per FCC requirements.

Elliott equipment: 284 Analyzer, 487 Horn Antenna, 870 Pre-Amp, 833 High Pass Filter

All readings have included AF, Cable Losses and Pre-Amp gain.

Frequency	Level	Pol	FCC B	FCC B	Detector	Azimuth	Height	Comments
MHz	dBuV/m	v/h	Limit	Margin	Pk/QP/Avg	degrees	meters	
3670.146	64.1	v	74.0	-9.9	Peak	280	1.2	Restricted Band
2752.566	64.0	h	74.0	-10.0	Peak	350	1.4	Restricted Band
3670.146	63.9	h	74.0	-10.1	Peak	110	1.5	Restricted Band
9175.620	61.9	v	74.0	-12.2	Peak	30	1.1	Restricted Band
7340.466	61.8	h	74.0	-12.2	Peak	320	1.2	Restricted Band
7340.466	60.9	v	74.0	-13.1	Peak	30	1.3	Restricted Band
4587.726	60.4	h	74.0	-13.7	Peak	340	1.5	Restricted Band
4587.726	59.7	v	74.0	-14.3	Peak	260	1.7	Restricted Band
9175.620	58.1	h	74.0	-15.9	Peak	10	1.1	Restricted Band
2752.566	58.0	v	74.0	-16.0	Peak	340	1.0	Restricted Band
8258.040	55.9	v	74.0	-18.1	Peak	330	1.1	Restricted Band
8258.040	55.7	h	74.0	-18.3	Peak	50	1.2	Restricted Band
9175.620	35.2	v	54.0	-18.8	Avg.	30	1.1	Restricted Band
2752.566	32.8	h	54.0	-21.2	Avg.	350	1.4	Restricted Band
2752.566	30.1	v	54.0	-23.9	Avg.	340	1.0	Restricted Band
9175.620	30.0	h	54.0	-24.0	Avg.	10	1.1	Restricted Band
7340.466	29.7	h	54.0	-24.4	Avg.	320	1.2	Restricted Band
7340.466	29.6	v	54.0	-24.4	Avg.	30	1.3	Restricted Band
3670.146	29.1	h	54.0	-24.9	Avg.	110	1.5	Restricted Band
8258.040	27.0	h	54.0	-27.0	Avg.	50	1.2	Restricted Band
8258.040	26.7	v	54.0	-27.3	Avg.	330	1.1	Restricted Band
6422.886	67.5	h	97.4	-30.0	Peak	0	1.2	Not in Restricted Band
3670.146	22.8	v	54.0	-31.3	Avg.	280	1.2	Restricted Band
4587.726	21.3	h	54.0	-32.7	Avg.	340	1.5	Restricted Band
4587.726	20.4	v	54.0	-33.6	Avg.	260	1.7	Restricted Band
1834.986	55.8	v	97.4	-41.7	Peak	160	1.0	Not in Restricted Band
1834.986	53.5	h	97.4	-43.9	Peak	170	1.0	Not in Restricted Band
1834.986	30.0	v	77.4	-47.4	Avg.	160	1.0	Not in Restricted Band
6422.886	24.5	h	77.4	-53.0	Avg.	0	1.2	Not in Restricted Band
1834.986	20.6	h	77.4	-56.9	Avg.	170	1.0	Not in Restricted Band

-15.9dB was subtracted from Avg Reading for Duty cycle correction factor (base on 16mS/100mS)

Test Name:	Processing Gain	Test #: 3.B.1
Test Summary:	Verifies compliance to receiver processing gain specification at +25°C with an input signal level of -104 dBm.	
Applies to Specification 3.2.2.7		

Pass / Fail Criteria:
Every point must exhibit => 12 dB process gain. (FCC Requirement ≥ 10 dB)

Required Test Equipment:

HP9664B Signal Generator
Variable attenuator(s)
Power supply
Boonton Power Meter
HP8594E Spectrum Analyzer
IBM PC compatible computer with serial interface
Transceiver power cable, twisted pair, extended length
Transceiver serial cable, RJ45, extended length

Equipment Set Up:


The processing gain of the DSP receiver is measured by the spread signal to unspread signal method whereby a CW signal is injected in 50 KHz intervals from 917.3800 to 917.7800 MHz. The difference (in dB) of the correlated spread signal level applied separately, is the system process gain.

1. Each transceiver receive section will be programmed with default parameters using appropriate software/firmware. Select a receive frequency of 917.58 MHz for all tests.
2. HP9664A Signal Generator:

Center Frequency	=	917.38000 MHz
Signal Level	=	-30 dBm
3. HP8594E Spectrum Analyzer

Resolution Bandwidth	=	3 MHz
Video Bandwidth	=	1 MHz
Sweep	=	50 msec
Span	=	0 MHz
Attenuation	=	10 dB
4. Variable Attenuator = as required to achieve a -95 dBm spread signal.

Note: Ensure that all test equipment has been warmed up for 30 minutes and calibrated before measurements are taken.



3.B.1 Test Configuration for Process Gain

Procedure:

1. Place the transceiver(s) to be tested in the temperature chamber.
2. Label and route each wire and cable described below outside the temperature chamber.
3. Use the transceiver power cable to connect the device under test to the DC supply. Set the DC supply to provide 13.5 VDC to the device under test.
4. Determine the amount of power difference between the injected spread signal at 917.58 MHz and the injected CW signal at 917.58 MHz that produced the same signal level on the spectrum analyzer.
 - a. Measure and record the power of the spread signal present at the input to any one of the DUTs by connecting it to the spectrum analyzer. Measure power during preamble portion of the message packet.
 - b. Then, after turning the Spread signal OFF and switching ON the CW signal, measure and record the power of the CW signal present at the input of the same DUT by routing again the spectrum analyzer.
 - c. Determine a calibration factor based on the difference between the measurements made in steps a. and b. This amount of attenuation shall be added or removed (as appropriate) from the circuit when configured for CW input measurements.
5. Apply a spread signal to the receiver. Record the indicated level of this signal after correlation.
6. Reconfigure the set-up to apply a CW signal at 917.58 MHz to the DSP input.
7. Apply (or remove) the appropriate amount of attenuation, as determined in step 4 above, such that the CW signal is at the same indicated input power level as the spread signal from step 5.
8. Input a spread signal level at - 80 dBm at 917.58 MHz, and then, input a CW signal beginning at 917.3800 MHz, and increment up in 50 KHz steps to 917.7800, record the delta (change in attenuator settings) that produces the same indicated output for the CW signal as the - 80 dBm spread signal. The indicated output is first of the last three bites in the reported packet as is a number between 0 and 255 which roughly corresponds to -128 and -30 dBm respectively.
9. Determine average process gain by averaging the linear equivalent in Watts of the values in the table below and then converting back to dB's.

PROCESS CAIN TEST

+25 C (only)	Frequency Offset (KHz)								
UNIT #	-200	-150	-100	-50	0	+50	+100	+150	+200
1	14.8	14.5	14.5	14.0	15.0	14.4	15.0	15.7	15.1
2	16.3	16.0	15.7	15.0	15.0	15.7	16.1	17.0	16.2
3	16.2	15.8	15.7	15.2	16.0	15.8	16.4	16.6	16.6
4	16.0	16.0	15.0	14.4	15.0	14.5	15.3	15.6	15.5
Pass/Fail (dB)	≥ 12	≥ 12	≥ 12	≥ 12	≥ 12	≥ 12	≥ 12	≥ 12	≥ 12 dB

DUT # 1 Average Process Gain = 14.8 dB

DUT # 2 Average Process Gain = 16.0 dB

DUT # 3 Average Process Gain = 16.1 dB

DUT # 4 Average Process Gain = 15.3 dB

Acceptance Block: A signature below denotes that this test has met all pass criteria.

Signature:

Gordon Furze

Gordon Furze

Date:

July 30, 1997

July 30 1997

EXHIBIT 3: Radiated Emissions Test Configuration Photographs

EXHIBIT 4: Proposed FCC ID Label & Label Location

***EXHIBIT 5: Detailed Photographs of Schlumberger
Model Water Wall MIU1 Construction***

6 Pages

EXHIBIT 6: Block Diagram of Schlumberger Model Water Wall MIU1

1 Page

EXHIBIT 7: Schematic Diagrams for Schlumberger Model Water Wall MIU1

3 Pages

EXHIBIT 8: Theory of Operation for Schlumberger Model Water Wall MIU1

5 Pages

EXHIBIT 9: Operator's Manual for Schlumberger Model Water Wall MIU1

21 Pages