


FACTORY CODE TABLE	
CONTRACT MANUFACTURER	CODE
CLEARONE	C1
INOVAR	01
ASCALADE	02
ICT	03
WELLEX	04
EGI	05
FLEXTRONICS - U.S.A.	06
FLEXTRONICS - DG CHINA	07
FLEXTRONICS - FY CHINA	08
PTS	09
UNIKA	10
OPCOM	11
ARROW OEM	12
ACT	13
AV LEADER	14
COMFORTCOMMS	15
MINNRAY	16
EDCO	17
MSI	18
SUPERMICRO	19
EPIPHAN	20
SABINE	21
VALUEHD	22
VS ELECTRONICS	23
LONGHAO	30



ClearOne.

5225 Wiley Post Way, Suite 500
Salt Lake City, UT 84116
Phone: 801-975-7200 Fax: 801-303-5711

This document contains confidential information proprietary to ClearOne and may not be copied in whole or in part by any means without the prior authorization of ClearOne.

REVISION SPECIFICATION

REV: 1.0
NAME: JPHELPS
DATE: 05 MAY 2016
DCN: 000715
INITIAL RELEASE

REVISION SPECIFICATION

REV: 2.0
NAME: JPHELPS
DATE: 15 DEC 2016
DCN: 000XXX
ADDED FCC AND IC IDS

NOTES: UNLESS OTHERWISE SPECIFIED

- MATERIAL**
9.4MIL, 40# LINER, 50# FACE
PREMIUM COATED, SMOOTH THERMAL TRANSFER PAPER LABEL STOCK
WITH GENERAL PURPOSE, ALL TEMPERATURE PERMANENT ACRYLIC ADHESIVE
COLOR: WHITE
MANUF REF: ZEBRA #Z 93675P (Z ULTIMATE 3000T)
- PRINTING**
USE ONLY ADOBE ILLUSTRATOR (AI) FORMAT ORIGINAL ARWORK FILE FOR PRODUCTION
PDF DOCUMENT IS FOR REFERENCE ONLY
PRINT COLOR: 5095 RESIN

REVIEW GROUP	CHECKED BY	DATE
COMPLIANCE	S TURSIC	15 DEC 2016
MARKETING	B JOHNSON	15 DEC 2016
DOCUMENT CONTROL	T GUNNELL	15 DEC 2016
QUALITY	D CLARK	15 DEC 2016
PLM	D RAMACHANDIRAN	15 DEC 2016
PLOT DATE	17 NOV 2016	
DRAWN BY	JPHELPS	DATE 02 MAY 2016

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES

TOLERANCES

ANGLES: $\pm 1^\circ$
2 PLACE DIMS: ± 0.02
3 PLACE DIMS: ± 0.005

DESCRIPTION

**LABEL UNIT ASSY PROD ID
2 CHANNEL WIRELESS RECEIVER
(RF 2.4GHz)**

SIZE	A	PART #	REV
SCALE	N.T.S.	DO NOT SCALE	SHEET 1 OF 1

ClearOne®

DIALOG®20 WIRELESS RECEIVER
(RF 2.4 GHz, 2 CHANNELS)

910-6100-201

FCC ID: FBI-DIALOG20RX
IC ID: 1970A-DIALOG20RX

M/N: 860-6100-201

REV X.Y



S/N: SSSS-YYWW-CMJJJ



ROHS



Patent www.Clearone.com/patent_marking

HVIN

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference,
and (2) this device must accept any interference
received, including interference that may cause
undesired operation.

RECEIVER (SEVERAL OPTIONS FOR LOCATION)

