




File Name : E10456C1

(Measurements made on EUT)

Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Final Measurement: x QP / + AV Transducer No. Start Stop Name
Meas Time: 1 s 2 150k 30M LIMITER
Subranges: 18
Acc Margin: 30dB





File Name :E10456C1

(Measurements made on EUT)

Date: 16-09-04 17:46

Final Measurement Results:

Indicated Phase/PE shows Configuration of max.
Emission

Frequency:	QP Level: dB	Delta Limit: dB	Phase:	PE:
180.00 kHz	50.4	-14.2	N	f1
240.00 kHz	47.1	-15.1	N	f1
300.00 kHz	55.7	-4.6	N	f1
480.00 kHz	48.5	-7.9	N	f1
715.00 kHz	42.1	-13.9	L1	f1
955.00 kHz	48.0	-8.0	N	f1
1.49000 MHz	44.2	-11.8	N	f1
2.09000 MHz	44.0	-12.0	N	f1
2.15000 MHz	42.7	-13.3	N	f1
3.35000 MHz	39.7	-16.3	N	f1
4.48000 MHz	38.1	-17.9	N	f1
7.05000 MHz	31.9	-28.1	L1	f1

Frequency:	AV Level: dB	Delta Limit: dB	Phase:	PE:
180.00 kHz	37.7	-16.9	N	f1
240.00 kHz	33.5	-18.6	N	f1
300.00 kHz	43.9	-6.3	N	f1
475.00 kHz	36.8	-9.6	N	f1
715.00 kHz	29.6	-16.4	N	f1
955.00 kHz	35.8	-10.2	N	f1
1.49000 MHz	30.9	-15.1	N	f1
1.56000 MHz	25.1	-20.9	N	f1
2.15000 MHz	29.2	-16.8	N	f1
3.47000 MHz	22.5	-23.5	N	f1
4.36000 MHz	23.6	-22.4	N	f1
6.10000 MHz	15.8	-34.2	L1	f1




File Name : E10456C2

(Measurements made on PC)

Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	1ms	AUTO LN	OFF
1M	10M	10k	9k	QP+AV	1ms	AUTO LN	OFF
10M	30M	50k	9k	QP+AV	1ms	AUTO LN	OFF

Final Measurement: x QP / + AV Transducer No. Start Stop Name
Meas Time: 1 s 2 150k 30M LIMITER
Subranges: 16
Acc Margin: 30dB



File Name :E10456C2

(Measurements made on PC)

Date: 16-09-04 18:44

Final Measurement Results:

Indicated Phase/PE shows Configuration of max.
Emission

Frequency:	QP Level: dB	Delta Limit: dB	Phase:	PE:
150.00 kHz	58.4	-7.6	L1	f1
210.00 kHz	55.6	-7.7	L1	f1
295.00 kHz	43.7	-16.7	N	f1
540.00 kHz	37.9	-18.1	L1	f1
605.00 kHz	38.0	-18.0	L1	f1
805.00 kHz	36.8	-19.2	N	f1
1.21000 MHz	38.6	-17.4	N	f1
2.03000 MHz	38.7	-17.3	L1	f1
2.22000 MHz	43.9	-12.1	N	f1
3.87000 MHz	37.5	-18.5	N	f1
4.17000 MHz	30.9	-25.2	N	f1

Frequency:	AV Level: dB	Delta Limit: dB	Phase:	PE:
200.00 kHz	47.2	-6.5	L1	f1
270.00 kHz	40.7	-10.5	L1	f1
335.00 kHz	43.5	-5.9	L1	f1
535.00 kHz	38.5	-7.5	L1	f1
605.00 kHz	37.5	-8.5	L1	f1
940.00 kHz	35.6	-10.4	L1	f1
1.33000 MHz	36.5	-9.5	N	f1
2.03000 MHz	34.5	-11.5	N	f1
2.22000 MHz	40.0	-6.0	N	f1
3.63000 MHz	31.1	-14.9	N	f1
4.17000 MHz	26.2	-19.8	N	f1
6.46000 MHz	28.7	-21.3	N	f1
21.00000 MHz	20.1	-30.0	N	f1
22.40000 MHz	14.9	-35.1	L1	f1