

# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position In


SAR (1g): 1.44 mW/g

LGIC DUAL MODE PHONE


CHANNEL 991 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 25.5dBm.



$SAR_{Tot}$  [mW/g]



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position Out


SAR (1g): 1.45 mW/g

LGIC DUAL MODE PHONE

CHANNEL 991 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 25.5dBm



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position In


SAR (1g): 1.29 mW/g

LGIC DUAL MODE PHONE

CHANNEL 383 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 25.5dBm.



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position Out


SAR (1g): 1.31 mW/g

LGIC DUAL MODE PHONE

CHANNEL 383 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 25.5dBm.



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position In


SAR (1g): 1.15 mW/g

LGIC DUAL MODE PHONE


CHANNEL 799 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 24.9dBm.



SAR<sub>Tot</sub> [mW/g]



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position Out


SAR (1g): 1.16 mW/g

LGIC DUAL MODE PHONE


CHANNEL 799 FM MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 24.9dBm.



SAR<sub>Tot</sub> [mW/g]



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position In


SAR (1g): 1.19 mW/g

LGIC DUAL MODE PHONE


CHANNEL 1016 CDMA MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 23.6dBm.



SAR<sub>Tot</sub> [mW/g]



# EUT LGIC LGC-340W

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1368

835MHz:  $\sigma = 0.86$  mho/m  $\epsilon_r = 42.5$   $\rho = 1.00$  g/cm<sup>3</sup>

Crest Factor: 1.0

Antenna Position Out

SAR (1g): 1.41 mW/g

LGIC DUAL MODE PHONE

CHANNEL 1016 CDMA MODE

CABLE LOSS - 0.7dBm

CONDUCTED POWER - 23.6dBm.

