



1914304STO-001 (J1936 Stråla)




1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Strála)



1914304STO-001 (J1936 Strála)



1914304STO-001 (J1936 Stråla)




1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)




1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)




1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Stråla)



1914304STO-001 (J1936 Strála)



1914304STO-001 (J1936 Strála)



1914304STO-001 (J1936 Strála)

## Label location

  
C LISTED US  
**Intertek**  
3060998  
Type No. J1936

Stråla

Made in China

Conforms to:  
UL Std 588  
Certified to:  
CSA Std C22.2 No. 37  
CAN ICES-005 (B) / NMB-005 (B)  
This device complies with Part 15 of the FCC  
Rules. Operation is subject to the following  
two conditions: (1) this device may not  
cause harmful interference, and (2) this  
device must accept any interference  
received, including interference that may  
cause undesired operation.

FCC ID: FHO-J1936  
4V DC, 2.2W

Sup. No.15621



TYP J1936 NA Version 1

