


802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	51.43	54.00	-2.57	5.20	3	Vertical	255	2.78	-	46.23	33.09	6.87	34.76
AV	5.1818G	111.35	Inf	-Inf	5.28	3	Vertical	255	2.78	-	106.07	33.16	6.88	34.76
PK	5.1438G	62.07	74.00	-11.93	5.20	3	Vertical	255	2.78	-	56.87	33.09	6.87	34.76
PK	5.182G	118.96	Inf	-Inf	5.28	3	Vertical	255	2.78	-	113.68	33.16	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.93	54.00	-3.07	5.21	3	Horizontal	167	1.12	-	45.72	33.10	6.87	34.76
AV	5.178G	109.61	Inf	-Inf	5.28	3	Horizontal	167	1.12	-	104.33	33.16	6.88	34.76
PK	5.1482G	61.50	74.00	-12.50	5.21	3	Horizontal	167	1.12	-	56.29	33.10	6.87	34.76
PK	5.1782G	118.66	Inf	-Inf	5.28	3	Horizontal	167	1.12	-	113.38	33.16	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53752G	50.19	54.00	-3.81	15.55	3	Vertical	223	1.18	-	34.64	38.37	12.10	34.92
PK	10.3608G	66.76	68.20	-1.44	12.54	3	Vertical	264	1.29	-	54.22	38.58	8.99	35.03
PK	15.5324G	60.63	74.00	-13.37	15.58	3	Vertical	223	1.18	-	45.05	38.41	12.09	34.92

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54056G	50.67	54.00	-3.33	15.54	3	Horizontal	207	1.64	-	35.13	38.36	12.10	34.92
PK	10.36G	67.91	68.20	-0.29	12.54	3	Horizontal	220	1.88	-	55.37	38.58	8.99	35.03
PK	15.54546G	62.45	74.00	-11.55	15.51	3	Horizontal	207	1.64	-	46.94	38.33	12.11	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	49.20	54.00	-4.80	5.20	3	Vertical	275	2.65	-	44.00	33.09	6.87	34.76
AV	5.2044G	108.48	Inf	-Inf	5.33	3	Vertical	275	2.65	-	103.15	33.19	6.90	34.76
PK	5.1356G	59.37	74.00	-14.63	5.17	3	Vertical	275	2.65	-	54.20	33.07	6.86	34.76
PK	5.1996G	118.84	Inf	-Inf	5.33	3	Vertical	275	2.65	-	113.51	33.20	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	48.38	54.00	-5.62	5.19	3	Horizontal	183	2.21	-	43.19	33.08	6.87	34.76
AV	5.2044G	107.00	Inf	-Inf	5.33	3	Horizontal	183	2.21	-	101.67	33.20	6.89	34.76
PK	5.148G	59.94	74.00	-14.06	5.21	3	Horizontal	183	2.21	-	54.73	33.10	6.87	34.76
PK	5.1928G	117.16	Inf	-Inf	5.32	3	Horizontal	183	2.21	-	111.84	33.19	6.89	34.76


802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom



802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	47.54	54.00	-6.46	5.20	3	Vertical	75	1.50	-	42.34	33.09	6.87	34.76
AV	5.2442G	106.86	Inf	-Inf	5.29	3	Vertical	75	1.50	-	101.57	33.11	6.94	34.76
AV	5.3816G	47.03	54.00	-6.97	5.22	3	Vertical	75	1.50	-	41.81	32.89	7.10	34.77
PK	5.105G	58.26	74.00	-15.74	5.10	3	Vertical	75	1.50	-	53.16	33.01	6.85	34.76
PK	5.2442G	116.12	Inf	-Inf	5.29	3	Vertical	75	1.50	-	110.83	33.11	6.94	34.76
PK	5.3588G	58.00	74.00	-16.00	5.05	3	Vertical	75	1.50	-	52.95	32.75	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0948G	47.87	54.00	-6.13	5.10	3	Horizontal	182	2.06	-	42.77	33.01	6.85	34.76
AV	5.2472G	106.36	Inf	-Inf	5.29	3	Horizontal	182	2.06	-	101.07	33.11	6.94	34.76
AV	5.3804G	46.62	54.00	-7.38	5.21	3	Horizontal	182	2.06	-	41.41	32.88	7.10	34.77
PK	5.1188G	58.76	74.00	-15.24	5.14	3	Horizontal	182	2.06	-	53.62	33.04	6.86	34.76
PK	5.2328G	116.07	Inf	-Inf	5.30	3	Horizontal	182	2.06	-	110.77	33.13	6.93	34.76
PK	5.35G	57.66	74.00	-16.34	4.99	3	Horizontal	182	2.06	-	52.67	32.70	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71988G	47.23	54.00	-6.77	15.33	3	Vertical	217	1.90	-	31.90	38.08	12.28	35.03
PK	10.48108G	66.76	68.20	-1.44	12.69	3	Vertical	266	2.20	-	54.07	38.58	9.03	34.92
PK	15.71788G	61.38	74.00	-12.62	15.33	3	Vertical	217	1.90	-	46.05	38.08	12.28	35.03

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72137G	47.69	54.00	-6.31	15.33	3	Horizontal	211	1.27	-	32.36	38.08	12.28	35.03
PK	10.47981G	67.98	68.20	-0.22	12.69	3	Horizontal	222	1.48	-	55.29	38.58	9.03	34.92
PK	15.72163G	62.92	74.00	-11.08	15.33	3	Horizontal	211	1.27	-	47.59	38.08	12.28	35.03

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.44	54.00	-6.56	5.21	3	Vertical	74	1.60	-	42.23	33.10	6.87	34.76
AV	5.2648G	107.32	Inf	-Inf	5.23	3	Vertical	74	1.60	-	102.09	33.04	6.96	34.77
AV	5.3542G	47.60	54.00	-6.40	5.03	3	Vertical	74	1.60	-	42.57	32.73	7.07	34.77
PK	5.1178G	57.76	74.00	-16.24	5.14	3	Vertical	74	1.60	-	52.62	33.04	6.86	34.76
PK	5.2546G	116.36	Inf	-Inf	5.26	3	Vertical	74	1.60	-	111.10	33.08	6.95	34.77
PK	5.3644G	58.10	74.00	-15.90	5.10	3	Vertical	74	1.60	-	53.00	32.79	7.08	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1202G	47.78	54.00	-6.22	5.14	3	Horizontal	184	2.16	-	42.64	33.04	6.86	34.76
AV	5.2624G	106.53	Inf	-Inf	5.24	3	Horizontal	184	2.16	-	101.29	33.05	6.96	34.77
AV	5.3572G	46.90	54.00	-7.10	5.04	3	Horizontal	184	2.16	-	41.86	32.74	7.07	34.77
PK	5.119G	58.68	74.00	-15.32	5.14	3	Horizontal	184	2.16	-	53.54	33.04	6.86	34.76
PK	5.257G	117.03	Inf	-Inf	5.26	3	Horizontal	184	2.16	-	111.77	33.07	6.96	34.77
PK	5.3992G	58.07	74.00	-15.93	5.35	3	Horizontal	184	2.16	-	52.72	33.00	7.12	34.77


802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom



802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	105.91	Inf	-Inf	5.15	3	Vertical	79	1.50	-	100.76	32.92	7.00	34.77
AV	5.3948G	47.41	54.00	-6.59	5.31	3	Vertical	79	1.50	-	42.10	32.97	7.11	34.77
PK	5.2992G	116.74	Inf	-Inf	5.13	3	Vertical	79	1.50	-	111.61	32.90	7.00	34.77
PK	5.3944G	57.81	74.00	-16.19	5.31	3	Vertical	79	1.50	-	52.50	32.97	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	105.67	Inf	-Inf	5.14	3	Horizontal	186	2.13	-	100.53	32.91	7.00	34.77
AV	5.352G	47.01	54.00	-6.99	5.00	3	Horizontal	186	2.13	-	42.01	32.71	7.06	34.77
PK	5.2972G	117.60	Inf	-Inf	5.14	3	Horizontal	186	2.13	-	112.46	32.91	7.00	34.77
PK	5.3956G	58.15	74.00	-15.85	5.31	3	Horizontal	186	2.13	-	52.84	32.97	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60768G	53.31	54.00	-0.69	13.12	3	Vertical	255	1.46	-	40.19	38.92	9.07	34.87
AV	15.90023G	46.12	54.00	-7.88	14.93	3	Vertical	219	1.69	-	31.19	37.60	12.46	35.13
PK	10.59788G	67.37	68.20	-0.83	13.09	3	Vertical	255	1.46	-	54.28	38.89	9.07	34.87
PK	15.90052G	58.56	74.00	-15.44	14.93	3	Vertical	219	1.69	-	43.63	37.60	12.46	35.13

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60015G	53.75	54.00	-0.25	13.10	3	Horizontal	222	2.23	-	40.65	38.90	9.07	34.87
AV	15.89813G	45.74	54.00	-8.26	14.94	3	Horizontal	230	1.50	-	30.80	37.61	12.46	35.13
PK	10.60001G	66.83	74.00	-7.17	13.10	3	Horizontal	222	2.23	-	53.73	38.90	9.07	34.87
PK	15.89796G	57.14	74.00	-16.86	14.94	3	Horizontal	230	1.50	-	42.20	37.61	12.46	35.13

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3246G	107.21	Inf	-Inf	5.06	3	Vertical	75	1.62	-	102.15	32.80	7.03	34.77
AV	5.3596G	48.84	54.00	-5.16	5.06	3	Vertical	75	1.62	-	43.78	32.76	7.07	34.77
PK	5.3244G	117.69	Inf	-Inf	5.06	3	Vertical	75	1.62	-	112.63	32.80	7.03	34.77
PK	5.359G	60.13	74.00	-13.87	5.05	3	Vertical	75	1.62	-	55.08	32.75	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	106.09	Inf	-Inf	5.08	3	Horizontal	185	2.09	-	101.01	32.83	7.02	34.77
AV	5.3616G	47.93	54.00	-6.07	5.08	3	Horizontal	185	2.09	-	42.85	32.77	7.08	34.77
PK	5.312G	116.70	Inf	-Inf	5.10	3	Horizontal	185	2.09	-	111.60	32.85	7.02	34.77
PK	5.3566G	58.91	74.00	-15.09	5.04	3	Horizontal	185	2.09	-	53.87	32.74	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63806G	53.77	54.00	-0.23	13.20	3	Vertical	257	1.33	-	40.57	38.98	9.08	34.86
AV	15.96022G	45.63	54.00	-8.37	14.95	3	Vertical	236	1.50	-	30.68	37.60	12.52	35.17
PK	10.63766G	64.70	74.00	-9.30	13.20	3	Vertical	257	1.33	-	51.50	38.98	9.08	34.86
PK	15.95946G	57.35	74.00	-16.65	14.95	3	Vertical	236	1.50	-	42.40	37.60	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64022G	52.48	54.00	-1.52	13.20	3	Horizontal	225	1.50	-	39.28	38.98	9.08	34.86
AV	15.96137G	45.58	54.00	-8.42	14.95	3	Horizontal	0	1.50	-	30.63	37.60	12.52	35.17
PK	10.64026G	63.38	74.00	-10.62	13.20	3	Horizontal	225	1.50	-	50.18	38.98	9.08	34.86
PK	15.96013G	57.23	74.00	-16.77	14.95	3	Horizontal	0	1.50	-	42.28	37.60	12.52	35.17

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.62	54.00	-5.38	5.13	3	Vertical	76	1.53	-	43.49	32.82	7.08	34.77
AV	5.5046G	106.41	Inf	-Inf	5.19	3	Vertical	76	1.53	-	101.22	32.91	7.05	34.77
PK	5.4662G	59.09	68.20	-9.11	5.14	3	Vertical	76	1.53	-	53.95	32.83	7.08	34.77
PK	5.4948G	116.66	Inf	-Inf	5.18	3	Vertical	76	1.53	-	111.48	32.89	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.96	54.00	-6.04	5.12	3	Horizontal	0	1.77	-	42.84	32.81	7.08	34.77
AV	5.5026G	105.49	Inf	-Inf	5.19	3	Horizontal	0	1.77	-	100.30	32.91	7.05	34.77
PK	5.4664G	58.38	68.20	-9.82	5.14	3	Horizontal	0	1.77	-	53.24	32.83	7.08	34.77
PK	5.4976G	115.84	Inf	-Inf	5.19	3	Horizontal	0	1.77	-	110.65	32.90	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99895G	53.67	54.00	-0.33	13.16	3	Vertical	272	1.50	-	40.51	38.70	9.20	34.74
PK	10.99867G	64.67	74.00	-9.33	13.16	3	Vertical	272	1.50	-	51.51	38.70	9.20	34.74
PK	16.50127G	58.89	68.20	-9.31	16.46	3	Vertical	233	1.50	-	42.43	38.69	12.71	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00039G	53.47	54.00	-0.53	13.16	3	Horizontal	225	1.89	-	40.31	38.70	9.20	34.74
PK	10.99994G	65.16	74.00	-8.84	13.16	3	Horizontal	225	1.89	-	52.00	38.70	9.20	34.74
PK	16.49864G	58.55	68.20	-9.65	16.45	3	Horizontal	3	1.98	-	42.10	38.69	12.70	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4348G	46.77	54.00	-7.23	5.19	3	Vertical	74	1.43	-	41.58	32.86	7.10	34.77
AV	5.5842G	105.85	Inf	-Inf	5.23	3	Vertical	74	1.43	-	100.62	33.00	7.00	34.77
PK	5.4654G	56.35	68.20	-11.85	5.14	3	Vertical	74	1.43	-	51.21	32.83	7.08	34.77
PK	5.5794G	114.77	Inf	-Inf	5.23	3	Vertical	74	1.43	-	109.54	33.00	7.00	34.77
PK	5.7276G	57.10	68.20	-11.10	5.68	3	Vertical	74	1.43	-	51.42	33.51	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4408G	46.79	54.00	-7.21	5.16	3	Horizontal	0	1.70	-	41.63	32.84	7.09	34.77
AV	5.5824G	105.51	Inf	-Inf	5.23	3	Horizontal	0	1.70	-	100.28	33.00	7.00	34.77
PK	5.4348G	57.74	74.00	-16.26	5.19	3	Horizontal	0	1.70	-	52.55	32.86	7.10	34.77
PK	5.4696G	57.39	68.20	-10.81	5.14	3	Horizontal	0	1.70	-	52.25	32.84	7.07	34.77
PK	5.5878G	116.07	Inf	-Inf	5.23	3	Horizontal	0	1.70	-	110.84	33.00	7.00	34.77
PK	5.7276G	59.52	68.20	-8.68	5.68	3	Horizontal	0	1.70	-	53.84	33.51	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15889G	53.87	54.00	-0.13	13.21	3	Vertical	274	1.38	-	40.66	38.66	9.25	34.70
PK	11.15923G	66.90	74.00	-7.10	13.21	3	Vertical	274	1.38	-	53.69	38.66	9.25	34.70
PK	16.73833G	58.05	68.20	-10.15	16.49	3	Vertical	154	1.50	-	41.56	38.18	12.77	34.46

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1573G	53.52	54.00	-0.48	13.21	3	Horizontal	313	1.39	-	40.31	38.66	9.25	34.70
PK	11.16214G	66.20	74.00	-7.80	13.21	3	Horizontal	313	1.39	-	52.99	38.66	9.25	34.70
PK	16.73997G	58.58	68.20	-9.62	16.49	3	Horizontal	239	1.79	-	42.09	38.18	12.77	34.46

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	106.63	Inf	-Inf	5.54	3	Vertical	70	1.60	-	101.09	33.36	6.95	34.77
PK	5.7048G	117.14	Inf	-Inf	5.60	3	Vertical	70	1.60	-	111.54	33.42	6.95	34.77
PK	5.7252G	60.25	68.20	-7.95	5.67	3	Vertical	70	1.60	-	54.58	33.50	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	105.55	Inf	-Inf	5.56	3	Horizontal	353	1.39	-	99.99	33.38	6.95	34.77
PK	5.6932G	115.72	Inf	-Inf	5.53	3	Horizontal	353	1.39	-	110.19	33.35	6.95	34.77
PK	5.7272G	60.25	68.20	-7.95	5.68	3	Horizontal	353	1.39	-	54.57	33.51	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40096G	51.43	54.00	-2.57	13.59	3	Vertical	265	1.82	-	37.84	38.90	9.33	34.64
PK	11.40093G	64.01	74.00	-9.99	13.59	3	Vertical	265	1.82	-	50.42	38.90	9.33	34.64
PK	17.10034G	59.20	68.20	-9.00	16.81	3	Vertical	310	1.50	-	42.39	38.00	12.88	34.07

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39988G	53.56	54.00	-0.44	13.59	3	Horizontal	326	2.14	-	39.97	38.90	9.33	34.64
PK	11.39964G	66.51	74.00	-7.49	13.59	3	Horizontal	326	2.14	-	52.92	38.90	9.33	34.64
PK	17.10222G	59.58	68.20	-8.62	16.81	3	Horizontal	301	1.34	-	42.77	38.01	12.88	34.08

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4236G	47.22	54.00	-6.78	5.24	3	Vertical	75	1.50	-	41.98	32.91	7.10	34.77
AV	5.7248G	106.44	Inf	-Inf	5.67	3	Vertical	75	1.50	-	100.77	33.50	6.94	34.77
PK	5.4632G	56.73	68.20	-11.47	5.14	3	Vertical	75	1.50	-	51.59	32.83	7.08	34.77
PK	5.7248G	115.69	Inf	-Inf	5.67	3	Vertical	75	1.50	-	110.02	33.50	6.94	34.77
PK	5.8616G	59.28	68.20	-8.92	6.56	3	Vertical	75	1.50	-	52.72	34.15	7.18	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.42G	46.87	54.00	-7.13	5.26	3	Horizontal	354	1.50	-	41.61	32.92	7.11	34.77
AV	5.7224G	105.75	Inf	-Inf	5.66	3	Horizontal	354	1.50	-	100.09	33.49	6.94	34.77
PK	5.4608G	57.49	68.20	-10.71	5.13	3	Horizontal	354	1.50	-	52.36	32.82	7.08	34.77
PK	5.7272G	114.92	Inf	-Inf	5.68	3	Horizontal	354	1.50	-	109.24	33.51	6.94	34.77
PK	5.9192G	60.17	68.20	-8.03	6.96	3	Horizontal	354	1.50	-	53.21	34.30	7.43	34.77


802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	107.98	Inf	-Inf	5.72	3	Vertical	74	1.51	-	102.26	33.56	6.93	34.77
PK	5.5398G	60.34	68.20	-7.86	5.24	3	Vertical	74	1.51	-	55.10	32.98	7.03	34.77
PK	5.739G	117.54	Inf	-Inf	5.72	3	Vertical	74	1.51	-	111.82	33.56	6.93	34.77
PK	5.985G	59.81	68.20	-8.39	7.18	3	Vertical	74	1.51	-	52.63	34.23	7.72	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	106.94	Inf	-Inf	5.75	3	Horizontal	360.1	1.27	-	101.19	33.59	6.93	34.77
PK	5.5242G	59.21	68.20	-8.99	5.22	3	Horizontal	360.1	1.27	-	53.99	32.95	7.04	34.77
PK	5.7486G	116.80	Inf	-Inf	5.75	3	Horizontal	360.1	1.27	-	111.05	33.59	6.93	34.77
PK	5.9658G	60.01	68.20	-8.19	7.14	3	Horizontal	360.1	1.27	-	52.87	34.27	7.64	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48979G	53.92	54.00	-0.08	13.47	3	Vertical	283	2.75	-	40.45	38.72	9.36	34.61
PK	11.4898G	65.47	74.00	-8.53	13.47	3	Vertical	283	2.75	-	52.00	38.72	9.36	34.61
PK	17.23448G	59.69	68.20	-8.51	16.94	3	Vertical	216	1.05	-	42.75	38.27	12.92	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48963G	53.80	54.00	-0.20	13.47	3	Horizontal	319	1.50	-	40.33	38.72	9.36	34.61
PK	11.4893G	65.59	74.00	-8.41	13.47	3	Horizontal	319	1.50	-	52.12	38.72	9.36	34.61
PK	17.23464G	58.70	68.20	-9.50	16.94	3	Horizontal	24	2.87	-	41.76	38.27	12.92	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	107.21	Inf	-Inf	5.92	3	Vertical	72	1.50	-	101.29	33.77	6.92	34.77
PK	5.5846G	59.78	68.20	-8.42	5.23	3	Vertical	72	1.50	-	54.55	33.00	7.00	34.77
PK	5.779G	117.42	Inf	-Inf	5.92	3	Vertical	72	1.50	-	111.50	33.77	6.92	34.77
PK	5.9494G	60.08	68.20	-8.12	7.10	3	Vertical	72	1.50	-	52.98	34.30	7.57	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	106.67	Inf	-Inf	5.95	3	Horizontal	3	2.50	-	100.72	33.80	6.92	34.77
PK	5.593G	58.73	68.20	-9.47	5.22	3	Horizontal	3	2.50	-	53.51	33.00	6.99	34.77
PK	5.7826G	116.22	Inf	-Inf	5.95	3	Horizontal	3	2.50	-	110.27	33.80	6.92	34.77
PK	5.9782G	59.74	68.20	-8.46	7.16	3	Horizontal	3	2.50	-	52.58	34.24	7.69	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57013G	52.07	54.00	-1.93	13.32	3	Vertical	283	2.19	-	38.75	38.56	9.39	34.63
PK	11.57017G	65.33	74.00	-8.67	13.32	3	Vertical	283	2.19	-	52.01	38.56	9.39	34.63
PK	17.35532G	60.29	68.20	-7.91	16.84	3	Vertical	268	1.50	-	43.45	38.31	12.95	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56939G	53.42	54.00	-0.58	13.32	3	Horizontal	298	2.14	-	40.10	38.56	9.39	34.63
PK	11.56949G	69.03	74.00	-4.97	13.32	3	Horizontal	298	2.14	-	55.71	38.56	9.39	34.63
PK	17.35547G	58.48	68.20	-9.72	16.84	3	Horizontal	25	2.12	-	41.64	38.31	12.95	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	106.54	Inf	-Inf	6.21	3	Vertical	71	1.50	-	100.33	33.98	7.00	34.77
PK	5.5754G	58.24	68.20	-9.96	5.24	3	Vertical	71	1.50	-	53.00	33.00	7.01	34.77
PK	5.8298G	115.59	Inf	-Inf	6.29	3	Vertical	71	1.50	-	109.30	34.02	7.04	34.77
PK	5.9318G	61.26	68.20	-6.94	7.02	3	Vertical	71	1.50	-	54.24	34.30	7.49	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.46	Inf	-Inf	6.23	3	Horizontal	3	2.64	-	100.23	33.99	7.01	34.77
PK	5.627G	58.80	68.20	-9.40	5.21	3	Horizontal	3	2.64	-	53.59	33.00	6.98	34.77
PK	5.8274G	115.40	Inf	-Inf	6.27	3	Horizontal	3	2.64	-	109.13	34.01	7.03	34.77
PK	5.9486G	58.77	68.20	-9.43	7.09	3	Horizontal	3	2.64	-	51.68	34.30	7.56	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64958G	49.85	54.00	-4.15	13.21	3	Vertical	270	1.88	-	36.64	38.45	9.41	34.65
PK	11.64948G	63.64	74.00	-10.36	13.21	3	Vertical	270	1.88	-	50.43	38.45	9.41	34.65
PK	17.47741G	59.52	68.20	-8.68	16.58	3	Vertical	106	1.50	-	42.94	38.17	12.99	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64943G	53.52	54.00	-0.48	13.21	3	Horizontal	299	2.14	-	40.31	38.45	9.41	34.65
PK	11.64949G	67.09	74.00	-6.91	13.21	3	Horizontal	299	2.14	-	53.88	38.45	9.41	34.65
PK	17.47619G	58.67	68.20	-9.53	16.58	3	Horizontal	331	1.38	-	42.09	38.17	12.99	34.58

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.72	54.00	-0.28	5.20	3	Vertical	257	2.65	-	48.52	33.09	6.87	34.76
AV	5.1916G	106.10	Inf	-Inf	5.31	3	Vertical	257	2.65	-	100.79	33.18	6.89	34.76
PK	5.1464G	62.59	74.00	-11.41	5.20	3	Vertical	257	2.65	-	57.39	33.09	6.87	34.76
PK	5.182G	116.18	Inf	-Inf	5.28	3	Vertical	257	2.65	-	110.90	33.16	6.88	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.31	54.00	-0.69	5.21	3	Horizontal	171	2.09	-	48.10	33.10	6.87	34.76
AV	5.1976G	104.80	Inf	-Inf	5.33	3	Horizontal	171	2.09	-	99.47	33.20	6.89	34.76
PK	5.1484G	63.01	74.00	-10.99	5.21	3	Horizontal	171	2.09	-	57.80	33.10	6.87	34.76
PK	5.1972G	115.46	Inf	-Inf	5.32	3	Horizontal	171	2.09	-	110.14	33.19	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55248G	47.78	54.00	-6.22	15.47	3	Vertical	120	1.71	-	32.31	38.29	12.11	34.93
PK	10.3776G	60.54	68.20	-7.66	12.52	3	Vertical	257	1.50	-	48.02	38.54	8.99	35.01
PK	15.55848G	58.36	74.00	-15.64	15.44	3	Vertical	120	1.71	-	42.92	38.25	12.12	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60712G	47.46	54.00	-6.54	15.22	3	Horizontal	47	1.50	-	32.24	38.01	12.17	34.96
PK	10.38112G	61.18	68.20	-7.02	12.53	3	Horizontal	226	1.46	-	48.65	38.54	9.00	35.01
PK	15.60704G	57.80	74.00	-16.20	15.22	3	Horizontal	47	1.50	-	42.58	38.01	12.17	34.96

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	50.36	54.00	-3.64	5.21	3	Vertical	76	1.49	-	45.15	33.10	6.87	34.76
AV	5.2448G	107.15	Inf	-Inf	5.29	3	Vertical	76	1.49	-	101.86	33.11	6.94	34.76
PK	5.15G	62.23	74.00	-11.77	5.21	3	Vertical	76	1.49	-	57.02	33.10	6.87	34.76
PK	5.2392G	113.97	Inf	-Inf	5.30	3	Vertical	76	1.49	-	108.67	33.12	6.94	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	51.53	54.00	-2.47	5.21	3	Horizontal	177	2.19	-	46.32	33.10	6.87	34.76
AV	5.2224G	106.85	Inf	-Inf	5.32	3	Horizontal	177	2.19	-	101.53	33.16	6.92	34.76
PK	5.138G	65.41	74.00	-8.59	5.19	3	Horizontal	177	2.19	-	60.22	33.08	6.87	34.76
PK	5.2228G	114.73	Inf	-Inf	5.31	3	Horizontal	177	2.19	-	109.42	33.15	6.92	34.76


802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom



802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	107.14	Inf	-Inf	5.21	3	Vertical	75	1.57	-	101.93	33.00	6.98	34.77
AV	5.35G	50.80	54.00	-3.20	4.99	3	Vertical	75	1.57	-	45.81	32.70	7.06	34.77
PK	5.264G	117.13	Inf	-Inf	5.23	3	Vertical	75	1.57	-	111.90	33.04	6.96	34.77
PK	5.3544G	61.37	74.00	-12.63	5.03	3	Vertical	75	1.57	-	56.34	32.73	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2724G	106.15	Inf	-Inf	5.21	3	Horizontal	181	2.02	-	100.94	33.01	6.97	34.77
AV	5.352G	49.84	54.00	-4.16	5.00	3	Horizontal	181	2.02	-	44.84	32.71	7.06	34.77
PK	5.2672G	116.57	Inf	-Inf	5.23	3	Horizontal	181	2.02	-	111.34	33.03	6.97	34.77
PK	5.3516G	61.20	74.00	-12.80	5.00	3	Horizontal	181	2.02	-	56.20	32.71	7.06	34.77


802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom



802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	106.32	Inf	-Inf	5.09	3	Vertical	77	1.50	-	101.23	32.84	7.02	34.77
AV	5.354G	52.36	54.00	-1.64	5.02	3	Vertical	77	1.50	-	47.34	32.72	7.07	34.77
PK	5.3044G	117.08	Inf	-Inf	5.12	3	Vertical	77	1.50	-	111.96	32.88	7.01	34.77
PK	5.3588G	62.50	74.00	-11.50	5.05	3	Vertical	77	1.50	-	57.45	32.75	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	105.02	Inf	-Inf	5.13	3	Horizontal	188	2.14	-	99.89	32.89	7.01	34.77
AV	5.3512G	52.19	54.00	-1.81	5.00	3	Horizontal	188	2.14	-	47.19	32.71	7.06	34.77
PK	5.292G	114.81	Inf	-Inf	5.16	3	Horizontal	188	2.14	-	109.65	32.93	7.00	34.77
PK	5.3564G	61.28	74.00	-12.72	5.04	3	Horizontal	188	2.14	-	56.24	32.74	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61796G	53.70	54.00	-0.30	13.15	3	Vertical	258	1.52	-	40.55	38.94	9.07	34.86
AV	15.90672G	47.17	54.00	-6.83	14.93	3	Vertical	108	1.50	-	32.24	37.60	12.47	35.14
PK	10.62312G	63.91	74.00	-10.09	13.17	3	Vertical	258	1.52	-	50.74	38.95	9.08	34.86
PK	15.93888G	57.93	74.00	-16.07	14.95	3	Vertical	108	1.50	-	42.98	37.60	12.50	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62024G	53.65	54.00	-0.35	13.15	3	Horizontal	226	1.50	-	40.50	38.94	9.07	34.86
AV	15.95232G	47.08	54.00	-6.92	14.95	3	Horizontal	174	1.50	-	32.13	37.60	12.51	35.16
PK	10.6212G	64.57	74.00	-9.43	13.15	3	Horizontal	226	1.50	-	51.42	38.94	9.07	34.86
PK	15.9156G	57.83	74.00	-16.17	14.94	3	Horizontal	174	1.50	-	42.89	37.60	12.48	35.14

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	51.64	54.00	-2.36	5.13	3	Vertical	75	1.50	-	46.51	32.82	7.08	34.77
AV	5.5048G	105.03	Inf	-Inf	5.19	3	Vertical	75	1.50	-	99.84	32.91	7.05	34.77
PK	5.4692G	67.46	68.20	-0.74	5.15	3	Vertical	75	1.50	-	62.31	32.84	7.08	34.77
PK	5.5048G	115.06	Inf	-Inf	5.19	3	Vertical	75	1.50	-	109.87	32.91	7.05	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4576G	51.34	54.00	-2.66	5.13	3	Horizontal	357	1.88	-	46.21	32.82	7.08	34.77
AV	5.5076G	104.56	Inf	-Inf	5.20	3	Horizontal	357	1.88	-	99.36	32.92	7.05	34.77
PK	5.4676G	64.81	68.20	-3.39	5.15	3	Horizontal	357	1.88	-	59.66	32.84	7.08	34.77
PK	5.5272G	115.02	Inf	-Inf	5.22	3	Horizontal	357	1.88	-	109.80	32.95	7.04	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01984G	53.74	54.00	-0.26	13.16	3	Vertical	249	1.50	-	40.58	38.68	9.21	34.73
PK	11.02036G	64.27	74.00	-9.73	13.16	3	Vertical	249	1.50	-	51.11	38.68	9.21	34.73
PK	16.53248G	59.11	68.20	-9.09	16.40	3	Vertical	158	1.58	-	42.71	38.57	12.71	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02064G	53.17	54.00	-0.83	13.16	3	Horizontal	229	1.52	-	40.01	38.68	9.21	34.73
PK	11.02136G	63.14	74.00	-10.86	13.16	3	Horizontal	229	1.52	-	49.98	38.68	9.21	34.73
PK	16.53032G	59.09	68.20	-9.11	16.41	3	Horizontal	106	2.02	-	42.68	38.58	12.71	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	48.56	54.00	-5.44	5.12	3	Vertical	74	1.50	-	43.44	32.80	7.09	34.77
AV	5.5448G	104.23	Inf	-Inf	5.25	3	Vertical	74	1.50	-	98.98	32.99	7.03	34.77
PK	5.464G	58.68	68.20	-9.52	5.14	3	Vertical	74	1.50	-	53.54	32.83	7.08	34.77
PK	5.5548G	114.37	Inf	-Inf	5.25	3	Vertical	74	1.50	-	109.12	33.00	7.02	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.36	54.00	-5.64	5.13	3	Horizontal	358	1.65	-	43.23	32.82	7.08	34.77
AV	5.5328G	103.34	Inf	-Inf	5.23	3	Horizontal	358	1.65	-	98.11	32.97	7.03	34.77
PK	5.4624G	59.05	68.20	-9.15	5.13	3	Horizontal	358	1.65	-	53.92	32.82	7.08	34.77
PK	5.548G	114.05	Inf	-Inf	5.25	3	Horizontal	358	1.65	-	108.80	33.00	7.02	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	53.51	54.00	-0.49	13.12	3	Vertical	251	1.50	-	40.39	38.60	9.23	34.71
PK	11.10488G	64.37	74.00	-9.63	13.12	3	Vertical	251	1.50	-	51.25	38.60	9.23	34.71
PK	16.6428G	59.32	68.20	-8.88	16.31	3	Vertical	340	1.50	-	43.01	38.21	12.75	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10224G	53.36	54.00	-0.64	13.12	3	Horizontal	315	1.43	-	40.24	38.60	9.23	34.71
PK	11.1072G	65.98	74.00	-8.02	13.14	3	Horizontal	315	1.43	-	52.84	38.61	9.24	34.71
PK	16.64G	59.34	68.20	-8.86	16.31	3	Horizontal	193	1.45	-	43.03	38.22	12.75	34.66

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6646G	105.02	Inf	-Inf	5.31	3	Vertical	74	1.52	-	99.71	33.12	6.96	34.77
PK	5.6646G	115.41	Inf	-Inf	5.31	3	Vertical	74	1.52	-	110.10	33.12	6.96	34.77
PK	5.7564G	60.70	68.20	-7.50	5.80	3	Vertical	74	1.52	-	54.90	33.64	6.93	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6676G	103.37	Inf	-Inf	5.33	3	Horizontal	358	1.50	-	98.04	33.14	6.96	34.77
PK	5.6778G	114.03	Inf	-Inf	5.41	3	Horizontal	358	1.50	-	108.62	33.22	6.96	34.77
PK	5.7948G	60.15	68.20	-8.05	6.01	3	Horizontal	358	1.50	-	54.14	33.87	6.91	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33824G	52.93	54.00	-1.07	13.56	3	Vertical	258	3.00	-	39.37	38.90	9.31	34.65
PK	11.34792G	64.19	74.00	-9.81	13.56	3	Vertical	258	3.00	-	50.63	38.90	9.31	34.65
PK	17.00928G	59.82	68.20	-8.38	16.90	3	Vertical	231	2.33	-	42.92	38.00	12.85	33.95

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33216G	53.77	54.00	-0.23	13.56	3	Horizontal	311	1.42	-	40.21	38.90	9.31	34.65
PK	11.3468G	65.28	74.00	-8.72	13.56	3	Horizontal	311	1.42	-	51.72	38.90	9.31	34.65
PK	17.00826G	59.40	68.20	-8.80	16.90	3	Horizontal	333	1.39	-	42.50	38.00	12.85	33.95

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4196G	47.83	54.00	-6.17	5.26	3	Vertical	70	2.23	-	42.57	32.92	7.11	34.77
AV	5.7052G	104.69	Inf	-Inf	5.60	3	Vertical	70	2.23	-	99.09	33.42	6.95	34.77
PK	5.4664G	57.55	68.20	-10.65	5.14	3	Vertical	70	2.23	-	52.41	32.83	7.08	34.77
PK	5.6992G	113.74	Inf	-Inf	5.57	3	Vertical	70	2.23	-	108.17	33.39	6.95	34.77
PK	5.8756G	59.77	68.20	-8.43	6.67	3	Vertical	70	2.23	-	53.10	34.20	7.24	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4436G	47.66	54.00	-6.34	5.15	3	Horizontal	352	1.50	-	42.51	32.83	7.09	34.77
AV	5.7076G	103.26	Inf	-Inf	5.61	3	Horizontal	352	1.50	-	97.65	33.43	6.95	34.77
PK	5.4664G	56.73	68.20	-11.47	5.14	3	Horizontal	352	1.50	-	51.59	32.83	7.08	34.77
PK	5.7124G	113.21	Inf	-Inf	5.63	3	Horizontal	352	1.50	-	107.58	33.45	6.95	34.77
PK	5.974G	59.57	68.20	-8.63	7.16	3	Horizontal	352	1.50	-	52.41	34.25	7.68	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41808G	52.41	54.00	-1.59	13.57	3	Vertical	257	2.85	-	38.84	38.86	9.34	34.63
PK	11.42288G	61.81	74.00	-12.19	13.56	3	Vertical	257	2.85	-	48.25	38.85	9.34	34.63
PK	17.13134G	60.15	68.20	-8.05	16.86	3	Vertical	26	2.39	-	43.29	38.09	12.89	34.12

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4172G	53.48	54.00	-0.52	13.58	3	Horizontal	315	1.36	-	39.90	38.87	9.34	34.63
PK	11.41752G	65.30	74.00	-8.70	13.57	3	Horizontal	315	1.36	-	51.73	38.86	9.34	34.63
PK	17.1257G	60.09	68.20	-8.11	16.86	3	Horizontal	10	2.38	-	43.23	38.08	12.89	34.11

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	106.07	Inf	-Inf	5.76	3	Vertical	71	2.29	-	100.31	33.60	6.93	34.77
PK	5.6134G	60.47	68.20	-7.73	5.21	3	Vertical	71	2.29	-	55.26	33.00	6.98	34.77
PK	5.749G	115.31	Inf	-Inf	5.76	3	Vertical	71	2.29	-	109.55	33.60	6.93	34.77
PK	5.9374G	59.53	68.20	-8.67	7.04	3	Vertical	71	2.29	-	52.49	34.30	7.51	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	104.87	Inf	-Inf	5.75	3	Horizontal	357	1.24	-	99.12	33.59	6.93	34.77
PK	5.629G	60.10	68.20	-8.10	5.21	3	Horizontal	357	1.24	-	54.89	33.00	6.98	34.77
PK	5.7682G	114.26	Inf	-Inf	5.86	3	Horizontal	357	1.24	-	108.40	33.71	6.92	34.77
PK	5.9554G	59.39	68.20	-8.81	7.11	3	Horizontal	357	1.24	-	52.28	34.29	7.59	34.77


802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom



802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	105.52	Inf	-Inf	6.04	3	Vertical	71	1.48	-	99.48	33.90	6.91	34.77
PK	5.6414G	58.97	68.20	-9.23	5.20	3	Vertical	71	1.48	-	53.77	33.00	6.97	34.77
PK	5.7986G	115.17	Inf	-Inf	6.03	3	Vertical	71	1.48	-	109.14	33.89	6.91	34.77
PK	5.9282G	60.53	68.20	-7.67	7.00	3	Vertical	71	1.48	-	53.53	34.30	7.47	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	103.70	Inf	-Inf	5.96	3	Horizontal	360	1.64	-	97.74	33.81	6.92	34.77
PK	5.5886G	58.91	68.20	-9.29	5.23	3	Horizontal	360	1.64	-	53.68	33.00	7.00	34.77
PK	5.8034G	113.69	Inf	-Inf	6.06	3	Horizontal	360	1.64	-	107.63	33.91	6.92	34.77
PK	5.9294G	59.44	68.20	-8.76	7.01	3	Horizontal	360	1.64	-	52.43	34.30	7.48	34.77


802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom



802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.35	54.00	-1.65	5.21	3	Vertical	75	1.73	-	47.14	33.10	6.87	34.76
AV	5.22G	101.95	Inf	-Inf	5.31	3	Vertical	75	1.73	-	96.64	33.16	6.91	34.76
AV	5.384G	50.13	54.00	-3.87	5.23	3	Vertical	75	1.73	-	44.90	32.90	7.10	34.77
PK	5.149G	61.08	74.00	-12.92	5.21	3	Vertical	75	1.73	-	55.87	33.10	6.87	34.76
PK	5.215G	111.38	Inf	-Inf	5.32	3	Vertical	75	1.73	-	106.06	33.17	6.91	34.76
PK	5.413G	59.86	74.00	-14.14	5.29	3	Vertical	75	1.73	-	54.57	32.95	7.11	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	53.77	54.00	-0.23	5.21	3	Horizontal	176	2.19	-	48.56	33.10	6.87	34.76
AV	5.222G	101.95	Inf	-Inf	5.32	3	Horizontal	176	2.19	-	96.63	33.16	6.92	34.76
AV	5.383G	48.98	54.00	-5.02	5.23	3	Horizontal	176	2.19	-	43.75	32.90	7.10	34.77
PK	5.123G	64.06	74.00	-9.94	5.15	3	Horizontal	176	2.19	-	58.91	33.05	6.86	34.76
PK	5.207G	112.55	Inf	-Inf	5.33	3	Horizontal	176	2.19	-	107.22	33.19	6.90	34.76
PK	5.399G	58.84	74.00	-15.16	5.34	3	Horizontal	176	2.19	-	53.50	32.99	7.12	34.77


802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom



802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	48.87	54.00	-5.13	5.20	3	Vertical	74	1.65	-	43.67	33.09	6.87	34.76
AV	5.305G	103.13	Inf	-Inf	5.12	3	Vertical	74	1.65	-	98.01	32.88	7.01	34.77
AV	5.35G	53.75	54.00	-0.25	4.99	3	Vertical	74	1.65	-	48.76	32.70	7.06	34.77
PK	5.15G	58.43	74.00	-15.57	5.21	3	Vertical	74	1.65	-	53.22	33.10	6.87	34.76
PK	5.279G	112.20	Inf	-Inf	5.19	3	Vertical	74	1.65	-	107.01	32.98	6.98	34.77
PK	5.522G	59.41	68.20	-8.79	5.21	3	Vertical	74	1.65	-	54.20	32.94	7.04	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.097G	49.63	54.00	-4.37	5.10	3	Horizontal	187	2.11	-	44.53	33.01	6.85	34.76
AV	5.282G	102.31	Inf	-Inf	5.18	3	Horizontal	187	2.11	-	97.13	32.97	6.98	34.77
AV	5.351G	51.50	54.00	-2.50	5.00	3	Horizontal	187	2.11	-	46.50	32.71	7.06	34.77
PK	5.146G	59.49	74.00	-14.51	5.20	3	Horizontal	187	2.11	-	54.29	33.09	6.87	34.76
PK	5.287G	113.13	Inf	-Inf	5.17	3	Horizontal	187	2.11	-	107.96	32.95	6.99	34.77
PK	5.482G	58.81	68.20	-9.39	5.16	3	Horizontal	187	2.11	-	53.65	32.86	7.07	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6028G	50.61	54.00	-3.39	13.11	3	Vertical	255	1.40	-	37.50	38.91	9.07	34.87
AV	15.86536G	47.66	54.00	-6.34	15.06	3	Vertical	221	1.39	-	32.60	37.74	12.43	35.11
PK	10.5926G	61.38	68.20	-6.82	13.08	3	Vertical	255	1.40	-	48.30	38.88	9.07	34.87
PK	15.83128G	58.33	74.00	-15.67	15.17	3	Vertical	221	1.39	-	43.16	37.87	12.39	35.09

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6G	50.08	54.00	-3.92	13.10	3	Horizontal	222	2.19	-	36.98	38.90	9.07	34.87
AV	15.86654G	47.48	54.00	-6.52	15.05	3	Horizontal	214	1.28	-	32.43	37.73	12.43	35.11
PK	10.58005G	61.59	68.20	-6.61	13.03	3	Horizontal	222	2.19	-	48.56	38.84	9.06	34.87
PK	15.86624G	58.58	74.00	-15.42	15.06	3	Horizontal	214	1.28	-	43.52	37.74	12.43	35.11

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	52.96	54.00	-1.04	5.13	3	Vertical	75	1.51	-	47.83	32.82	7.08	34.77
AV	5.54G	101.60	Inf	-Inf	5.24	3	Vertical	75	1.51	-	96.36	32.98	7.03	34.77
PK	5.469G	63.48	68.20	-4.72	5.15	3	Vertical	75	1.51	-	58.33	32.84	7.08	34.77
PK	5.499G	110.87	Inf	-Inf	5.19	3	Vertical	75	1.51	-	105.68	32.90	7.06	34.77
PK	5.739G	59.43	68.20	-8.77	5.72	3	Vertical	75	1.51	-	53.71	33.56	6.93	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.457G	53.63	54.00	-0.37	5.12	3	Horizontal	357	1.87	-	48.51	32.81	7.08	34.77
AV	5.523G	100.70	Inf	-Inf	5.22	3	Horizontal	357	1.87	-	95.48	32.95	7.04	34.77
PK	5.468G	63.31	68.20	-4.89	5.15	3	Horizontal	357	1.87	-	58.16	32.84	7.08	34.77
PK	5.548G	110.04	Inf	-Inf	5.25	3	Horizontal	357	1.87	-	104.79	33.00	7.02	34.77
PK	5.774G	59.04	68.20	-9.16	5.89	3	Horizontal	357	1.87	-	53.15	33.74	6.92	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.0601G	64.03	74.00	-9.97	13.14	3	Vertical	254	1.49	-	50.89	38.64	9.22	34.72
AV	11.0602G	53.52	54.00	-0.48	13.14	3	Vertical	254	1.49	-	40.38	38.64	9.22	34.72
PK	16.5889G	58.19	68.20	-10.01	16.31	3	Vertical	339	1.87	-	41.88	38.34	12.73	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.0619G	63.60	74.00	-10.40	13.14	3	Horizontal	314	1.44	-	50.46	38.64	9.22	34.72
AV	11.0621G	53.41	54.00	-0.59	13.14	3	Horizontal	314	1.44	-	40.27	38.64	9.22	34.72
PK	16.5895G	58.51	68.20	-9.69	16.31	3	Horizontal	11	2.41	-	42.20	38.34	12.73	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.445G	49.39	54.00	-4.61	5.14	3	Vertical	69	2.27	-	44.25	32.82	7.09	34.77
AV	5.62G	102.39	Inf	-Inf	5.21	3	Vertical	69	2.27	-	97.18	33.00	6.98	34.77
PK	5.444G	59.43	74.00	-14.57	5.14	3	Vertical	69	2.27	-	54.29	32.82	7.09	34.77
PK	5.466G	59.06	68.20	-9.14	5.14	3	Vertical	69	2.27	-	53.92	32.83	7.08	34.77
PK	5.619G	111.97	Inf	-Inf	5.21	3	Vertical	69	2.27	-	106.76	33.00	6.98	34.77
PK	5.735G	60.09	68.20	-8.11	5.71	3	Vertical	69	2.27	-	54.38	33.54	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.65	54.00	-5.35	5.13	3	Horizontal	358	1.50	-	43.52	32.82	7.08	34.77
AV	5.598G	101.60	Inf	-Inf	5.22	3	Horizontal	358	1.50	-	96.38	33.00	6.99	34.77
PK	5.416G	58.57	74.00	-15.43	5.28	3	Horizontal	358	1.50	-	53.29	32.94	7.11	34.77
PK	5.464G	58.14	68.20	-10.06	5.14	3	Horizontal	358	1.50	-	53.00	32.83	7.08	34.77
PK	5.613G	111.50	Inf	-Inf	5.21	3	Horizontal	358	1.50	-	106.29	33.00	6.98	34.77
PK	5.73G	60.15	68.20	-8.05	5.69	3	Horizontal	358	1.50	-	54.46	33.52	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21792G	53.44	54.00	-0.56	13.33	3	Vertical	257	2.87	-	40.11	38.74	9.27	34.68
PK	11.21782G	65.41	74.00	-8.59	13.33	3	Vertical	257	2.87	-	52.08	38.74	9.27	34.68
PK	16.83171G	58.97	68.20	-9.23	16.76	3	Vertical	76	1.12	-	42.21	38.24	12.80	34.28

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.2176G	65.99	74.00	-8.01	13.33	3	Horizontal	318	1.35	-	52.66	38.74	9.27	34.68
AV	11.22239G	53.90	54.00	-0.10	13.33	3	Horizontal	318	1.35	-	40.57	38.74	9.27	34.68
PK	16.83096G	59.03	68.20	-9.17	16.76	3	Horizontal	63	2.58	-	42.27	38.24	12.80	34.28

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4236G	48.53	54.00	-5.47	5.24	3	Vertical	73	1.49	-	43.29	32.91	7.10	34.77
AV	5.6996G	103.05	Inf	-Inf	5.58	3	Vertical	73	1.49	-	97.47	33.40	6.95	34.77
PK	5.4692G	59.18	68.20	-9.02	5.15	3	Vertical	73	1.49	-	54.03	32.84	7.08	34.77
PK	5.6588G	113.46	Inf	-Inf	5.27	3	Vertical	73	1.49	-	108.19	33.07	6.97	34.77
PK	5.9012G	60.34	68.20	-7.86	6.89	3	Vertical	73	1.49	-	53.45	34.30	7.36	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4524G	47.92	54.00	-6.08	5.12	3	Horizontal	355	1.41	-	42.80	32.80	7.09	34.77
AV	5.678G	101.94	Inf	-Inf	5.41	3	Horizontal	355	1.41	-	96.53	33.22	6.96	34.77
PK	5.4644G	58.19	68.20	-10.01	5.14	3	Horizontal	355	1.41	-	53.05	32.83	7.08	34.77
PK	5.6924G	113.35	Inf	-Inf	5.52	3	Horizontal	355	1.41	-	107.83	33.34	6.95	34.77
PK	5.8712G	60.04	68.20	-8.16	6.63	3	Horizontal	355	1.41	-	53.41	34.18	7.22	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37988G	50.87	54.00	-3.13	13.59	3	Vertical	282	1.50	-	37.28	38.90	9.33	34.64
PK	11.38052G	62.11	74.00	-11.89	13.59	3	Vertical	282	1.50	-	48.52	38.90	9.33	34.64
PK	17.06838G	60.20	68.20	-8.00	16.84	3	Vertical	329	1.50	-	43.36	38.00	12.87	34.03

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.38211G	64.32	74.00	-9.68	13.59	3	Horizontal	313	1.39	-	50.73	38.90	9.33	34.64
AV	11.38206G	53.79	54.00	-0.21	13.59	3	Horizontal	313	1.39	-	40.20	38.90	9.33	34.64
PK	17.07243G	58.86	68.20	-9.34	16.83	3	Horizontal	174	1.81	-	42.03	38.00	12.87	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	107.68	Inf	-Inf	5.84	3	Vertical	72	1.42	-	101.84	33.69	6.92	34.77
PK	5.6394G	67.88	68.20	-0.32	5.20	3	Vertical	72	1.42	-	62.68	33.00	6.97	34.77
PK	5.745G	118.24	Inf	-Inf	5.74	3	Vertical	72	1.42	-	112.50	33.58	6.93	34.77
PK	5.9286G	63.75	68.20	-4.45	7.01	3	Vertical	72	1.42	-	56.74	34.30	7.48	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	107.26	Inf	-Inf	5.84	3	Horizontal	38	1.64	-	101.42	33.69	6.92	34.77
PK	5.649G	67.32	68.20	-0.88	5.20	3	Horizontal	38	1.64	-	62.12	33.00	6.97	34.77
PK	5.7834G	116.45	Inf	-Inf	5.95	3	Horizontal	38	1.64	-	110.50	33.80	6.92	34.77
PK	5.9394G	63.03	68.20	-5.17	7.05	3	Horizontal	38	1.64	-	55.98	34.30	7.52	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54996G	52.13	54.00	-1.87	13.36	3	Vertical	286	2.22	-	38.77	38.60	9.38	34.62
PK	11.55009G	63.14	74.00	-10.86	13.36	3	Vertical	286	2.22	-	49.78	38.60	9.38	34.62
PK	17.32426G	59.24	68.20	-8.96	16.82	3	Vertical	208	1.50	-	42.42	38.25	12.94	34.37

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.54957G	63.63	74.00	-10.37	13.36	3	Horizontal	302	2.16	-	50.27	38.60	9.38	34.62
AV	11.54956G	53.40	54.00	-0.60	13.36	3	Horizontal	302	2.16	-	40.04	38.60	9.38	34.62
PK	17.32487G	59.11	68.20	-9.09	16.81	3	Horizontal	346	1.47	-	42.30	38.25	12.94	34.38

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1444G	50.15	54.00	-3.85	5.20	3	Vertical	78	1.65	-	44.95	33.09	6.87	34.76
AV	5.274G	97.10	Inf	-Inf	5.21	3	Vertical	78	1.65	-	91.89	33.00	6.98	34.77
AV	5.3868G	50.63	54.00	-3.37	5.25	3	Vertical	78	1.65	-	45.38	32.92	7.10	34.77
PK	5.1444G	59.24	74.00	-14.76	5.20	3	Vertical	78	1.65	-	54.04	33.09	6.87	34.76
PK	5.2692G	106.70	Inf	-Inf	5.22	3	Vertical	78	1.65	-	101.48	33.02	6.97	34.77
PK	5.5116G	59.68	68.20	-8.52	5.20	3	Vertical	78	1.65	-	54.48	32.92	7.05	34.77

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	53.68	54.00	-0.32	5.17	3	Horizontal	168	1.35	-	48.51	33.07	6.86	34.76
AV	5.2224G	96.13	Inf	-Inf	5.32	3	Horizontal	168	1.35	-	90.81	33.16	6.92	34.76
AV	5.3868G	50.33	54.00	-3.67	5.25	3	Horizontal	168	1.35	-	45.08	32.92	7.10	34.77
PK	5.136G	63.32	74.00	-10.68	5.17	3	Horizontal	168	1.35	-	58.15	33.07	6.86	34.76
PK	5.2224G	104.33	Inf	-Inf	5.32	3	Horizontal	168	1.35	-	99.01	33.16	6.92	34.76
PK	5.5164G	58.29	68.20	-9.91	5.20	3	Horizontal	168	1.35	-	53.09	32.93	7.04	34.77


802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.449G	51.48	54.00	-2.52	5.12	3	Vertical	77	1.50	-	46.36	32.80	7.09	34.77
AV	5.539G	96.30	Inf	-Inf	5.24	3	Vertical	77	1.50	-	91.06	32.98	7.03	34.77
PK	5.467G	61.11	68.20	-7.09	5.14	3	Vertical	77	1.50	-	55.97	32.83	7.08	34.77
PK	5.55G	105.70	Inf	-Inf	5.25	3	Vertical	77	1.50	-	100.45	33.00	7.02	34.77
PK	5.725G	59.59	68.20	-8.61	5.67	3	Vertical	77	1.50	-	53.92	33.50	6.94	34.77

802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	53.90	54.00	-0.10	5.12	3	Horizontal	360	1.50	-	48.78	32.81	7.08	34.77
AV	5.593G	95.66	Inf	-Inf	5.22	3	Horizontal	360	1.50	-	90.44	33.00	6.99	34.77
PK	5.468G	61.69	68.20	-6.51	5.15	3	Horizontal	360	1.50	-	56.54	32.84	7.08	34.77
PK	5.543G	104.68	Inf	-Inf	5.25	3	Horizontal	360	1.50	-	99.43	32.99	7.03	34.77
PK	5.811G	59.20	68.20	-9.00	6.13	3	Horizontal	360	1.50	-	53.07	33.94	6.96	34.77

802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.14179G	55.77	74.00	-18.23	13.19	3	Vertical	281	1.50	-	42.58	38.64	9.25	34.70
AV	11.1392G	46.30	54.00	-7.70	13.19	3	Vertical	281	1.50	-	33.11	38.64	9.25	34.70
PK	16.70358G	58.77	68.20	-9.43	16.34	3	Vertical	341	1.54	-	42.43	38.11	12.76	34.53

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.14202G	56.15	74.00	-17.85	13.19	3	Horizontal	318	1.39	-	42.96	38.64	9.25	34.70
AV	11.14193G	47.19	54.00	-6.81	13.19	3	Horizontal	318	1.39	-	34.00	38.64	9.25	34.70
PK	16.7208G	58.52	68.20	-9.68	16.41	3	Horizontal	106	2.25	-	42.11	38.14	12.77	34.50

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	10.4152G	67.96	68.20	-0.24	3	Vertical	256	1.37	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	10.4362G	68.09	68.20	-0.11	3	Horizontal	255	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.48777G	53.58	54.00	-0.42	3	Horizontal	297	2.40	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	10.60096G	53.78	54.00	-0.22	3	Vertical	250	1.95	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	10.62165G	53.87	54.00	-0.13	3	Vertical	259	1.40	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	10.52356G	67.93	68.20	-0.27	3	Horizontal	229	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.135G	73.60	74.00	-0.40	3	Horizontal	171	1.23	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.39328G	53.81	54.00	-0.19	3	Horizontal	304	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.01713G	53.79	54.00	-0.21	3	Vertical	287	1.86	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.16077G	53.86	54.00	-0.14	3	Horizontal	148	315	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4632G	67.66	68.20	-0.54	3	Horizontal	360	1.68	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.5044G	53.76	54.00	-0.24	3	Horizontal	303	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.59895G	53.89	54.00	-0.11	3	Horizontal	304	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.48777G	53.58	54.00	-0.42	3	Horizontal	297	2.40	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	51.53	54.00	-2.47	3	Vertical	312	2.05	-
5180MHz	Pass	AV	5.1882G	110.79	Inf	-Inf	3	Vertical	312	2.05	-
5180MHz	Pass	PK	5.1388G	62.92	74.00	-11.08	3	Vertical	312	2.05	-
5180MHz	Pass	PK	5.1852G	121.70	Inf	-Inf	3	Vertical	312	2.05	-
5180MHz	Pass	AV	5.1498G	53.22	54.00	-0.78	3	Horizontal	179	2.22	-
5180MHz	Pass	AV	5.1712G	111.31	Inf	-Inf	3	Horizontal	179	2.22	-
5180MHz	Pass	PK	5.1394G	64.92	74.00	-9.08	3	Horizontal	179	2.22	-
5180MHz	Pass	PK	5.171G	121.51	Inf	-Inf	3	Horizontal	179	2.22	-
5180MHz	Pass	AV	15.54632G	51.19	54.00	-2.81	3	Vertical	217	2.05	-
5180MHz	Pass	PK	10.36336G	66.16	68.20	-2.04	3	Vertical	257	1.44	-
5180MHz	Pass	PK	15.54128G	62.77	74.00	-11.23	3	Vertical	217	2.05	-
5180MHz	Pass	AV	15.5424G	51.13	54.00	-2.87	3	Horizontal	305	1.40	-
5180MHz	Pass	PK	10.34456G	67.82	68.20	-0.38	3	Horizontal	265	1.50	-
5180MHz	Pass	PK	15.54024G	61.73	74.00	-12.27	3	Horizontal	305	1.40	-
5200MHz	Pass	AV	5.1492G	49.19	54.00	-4.81	3	Vertical	288	2.06	-
5200MHz	Pass	AV	5.2012G	108.64	Inf	-Inf	3	Vertical	288	2.06	-
5200MHz	Pass	PK	5.1404G	60.34	74.00	-13.66	3	Vertical	288	2.06	-
5200MHz	Pass	PK	5.2068G	119.61	Inf	-Inf	3	Vertical	288	2.06	-
5200MHz	Pass	AV	5.1472G	48.36	54.00	-5.64	3	Horizontal	216	1.91	-
5200MHz	Pass	AV	5.1956G	107.58	Inf	-Inf	3	Horizontal	216	1.91	-
5200MHz	Pass	PK	5.1088G	58.86	74.00	-15.14	3	Horizontal	216	1.91	-
5200MHz	Pass	PK	5.1932G	118.34	Inf	-Inf	3	Horizontal	216	1.91	-
5200MHz	Pass	AV	15.5964G	50.13	54.00	-3.87	3	Vertical	224	1.50	-
5200MHz	Pass	PK	10.4152G	67.96	68.20	-0.24	3	Vertical	256	1.37	-
5200MHz	Pass	PK	15.5933G	70.12	74.00	-3.88	3	Vertical	224	1.50	-
5200MHz	Pass	AV	15.5966G	49.67	54.00	-4.33	3	Horizontal	326	1.27	-
5200MHz	Pass	PK	10.4018G	67.80	68.20	-0.40	3	Horizontal	206	2.85	-
5200MHz	Pass	PK	15.5952G	68.05	74.00	-5.95	3	Horizontal	326	1.27	-
5240MHz	Pass	AV	5.1476G	47.65	54.00	-6.35	3	Vertical	72	1.50	-
5240MHz	Pass	AV	5.2436G	108.35	Inf	-Inf	3	Vertical	72	1.50	-
5240MHz	Pass	AV	5.3822G	47.26	54.00	-6.74	3	Vertical	72	1.50	-
5240MHz	Pass	PK	5.1374G	58.04	74.00	-15.96	3	Vertical	72	1.50	-
5240MHz	Pass	PK	5.2418G	119.42	Inf	-Inf	3	Vertical	72	1.50	-
5240MHz	Pass	PK	5.3738G	57.73	74.00	-16.27	3	Vertical	72	1.50	-
5240MHz	Pass	AV	5.1488G	47.95	54.00	-6.05	3	Horizontal	185	1.48	-
5240MHz	Pass	AV	5.2484G	107.89	Inf	-Inf	3	Horizontal	185	1.48	-
5240MHz	Pass	AV	5.3714G	46.71	54.00	-7.29	3	Horizontal	185	1.48	-
5240MHz	Pass	PK	5.1332G	58.87	74.00	-15.13	3	Horizontal	185	1.48	-
5240MHz	Pass	PK	5.2484G	117.51	Inf	-Inf	3	Horizontal	185	1.48	-
5240MHz	Pass	PK	5.3774G	57.60	74.00	-16.40	3	Horizontal	185	1.48	-
5240MHz	Pass	AV	15.70816G	47.99	54.00	-6.01	3	Vertical	226	2.27	-
5240MHz	Pass	PK	10.46616G	67.61	68.20	-0.59	3	Vertical	266	1.50	-
5240MHz	Pass	PK	15.7128G	63.20	74.00	-10.80	3	Vertical	226	2.27	-
5240MHz	Pass	AV	15.71096G	46.66	54.00	-7.34	3	Horizontal	295	1.50	-
5240MHz	Pass	PK	10.47824G	67.42	68.20	-0.78	3	Horizontal	222	2.24	-
5240MHz	Pass	PK	15.72368G	58.29	74.00	-15.71	3	Horizontal	295	1.50	-
5260MHz	Pass	AV	5.1466G	47.62	54.00	-6.38	3	Vertical	73	1.54	-
5260MHz	Pass	AV	5.2516G	108.78	Inf	-Inf	3	Vertical	73	1.54	-
5260MHz	Pass	AV	5.3518G	47.74	54.00	-6.26	3	Vertical	73	1.54	-
5260MHz	Pass	PK	5.1346G	57.83	74.00	-16.17	3	Vertical	73	1.54	-
5260MHz	Pass	PK	5.2558G	118.97	Inf	-Inf	3	Vertical	73	1.54	-
5260MHz	Pass	PK	5.3524G	58.40	74.00	-15.60	3	Vertical	73	1.54	-
5260MHz	Pass	AV	5.1226G	47.85	54.00	-6.15	3	Horizontal	184	2.31	-
5260MHz	Pass	AV	5.251G	109.51	Inf	-Inf	3	Horizontal	184	2.31	-
5260MHz	Pass	AV	5.3518G	47.21	54.00	-6.79	3	Horizontal	184	2.31	-
5260MHz	Pass	PK	5.1424G	58.53	74.00	-15.47	3	Horizontal	184	2.31	-
5260MHz	Pass	PK	5.251G	118.45	Inf	-Inf	3	Horizontal	184	2.31	-
5260MHz	Pass	PK	5.386G	57.95	74.00	-16.05	3	Horizontal	184	2.31	-
5260MHz	Pass	AV	15.77536G	47.56	54.00	-6.44	3	Vertical	222	1.50	-
5260MHz	Pass	PK	10.5208G	67.84	68.20	-0.36	3	Vertical	248	1.98	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.7724G	67.16	74.00	-6.84	3	Vertical	222	1.50	-
5260MHz	Pass	AV	15.76312G	47.04	54.00	-6.96	3	Horizontal	210	1.50	-
5260MHz	Pass	PK	10.51792G	67.67	68.20	-0.53	3	Horizontal	212	2.23	-
5260MHz	Pass	PK	15.7612G	61.22	74.00	-12.78	3	Horizontal	210	1.50	-
5300MHz	Pass	AV	5.3072G	106.65	Inf	-Inf	3	Vertical	68	1.50	-
5300MHz	Pass	AV	5.3552G	47.77	54.00	-6.23	3	Vertical	68	1.50	-
5300MHz	Pass	PK	5.3084G	117.94	Inf	-Inf	3	Vertical	68	1.50	-
5300MHz	Pass	PK	5.398G	58.89	74.00	-15.11	3	Vertical	68	1.50	-
5300MHz	Pass	AV	5.3088G	107.32	Inf	-Inf	3	Horizontal	170	1.50	-
5300MHz	Pass	AV	5.3672G	47.09	54.00	-6.91	3	Horizontal	170	1.50	-
5300MHz	Pass	PK	5.3068G	117.44	Inf	-Inf	3	Horizontal	170	1.50	-
5300MHz	Pass	PK	5.3712G	58.36	74.00	-15.64	3	Horizontal	170	1.50	-
5300MHz	Pass	AV	10.60096G	53.78	54.00	-0.22	3	Vertical	250	1.95	-
5300MHz	Pass	AV	15.88208G	46.19	54.00	-7.81	3	Vertical	94	1.18	-
5300MHz	Pass	PK	10.60104G	69.04	74.00	-4.96	3	Vertical	250	1.95	-
5300MHz	Pass	PK	15.8884G	57.65	74.00	-16.35	3	Vertical	94	1.18	-
5300MHz	Pass	AV	10.60696G	52.38	54.00	-1.62	3	Horizontal	313	1.50	-
5300MHz	Pass	AV	15.89312G	46.42	54.00	-7.58	3	Horizontal	205	1.49	-
5300MHz	Pass	PK	10.60688G	67.95	74.00	-6.05	3	Horizontal	313	1.50	-
5300MHz	Pass	PK	15.9056G	58.78	74.00	-15.22	3	Horizontal	205	1.49	-
5320MHz	Pass	AV	5.312G	107.85	Inf	-Inf	3	Vertical	74	1.46	-
5320MHz	Pass	AV	5.3568G	48.22	54.00	-5.78	3	Vertical	74	1.46	-
5320MHz	Pass	PK	5.3116G	118.31	Inf	-Inf	3	Vertical	74	1.46	-
5320MHz	Pass	PK	5.3508G	58.97	74.00	-15.03	3	Vertical	74	1.46	-
5320MHz	Pass	AV	5.311G	106.51	Inf	-Inf	3	Horizontal	204	1.50	-
5320MHz	Pass	AV	5.3606G	47.12	54.00	-6.88	3	Horizontal	204	1.50	-
5320MHz	Pass	PK	5.3114G	115.86	Inf	-Inf	3	Horizontal	204	1.50	-
5320MHz	Pass	PK	5.3624G	58.45	74.00	-15.55	3	Horizontal	204	1.50	-
5320MHz	Pass	AV	10.6372G	52.00	54.00	-2.00	3	Vertical	239	1.54	-
5320MHz	Pass	AV	15.97448G	46.16	54.00	-7.84	3	Vertical	68	1.49	-
5320MHz	Pass	PK	10.63752G	63.99	74.00	-10.01	3	Vertical	239	1.54	-
5320MHz	Pass	PK	15.96688G	57.27	74.00	-16.73	3	Vertical	68	1.49	-
5320MHz	Pass	AV	10.63888G	53.42	54.00	-0.58	3	Horizontal	216	1.92	-
5320MHz	Pass	AV	15.9728G	46.19	54.00	-7.81	3	Horizontal	108	1.10	-
5320MHz	Pass	PK	10.63976G	64.72	74.00	-9.28	3	Horizontal	216	1.92	-
5320MHz	Pass	PK	15.96704G	57.64	74.00	-16.36	3	Horizontal	108	1.10	-
5500MHz	Pass	AV	5.458G	48.06	54.00	-5.94	3	Vertical	71	1.54	-
5500MHz	Pass	AV	5.5056G	106.98	Inf	-Inf	3	Vertical	71	1.54	-
5500MHz	Pass	PK	5.4694G	59.43	68.20	-8.77	3	Vertical	71	1.54	-
5500MHz	Pass	PK	5.5026G	117.73	Inf	-Inf	3	Vertical	71	1.54	-
5500MHz	Pass	AV	5.4582G	47.38	54.00	-6.62	3	Horizontal	158	1.09	-
5500MHz	Pass	AV	5.509G	103.90	Inf	-Inf	3	Horizontal	158	1.09	-
5500MHz	Pass	PK	5.4648G	59.07	68.20	-9.13	3	Horizontal	158	1.09	-
5500MHz	Pass	PK	5.4994G	113.54	Inf	-Inf	3	Horizontal	158	1.09	-
5500MHz	Pass	AV	10.99992G	52.53	54.00	-1.47	3	Vertical	291	1.96	-
5500MHz	Pass	PK	10.99832G	64.75	74.00	-9.25	3	Vertical	291	1.96	-
5500MHz	Pass	PK	16.5004G	59.51	68.20	-8.69	3	Vertical	273	1.83	-
5500MHz	Pass	AV	11.00096G	53.79	54.00	-0.21	3	Horizontal	314	1.42	-
5500MHz	Pass	PK	10.99976G	65.16	74.00	-8.84	3	Horizontal	314	1.42	-
5500MHz	Pass	PK	16.50368G	59.38	68.20	-8.82	3	Horizontal	220	1.49	-
5580MHz	Pass	AV	5.4378G	46.65	54.00	-7.35	3	Vertical	71.9	1.54	-
5580MHz	Pass	AV	5.5794G	105.85	Inf	-Inf	3	Vertical	71.9	1.54	-
5580MHz	Pass	PK	5.4666G	57.48	68.20	-10.72	3	Vertical	71.9	1.54	-
5580MHz	Pass	PK	5.5764G	116.05	Inf	-Inf	3	Vertical	71.9	1.54	-
5580MHz	Pass	PK	5.7282G	57.86	68.20	-10.34	3	Vertical	71.9	1.54	-
5580MHz	Pass	AV	5.4384G	46.49	54.00	-7.51	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	5.5716G	106.32	Inf	-Inf	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.4648G	57.22	68.20	-10.98	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.5716G	116.43	Inf	-Inf	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.73G	57.17	68.20	-11.03	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	11.16528G	52.17	54.00	-1.83	3	Vertical	251	1.47	-
5580MHz	Pass	PK	11.16888G	65.79	74.00	-8.21	3	Vertical	251	1.47	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.74098G	58.87	68.20	-9.33	3	Vertical	74	2.47	-
5580MHz	Pass	AV	11.16056G	53.67	54.00	-0.33	3	Horizontal	229	3.00	-
5580MHz	Pass	PK	11.16088G	66.15	74.00	-7.85	3	Horizontal	229	3.00	-
5580MHz	Pass	PK	16.73546G	60.09	68.20	-8.11	3	Horizontal	53	2.02	-
5700MHz	Pass	AV	5.6912G	107.87	Inf	-Inf	3	Vertical	70	1.56	-
5700MHz	Pass	PK	5.6916G	118.73	Inf	-Inf	3	Vertical	70	1.56	-
5700MHz	Pass	PK	5.73G	60.08	68.20	-8.12	3	Vertical	70	1.56	-
5700MHz	Pass	AV	5.692G	107.34	Inf	-Inf	3	Horizontal	349	1.31	-
5700MHz	Pass	PK	5.6944G	118.47	Inf	-Inf	3	Horizontal	349	1.31	-
5700MHz	Pass	PK	5.7256G	67.82	68.20	-0.38	3	Horizontal	349	1.31	-
5700MHz	Pass	AV	11.40072G	51.47	54.00	-2.53	3	Vertical	276	2.73	-
5700MHz	Pass	PK	11.39976G	63.07	74.00	-10.93	3	Vertical	276	2.73	-
5700MHz	Pass	PK	17.08432G	59.76	68.20	-8.44	3	Vertical	225	1.92	-
5700MHz	Pass	AV	11.39328G	53.81	54.00	-0.19	3	Horizontal	304	1.49	-
5700MHz	Pass	PK	11.394G	67.20	74.00	-6.80	3	Horizontal	304	1.49	-
5700MHz	Pass	PK	17.09518G	59.35	68.20	-8.85	3	Horizontal	353	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.26	54.00	-6.74	3	Vertical	72	2.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	109.36	Inf	-Inf	3	Vertical	72	2.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.72	68.20	-10.48	3	Vertical	72	2.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	119.02	Inf	-Inf	3	Vertical	72	2.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9132G	61.29	68.20	-6.91	3	Vertical	72	2.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	46.73	54.00	-7.27	3	Horizontal	7	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	108.73	Inf	-Inf	3	Horizontal	7	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.71	68.20	-10.49	3	Horizontal	7	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	118.80	Inf	-Inf	3	Horizontal	7	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9144G	59.73	68.20	-8.47	3	Horizontal	7	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43016G	51.07	54.00	-2.93	3	Vertical	274	1.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4296G	66.10	74.00	-7.90	3	Vertical	274	1.78	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1484G	59.67	68.20	-8.53	3	Vertical	21	2.42	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.432G	53.38	54.00	-0.62	3	Horizontal	318	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43664G	67.15	74.00	-6.85	3	Horizontal	318	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17768G	60.24	68.20	-7.96	3	Horizontal	131	1.17	-
5745MHz	Pass	AV	5.7366G	108.49	Inf	-Inf	3	Vertical	66	1.50	-
5745MHz	Pass	PK	5.5494G	60.18	68.20	-8.02	3	Vertical	66	1.50	-
5745MHz	Pass	PK	5.7366G	118.17	Inf	-Inf	3	Vertical	66	1.50	-
5745MHz	Pass	PK	5.9514G	59.85	68.20	-8.35	3	Vertical	66	1.50	-
5745MHz	Pass	AV	5.7366G	107.39	Inf	-Inf	3	Horizontal	216	1.48	-
5745MHz	Pass	PK	5.6106G	58.92	68.20	-9.28	3	Horizontal	216	1.48	-
5745MHz	Pass	PK	5.7378G	117.32	Inf	-Inf	3	Horizontal	216	1.48	-
5745MHz	Pass	PK	5.9982G	59.69	68.20	-8.51	3	Horizontal	216	1.48	-
5745MHz	Pass	AV	11.48968G	49.51	54.00	-4.49	3	Vertical	297	1.49	-
5745MHz	Pass	PK	11.48872G	60.38	74.00	-13.62	3	Vertical	297	1.49	-
5745MHz	Pass	PK	17.23996G	59.42	68.20	-8.78	3	Vertical	137	1.13	-
5745MHz	Pass	AV	11.5044G	53.76	54.00	-0.24	3	Horizontal	303	1.50	-
5745MHz	Pass	PK	11.50304G	67.47	74.00	-6.53	3	Horizontal	303	1.50	-
5745MHz	Pass	PK	17.23854G	59.11	68.20	-9.09	3	Horizontal	200	1.99	-
5785MHz	Pass	AV	5.7826G	108.92	Inf	-Inf	3	Vertical	67	1.50	-
5785MHz	Pass	PK	5.5834G	59.42	68.20	-8.78	3	Vertical	67	1.50	-
5785MHz	Pass	PK	5.7778G	118.41	Inf	-Inf	3	Vertical	67	1.50	-
5785MHz	Pass	PK	5.9878G	60.20	68.20	-8.00	3	Vertical	67	1.50	-
5785MHz	Pass	AV	5.7898G	110.02	Inf	-Inf	3	Horizontal	22	2.04	-
5785MHz	Pass	PK	5.587G	60.11	68.20	-8.09	3	Horizontal	22	2.04	-
5785MHz	Pass	PK	5.7922G	120.66	Inf	-Inf	3	Horizontal	22	2.04	-
5785MHz	Pass	PK	5.9854G	60.05	68.20	-8.15	3	Horizontal	22	2.04	-
5785MHz	Pass	AV	11.57798G	50.80	54.00	-3.20	3	Vertical	275	1.58	-
5785MHz	Pass	PK	11.57707G	64.48	74.00	-9.52	3	Vertical	275	1.58	-
5785MHz	Pass	PK	17.3505G	59.23	68.20	-8.97	3	Vertical	151	1.24	-
5785MHz	Pass	AV	11.5756G	53.50	54.00	-0.50	3	Horizontal	285	1.50	-
5785MHz	Pass	PK	11.57868G	66.57	74.00	-7.43	3	Horizontal	285	1.50	-
5785MHz	Pass	PK	17.35784G	59.40	68.20	-8.80	3	Horizontal	234	1.81	-
5825MHz	Pass	AV	5.8322G	109.57	Inf	-Inf	3	Vertical	308	1.47	-
5825MHz	Pass	PK	5.6306G	60.55	68.20	-7.65	3	Vertical	308	1.47	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8334G	120.23	Inf	-Inf	3	Vertical	308	1.47	-
5825MHz	Pass	PK	5.9294G	59.76	68.20	-8.44	3	Vertical	308	1.47	-
5825MHz	Pass	AV	5.8334G	110.48	Inf	-Inf	3	Horizontal	346	1.59	-
5825MHz	Pass	PK	5.633G	60.15	68.20	-8.05	3	Horizontal	346	1.59	-
5825MHz	Pass	PK	5.8334G	120.72	Inf	-Inf	3	Horizontal	346	1.59	-
5825MHz	Pass	PK	6.0338G	59.95	68.20	-8.25	3	Horizontal	346	1.59	-
5825MHz	Pass	AV	11.65036G	51.68	54.00	-2.32	3	Vertical	233	1.50	-
5825MHz	Pass	PK	11.65024G	64.21	74.00	-9.79	3	Vertical	233	1.50	-
5825MHz	Pass	PK	17.4753G	59.98	68.20	-8.22	3	Vertical	32	1.19	-
5825MHz	Pass	AV	11.64944G	53.62	54.00	-0.38	3	Horizontal	212	1.50	-
5825MHz	Pass	PK	11.64538G	67.11	74.00	-6.89	3	Horizontal	212	1.50	-
5825MHz	Pass	PK	17.47678G	59.25	68.20	-8.95	3	Horizontal	242	2.29	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1432G	53.60	54.00	-0.40	3	Vertical	288	2.31	-
5190MHz	Pass	AV	5.1756G	108.45	Inf	-Inf	3	Vertical	288	2.31	-
5190MHz	Pass	PK	5.1424G	65.67	74.00	-8.33	3	Vertical	288	2.31	-
5190MHz	Pass	PK	5.1756G	119.12	Inf	-Inf	3	Vertical	288	2.31	-
5190MHz	Pass	AV	5.1496G	51.51	54.00	-2.49	3	Horizontal	317	1.55	-
5190MHz	Pass	AV	5.2024G	100.73	Inf	-Inf	3	Horizontal	317	1.55	-
5190MHz	Pass	PK	5.1476G	65.08	74.00	-8.92	3	Horizontal	317	1.55	-
5190MHz	Pass	PK	5.2072G	111.78	Inf	-Inf	3	Horizontal	317	1.55	-
5190MHz	Pass	AV	15.568G	46.76	54.00	-7.24	3	Vertical	224	1.50	-
5190MHz	Pass	PK	10.38G	66.56	68.20	-1.64	3	Vertical	257	1.50	-
5190MHz	Pass	PK	15.57288G	58.50	74.00	-15.50	3	Vertical	224	1.50	-
5190MHz	Pass	AV	15.57356G	46.33	54.00	-7.67	3	Horizontal	330	1.47	-
5190MHz	Pass	PK	10.38353G	63.63	68.20	-4.57	3	Horizontal	218	2.21	-
5190MHz	Pass	PK	15.57406G	58.14	74.00	-15.86	3	Horizontal	330	1.47	-
5230MHz	Pass	AV	5.1456G	48.18	54.00	-5.82	3	Vertical	82	1.50	-
5230MHz	Pass	AV	5.2324G	104.15	Inf	-Inf	3	Vertical	82	1.50	-
5230MHz	Pass	PK	5.1336G	61.44	74.00	-12.56	3	Vertical	82	1.50	-
5230MHz	Pass	PK	5.2312G	114.97	Inf	-Inf	3	Vertical	82	1.50	-
5230MHz	Pass	AV	5.1464G	49.61	54.00	-4.39	3	Horizontal	217	1.50	-
5230MHz	Pass	AV	5.212G	107.65	Inf	-Inf	3	Horizontal	217	1.50	-
5230MHz	Pass	PK	5.1484G	63.13	74.00	-10.87	3	Horizontal	217	1.50	-
5230MHz	Pass	PK	5.2132G	117.93	Inf	-Inf	3	Horizontal	217	1.50	-
5230MHz	Pass	AV	15.67464G	49.44	54.00	-4.56	3	Vertical	216	1.50	-
5230MHz	Pass	PK	10.46816G	67.01	68.20	-1.19	3	Vertical	244	1.94	-
5230MHz	Pass	PK	15.65048G	64.83	74.00	-9.17	3	Vertical	216	1.50	-
5230MHz	Pass	AV	15.68376G	51.10	54.00	-2.90	3	Horizontal	206	1.25	-
5230MHz	Pass	PK	10.4362G	68.09	68.20	-0.11	3	Horizontal	255	1.50	-
5230MHz	Pass	PK	15.68712G	64.70	74.00	-9.30	3	Horizontal	206	1.25	-
5270MHz	Pass	AV	5.2836G	105.62	Inf	-Inf	3	Vertical	88	1.49	-
5270MHz	Pass	AV	5.3544G	48.08	54.00	-5.92	3	Vertical	88	1.49	-
5270MHz	Pass	PK	5.2876G	116.64	Inf	-Inf	3	Vertical	88	1.49	-
5270MHz	Pass	PK	5.3584G	58.81	74.00	-15.19	3	Vertical	88	1.49	-
5270MHz	Pass	AV	5.2768G	103.35	Inf	-Inf	3	Horizontal	170	1.17	-
5270MHz	Pass	AV	5.3508G	47.68	54.00	-6.32	3	Horizontal	170	1.17	-
5270MHz	Pass	PK	5.2772G	114.72	Inf	-Inf	3	Horizontal	170	1.17	-
5270MHz	Pass	PK	5.3508G	60.05	74.00	-13.95	3	Horizontal	170	1.17	-
5270MHz	Pass	AV	15.81203G	48.17	54.00	-5.83	3	Vertical	222	1.93	-
5270MHz	Pass	PK	10.54657G	67.92	68.20	-0.28	3	Vertical	255	1.42	-
5270MHz	Pass	PK	15.81029G	64.95	74.00	-9.05	3	Vertical	222	1.93	-
5270MHz	Pass	AV	15.8119G	47.50	54.00	-6.50	3	Horizontal	310	1.30	-
5270MHz	Pass	PK	10.54855G	67.80	68.20	-0.40	3	Horizontal	246	1.50	-
5270MHz	Pass	PK	15.8092G	61.62	74.00	-12.38	3	Horizontal	310	1.30	-
5310MHz	Pass	AV	5.2924G	104.09	Inf	-Inf	3	Vertical	76	1.50	-
5310MHz	Pass	AV	5.3532G	50.48	54.00	-3.52	3	Vertical	76	1.50	-
5310MHz	Pass	PK	5.3236G	114.21	Inf	-Inf	3	Vertical	76	1.50	-
5310MHz	Pass	PK	5.3528G	62.32	74.00	-11.68	3	Vertical	76	1.50	-
5310MHz	Pass	AV	5.328G	100.92	Inf	-Inf	3	Horizontal	342	1.60	-
5310MHz	Pass	AV	5.35G	48.08	54.00	-5.92	3	Horizontal	342	1.60	-
5310MHz	Pass	PK	5.314G	110.96	Inf	-Inf	3	Horizontal	342	1.60	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	5.3548G	66.34	74.00	-7.66	3	Horizontal	342	1.60	-
5310MHz	Pass	AV	10.62165G	53.87	54.00	-0.13	3	Vertical	259	1.40	-
5310MHz	Pass	AV	15.92951G	45.16	54.00	-8.84	3	Vertical	0	1.50	-
5310MHz	Pass	PK	10.62151G	65.58	74.00	-8.42	3	Vertical	259	1.40	-
5310MHz	Pass	PK	15.92921G	57.70	74.00	-16.30	3	Vertical	0	1.50	-
5310MHz	Pass	AV	10.62381G	52.09	54.00	-1.91	3	Horizontal	259	1.54	-
5310MHz	Pass	AV	15.93245G	45.56	54.00	-8.44	3	Horizontal	233	2.45	-
5310MHz	Pass	PK	10.62474G	64.84	74.00	-9.16	3	Horizontal	259	1.54	-
5310MHz	Pass	PK	15.9296G	58.11	74.00	-15.89	3	Horizontal	233	2.45	-
5510MHz	Pass	AV	5.46G	51.74	54.00	-2.26	3	Vertical	74	2.33	-
5510MHz	Pass	AV	5.5032G	104.83	Inf	-Inf	3	Vertical	74	2.33	-
5510MHz	Pass	PK	5.466G	66.33	68.20	-1.87	3	Vertical	74	2.33	-
5510MHz	Pass	PK	5.4956G	116.42	Inf	-Inf	3	Vertical	74	2.33	-
5510MHz	Pass	AV	5.46G	53.54	54.00	-0.46	3	Horizontal	353	1.44	-
5510MHz	Pass	AV	5.5276G	105.61	Inf	-Inf	3	Horizontal	353	1.44	-
5510MHz	Pass	PK	5.4624G	67.48	68.20	-0.72	3	Horizontal	353	1.44	-
5510MHz	Pass	PK	5.5264G	115.73	Inf	-Inf	3	Horizontal	353	1.44	-
5510MHz	Pass	AV	11.01713G	53.79	54.00	-0.21	3	Vertical	287	1.86	-
5510MHz	Pass	PK	11.02277G	66.70	74.00	-7.30	3	Vertical	287	1.86	-
5510MHz	Pass	PK	16.53412G	58.78	68.20	-9.42	3	Vertical	358	1.50	-
5510MHz	Pass	AV	11.02035G	52.21	54.00	-1.79	3	Horizontal	299	1.38	-
5510MHz	Pass	PK	11.01701G	64.18	74.00	-9.82	3	Horizontal	299	1.38	-
5510MHz	Pass	PK	16.52806G	58.50	68.20	-9.70	3	Horizontal	322	1.32	-
5550MHz	Pass	AV	5.4564G	47.70	54.00	-6.30	3	Vertical	81	1.50	-
5550MHz	Pass	AV	5.5404G	104.86	Inf	-Inf	3	Vertical	81	1.50	-
5550MHz	Pass	PK	5.466G	58.38	68.20	-9.82	3	Vertical	81	1.50	-
5550MHz	Pass	PK	5.5432G	116.09	Inf	-Inf	3	Vertical	81	1.50	-
5550MHz	Pass	AV	5.46G	47.38	54.00	-6.62	3	Horizontal	360	1.69	-
5550MHz	Pass	AV	5.5584G	102.12	Inf	-Inf	3	Horizontal	360	1.69	-
5550MHz	Pass	PK	5.462G	59.33	68.20	-8.87	3	Horizontal	360	1.69	-
5550MHz	Pass	PK	5.5556G	112.76	Inf	-Inf	3	Horizontal	360	1.69	-
5550MHz	Pass	AV	11.09984G	53.59	54.00	-0.41	3	Vertical	291	1.76	-
5550MHz	Pass	PK	11.09974G	68.81	74.00	-5.19	3	Vertical	291	1.76	-
5550MHz	Pass	PK	16.64556G	58.09	68.20	-10.11	3	Vertical	178	1.00	-
5550MHz	Pass	AV	11.10002G	51.36	54.00	-2.64	3	Horizontal	222	1.54	-
5550MHz	Pass	PK	11.0965G	66.14	74.00	-7.86	3	Horizontal	222	1.54	-
5550MHz	Pass	PK	16.65312G	58.84	68.20	-9.36	3	Horizontal	85	1.34	-
5670MHz	Pass	AV	5.6676G	102.24	Inf	-Inf	3	Vertical	77	1.26	-
5670MHz	Pass	PK	5.673G	112.99	Inf	-Inf	3	Vertical	77	1.26	-
5670MHz	Pass	PK	5.7258G	59.95	68.20	-8.25	3	Vertical	77	1.26	-
5670MHz	Pass	AV	5.679G	107.21	Inf	-Inf	3	Horizontal	1	1.49	-
5670MHz	Pass	PK	5.676G	116.93	Inf	-Inf	3	Horizontal	1	1.49	-
5670MHz	Pass	PK	5.7348G	59.68	68.20	-8.52	3	Horizontal	1	1.49	-
5670MHz	Pass	AV	11.33716G	51.25	54.00	-2.75	3	Vertical	270	1.50	-
5670MHz	Pass	PK	11.3384G	64.56	74.00	-9.44	3	Vertical	270	1.50	-
5670MHz	Pass	PK	17.00886G	58.50	68.20	-9.70	3	Vertical	44	1.27	-
5670MHz	Pass	AV	11.33978G	53.62	54.00	-0.38	3	Horizontal	315	1.33	-
5670MHz	Pass	PK	11.33798G	67.36	74.00	-6.64	3	Horizontal	315	1.33	-
5670MHz	Pass	PK	17.0043G	58.81	68.20	-9.39	3	Horizontal	202	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4268G	46.81	54.00	-7.19	3	Vertical	74	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	103.48	Inf	-Inf	3	Vertical	74	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	57.55	68.20	-10.65	3	Vertical	74	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	112.15	Inf	-Inf	3	Vertical	74	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	59.86	68.20	-8.34	3	Vertical	74	2.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4196G	46.25	54.00	-7.75	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	99.67	Inf	-Inf	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	56.75	68.20	-11.45	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	111.10	Inf	-Inf	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	60.02	68.20	-8.18	3	Horizontal	354	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41571G	53.52	54.00	-0.48	3	Vertical	281	2.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41279G	66.85	74.00	-7.15	3	Vertical	281	2.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1203G	60.38	68.20	-7.82	3	Vertical	214	1.32	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41067G	64.53	74.00	-9.47	3	Horizontal	276	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42099G	50.42	54.00	-3.58	3	Horizontal	276	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1297G	60.59	68.20	-7.61	3	Horizontal	324	2.30	-
5755MHz	Pass	AV	5.7478G	103.40	Inf	-Inf	3	Vertical	75	2.28	-
5755MHz	Pass	PK	5.605G	62.33	68.20	-5.87	3	Vertical	75	2.28	-
5755MHz	Pass	PK	5.7538G	115.11	Inf	-Inf	3	Vertical	75	2.28	-
5755MHz	Pass	PK	5.9554G	59.93	68.20	-8.27	3	Vertical	75	2.28	-
5755MHz	Pass	AV	5.773G	108.30	Inf	-Inf	3	Horizontal	352	1.50	-
5755MHz	Pass	PK	5.569G	59.98	68.20	-8.22	3	Horizontal	352	1.50	-
5755MHz	Pass	PK	5.7718G	117.53	Inf	-Inf	3	Horizontal	352	1.50	-
5755MHz	Pass	PK	5.9722G	59.80	68.20	-8.40	3	Horizontal	352	1.50	-
5755MHz	Pass	AV	11.50594G	51.67	54.00	-2.33	3	Vertical	267	1.71	-
5755MHz	Pass	PK	11.5115G	64.01	74.00	-9.99	3	Vertical	267	1.71	-
5755MHz	Pass	PK	17.2656G	60.17	68.20	-8.03	3	Vertical	277	1.56	-
5755MHz	Pass	AV	11.5059G	53.78	54.00	-0.22	3	Horizontal	315	1.50	-
5755MHz	Pass	PK	11.50642G	67.23	74.00	-6.77	3	Horizontal	315	1.50	-
5755MHz	Pass	PK	17.26302G	60.28	68.20	-7.92	3	Horizontal	202	1.50	-
5795MHz	Pass	AV	5.777G	106.45	Inf	-Inf	3	Vertical	91	1.50	-
5795MHz	Pass	PK	5.6234G	59.81	68.20	-8.39	3	Vertical	91	1.50	-
5795MHz	Pass	PK	5.7878G	113.36	Inf	-Inf	3	Vertical	91	1.50	-
5795MHz	Pass	PK	5.9474G	60.46	68.20	-7.74	3	Vertical	91	1.50	-
5795MHz	Pass	AV	5.7782G	106.53	Inf	-Inf	3	Horizontal	349	1.52	-
5795MHz	Pass	PK	5.579G	59.32	68.20	-8.88	3	Horizontal	349	1.52	-
5795MHz	Pass	PK	5.7782G	116.32	Inf	-Inf	3	Horizontal	349	1.52	-
5795MHz	Pass	PK	5.9834G	59.64	68.20	-8.56	3	Horizontal	349	1.52	-
5795MHz	Pass	AV	11.59181G	52.17	54.00	-1.83	3	Vertical	277	1.50	-
5795MHz	Pass	PK	11.59475G	65.37	74.00	-8.63	3	Vertical	277	1.50	-
5795MHz	Pass	PK	17.38542G	59.48	68.20	-8.72	3	Vertical	338	1.87	-
5795MHz	Pass	AV	11.59895G	53.89	54.00	-0.11	3	Horizontal	304	1.50	-
5795MHz	Pass	PK	11.60035G	66.53	74.00	-7.47	3	Horizontal	304	1.50	-
5795MHz	Pass	PK	17.3856G	59.02	68.20	-9.18	3	Horizontal	14	1.07	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.745G	102.16	Inf	-Inf	3	Vertical	281	2.97	-
5210MHz	Pass	PK	5.619G	59.30	68.20	-8.90	3	Vertical	281	2.97	-
5210MHz	Pass	PK	5.7906G	110.38	Inf	-Inf	3	Vertical	281	2.97	-
5210MHz	Pass	PK	5.925G	59.80	68.20	-8.40	3	Vertical	281	2.97	-
5210MHz	Pass	AV	5.793G	99.67	Inf	-Inf	3	Horizontal	5	2.75	-
5210MHz	Pass	PK	5.6466G	60.13	68.20	-8.07	3	Horizontal	5	2.75	-
5210MHz	Pass	PK	5.7942G	110.07	Inf	-Inf	3	Horizontal	5	2.75	-
5210MHz	Pass	PK	5.937G	60.62	68.20	-7.58	3	Horizontal	5	2.75	-
5210MHz	Pass	AV	11.48639G	51.30	54.00	-2.70	3	Vertical	278	2.47	-
5210MHz	Pass	PK	11.48702G	66.51	74.00	-7.49	3	Vertical	278	2.47	-
5210MHz	Pass	PK	17.32716G	59.28	68.20	-8.92	3	Vertical	241	1.61	-
5210MHz	Pass	AV	11.48777G	53.58	54.00	-0.42	3	Horizontal	297	2.40	-
5210MHz	Pass	PK	11.48612G	67.65	74.00	-6.35	3	Horizontal	297	2.40	-
5210MHz	Pass	PK	17.3266G	58.67	68.20	-9.53	3	Horizontal	256	1.32	-
5290MHz	Pass	AV	5.126G	49.16	54.00	-4.84	3	Vertical	241	1.97	-
5290MHz	Pass	AV	5.266G	104.05	Inf	-Inf	3	Vertical	241	1.97	-
5290MHz	Pass	AV	5.35G	50.22	54.00	-3.78	3	Vertical	241	1.97	-
5290MHz	Pass	PK	5.132G	59.54	74.00	-14.46	3	Vertical	241	1.97	-
5290MHz	Pass	PK	5.285G	112.55	Inf	-Inf	3	Vertical	241	1.97	-
5290MHz	Pass	PK	5.484G	60.74	68.20	-7.46	3	Vertical	241	1.97	-
5290MHz	Pass	AV	5.147G	48.86	54.00	-5.14	3	Horizontal	352	2.04	-
5290MHz	Pass	AV	5.265G	106.04	Inf	-Inf	3	Horizontal	352	2.04	-
5290MHz	Pass	AV	5.35G	51.17	54.00	-2.83	3	Horizontal	352	2.04	-
5290MHz	Pass	PK	5.081G	59.55	74.00	-14.45	3	Horizontal	352	2.04	-
5290MHz	Pass	PK	5.292G	114.09	Inf	-Inf	3	Horizontal	352	2.04	-
5290MHz	Pass	PK	5.467G	58.86	68.20	-9.34	3	Horizontal	352	2.04	-
5290MHz	Pass	AV	15.8706G	45.78	54.00	-8.22	3	Vertical	293	1.16	-
5290MHz	Pass	PK	10.52127G	66.09	68.20	-2.11	3	Vertical	250	1.82	-
5290MHz	Pass	PK	15.8712G	57.91	74.00	-16.09	3	Vertical	293	1.16	-
5290MHz	Pass	AV	15.874G	45.75	54.00	-8.25	3	Horizontal	88	1.96	-



RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	10.52356G	67.93	68.20	-0.27	3	Horizontal	229	1.50	-
5290MHz	Pass	PK	15.8728G	57.69	74.00	-16.31	3	Horizontal	88	1.96	-
5530MHz	Pass	AV	5.46G	53.17	54.00	-0.83	3	Vertical	74	1.50	-
5530MHz	Pass	AV	5.502G	102.68	Inf	-Inf	3	Vertical	74	1.50	-
5530MHz	Pass	PK	5.47G	65.45	68.20	-2.75	3	Vertical	74	1.50	-
5530MHz	Pass	PK	5.539G	111.81	Inf	-Inf	3	Vertical	74	1.50	-
5530MHz	Pass	PK	5.729G	58.45	68.20	-9.75	3	Vertical	74	1.50	-
5530MHz	Pass	AV	5.46G	51.60	54.00	-2.40	3	Horizontal	359	1.50	-
5530MHz	Pass	AV	5.506G	104.35	Inf	-Inf	3	Horizontal	359	1.50	-
5530MHz	Pass	PK	5.464G	62.50	68.20	-5.70	3	Horizontal	359	1.50	-
5530MHz	Pass	PK	5.558G	114.32	Inf	-Inf	3	Horizontal	359	1.50	-
5530MHz	Pass	PK	5.757G	58.73	68.20	-9.47	3	Horizontal	359	1.50	-
5530MHz	Pass	AV	10.99842G	53.22	54.00	-0.78	3	Vertical	248	1.50	-
5530MHz	Pass	PK	10.99834G	67.73	74.00	-6.27	3	Vertical	248	1.50	-
5530MHz	Pass	PK	16.58526G	58.22	68.20	-9.98	3	Vertical	341	2.46	-
5530MHz	Pass	AV	10.99753G	53.27	54.00	-0.73	3	Horizontal	323	2.44	-
5530MHz	Pass	PK	10.99837G	66.58	74.00	-7.42	3	Horizontal	323	2.44	-
5530MHz	Pass	PK	16.58634G	59.02	68.20	-9.18	3	Horizontal	46	2.04	-
5610MHz	Pass	AV	5.448G	47.96	54.00	-6.04	3	Vertical	86	1.50	-
5610MHz	Pass	AV	5.622G	101.75	Inf	-Inf	3	Vertical	86	1.50	-
5610MHz	Pass	PK	5.47G	58.39	68.20	-9.81	3	Vertical	86	1.50	-
5610MHz	Pass	PK	5.612G	112.39	Inf	-Inf	3	Vertical	86	1.50	-
5610MHz	Pass	PK	5.725G	62.18	68.20	-6.02	3	Vertical	86	1.50	-
5610MHz	Pass	AV	5.439G	46.93	54.00	-7.07	3	Horizontal	335	2.02	-
5610MHz	Pass	AV	5.581G	100.18	Inf	-Inf	3	Horizontal	335	2.02	-
5610MHz	Pass	PK	5.465G	58.28	68.20	-9.92	3	Horizontal	335	2.02	-
5610MHz	Pass	PK	5.579G	110.34	Inf	-Inf	3	Horizontal	335	2.02	-
5610MHz	Pass	PK	5.86G	59.33	68.20	-8.87	3	Horizontal	335	2.02	-
5610MHz	Pass	AV	11.15502G	51.52	54.00	-2.48	3	Vertical	243	1.30	-
5610MHz	Pass	PK	11.15485G	68.06	74.00	-5.94	3	Vertical	243	1.30	-
5610MHz	Pass	PK	16.8124G	59.10	68.20	-9.10	3	Vertical	269	1.74	-
5610MHz	Pass	AV	11.16077G	53.86	54.00	-0.14	3	Horizontal	1.48	315	-
5610MHz	Pass	PK	11.16041G	68.74	74.00	-5.26	3	Horizontal	1.48	315	-
5610MHz	Pass	PK	16.83544G	59.34	68.20	-8.86	3	Horizontal	35	1.53	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.83	54.00	-7.17	3	Vertical	2	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6624G	103.43	Inf	-Inf	3	Vertical	2	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.50	68.20	-11.70	3	Vertical	2	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	109.61	Inf	-Inf	3	Vertical	2	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	59.33	68.20	-8.87	3	Vertical	2	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.64	54.00	-7.36	3	Horizontal	1	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	102.85	Inf	-Inf	3	Horizontal	1	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.34	68.20	-10.86	3	Horizontal	1	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6564G	113.96	Inf	-Inf	3	Horizontal	1	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	60.05	68.20	-8.15	3	Horizontal	1	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.31626G	51.16	54.00	-2.84	3	Vertical	277	2.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.31708G	67.12	74.00	-6.88	3	Vertical	277	2.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	16.99768G	59.28	68.20	-8.92	3	Vertical	196	1.52	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.31856G	53.84	54.00	-0.16	3	Horizontal	326	1.16	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.31818G	69.31	74.00	-4.69	3	Horizontal	326	1.16	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.12696G	59.98	68.20	-8.22	3	Horizontal	96	1.17	-
5775MHz	Pass	AV	5.745G	102.16	Inf	-Inf	3	Vertical	281	2.97	-
5775MHz	Pass	PK	5.619G	59.30	68.20	-8.90	3	Vertical	281	2.97	-
5775MHz	Pass	PK	5.7906G	110.38	Inf	-Inf	3	Vertical	281	2.97	-
5775MHz	Pass	PK	5.925G	59.80	68.20	-8.40	3	Vertical	281	2.97	-
5775MHz	Pass	AV	5.793G	99.67	Inf	-Inf	3	Horizontal	5	2.75	-
5775MHz	Pass	PK	5.6466G	60.13	68.20	-8.07	3	Horizontal	5	2.75	-
5775MHz	Pass	PK	5.7942G	110.07	Inf	-Inf	3	Horizontal	5	2.75	-
5775MHz	Pass	PK	5.937G	60.62	68.20	-7.58	3	Horizontal	5	2.75	-
5775MHz	Pass	AV	11.48639G	51.30	54.00	-2.70	3	Vertical	278	2.47	-
5775MHz	Pass	PK	11.48702G	66.51	74.00	-7.49	3	Vertical	278	2.47	-
5775MHz	Pass	PK	17.32716G	59.28	68.20	-8.92	3	Vertical	241	1.61	-
5775MHz	Pass	AV	11.48777G	53.58	54.00	-0.42	3	Horizontal	297	2.40	-




RSE TX above 1GHz_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.48612G	67.65	74.00	-6.35	3	Horizontal	297	2.40	-
5775MHz	Pass	PK	17.3266G	58.67	68.20	-9.53	3	Horizontal	256	1.32	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.144G	49.89	54.00	-4.11	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.183G	101.11	Inf	-Inf	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.382G	46.94	54.00	-7.06	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.126G	69.25	74.00	-4.75	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.173G	107.96	Inf	-Inf	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.498G	58.28	68.20	-9.92	3	Vertical	289	2.02	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.134G	49.71	54.00	-4.29	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.178G	95.72	Inf	-Inf	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.397G	46.80	54.00	-7.20	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.135G	73.60	74.00	-0.40	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.187G	108.08	Inf	-Inf	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.375G	64.71	74.00	-9.29	3	Horizontal	171	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74628G	46.13	54.00	-7.87	3	Vertical	69	2.42	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50192G	55.41	68.20	-12.79	3	Vertical	280	2.48	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75376G	57.69	74.00	-16.31	3	Vertical	69	2.42	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75354G	46.32	54.00	-7.68	3	Horizontal	114	1.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52112G	55.39	68.20	-12.81	3	Horizontal	222	2.94	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75058G	57.77	74.00	-16.23	3	Horizontal	114	1.16	-
5570MHz	Pass	AV	5.426G	48.05	54.00	-5.95	3	Vertical	48	1.42	-
5570MHz	Pass	AV	5.5928G	94.03	Inf	-Inf	3	Vertical	48	1.42	-
5570MHz	Pass	PK	5.4644G	64.16	68.20	-4.04	3	Vertical	48	1.42	-
5570MHz	Pass	PK	5.5916G	105.63	Inf	-Inf	3	Vertical	48	1.42	-
5570MHz	Pass	PK	5.7272G	61.71	68.20	-6.49	3	Vertical	48	1.42	-
5570MHz	Pass	AV	5.456G	51.02	54.00	-2.98	3	Horizontal	360	1.68	-
5570MHz	Pass	AV	5.504G	100.84	Inf	-Inf	3	Horizontal	360	1.68	-
5570MHz	Pass	PK	5.4632G	67.66	68.20	-0.54	3	Horizontal	360	1.68	-
5570MHz	Pass	PK	5.4968G	108.99	Inf	-Inf	3	Horizontal	360	1.68	-
5570MHz	Pass	PK	5.7272G	61.28	68.20	-6.92	3	Horizontal	360	1.68	-
5570MHz	Pass	AV	10.996G	46.59	54.00	-7.41	3	Vertical	244	2.19	-
5570MHz	Pass	PK	10.99754G	56.78	74.00	-17.22	3	Vertical	244	2.19	-
5570MHz	Pass	PK	16.7105G	58.45	68.20	-9.75	3	Vertical	215	2.34	-
5570MHz	Pass	AV	10.99728G	46.75	54.00	-7.25	3	Horizontal	305	1.50	-
5570MHz	Pass	PK	10.9975G	57.07	74.00	-16.93	3	Horizontal	305	1.50	-
5570MHz	Pass	PK	16.70612G	57.86	68.20	-10.34	3	Horizontal	165	2.00	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.53	54.00	-2.47	5.21	3	Vertical	312	2.05	-	46.32	33.10	6.87	34.76
AV	5.1882G	110.79	Inf	-Inf	5.31	3	Vertical	312	2.05	-	105.48	33.18	6.89	34.76
PK	5.1388G	62.92	74.00	-11.08	5.19	3	Vertical	312	2.05	-	57.73	33.08	6.87	34.76
PK	5.1852G	121.70	Inf	-Inf	5.29	3	Vertical	312	2.05	-	116.41	33.17	6.88	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.22	54.00	-0.78	5.21	3	Horizontal	179	2.22	-	48.01	33.10	6.87	34.76
AV	5.1712G	111.31	Inf	-Inf	5.26	3	Horizontal	179	2.22	-	106.05	33.14	6.88	34.76
PK	5.1394G	64.92	74.00	-9.08	5.19	3	Horizontal	179	2.22	-	59.73	33.08	6.87	34.76
PK	5.171G	121.51	Inf	-Inf	5.26	3	Horizontal	179	2.22	-	116.25	33.14	6.88	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54632G	51.19	54.00	-2.81	15.50	3	Vertical	217	2.05	-	35.69	38.32	12.11	34.93
PK	10.36336G	66.16	68.20	-2.04	12.53	3	Vertical	257	1.44	-	53.63	38.57	8.99	35.03
PK	15.54128G	62.77	74.00	-11.23	15.53	3	Vertical	217	2.05	-	47.24	38.35	12.10	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5424G	51.13	54.00	-2.87	15.53	3	Horizontal	305	1.40	-	35.60	38.35	12.10	34.92
PK	10.34456G	67.82	68.20	-0.38	12.55	3	Horizontal	265	1.50	-	55.27	38.61	8.98	35.04
PK	15.54024G	61.73	74.00	-12.27	15.54	3	Horizontal	305	1.40	-	46.19	38.36	12.10	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.19	54.00	-4.81	5.21	3	Vertical	288	2.06	-	43.98	33.10	6.87	34.76
AV	5.2012G	108.64	Inf	-Inf	5.33	3	Vertical	288	2.06	-	103.31	33.20	6.89	34.76
PK	5.1404G	60.34	74.00	-13.66	5.19	3	Vertical	288	2.06	-	55.15	33.08	6.87	34.76
PK	5.2068G	119.61	Inf	-Inf	5.33	3	Vertical	288	2.06	-	114.28	33.19	6.90	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.36	54.00	-5.64	5.20	3	Horizontal	216	1.91	-	43.16	33.09	6.87	34.76
AV	5.1956G	107.58	Inf	-Inf	5.32	3	Horizontal	216	1.91	-	102.26	33.19	6.89	34.76
PK	5.1088G	58.86	74.00	-15.14	5.11	3	Horizontal	216	1.91	-	53.75	33.02	6.85	34.76
PK	5.1932G	118.34	Inf	-Inf	5.32	3	Horizontal	216	1.91	-	113.02	33.19	6.89	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5964G	50.13	54.00	-3.87	15.22	3	Vertical	224	1.50	-	34.91	38.02	12.16	34.96
PK	10.4152G	67.96	68.20	-0.24	12.55	3	Vertical	256	1.37	-	55.41	38.52	9.01	34.98
PK	15.5933G	70.12	74.00	-3.88	15.25	3	Vertical	224	1.50	-	54.87	38.04	12.16	34.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5966G	49.67	54.00	-4.33	15.22	3	Horizontal	326	1.27	-	34.45	38.02	12.16	34.96
PK	10.4018G	67.80	68.20	-0.40	12.51	3	Horizontal	206	2.85	-	55.29	38.50	9.00	34.99
PK	15.5952G	68.05	74.00	-5.95	15.23	3	Horizontal	326	1.27	-	52.82	38.03	12.16	34.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.65	54.00	-6.35	5.21	3	Vertical	72	1.50	-	42.44	33.10	6.87	34.76
AV	5.2436G	108.35	Inf	-Inf	5.29	3	Vertical	72	1.50	-	103.06	33.11	6.94	34.76
AV	5.3822G	47.26	54.00	-6.74	5.22	3	Vertical	72	1.50	-	42.04	32.89	7.10	34.77
PK	5.1374G	58.04	74.00	-15.96	5.17	3	Vertical	72	1.50	-	52.87	33.07	6.86	34.76
PK	5.2418G	119.42	Inf	-Inf	5.30	3	Vertical	72	1.50	-	114.12	33.12	6.94	34.76
PK	5.3738G	57.73	74.00	-16.27	5.16	3	Vertical	72	1.50	-	52.57	32.84	7.09	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.95	54.00	-6.05	5.21	3	Horizontal	185	1.48	-	42.74	33.10	6.87	34.76
AV	5.2484G	107.89	Inf	-Inf	5.29	3	Horizontal	185	1.48	-	102.60	33.10	6.95	34.76
AV	5.3714G	46.71	54.00	-7.29	5.15	3	Horizontal	185	1.48	-	41.56	32.83	7.09	34.77
PK	5.1332G	58.87	74.00	-15.13	5.17	3	Horizontal	185	1.48	-	53.70	33.07	6.86	34.76
PK	5.2484G	117.51	Inf	-Inf	5.29	3	Horizontal	185	1.48	-	112.22	33.10	6.95	34.76
PK	5.3774G	57.60	74.00	-16.40	5.18	3	Horizontal	185	1.48	-	52.42	32.86	7.09	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70816G	47.99	54.00	-6.01	15.34	3	Vertical	226	2.27	-	32.65	38.09	12.27	35.02
PK	10.46616G	67.61	68.20	-0.59	12.66	3	Vertical	266	1.50	-	54.95	38.57	9.02	34.93
PK	15.7128G	63.20	74.00	-10.80	15.34	3	Vertical	226	2.27	-	47.86	38.09	12.27	35.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71096G	46.66	54.00	-7.34	15.34	3	Horizontal	295	1.50	-	31.32	38.09	12.27	35.02
PK	10.47824G	67.42	68.20	-0.78	12.69	3	Horizontal	222	2.24	-	54.73	38.58	9.03	34.92
PK	15.72368G	58.29	74.00	-15.71	15.34	3	Horizontal	295	1.50	-	42.95	38.08	12.29	35.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1466G	47.62	54.00	-6.38	5.20	3	Vertical	73	1.54	-	42.42	33.09	6.87	34.76
AV	5.2516G	108.78	Inf	-Inf	5.27	3	Vertical	73	1.54	-	103.51	33.09	6.95	34.77
AV	5.3518G	47.74	54.00	-6.26	5.00	3	Vertical	73	1.54	-	42.74	32.71	7.06	34.77
PK	5.1346G	57.83	74.00	-16.17	5.17	3	Vertical	73	1.54	-	52.66	33.07	6.86	34.76
PK	5.2558G	118.97	Inf	-Inf	5.26	3	Vertical	73	1.54	-	113.71	33.08	6.95	34.77
PK	5.3524G	58.40	74.00	-15.60	5.01	3	Vertical	73	1.54	-	53.39	32.71	7.07	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1226G	47.85	54.00	-6.15	5.15	3	Horizontal	184	2.31	-	42.70	33.05	6.86	34.76
AV	5.251G	109.51	Inf	-Inf	5.28	3	Horizontal	184	2.31	-	104.23	33.10	6.95	34.77
AV	5.3518G	47.21	54.00	-6.79	5.00	3	Horizontal	184	2.31	-	42.21	32.71	7.06	34.77
PK	5.1424G	58.53	74.00	-15.47	5.19	3	Horizontal	184	2.31	-	53.34	33.08	6.87	34.76
PK	5.251G	118.45	Inf	-Inf	5.28	3	Horizontal	184	2.31	-	113.17	33.10	6.95	34.77
PK	5.386G	57.95	74.00	-16.05	5.25	3	Horizontal	184	2.31	-	52.70	32.92	7.10	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77536G	47.56	54.00	-6.44	15.30	3	Vertical	222	1.50	-	32.26	38.02	12.34	35.06
PK	10.5208G	67.84	68.20	-0.36	12.81	3	Vertical	248	1.98	-	55.03	38.66	9.04	34.89
PK	15.7724G	67.16	74.00	-6.84	15.30	3	Vertical	222	1.50	-	51.86	38.03	12.33	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76312G	47.04	54.00	-6.96	15.31	3	Horizontal	210	1.50	-	31.73	38.04	12.32	35.05
PK	10.51792G	67.67	68.20	-0.53	12.80	3	Horizontal	212	2.23	-	54.87	38.65	9.04	34.89
PK	15.7612G	61.22	74.00	-12.78	15.31	3	Horizontal	210	1.50	-	45.91	38.04	12.32	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	106.65	Inf	-Inf	5.11	3	Vertical	68	1.50	-	101.54	32.87	7.01	34.77
AV	5.3552G	47.77	54.00	-6.23	5.03	3	Vertical	68	1.50	-	42.74	32.73	7.07	34.77
PK	5.3084G	117.94	Inf	-Inf	5.11	3	Vertical	68	1.50	-	112.83	32.87	7.01	34.77
PK	5.398G	58.89	74.00	-15.11	5.34	3	Vertical	68	1.50	-	53.55	32.99	7.12	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	107.32	Inf	-Inf	5.11	3	Horizontal	170	1.50	-	102.21	32.86	7.02	34.77
AV	5.3672G	47.09	54.00	-6.91	5.11	3	Horizontal	170	1.50	-	41.98	32.80	7.08	34.77
PK	5.3068G	117.44	Inf	-Inf	5.11	3	Horizontal	170	1.50	-	112.33	32.87	7.01	34.77
PK	5.3712G	58.36	74.00	-15.64	5.15	3	Horizontal	170	1.50	-	53.21	32.83	7.09	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60096G	53.78	54.00	-0.22	13.10	3	Vertical	250	1.95	-	40.68	38.90	9.07	34.87
AV	15.88208G	46.19	54.00	-7.81	14.99	3	Vertical	94	1.18	-	31.20	37.67	12.44	35.12
PK	10.60104G	69.04	74.00	-4.96	13.10	3	Vertical	250	1.95	-	55.94	38.90	9.07	34.87
PK	15.8884G	57.65	74.00	-16.35	14.97	3	Vertical	94	1.18	-	42.68	37.65	12.45	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60696G	52.38	54.00	-1.62	13.11	3	Horizontal	313	1.50	-	39.27	38.91	9.07	34.87
AV	15.89312G	46.42	54.00	-7.58	14.95	3	Horizontal	205	1.49	-	31.47	37.63	12.45	35.13
PK	10.60688G	67.95	74.00	-6.05	13.11	3	Horizontal	313	1.50	-	54.84	38.91	9.07	34.87
PK	15.9056G	58.78	74.00	-15.22	14.93	3	Horizontal	205	1.49	-	43.85	37.60	12.47	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	107.85	Inf	-Inf	5.10	3	Vertical	74	1.46	-	102.75	32.85	7.02	34.77
AV	5.3568G	48.22	54.00	-5.78	5.04	3	Vertical	74	1.46	-	43.18	32.74	7.07	34.77
PK	5.3116G	118.31	Inf	-Inf	5.10	3	Vertical	74	1.46	-	113.21	32.85	7.02	34.77
PK	5.3508G	58.97	74.00	-15.03	4.99	3	Vertical	74	1.46	-	53.98	32.70	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	106.51	Inf	-Inf	5.11	3	Horizontal	204	1.50	-	101.40	32.86	7.02	34.77
AV	5.3606G	47.12	54.00	-6.88	5.06	3	Horizontal	204	1.50	-	42.06	32.76	7.07	34.77
PK	5.3114G	115.86	Inf	-Inf	5.10	3	Horizontal	204	1.50	-	110.76	32.85	7.02	34.77
PK	5.3624G	58.45	74.00	-15.55	5.08	3	Horizontal	204	1.50	-	53.37	32.77	7.08	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6372G	52.00	54.00	-2.00	13.19	3	Vertical	239	1.54	-	38.81	38.97	9.08	34.86
AV	15.97448G	46.16	54.00	-7.84	14.95	3	Vertical	68	1.49	-	31.21	37.60	12.53	35.18
PK	10.63752G	63.99	74.00	-10.01	13.20	3	Vertical	239	1.54	-	50.79	38.98	9.08	34.86
PK	15.96688G	57.27	74.00	-16.73	14.96	3	Vertical	68	1.49	-	42.31	37.60	12.53	35.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63888G	53.42	54.00	-0.58	13.20	3	Horizontal	216	1.92	-	40.22	38.98	9.08	34.86
AV	15.9728G	46.19	54.00	-7.81	14.96	3	Horizontal	108	1.10	-	31.23	37.60	12.53	35.17
PK	10.63976G	64.72	74.00	-9.28	13.20	3	Horizontal	216	1.92	-	51.52	38.98	9.08	34.86
PK	15.96704G	57.64	74.00	-16.36	14.96	3	Horizontal	108	1.10	-	42.68	37.60	12.53	35.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.06	54.00	-5.94	5.13	3	Vertical	71	1.54	-	42.93	32.82	7.08	34.77
AV	5.5056G	106.98	Inf	-Inf	5.19	3	Vertical	71	1.54	-	101.79	32.91	7.05	34.77
PK	5.4694G	59.43	68.20	-8.77	5.14	3	Vertical	71	1.54	-	54.29	32.84	7.07	34.77
PK	5.5026G	117.73	Inf	-Inf	5.19	3	Vertical	71	1.54	-	112.54	32.91	7.05	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	47.38	54.00	-6.62	5.13	3	Horizontal	158	1.09	-	42.25	32.82	7.08	34.77
AV	5.509G	103.90	Inf	-Inf	5.20	3	Horizontal	158	1.09	-	98.70	32.92	7.05	34.77
PK	5.4648G	59.07	68.20	-9.13	5.14	3	Horizontal	158	1.09	-	53.93	32.83	7.08	34.77
PK	5.4994G	113.54	Inf	-Inf	5.19	3	Horizontal	158	1.09	-	108.35	32.90	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99992G	52.53	54.00	-1.47	13.16	3	Vertical	291	1.96	-	39.37	38.70	9.20	34.74
PK	10.99832G	64.75	74.00	-9.25	13.16	3	Vertical	291	1.96	-	51.59	38.70	9.20	34.74
PK	16.5004G	59.51	68.20	-8.69	16.47	3	Vertical	273	1.83	-	43.04	38.70	12.71	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00096G	53.79	54.00	-0.21	13.16	3	Horizontal	314	1.42	-	40.63	38.70	9.20	34.74
PK	10.99976G	65.16	74.00	-8.84	13.16	3	Horizontal	314	1.42	-	52.00	38.70	9.20	34.74
PK	16.50368G	59.38	68.20	-8.82	16.47	3	Horizontal	220	1.49	-	42.91	38.69	12.71	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4378G	46.65	54.00	-7.35	5.18	3	Vertical	71.9	1.54	-	41.47	32.85	7.10	34.77
AV	5.5794G	105.85	Inf	-Inf	5.23	3	Vertical	71.9	1.54	-	100.62	33.00	7.00	34.77
PK	5.4666G	57.48	68.20	-10.72	5.14	3	Vertical	71.9	1.54	-	52.34	32.83	7.08	34.77
PK	5.5764G	116.05	Inf	-Inf	5.24	3	Vertical	71.9	1.54	-	110.81	33.00	7.01	34.77
PK	5.7282G	57.86	68.20	-10.34	5.68	3	Vertical	71.9	1.54	-	52.18	33.51	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4384G	46.49	54.00	-7.51	5.18	3	Horizontal	339	1.50	-	41.31	32.85	7.10	34.77
AV	5.5716G	106.32	Inf	-Inf	5.24	3	Horizontal	339	1.50	-	101.08	33.00	7.01	34.77
PK	5.4648G	57.22	68.20	-10.98	5.14	3	Horizontal	339	1.50	-	52.08	32.83	7.08	34.77
PK	5.5716G	116.43	Inf	-Inf	5.24	3	Horizontal	339	1.50	-	111.19	33.00	7.01	34.77
PK	5.73G	57.17	68.20	-11.03	5.69	3	Horizontal	339	1.50	-	51.48	33.52	6.94	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	107.87	Inf	-Inf	5.51	3	Vertical	70	1.56	-	102.36	33.33	6.95	34.77
PK	5.6916G	118.73	Inf	-Inf	5.51	3	Vertical	70	1.56	-	113.22	33.33	6.95	34.77
PK	5.73G	60.08	68.20	-8.12	5.69	3	Vertical	70	1.56	-	54.39	33.52	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	107.34	Inf	-Inf	5.52	3	Horizontal	349	1.31	-	101.82	33.34	6.95	34.77
PK	5.6944G	118.47	Inf	-Inf	5.54	3	Horizontal	349	1.31	-	112.93	33.36	6.95	34.77
PK	5.7256G	67.82	68.20	-0.38	5.67	3	Horizontal	349	1.31	-	62.15	33.50	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40072G	51.47	54.00	-2.53	13.59	3	Vertical	276	2.73	-	37.88	38.90	9.33	34.64
PK	11.39976G	63.07	74.00	-10.93	13.59	3	Vertical	276	2.73	-	49.48	38.90	9.33	34.64
PK	17.08432G	59.76	68.20	-8.44	16.82	3	Vertical	225	1.92	-	42.94	38.00	12.87	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39328G	53.81	54.00	-0.19	13.59	3	Horizontal	304	1.49	-	40.22	38.90	9.33	34.64
PK	11.394G	67.20	74.00	-6.80	13.59	3	Horizontal	304	1.49	-	53.61	38.90	9.33	34.64
PK	17.09518G	59.35	68.20	-8.85	16.81	3	Horizontal	353	2.32	-	42.54	38.00	12.88	34.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4212G	47.26	54.00	-6.74	5.26	3	Vertical	72	2.78	-	42.00	32.92	7.11	34.77
AV	5.7116G	109.36	Inf	-Inf	5.63	3	Vertical	72	2.78	-	103.73	33.45	6.95	34.77
PK	5.462G	57.72	68.20	-10.48	5.13	3	Vertical	72	2.78	-	52.59	32.82	7.08	34.77
PK	5.714G	119.02	Inf	-Inf	5.63	3	Vertical	72	2.78	-	113.39	33.46	6.94	34.77
PK	5.9132G	61.29	68.20	-6.91	6.94	3	Vertical	72	2.78	-	54.35	34.30	7.41	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4308G	46.73	54.00	-7.27	5.21	3	Horizontal	7	1.57	-	41.52	32.88	7.10	34.77
AV	5.7116G	108.73	Inf	-Inf	5.63	3	Horizontal	7	1.57	-	103.10	33.45	6.95	34.77
PK	5.4644G	57.71	68.20	-10.49	5.14	3	Horizontal	7	1.57	-	52.57	32.83	7.08	34.77
PK	5.7116G	118.80	Inf	-Inf	5.63	3	Horizontal	7	1.57	-	113.17	33.45	6.95	34.77
PK	5.9144G	59.73	68.20	-8.47	6.94	3	Horizontal	7	1.57	-	52.79	34.30	7.41	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	108.49	Inf	-Inf	5.72	3	Vertical	66	1.50	-	102.77	33.55	6.94	34.77
PK	5.5494G	60.18	68.20	-8.02	5.25	3	Vertical	66	1.50	-	54.93	33.00	7.02	34.77
PK	5.7366G	118.17	Inf	-Inf	5.72	3	Vertical	66	1.50	-	112.45	33.55	6.94	34.77
PK	5.9514G	59.85	68.20	-8.35	7.11	3	Vertical	66	1.50	-	52.74	34.30	7.58	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	107.39	Inf	-Inf	5.72	3	Horizontal	216	1.48	-	101.67	33.55	6.94	34.77
PK	5.6106G	58.92	68.20	-9.28	5.22	3	Horizontal	216	1.48	-	53.70	33.00	6.99	34.77
PK	5.7378G	117.32	Inf	-Inf	5.71	3	Horizontal	216	1.48	-	111.61	33.55	6.93	34.77
PK	5.9982G	59.69	68.20	-8.51	7.21	3	Horizontal	216	1.48	-	52.48	34.20	7.78	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48968G	49.51	54.00	-4.49	13.47	3	Vertical	297	1.49	-	36.04	38.72	9.36	34.61
PK	11.48872G	60.38	74.00	-13.62	13.47	3	Vertical	297	1.49	-	46.91	38.72	9.36	34.61
PK	17.23996G	59.42	68.20	-8.78	16.92	3	Vertical	137	1.13	-	42.50	38.26	12.92	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5044G	53.76	54.00	-0.24	13.45	3	Horizontal	303	1.50	-	40.31	38.69	9.37	34.61
PK	11.50304G	67.47	74.00	-6.53	13.45	3	Horizontal	303	1.50	-	54.02	38.69	9.37	34.61
PK	17.23854G	59.11	68.20	-9.09	16.92	3	Horizontal	200	1.99	-	42.19	38.26	12.92	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	108.92	Inf	-Inf	5.95	3	Vertical	67	1.50	-	102.97	33.80	6.92	34.77
PK	5.5834G	59.42	68.20	-8.78	5.23	3	Vertical	67	1.50	-	54.19	33.00	7.00	34.77
PK	5.7778G	118.41	Inf	-Inf	5.92	3	Vertical	67	1.50	-	112.49	33.77	6.92	34.77
PK	5.9878G	60.20	68.20	-8.00	7.19	3	Vertical	67	1.50	-	53.01	34.22	7.74	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	110.02	Inf	-Inf	5.98	3	Horizontal	22	2.04	-	104.04	33.84	6.91	34.77
PK	5.587G	60.11	68.20	-8.09	5.23	3	Horizontal	22	2.04	-	54.88	33.00	7.00	34.77
PK	5.7922G	120.66	Inf	-Inf	5.99	3	Horizontal	22	2.04	-	114.67	33.85	6.91	34.77
PK	5.9854G	60.05	68.20	-8.15	7.19	3	Horizontal	22	2.04	-	52.86	34.23	7.73	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	109.57	Inf	-Inf	6.31	3	Vertical	308	1.47	-	103.26	34.03	7.05	34.77
PK	5.6306G	60.55	68.20	-7.65	5.21	3	Vertical	308	1.47	-	55.34	33.00	6.98	34.77
PK	5.8334G	120.23	Inf	-Inf	6.32	3	Vertical	308	1.47	-	113.91	34.03	7.06	34.77
PK	5.9294G	59.76	68.20	-8.44	7.01	3	Vertical	308	1.47	-	52.75	34.30	7.48	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	110.48	Inf	-Inf	6.32	3	Horizontal	346	1.59	-	104.16	34.03	7.06	34.77
PK	5.633G	60.15	68.20	-8.05	5.21	3	Horizontal	346	1.59	-	54.94	33.00	6.98	34.77
PK	5.8334G	120.72	Inf	-Inf	6.32	3	Horizontal	346	1.59	-	114.40	34.03	7.06	34.77
PK	6.0338G	59.95	68.20	-8.25	6.99	3	Horizontal	346	1.59	-	52.96	34.06	7.70	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65036G	51.68	54.00	-2.32	13.21	3	Vertical	233	1.50	-	38.47	38.45	9.41	34.65
PK	11.65024G	64.21	74.00	-9.79	13.21	3	Vertical	233	1.50	-	51.00	38.45	9.41	34.65
PK	17.4753G	59.98	68.20	-8.22	16.58	3	Vertical	32	1.19	-	43.40	38.17	12.99	34.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64944G	53.62	54.00	-0.38	13.21	3	Horizontal	212	1.50	-	40.41	38.45	9.41	34.65
PK	11.64538G	67.11	74.00	-6.89	13.21	3	Horizontal	212	1.50	-	53.90	38.45	9.41	34.65
PK	17.47678G	59.25	68.20	-8.95	16.58	3	Horizontal	242	2.29	-	42.67	38.17	12.99	34.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1432G	53.60	54.00	-0.40	5.20	3	Vertical	288	2.31	-	48.40	33.09	6.87	34.76
AV	5.1756G	108.45	Inf	-Inf	5.27	3	Vertical	288	2.31	-	103.18	33.15	6.88	34.76
PK	5.1424G	65.67	74.00	-8.33	5.19	3	Vertical	288	2.31	-	60.48	33.08	6.87	34.76
PK	5.1756G	119.12	Inf	-Inf	5.27	3	Vertical	288	2.31	-	113.85	33.15	6.88	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	51.51	54.00	-2.49	5.21	3	Horizontal	317	1.55	-	46.30	33.10	6.87	34.76
AV	5.2024G	100.73	Inf	-Inf	5.33	3	Horizontal	317	1.55	-	95.40	33.20	6.89	34.76
PK	5.1476G	65.08	74.00	-8.92	5.21	3	Horizontal	317	1.55	-	59.87	33.10	6.87	34.76
PK	5.2072G	111.78	Inf	-Inf	5.33	3	Horizontal	317	1.55	-	106.45	33.19	6.90	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.568G	46.76	54.00	-7.24	15.38	3	Vertical	224	1.50	-	31.38	38.19	12.13	34.94
PK	10.38G	66.56	68.20	-1.64	12.53	3	Vertical	257	1.50	-	54.03	38.54	9.00	35.01
PK	15.57288G	58.50	74.00	-15.50	15.36	3	Vertical	224	1.50	-	43.14	38.16	12.14	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57356G	46.33	54.00	-7.67	15.36	3	Horizontal	330	1.47	-	30.97	38.16	12.14	34.94
PK	10.38353G	63.63	68.20	-4.57	12.52	3	Horizontal	218	2.21	-	51.11	38.53	9.00	35.01
PK	15.57406G	58.14	74.00	-15.86	15.36	3	Horizontal	330	1.47	-	42.78	38.16	12.14	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	48.18	54.00	-5.82	5.20	3	Vertical	82	1.50	-	42.98	33.09	6.87	34.76
AV	5.2324G	104.15	Inf	-Inf	5.31	3	Vertical	82	1.50	-	98.84	33.14	6.93	34.76
PK	5.1336G	61.44	74.00	-12.56	5.17	3	Vertical	82	1.50	-	56.27	33.07	6.86	34.76
PK	5.2312G	114.97	Inf	-Inf	5.31	3	Vertical	82	1.50	-	109.66	33.14	6.93	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	49.61	54.00	-4.39	5.20	3	Horizontal	217	1.50	-	44.41	33.09	6.87	34.76
AV	5.212G	107.65	Inf	-Inf	5.32	3	Horizontal	217	1.50	-	102.33	33.18	6.90	34.76
PK	5.1484G	63.13	74.00	-10.87	5.21	3	Horizontal	217	1.50	-	57.92	33.10	6.87	34.76
PK	5.2132G	117.93	Inf	-Inf	5.32	3	Horizontal	217	1.50	-	112.61	33.17	6.91	34.76


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2836G	105.62	Inf	-Inf	5.19	3	Vertical	88	1.49	-	100.43	32.97	6.99	34.77
AV	5.3544G	48.08	54.00	-5.92	5.03	3	Vertical	88	1.49	-	43.05	32.73	7.07	34.77
PK	5.2876G	116.64	Inf	-Inf	5.17	3	Vertical	88	1.49	-	111.47	32.95	6.99	34.77
PK	5.3584G	58.81	74.00	-15.19	5.05	3	Vertical	88	1.49	-	53.76	32.75	7.07	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2768G	103.35	Inf	-Inf	5.20	3	Horizontal	170	1.17	-	98.15	32.99	6.98	34.77
AV	5.3508G	47.68	54.00	-6.32	4.99	3	Horizontal	170	1.17	-	42.69	32.70	7.06	34.77
PK	5.2772G	114.72	Inf	-Inf	5.20	3	Horizontal	170	1.17	-	109.52	32.99	6.98	34.77
PK	5.3508G	60.05	74.00	-13.95	4.99	3	Horizontal	170	1.17	-	55.06	32.70	7.06	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81203G	48.17	54.00	-5.83	15.24	3	Vertical	222	1.93	-	32.93	37.95	12.37	35.08
PK	10.54657G	67.92	68.20	-0.28	12.90	3	Vertical	255	1.42	-	55.02	38.74	9.05	34.89
PK	15.81029G	64.95	74.00	-9.05	15.25	3	Vertical	222	1.93	-	49.70	37.96	12.37	35.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8119G	47.50	54.00	-6.50	15.24	3	Horizontal	310	1.30	-	32.26	37.95	12.37	35.08
PK	10.54855G	67.80	68.20	-0.40	12.92	3	Horizontal	246	1.50	-	54.88	38.75	9.05	34.88
PK	15.8092G	61.62	74.00	-12.38	15.25	3	Horizontal	310	1.30	-	46.37	37.96	12.37	35.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2924G	104.09	Inf	-Inf	5.16	3	Vertical	76	1.50	-	98.93	32.93	7.00	34.77
AV	5.3532G	50.48	54.00	-3.52	5.02	3	Vertical	76	1.50	-	45.46	32.72	7.07	34.77
PK	5.3236G	114.21	Inf	-Inf	5.07	3	Vertical	76	1.50	-	109.14	32.81	7.03	34.77
PK	5.3528G	62.32	74.00	-11.68	5.02	3	Vertical	76	1.50	-	57.30	32.72	7.07	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	100.92	Inf	-Inf	5.06	3	Horizontal	342	1.60	-	95.86	32.79	7.04	34.77
AV	5.35G	48.08	54.00	-5.92	4.99	3	Horizontal	342	1.60	-	43.09	32.70	7.06	34.77
PK	5.314G	110.96	Inf	-Inf	5.09	3	Horizontal	342	1.60	-	105.87	32.84	7.02	34.77
PK	5.3548G	66.34	74.00	-7.66	5.03	3	Horizontal	342	1.60	-	61.31	32.73	7.07	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62165G	53.87	54.00	-0.13	13.16	3	Vertical	259	1.40	-	40.71	38.94	9.08	34.86
AV	15.92951G	45.16	54.00	-8.84	14.94	3	Vertical	0	1.50	-	30.22	37.60	12.49	35.15
PK	10.62151G	65.58	74.00	-8.42	13.16	3	Vertical	259	1.40	-	52.42	38.94	9.08	34.86
PK	15.92921G	57.70	74.00	-16.30	14.94	3	Vertical	0	1.50	-	42.76	37.60	12.49	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62381G	52.09	54.00	-1.91	13.17	3	Horizontal	259	1.54	-	38.92	38.95	9.08	34.86
AV	15.93245G	45.56	54.00	-8.44	14.94	3	Horizontal	233	2.45	-	30.62	37.60	12.49	35.15
PK	10.62474G	64.84	74.00	-9.16	13.17	3	Horizontal	259	1.54	-	51.67	38.95	9.08	34.86
PK	15.9296G	58.11	74.00	-15.89	14.94	3	Horizontal	233	2.45	-	43.17	37.60	12.49	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.74	54.00	-2.26	5.13	3	Vertical	74	2.33	-	46.61	32.82	7.08	34.77
AV	5.5032G	104.83	Inf	-Inf	5.19	3	Vertical	74	2.33	-	99.64	32.91	7.05	34.77
PK	5.466G	66.33	68.20	-1.87	5.14	3	Vertical	74	2.33	-	61.19	32.83	7.08	34.77
PK	5.4956G	116.42	Inf	-Inf	5.18	3	Vertical	74	2.33	-	111.24	32.89	7.06	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.54	54.00	-0.46	5.13	3	Horizontal	353	1.44	-	48.41	32.82	7.08	34.77
AV	5.5276G	105.61	Inf	-Inf	5.23	3	Horizontal	353	1.44	-	100.38	32.96	7.04	34.77
PK	5.4624G	67.48	68.20	-0.72	5.13	3	Horizontal	353	1.44	-	62.35	32.82	7.08	34.77
PK	5.5264G	115.73	Inf	-Inf	5.22	3	Horizontal	353	1.44	-	110.51	32.95	7.04	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	47.70	54.00	-6.30	5.12	3	Vertical	81	1.50	-	42.58	32.81	7.08	34.77
AV	5.5404G	104.86	Inf	-Inf	5.24	3	Vertical	81	1.50	-	99.62	32.98	7.03	34.77
PK	5.466G	58.38	68.20	-9.82	5.14	3	Vertical	81	1.50	-	53.24	32.83	7.08	34.77
PK	5.5432G	116.09	Inf	-Inf	5.25	3	Vertical	81	1.50	-	110.84	32.99	7.03	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.38	54.00	-6.62	5.13	3	Horizontal	360	1.69	-	42.25	32.82	7.08	34.77
AV	5.5584G	102.12	Inf	-Inf	5.25	3	Horizontal	360	1.69	-	96.87	33.00	7.02	34.77
PK	5.462G	59.33	68.20	-8.87	5.13	3	Horizontal	360	1.69	-	54.20	32.82	7.08	34.77
PK	5.5556G	112.76	Inf	-Inf	5.25	3	Horizontal	360	1.69	-	107.51	33.00	7.02	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09984G	53.59	54.00	-0.41	13.12	3	Vertical	291	1.76	-	40.47	38.60	9.23	34.71
PK	11.09974G	68.81	74.00	-5.19	13.12	3	Vertical	291	1.76	-	55.69	38.60	9.23	34.71
PK	16.64556G	58.09	68.20	-10.11	16.31	3	Vertical	178	1.00	-	41.78	38.21	12.75	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10002G	51.36	54.00	-2.64	13.12	3	Horizontal	222	1.54	-	38.24	38.60	9.23	34.71
PK	11.0965G	66.14	74.00	-7.86	13.12	3	Horizontal	222	1.54	-	53.02	38.60	9.23	34.71
PK	16.65312G	58.84	68.20	-9.36	16.31	3	Horizontal	85	1.34	-	42.53	38.19	12.75	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	102.24	Inf	-Inf	5.33	3	Vertical	77	1.26	-	96.91	33.14	6.96	34.77
PK	5.673G	112.99	Inf	-Inf	5.37	3	Vertical	77	1.26	-	107.62	33.18	6.96	34.77
PK	5.7258G	59.95	68.20	-8.25	5.67	3	Vertical	77	1.26	-	54.28	33.50	6.94	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.679G	107.21	Inf	-Inf	5.42	3	Horizontal	1	1.49	-	101.79	33.23	6.96	34.77
PK	5.676G	116.93	Inf	-Inf	5.40	3	Horizontal	1	1.49	-	111.53	33.21	6.96	34.77
PK	5.7348G	59.68	68.20	-8.52	5.71	3	Horizontal	1	1.49	-	53.97	33.54	6.94	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33716G	51.25	54.00	-2.75	13.56	3	Vertical	270	1.50	-	37.69	38.90	9.31	34.65
PK	11.3384G	64.56	74.00	-9.44	13.56	3	Vertical	270	1.50	-	51.00	38.90	9.31	34.65
PK	17.00886G	58.50	68.20	-9.70	16.90	3	Vertical	44	1.27	-	41.60	38.00	12.85	33.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33978G	53.62	54.00	-0.38	13.56	3	Horizontal	315	1.33	-	40.06	38.90	9.31	34.65
PK	11.33798G	67.36	74.00	-6.64	13.56	3	Horizontal	315	1.33	-	53.80	38.90	9.31	34.65
PK	17.0043G	58.81	68.20	-9.39	16.90	3	Horizontal	202	1.72	-	41.91	38.00	12.85	33.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4268G	46.81	54.00	-7.19	5.22	3	Vertical	74	2.64	-	41.59	32.89	7.10	34.77
AV	5.698G	103.48	Inf	-Inf	5.56	3	Vertical	74	2.64	-	97.92	33.38	6.95	34.77
PK	5.4664G	57.55	68.20	-10.65	5.14	3	Vertical	74	2.64	-	52.41	32.83	7.08	34.77
PK	5.7136G	112.15	Inf	-Inf	5.62	3	Vertical	74	2.64	-	106.53	33.45	6.94	34.77
PK	5.8576G	59.86	68.20	-8.34	6.52	3	Vertical	74	2.64	-	53.34	34.13	7.16	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4196G	46.25	54.00	-7.75	5.26	3	Horizontal	354	1.50	-	40.99	32.92	7.11	34.77
AV	5.7148G	99.67	Inf	-Inf	5.63	3	Horizontal	354	1.50	-	94.04	33.46	6.94	34.77
PK	5.4676G	56.75	68.20	-11.45	5.15	3	Horizontal	354	1.50	-	51.60	32.84	7.08	34.77
PK	5.7136G	111.10	Inf	-Inf	5.62	3	Horizontal	354	1.50	-	105.48	33.45	6.94	34.77
PK	5.8516G	60.02	68.20	-8.18	6.48	3	Horizontal	354	1.50	-	53.54	34.11	7.14	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	103.40	Inf	-Inf	5.75	3	Vertical	75	2.28	-	97.65	33.59	6.93	34.77
PK	5.605G	62.33	68.20	-5.87	5.22	3	Vertical	75	2.28	-	57.11	33.00	6.99	34.77
PK	5.7538G	115.11	Inf	-Inf	5.78	3	Vertical	75	2.28	-	109.33	33.62	6.93	34.77
PK	5.9554G	59.93	68.20	-8.27	7.11	3	Vertical	75	2.28	-	52.82	34.29	7.59	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.773G	108.30	Inf	-Inf	5.89	3	Horizontal	352	1.50	-	102.41	33.74	6.92	34.77
PK	5.569G	59.98	68.20	-8.22	5.24	3	Horizontal	352	1.50	-	54.74	33.00	7.01	34.77
PK	5.7718G	117.53	Inf	-Inf	5.88	3	Horizontal	352	1.50	-	111.65	33.73	6.92	34.77
PK	5.9722G	59.80	68.20	-8.40	7.16	3	Horizontal	352	1.50	-	52.64	34.26	7.67	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	106.45	Inf	-Inf	5.91	3	Vertical	91	1.50	-	100.54	33.76	6.92	34.77
PK	5.6234G	59.81	68.20	-8.39	5.21	3	Vertical	91	1.50	-	54.60	33.00	6.98	34.77
PK	5.7878G	113.36	Inf	-Inf	5.97	3	Vertical	91	1.50	-	107.39	33.83	6.91	34.77
PK	5.9474G	60.46	68.20	-7.74	7.09	3	Vertical	91	1.50	-	53.37	34.30	7.56	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	106.53	Inf	-Inf	5.92	3	Horizontal	349	1.52	-	100.61	33.77	6.92	34.77
PK	5.579G	59.32	68.20	-8.88	5.23	3	Horizontal	349	1.52	-	54.09	33.00	7.00	34.77
PK	5.7782G	116.32	Inf	-Inf	5.92	3	Horizontal	349	1.52	-	110.40	33.77	6.92	34.77
PK	5.9834G	59.64	68.20	-8.56	7.18	3	Horizontal	349	1.52	-	52.46	34.23	7.72	34.77


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	53.80	54.00	-0.20	5.20	3	Vertical	290	2.86	-	48.60	33.09	6.87	34.76
AV	5.173G	103.91	Inf	-Inf	5.27	3	Vertical	290	2.86	-	98.64	33.15	6.88	34.76
AV	5.389G	48.08	54.00	-5.92	5.27	3	Vertical	290	2.86	-	42.81	32.93	7.11	34.77
PK	5.147G	64.24	74.00	-9.76	5.20	3	Vertical	290	2.86	-	59.04	33.09	6.87	34.76
PK	5.22G	114.58	Inf	-Inf	5.31	3	Vertical	290	2.86	-	109.27	33.16	6.91	34.76
PK	5.372G	58.83	74.00	-15.17	5.15	3	Vertical	290	2.86	-	53.68	32.83	7.09	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	52.06	54.00	-1.94	5.20	3	Horizontal	319	1.79	-	46.86	33.09	6.87	34.76
AV	5.187G	99.45	Inf	-Inf	5.29	3	Horizontal	319	1.79	-	94.16	33.17	6.88	34.76
AV	5.375G	47.22	54.00	-6.78	5.17	3	Horizontal	319	1.79	-	42.05	32.85	7.09	34.77
PK	5.14G	63.06	74.00	-10.94	5.19	3	Horizontal	319	1.79	-	57.87	33.08	6.87	34.76
PK	5.236G	109.62	Inf	-Inf	5.30	3	Horizontal	319	1.79	-	104.32	33.13	6.93	34.76
PK	5.389G	58.72	74.00	-15.28	5.27	3	Horizontal	319	1.79	-	53.45	32.93	7.11	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64236G	45.70	54.00	-8.30	15.26	3	Vertical	184	2.68	-	30.44	38.04	12.20	34.98
PK	10.36028G	62.48	68.20	-5.72	12.54	3	Vertical	284	1.49	-	49.94	38.58	8.99	35.03
PK	15.62118G	57.56	74.00	-16.44	15.23	3	Vertical	184	2.68	-	42.33	38.02	12.18	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62154G	45.83	54.00	-8.17	15.23	3	Horizontal	327	1.52	-	30.60	38.02	12.18	34.97
PK	10.35989G	64.42	68.20	-3.78	12.54	3	Horizontal	221	1.77	-	51.88	38.58	8.99	35.03
PK	15.63552G	58.03	74.00	-15.97	15.26	3	Horizontal	327	1.52	-	42.77	38.04	12.20	34.98

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.126G	49.16	54.00	-4.84	5.15	3	Vertical	241	1.97	-	44.01	33.05	6.86	34.76
AV	5.266G	104.05	Inf	-Inf	5.24	3	Vertical	241	1.97	-	98.81	33.04	6.97	34.77
AV	5.35G	50.22	54.00	-3.78	4.99	3	Vertical	241	1.97	-	45.23	32.70	7.06	34.77
PK	5.132G	59.54	74.00	-14.46	5.16	3	Vertical	241	1.97	-	54.38	33.06	6.86	34.76
PK	5.285G	112.55	Inf	-Inf	5.18	3	Vertical	241	1.97	-	107.37	32.96	6.99	34.77
PK	5.484G	60.74	68.20	-7.46	5.17	3	Vertical	241	1.97	-	55.57	32.87	7.07	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	48.86	54.00	-5.14	5.20	3	Horizontal	352	2.04	-	43.66	33.09	6.87	34.76
AV	5.265G	106.04	Inf	-Inf	5.23	3	Horizontal	352	2.04	-	100.81	33.04	6.96	34.77
AV	5.35G	51.17	54.00	-2.83	4.99	3	Horizontal	352	2.04	-	46.18	32.70	7.06	34.77
PK	5.081G	59.55	74.00	-14.45	5.12	3	Horizontal	352	2.04	-	54.43	33.04	6.84	34.76
PK	5.292G	114.09	Inf	-Inf	5.16	3	Horizontal	352	2.04	-	108.93	32.93	7.00	34.77
PK	5.467G	58.86	68.20	-9.34	5.14	3	Horizontal	352	2.04	-	53.72	32.83	7.08	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	53.17	54.00	-0.83	5.13	3	Vertical	74	1.50	-	48.04	32.82	7.08	34.77
AV	5.502G	102.68	Inf	-Inf	5.18	3	Vertical	74	1.50	-	97.50	32.90	7.05	34.77
PK	5.47G	65.45	68.20	-2.75	5.14	3	Vertical	74	1.50	-	60.31	32.84	7.07	34.77
PK	5.539G	111.81	Inf	-Inf	5.24	3	Vertical	74	1.50	-	106.57	32.98	7.03	34.77
PK	5.729G	58.45	68.20	-9.75	5.69	3	Vertical	74	1.50	-	52.76	33.52	6.94	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.60	54.00	-2.40	5.13	3	Horizontal	359	1.50	-	46.47	32.82	7.08	34.77
AV	5.506G	104.35	Inf	-Inf	5.19	3	Horizontal	359	1.50	-	99.16	32.91	7.05	34.77
PK	5.464G	62.50	68.20	-5.70	5.14	3	Horizontal	359	1.50	-	57.36	32.83	7.08	34.77
PK	5.558G	114.32	Inf	-Inf	5.25	3	Horizontal	359	1.50	-	109.07	33.00	7.02	34.77
PK	5.757G	58.73	68.20	-9.47	5.80	3	Horizontal	359	1.50	-	52.93	33.64	6.93	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99842G	53.22	54.00	-0.78	13.16	3	Vertical	248	1.50	-	40.06	38.70	9.20	34.74
PK	10.99834G	67.73	74.00	-6.27	13.16	3	Vertical	248	1.50	-	54.57	38.70	9.20	34.74
PK	16.58526G	58.22	68.20	-9.98	16.32	3	Vertical	341	2.46	-	41.90	38.36	12.73	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99753G	53.27	54.00	-0.73	13.16	3	Horizontal	323	2.44	-	40.11	38.70	9.20	34.74
PK	10.99837G	66.58	74.00	-7.42	13.16	3	Horizontal	323	2.44	-	53.42	38.70	9.20	34.74
PK	16.58634G	59.02	68.20	-9.18	16.31	3	Horizontal	46	2.04	-	42.71	38.35	12.73	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.448G	47.96	54.00	-6.04	5.13	3	Vertical	86	1.50	-	42.83	32.81	7.09	34.77
AV	5.622G	101.75	Inf	-Inf	5.21	3	Vertical	86	1.50	-	96.54	33.00	6.98	34.77
PK	5.47G	58.39	68.20	-9.81	5.14	3	Vertical	86	1.50	-	53.25	32.84	7.07	34.77
PK	5.612G	112.39	Inf	-Inf	5.22	3	Vertical	86	1.50	-	107.17	33.00	6.99	34.77
PK	5.725G	62.18	68.20	-6.02	5.67	3	Vertical	86	1.50	-	56.51	33.50	6.94	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.439G	46.93	54.00	-7.07	5.16	3	Horizontal	335	2.02	-	41.77	32.84	7.09	34.77
AV	5.581G	100.18	Inf	-Inf	5.23	3	Horizontal	335	2.02	-	94.95	33.00	7.00	34.77
PK	5.465G	58.28	68.20	-9.92	5.14	3	Horizontal	335	2.02	-	53.14	32.83	7.08	34.77
PK	5.579G	110.34	Inf	-Inf	5.23	3	Horizontal	335	2.02	-	105.11	33.00	7.00	34.77
PK	5.86G	59.33	68.20	-8.87	6.54	3	Horizontal	335	2.02	-	52.79	34.14	7.17	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15502G	51.52	54.00	-2.48	13.21	3	Vertical	243	1.30	-	38.31	38.66	9.25	34.70
PK	11.15485G	68.06	74.00	-5.94	13.20	3	Vertical	243	1.30	-	54.86	38.65	9.25	34.70
PK	16.8124G	59.10	68.20	-9.10	16.76	3	Vertical	269	1.74	-	42.34	38.28	12.80	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16077G	53.86	54.00	-0.14	13.21	3	Horizontal	1.48	315	-	40.65	38.66	9.25	34.70
PK	11.16041G	68.74	74.00	-5.26	13.21	3	Horizontal	1.48	315	-	55.53	38.66	9.25	34.70
PK	16.83544G	59.34	68.20	-8.86	16.76	3	Horizontal	35	1.53	-	42.58	38.23	12.80	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	46.83	54.00	-7.17	5.13	3	Vertical	2	1.50	-	41.70	32.82	7.08	34.77
AV	5.6624G	103.43	Inf	-Inf	5.30	3	Vertical	2	1.50	-	98.13	33.10	6.97	34.77
PK	5.462G	56.50	68.20	-11.70	5.13	3	Vertical	2	1.50	-	51.37	32.82	7.08	34.77
PK	5.6648G	109.61	Inf	-Inf	5.31	3	Vertical	2	1.50	-	104.30	33.12	6.96	34.77
PK	5.876G	59.33	68.20	-8.87	6.67	3	Vertical	2	1.50	-	52.66	34.20	7.24	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	46.64	54.00	-7.36	5.13	3	Horizontal	1	1.47	-	41.51	32.82	7.08	34.77
AV	5.6804G	102.85	Inf	-Inf	5.43	3	Horizontal	1	1.47	-	97.42	33.24	6.96	34.77
PK	5.4608G	57.34	68.20	-10.86	5.13	3	Horizontal	1	1.47	-	52.21	32.82	7.08	34.77
PK	5.6564G	113.96	Inf	-Inf	5.25	3	Horizontal	1	1.47	-	108.71	33.05	6.97	34.77
PK	5.8676G	60.05	68.20	-8.15	6.61	3	Horizontal	1	1.47	-	53.44	34.17	7.21	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	102.16	Inf	-Inf	5.74	3	Vertical	281	2.97	-	96.42	33.58	6.93	34.77
PK	5.619G	59.30	68.20	-8.90	5.21	3	Vertical	281	2.97	-	54.09	33.00	6.98	34.77
PK	5.7906G	110.38	Inf	-Inf	5.98	3	Vertical	281	2.97	-	104.40	33.84	6.91	34.77
PK	5.925G	59.80	68.20	-8.40	6.99	3	Vertical	281	2.97	-	52.81	34.30	7.46	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	99.67	Inf	-Inf	6.00	3	Horizontal	5	2.75	-	93.67	33.86	6.91	34.77
PK	5.6466G	60.13	68.20	-8.07	5.20	3	Horizontal	5	2.75	-	54.93	33.00	6.97	34.77
PK	5.7942G	110.07	Inf	-Inf	6.01	3	Horizontal	5	2.75	-	104.06	33.87	6.91	34.77
PK	5.937G	60.62	68.20	-7.58	7.04	3	Horizontal	5	2.75	-	53.58	34.30	7.51	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	49.89	54.00	-4.11	5.20	3	Vertical	289	2.02	-	44.69	33.09	6.87	34.76
AV	5.183G	101.11	Inf	-Inf	5.29	3	Vertical	289	2.02	-	95.82	33.17	6.88	34.76
AV	5.382G	46.94	54.00	-7.06	5.22	3	Vertical	289	2.02	-	41.72	32.89	7.10	34.77
PK	5.126G	69.25	74.00	-4.75	5.15	3	Vertical	289	2.02	-	64.10	33.05	6.86	34.76
PK	5.173G	107.96	Inf	-Inf	5.27	3	Vertical	289	2.02	-	102.69	33.15	6.88	34.76
PK	5.498G	58.28	68.20	-9.92	5.19	3	Vertical	289	2.02	-	53.09	32.90	7.06	34.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.134G	49.71	54.00	-4.29	5.17	3	Horizontal	171	1.23	-	44.54	33.07	6.86	34.76
AV	5.178G	95.72	Inf	-Inf	5.28	3	Horizontal	171	1.23	-	90.44	33.16	6.88	34.76
AV	5.397G	46.80	54.00	-7.20	5.33	3	Horizontal	171	1.23	-	41.47	32.98	7.12	34.77
PK	5.135G	73.60	74.00	-0.40	5.17	3	Horizontal	171	1.23	-	68.43	33.07	6.86	34.76
PK	5.187G	108.08	Inf	-Inf	5.29	3	Horizontal	171	1.23	-	102.79	33.17	6.88	34.76
PK	5.375G	64.71	74.00	-9.29	5.17	3	Horizontal	171	1.23	-	59.54	32.85	7.09	34.77


802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.426G	48.05	54.00	-5.95	5.23	3	Vertical	48	1.42	-	42.82	32.90	7.10	34.77
AV	5.5928G	94.03	Inf	-Inf	5.22	3	Vertical	48	1.42	-	88.81	33.00	6.99	34.77
PK	5.4644G	64.16	68.20	-4.04	5.14	3	Vertical	48	1.42	-	59.02	32.83	7.08	34.77
PK	5.5916G	105.63	Inf	-Inf	5.23	3	Vertical	48	1.42	-	100.40	33.00	7.00	34.77
PK	5.7272G	61.71	68.20	-6.49	5.68	3	Vertical	48	1.42	-	56.03	33.51	6.94	34.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TnomVnom



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	51.02	54.00	-2.98	5.12	3	Horizontal	360	1.68	-	45.90	32.81	7.08	34.77
AV	5.504G	100.84	Inf	-Inf	5.19	3	Horizontal	360	1.68	-	95.65	32.91	7.05	34.77
PK	5.4632G	67.66	68.20	-0.54	5.14	3	Horizontal	360	1.68	-	62.52	32.83	7.08	34.77
PK	5.4968G	108.99	Inf	-Inf	5.18	3	Horizontal	360	1.68	-	103.81	32.89	7.06	34.77
PK	5.7272G	61.28	68.20	-6.92	5.68	3	Horizontal	360	1.68	-	55.60	33.51	6.94	34.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom

