


Test Mode	UNII-2A_TX AC(VHT40) Mode 5270 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7026.3860	41.20	9.83	51.03	68.20	-17.17	Peak	
2 *	7027.7520	27.98	9.84	37.82	54.00	-16.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5304.4000	96.75	15.62	112.37	68.20	44.17	Peak	No Limit
2	5306.4000	83.47	15.62	99.09	999.00	-899.91	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7079.9260	36.68	9.93	46.61	54.00	-7.39	AVG	
2	7079.9740	44.48	9.93	54.41	68.20	-13.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 X	5313.600	82.42	15.63	98.05	68.20	29.85	AVG	No Limit
2 *	5316.200	94.93	15.64	110.57	68.20	42.37	peak	No Limit
3	5350.000	42.33	15.72	58.05	74.00	-15.95	peak	
4	5350.000	33.62	15.72	49.34	54.00	-4.66	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7080.3320	40.84	9.93	50.77	68.20	-17.43	Peak	
2 *	7080.7540	27.89	9.93	37.82	54.00	-16.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5306.800	91.41	15.62	107.03	68.20	38.83	peak	No Limit
2	X	5322.400	77.79	15.65	93.44	68.20	25.24	AVG	No Limit
3		5350.000	45.07	15.72	60.79	74.00	-13.21	peak	
4		5350.000	35.37	15.72	51.09	54.00	-2.91	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7053.2820	35.94	9.88	45.82	54.00	-8.18	AVG	
2	7053.4060	44.11	9.88	53.99	68.20	-14.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5298.400	90.91	15.61	106.52	68.20	38.32	peak	No Limit
2	X	5313.200	75.79	15.63	91.42	68.20	23.22	AVG	No Limit
3		5350.000	41.72	15.72	57.44	74.00	-16.56	peak	
4		5350.000	33.83	15.72	49.55	54.00	-4.45	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7052.6060	27.84	9.88	37.72	54.00	-16.28	AVG	
2	7052.8300	41.24	9.88	51.12	68.20	-17.08	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5257.6000	85.73	15.51	101.24	999.00	-897.76	AVG	No Limit
2 *	5265.6000	98.74	15.53	114.27	68.20	46.07	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7013.3860	37.43	9.81	47.24	54.00	-6.76	AVG	
2	7013.4080	44.39	9.81	54.20	68.20	-14.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5258.0000	84.44	15.51	99.95	999.00	-899.05	AVG	No Limit
2 *	5266.2000	96.80	15.53	112.33	68.20	44.13	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7012.6040	27.78	9.81	37.59	54.00	-16.41	AVG	
2	7013.2200	40.86	9.81	50.67	68.20	-17.53	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.2000	99.56	15.59	115.15	68.20	46.95	Peak	No Limit
2	5307.0000	86.65	15.62	102.27	999.00	-896.73	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7066.6380	39.52	9.90	49.42	54.00	-4.58	AVG	
2	7066.7700	45.55	9.90	55.45	68.20	-12.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5303.4000	84.87	15.61	100.48	999.00	-898.52	AVG	No Limit
2 *	5306.8000	97.39	15.62	113.01	68.20	44.81	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7066.4100	41.15	9.90	51.05	68.20	-17.15	Peak	
2 *	7066.4860	28.15	9.90	38.05	54.00	-15.95	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5322.200	87.62	15.65	103.27	68.20	35.07	AVG	No Limit
2	*	5325.800	100.23	15.67	115.90	68.20	47.70	peak	No Limit
3		5350.000	44.22	15.72	59.94	74.00	-14.06	peak	
4		5350.000	34.10	15.72	49.82	54.00	-4.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7093.3520	38.70	9.95	48.65	54.00	-5.35	AVG	
2	7093.5560	45.53	9.95	55.48	68.20	-12.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5318.000	85.14	15.64	100.78	68.20	32.58	AVG	No Limit
2	*	5326.400	97.37	15.67	113.04	68.20	44.84	peak	No Limit
3		5350.000	41.78	15.72	57.50	74.00	-16.50	peak	
4		5350.000	33.50	15.72	49.22	54.00	-4.78	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE20) Mode 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7092.2160	41.09	9.95	51.04	68.20	-17.16	Peak	
2 *	7092.3980	28.06	9.95	38.01	54.00	-15.99	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5283.6000	95.33	15.57	110.90	68.20	42.70	Peak	No Limit
2	5286.2000	81.33	15.58	96.91	999.00	-902.09	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7026.5500	44.81	9.84	54.65	68.20	-13.55	Peak	
2 *	7026.7280	37.24	9.84	47.08	54.00	-6.92	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5257.0000	94.94	15.51	110.45	68.20	42.25	Peak	No Limit
2	5259.0000	79.96	15.51	95.47	999.00	-903.53	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7026.9520	27.99	9.84	37.83	54.00	-16.17	AVG	
2	7027.9340	41.27	9.84	51.11	68.20	-17.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5314.600	95.62	15.64	111.26	68.20	43.06	peak	No Limit
2	X	5323.400	82.07	15.65	97.72	68.20	29.52	AVG	No Limit
3		5350.000	44.53	15.72	60.25	74.00	-13.75	peak	
4		5350.000	35.06	15.72	50.78	54.00	-3.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7079.7820	45.30	9.93	55.23	68.20	-12.97	Peak	
2 *	7080.0360	37.47	9.93	47.40	54.00	-6.60	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5296.800	95.20	15.60	110.80	68.20	42.60	peak	No Limit
2	X	5304.200	80.63	15.61	96.24	68.20	28.04	AVG	No Limit
3		5350.000	42.72	15.72	58.44	74.00	-15.56	peak	
4		5350.000	33.51	15.72	49.23	54.00	-4.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE40) Mode 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7079.2920	41.08	9.92	51.00	68.20	-17.20	Peak	
2 *	7080.0600	27.84	9.93	37.77	54.00	-16.23	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5292.000	92.41	15.60	108.01	68.20	39.81	peak	No Limit
2	X	5304.800	77.68	15.61	93.29	68.20	25.09	AVG	No Limit
3		5350.000	45.33	15.72	61.05	74.00	-12.95	peak	
4		5350.000	35.69	15.72	51.41	54.00	-2.59	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7053.3000	35.99	9.88	45.87	54.00	-8.13	AVG	
2	7053.3320	44.38	9.88	54.26	68.20	-13.94	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5296.400	75.79	15.60	91.39	68.20	23.19	AVG	No Limit
2	*	5298.400	90.18	15.61	105.79	68.20	37.59	peak	No Limit
3		5350.000	42.82	15.72	58.54	74.00	-15.46	peak	
4		5350.000	33.88	15.72	49.60	54.00	-4.40	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AX(HE80) Mode 5290 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7053.5460	27.89	9.88	37.77	54.00	-16.23	AVG	
2	7053.8660	40.91	9.88	50.79	68.20	-17.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode 5250 MHz	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5142.600	48.51	15.25	63.76	74.00	-10.24	peak	
2		5143.600	37.65	15.25	52.90	54.00	-1.10	AVG	
3		5150.000	46.86	15.26	62.12	74.00	-11.88	peak	
4		5150.000	35.52	15.26	50.78	54.00	-3.22	AVG	
5	*	5303.600	90.63	15.61	106.24	68.20	38.04	peak	No Limit
6	X	5324.400	72.16	15.66	87.82	68.20	19.62	AVG	No Limit
7		5350.000	45.44	15.72	61.16	74.00	-12.84	peak	
8		5350.000	35.23	15.72	50.95	54.00	-3.05	AVG	
9		5382.000	47.06	15.80	62.86	74.00	-11.14	peak	
10		5382.000	35.61	15.80	51.41	54.00	-2.59	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode 5250 MHz	Polarization	Vertical
-----------	--	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6999.6760	46.26	9.79	56.05	68.20	-12.15	Peak	
2 *	6999.9300	39.17	9.79	48.96	54.00	-5.04	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode 5250 MHz	Polarization	Horizontal
-----------	--	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5135.600	47.88	15.22	63.10	74.00	-10.90	peak	
2	5135.600	36.15	15.22	51.37	54.00	-2.63	AVG	
3	5150.000	42.48	15.26	57.74	74.00	-16.26	peak	
4	5150.000	34.51	15.26	49.77	54.00	-4.23	AVG	
5 *	5218.800	88.50	15.42	103.92	68.20	35.72	peak	No Limit
6 X	5238.800	71.14	15.47	86.61	68.20	18.41	AVG	No Limit
7	5350.000	44.02	15.72	59.74	74.00	-14.26	peak	
8	5350.000	34.01	15.72	49.73	54.00	-4.27	AVG	
9	5382.000	45.12	15.80	60.92	74.00	-13.08	peak	
10	5382.000	34.50	15.80	50.30	54.00	-3.70	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode 5250 MHz	Polarization	Horizontal
-----------	--	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6999.4740	40.73	9.79	50.52	68.20	-17.68	Peak	
2 *	7000.9720	27.99	9.79	37.78	54.00	-16.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode 5250 MHz	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5144.400	52.84	15.25	68.09	74.00	-5.91	peak	
2		5144.400	37.71	15.25	52.96	54.00	-1.04	AVG	
3		5150.000	47.89	15.26	63.15	74.00	-10.85	peak	
4		5150.000	36.71	15.26	51.97	54.00	-2.03	AVG	
5	*	5244.400	90.27	15.48	105.75	68.20	37.55	peak	No Limit
6	X	5324.400	74.55	15.66	90.21	68.20	22.01	AVG	No Limit
7		5350.000	46.41	15.72	62.13	74.00	-11.87	peak	
8		5350.000	35.66	15.72	51.38	54.00	-2.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode 5250 MHz	Polarization	Vertical
-----------	---	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	6999.9200	46.16	9.79	55.95	68.20	-12.25	Peak	
2 *	6999.9760	39.81	9.79	49.60	54.00	-4.40	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode 5250 MHz	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5141.200	45.71	15.24	60.95	74.00	-13.05	peak	
2		5141.200	36.18	15.24	51.42	54.00	-2.58	AVG	
3		5150.000	44.31	15.26	59.57	74.00	-14.43	peak	
4		5150.000	34.97	15.26	50.23	54.00	-3.77	AVG	
5	*	5257.200	88.39	15.51	103.90	68.20	35.70	peak	No Limit
6	X	5258.800	73.82	15.52	89.34	68.20	21.14	AVG	No Limit
7		5350.000	44.71	15.72	60.43	74.00	-13.57	peak	
8		5350.000	33.42	15.72	49.14	54.00	-4.86	AVG	
9		5377.200	44.61	15.78	60.39	74.00	-13.61	peak	
10		5377.200	34.33	15.78	50.11	54.00	-3.89	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode 5250 MHz	Polarization	Horizontal
-----------	---	--------------	------------

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	6999.7260	41.13	9.79	50.92	68.20	-17.28	Peak	
2 *	6999.8520	27.89	9.79	37.68	54.00	-16.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.30	15.97	58.27	74.00	-15.73	Peak	
2	5460.0000	32.90	15.97	48.87	54.00	-5.13	AVG	
3	5470.0000	41.30	16.00	57.30	68.20	-10.90	Peak	
4 *	5501.2000	94.41	16.07	110.48	68.20	42.28	Peak	No Limit
5	5502.2000	85.41	16.07	101.48	999.00	-897.52	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7333.2860	44.01	10.36	54.37	74.00	-19.63	Peak	
2 *	7333.3880	35.85	10.36	46.21	54.00	-7.79	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.02	15.97	57.99	74.00	-16.01	Peak	
2	5460.0000	32.92	15.97	48.89	54.00	-5.11	AVG	
3	5470.0000	43.94	16.00	59.94	68.20	-8.26	Peak	
4 *	5493.2000	94.01	16.05	110.06	68.20	41.86	Peak	No Limit
5	5493.4000	84.11	16.05	100.16	999.00	-898.84	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7333.1600	27.88	10.36	38.24	54.00	-15.76	AVG	
2	7333.2300	41.30	10.36	51.66	74.00	-22.34	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5577.4000	86.02	16.22	102.24	999.00	-896.76	AVG	No Limit
2 *	5584.8000	97.91	16.23	114.14	68.20	45.94	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7439.8540	43.77	10.54	54.31	74.00	-19.69	Peak	
2 *	7440.0060	34.95	10.54	45.49	54.00	-8.51	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5574.4000	92.86	16.21	109.07	68.20	40.87	Peak	No Limit
2	5586.8000	83.24	16.24	99.48	999.00	-899.52	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7439.0400	27.66	10.54	38.20	54.00	-15.80	AVG	
2	7439.5820	40.42	10.54	50.96	74.00	-23.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5693.4000	83.02	16.45	99.47	999.00	-899.53	AVG	No Limit
2 *	5705.0000	92.76	16.47	109.23	68.20	41.03	Peak	No Limit
3	5725.0000	41.12	16.51	57.63	68.20	-10.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7599.9200	31.27	10.57	41.84	54.00	-12.16	AVG	
2	7600.9480	42.20	10.57	52.77	74.00	-21.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5696.2000	91.50	16.46	107.96	68.20	39.76	Peak	No Limit
2	5702.0000	81.16	16.47	97.63	999.00	-901.37	AVG	No Limit
3	5725.0000	42.97	16.51	59.48	68.20	-8.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7600.8960	40.94	10.57	51.51	74.00	-22.49	Peak	
2 *	7600.9260	27.93	10.57	38.50	54.00	-15.50	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.71	15.97	58.68	74.00	-15.32	Peak	
2	5460.0000	32.44	15.97	48.41	54.00	-5.59	AVG	
3	5470.0000	42.24	16.00	58.24	68.20	-9.96	Peak	
4 *	5504.6000	94.10	16.07	110.17	68.20	41.97	Peak	No Limit
5	5506.6000	81.16	16.08	97.24	999.00	-901.76	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7346.6350	43.84	10.38	54.22	74.00	-19.78	Peak	
2 *	7346.6950	34.54	10.38	44.92	54.00	-9.08	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.11	15.97	57.08	74.00	-16.92	Peak	
2	5460.0000	32.73	15.97	48.70	54.00	-5.30	AVG	
3	5470.0000	43.47	16.00	59.47	68.20	-8.73	Peak	
4 *	5495.8000	91.78	16.06	107.84	68.20	39.64	Peak	No Limit
5	5526.6000	80.00	16.12	96.12	999.00	-902.88	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7346.0060	28.07	10.38	38.45	54.00	-15.55	AVG	
2	7347.7260	40.51	10.38	50.89	74.00	-23.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5557.6000	80.91	16.18	97.09	999.00	-901.91	AVG	No Limit
2 *	5564.2000	93.38	16.19	109.57	68.20	41.37	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.8780	31.93	10.47	42.40	54.00	-11.60	AVG	
2	7400.1680	42.82	10.47	53.29	74.00	-20.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5544.4000	93.13	16.15	109.28	68.20	41.08	Peak	No Limit
2	5546.6000	80.12	16.16	96.28	999.00	-902.72	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.0860	27.81	10.47	38.28	54.00	-15.72	AVG	
2	7400.8040	41.51	10.47	51.98	74.00	-22.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5675.8000	89.20	16.41	105.61	68.20	37.41	Peak	No Limit
2	5677.6000	78.26	16.42	94.68	999.00	-904.32	AVG	No Limit
3	5725.0000	41.89	16.51	58.40	68.20	-9.80	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7559.7600	42.84	10.60	53.44	74.00	-20.56	Peak	
2 *	7559.9850	32.36	10.60	42.96	54.00	-11.04	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5659.2000	90.07	16.38	106.45	68.20	38.25	Peak	No Limit
2	5666.4000	77.70	16.40	94.10	999.00	-904.90	AVG	No Limit
3	5725.0000	41.59	16.51	58.10	68.20	-10.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7559.0200	28.00	10.60	38.60	54.00	-15.40	AVG	
2	7560.7180	41.14	10.60	51.74	74.00	-22.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.93	15.97	57.90	74.00	-16.10	Peak	
2	5460.0000	33.09	15.97	49.06	54.00	-4.94	AVG	
3	5470.0000	43.36	16.00	59.36	68.20	-8.84	Peak	
4	5518.0000	76.72	16.10	92.82	999.00	-906.18	AVG	No Limit
5 *	5532.8000	90.25	16.13	106.38	68.20	38.18	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7373.1400	43.29	10.42	53.71	74.00	-20.29	Peak	
2 *	7373.1900	34.77	10.42	45.19	54.00	-8.81	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.24	15.97	57.21	74.00	-16.79	Peak	
2	5460.0000	32.88	15.97	48.85	54.00	-5.15	AVG	
3	5470.0000	41.81	16.00	57.81	68.20	-10.39	Peak	
4	5526.4000	74.71	16.12	90.83	999.00	-908.17	AVG	No Limit
5 *	5542.4000	88.70	16.15	104.85	68.20	36.65	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7372.0260	27.94	10.42	38.36	54.00	-15.64	AVG	
2	7372.7760	40.94	10.42	51.36	74.00	-22.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5595.2000	87.57	16.25	103.82	68.20	35.62	Peak	No Limit
2	5597.6000	75.54	16.26	91.80	999.00	-907.20	AVG	No Limit
3	5725.0000	40.22	16.51	56.73	68.20	-11.47	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7479.6300	41.98	10.61	52.59	74.00	-21.41	Peak	
2 *	7480.0000	31.58	10.61	42.19	54.00	-11.81	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5622.4000	87.63	16.31	103.94	68.20	35.74	Peak	No Limit
2	5622.4000	73.33	16.31	89.64	999.00	-909.36	AVG	No Limit
3	5725.0000	40.09	16.51	56.60	68.20	-11.60	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7479.0820	27.56	10.60	38.16	54.00	-15.84	AVG	
2	7480.4840	41.63	10.61	52.24	74.00	-21.76	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	46.08	15.97	62.05	74.00	-11.95	Peak	
2	5460.0000	36.89	15.97	52.86	54.00	-1.14	AVG	
3	5470.0000	45.92	16.00	61.92	68.20	-6.28	Peak	
4	5565.2000	71.43	16.19	87.62	999.00	-911.38	AVG	No Limit
5 *	5593.2000	87.47	16.25	103.72	68.20	35.52	Peak	No Limit
6	5725.0000	44.67	16.51	61.18	68.20	-7.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7426.5700	42.57	10.52	53.09	74.00	-20.91	Peak	
2 *	7426.7200	32.29	10.52	42.81	54.00	-11.19	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.99	15.97	58.96	74.00	-15.04	Peak	
2	5460.0000	33.34	15.97	49.31	54.00	-4.69	AVG	
3	5470.0000	43.18	16.00	59.18	68.20	-9.02	Peak	
4 *	5506.0000	87.58	16.08	103.66	68.20	35.46	Peak	No Limit
5	5544.4000	69.64	16.15	85.79	999.00	-913.21	AVG	No Limit
6	5725.0000	43.34	16.51	59.85	68.20	-8.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7426.0440	27.86	10.51	38.37	54.00	-15.63	AVG	
2	7427.4520	40.63	10.52	51.15	74.00	-22.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.17	15.97	58.14	74.00	-15.86	Peak	
2	5460.0000	32.83	15.97	48.80	54.00	-5.20	AVG	
3	5470.0000	43.22	16.00	59.22	68.20	-8.98	Peak	
4 *	5497.8000	95.02	16.06	111.08	68.20	42.88	Peak	No Limit
5	5507.0000	84.57	16.08	100.65	999.00	-898.35	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7333.2540	35.83	10.36	46.19	54.00	-7.81	AVG	
2	7333.6520	43.95	10.36	54.31	74.00	-19.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.10	15.97	58.07	74.00	-15.93	Peak	
2	5460.0000	32.85	15.97	48.82	54.00	-5.18	AVG	
3	5470.0000	42.05	16.00	58.05	68.20	-10.15	Peak	
4	5498.2000	83.51	16.06	99.57	999.00	-899.43	AVG	No Limit
5 *	5501.6000	95.00	16.07	111.07	68.20	42.87	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7332.0380	27.87	10.35	38.22	54.00	-15.78	AVG	
2	7333.1260	40.62	10.36	50.98	74.00	-23.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5573.6000	96.56	16.21	112.77	68.20	44.57	Peak	No Limit
2	5582.2000	85.61	16.23	101.84	999.00	-897.16	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7439.9960	31.28	10.54	41.82	54.00	-12.18	AVG	
2	7440.2940	42.16	10.54	52.70	74.00	-21.30	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5578.0000	82.69	16.22	98.91	999.00	-900.09	AVG	No Limit
2 *	5582.6000	93.65	16.23	109.88	68.20	41.68	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7439.0220	27.81	10.54	38.35	54.00	-15.65	AVG	
2	7440.0420	41.18	10.54	51.72	74.00	-22.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5703.6000	82.52	16.47	98.99	999.00	-900.01	AVG	No Limit
2 *	5707.8000	94.22	16.48	110.70	68.20	42.50	Peak	No Limit
3	5725.0000	43.27	16.51	59.78	68.20	-8.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7599.8900	43.09	10.57	53.66	74.00	-20.34	Peak	
2 *	7600.0260	31.10	10.57	41.67	54.00	-12.33	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5693.8000	92.27	16.45	108.72	68.20	40.52	Peak	No Limit
2	5702.0000	80.98	16.47	97.45	999.00	-901.55	AVG	No Limit
3	5725.0000	42.03	16.51	58.54	68.20	-9.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7600.3360	41.36	10.57	51.93	74.00	-22.07	Peak	
2 *	7600.7820	27.92	10.57	38.49	54.00	-15.51	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.26	15.97	58.23	74.00	-15.77	Peak	
2	5460.0000	32.73	15.97	48.70	54.00	-5.30	AVG	
3	5470.0000	42.77	16.00	58.77	68.20	-9.43	Peak	
4	5507.4000	80.76	16.08	96.84	999.00	-902.16	AVG	No Limit
5 *	5518.8000	92.47	16.10	108.57	68.20	40.37	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7346.3600	43.56	10.38	53.94	74.00	-20.06	Peak	
2 *	7346.6500	34.66	10.38	45.04	54.00	-8.96	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.00	15.97	57.97	74.00	-16.03	Peak	
2	5460.0000	32.51	15.97	48.48	54.00	-5.52	AVG	
3	5470.0000	43.45	16.00	59.45	68.20	-8.75	Peak	
4 *	5496.8000	92.20	16.06	108.26	68.20	40.06	Peak	No Limit
5	5504.0000	79.41	16.07	95.48	999.00	-903.52	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7346.0080	27.82	10.38	38.20	54.00	-15.80	AVG	
2	7346.5880	40.94	10.38	51.32	74.00	-22.68	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5547.4000	80.81	16.16	96.97	999.00	-902.03	AVG	No Limit
2 *	5558.4000	92.32	16.18	108.50	68.20	40.30	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.9100	31.86	10.47	42.33	54.00	-11.67	AVG	
2	7399.9850	42.29	10.47	52.76	74.00	-21.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5536.2000	91.72	16.14	107.86	68.20	39.66	Peak	No Limit
2	5537.8000	79.62	16.14	95.76	999.00	-903.24	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.0280	27.92	10.47	38.39	54.00	-15.61	AVG	
2	7400.5420	40.61	10.47	51.08	74.00	-22.92	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5657.0000	89.33	16.38	105.71	68.20	37.51	Peak	No Limit
2	5675.0000	77.50	16.41	93.91	999.00	-905.09	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7559.8300	43.23	10.60	53.83	74.00	-20.17	Peak	
2 *	7559.9650	32.35	10.60	42.95	54.00	-11.05	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5661.8000	77.32	16.39	93.71	999.00	-905.29	AVG	No Limit
2 *	5664.8000	89.14	16.39	105.53	68.20	37.33	Peak	No Limit
3	5725.0000	42.45	16.51	58.96	68.20	-9.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7559.0100	28.11	10.60	38.71	54.00	-15.29	AVG	
2	7559.2180	40.49	10.60	51.09	74.00	-22.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	44.19	15.97	60.16	74.00	-13.84	Peak	
2	5460.0000	33.08	15.97	49.05	54.00	-4.95	AVG	
3	5470.0000	43.72	16.00	59.72	68.20	-8.48	Peak	
4 *	5543.6000	90.49	16.15	106.64	68.20	38.44	Peak	No Limit
5	5544.4000	76.77	16.15	92.92	999.00	-906.08	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7373.3300	34.84	10.42	45.26	54.00	-8.74	AVG	
2	7373.3900	43.38	10.42	53.80	74.00	-20.20	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	39.57	15.97	55.54	74.00	-18.46	Peak	
2	5460.0000	32.93	15.97	48.90	54.00	-5.10	AVG	
3	5470.0000	41.77	16.00	57.77	68.20	-10.43	Peak	
4	5536.4000	74.86	16.14	91.00	999.00	-908.00	AVG	No Limit
5 *	5542.0000	89.29	16.15	105.44	68.20	37.24	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7372.0000	27.93	10.42	38.35	54.00	-15.65	AVG	
2	7373.9740	40.52	10.43	50.95	74.00	-23.05	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5595.6000	88.38	16.26	104.64	68.20	36.44	Peak	No Limit
2	5597.6000	74.56	16.26	90.82	999.00	-908.18	AVG	No Limit
3	5725.0000	41.60	16.51	58.11	68.20	-10.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7479.7500	41.37	10.61	51.98	74.00	-22.02	Peak	
2 *	7479.8800	31.44	10.61	42.05	54.00	-11.95	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5622.4000	73.22	16.31	89.53	999.00	-909.47	AVG	No Limit
2 *	5625.6000	87.18	16.31	103.49	68.20	35.29	Peak	No Limit
3	5725.0000	42.74	16.51	59.25	68.20	-8.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7479.0840	27.65	10.60	38.25	54.00	-15.75	AVG	
2	7480.9480	41.13	10.61	51.74	74.00	-22.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	46.40	15.97	62.37	74.00	-11.63	Peak	
2	5460.0000	37.23	15.97	53.20	54.00	-0.80	AVG	
3	5470.0000	46.86	16.00	62.86	68.20	-5.34	Peak	
4	5577.2000	74.37	16.22	90.59	999.00	-908.41	AVG	No Limit
5 *	5597.2000	88.16	16.26	104.42	68.20	36.22	Peak	No Limit
6	5725.0000	42.89	16.51	59.40	68.20	-8.80	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7426.6300	41.87	10.52	52.39	74.00	-21.61	Peak	
2 *	7426.6300	31.99	10.52	42.51	54.00	-11.49	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.61	15.97	58.58	74.00	-15.42	Peak	
2	5460.0000	33.35	15.97	49.32	54.00	-4.68	AVG	
3	5470.0000	44.14	16.00	60.14	68.20	-8.06	Peak	
4	5541.2000	71.95	16.15	88.10	999.00	-910.90	AVG	No Limit
5 *	5544.4000	88.44	16.15	104.59	68.20	36.39	Peak	No Limit
6	5725.0000	41.23	16.51	57.74	68.20	-10.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7426.0040	27.73	10.51	38.24	54.00	-15.76	AVG	
2	7427.7760	41.38	10.52	51.90	74.00	-22.10	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.69	17.20
60	5300	21.70	17.20
64	5320	21.61	17.20

CH52




Date: 18.MAR.2021 15:29:10

CH60
26 dB Bandwidth




Date: 18.MAR.2021 15:31:42

CH64




Date: 18.MAR.2021 15:32:31


99 % Occupied Bandwidth



Date: 18.MAR.2021 15:28:45



Date: 18.MAR.2021 15:31:16




Date: 18.MAR.2021 15:32:06

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.10	36.80
62	5310	39.90	37.00

CH54




Date: 18.MAR.2021 15:53:10

CH62 26 dB Bandwidth




Date: 18.MAR.2021 15:53:16

99 % Occupied Bandwidth



Date: 18.MAR.2021 15:52:44




Date: 18.MAR.2021 15:53:29

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.60	76.00

CH58 26 dB Bandwidth



Date: 18.MAR.2021 16:03:24

99 % Occupied Bandwidth




Date: 18.MAR.2021 16:02:54

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.75	19.20
60	5300	21.80	19.20
64	5320	21.86	19.20

CH52




Date: 18.MAR.2021 16:10:43

CH60
26 dB Bandwidth




Date: 18.MAR.2021 16:11:25

CH64




Date: 18.MAR.2021 16:12:06


99 % Occupied Bandwidth



Date: 18.MAR.2021 16:10:19



Date: 18.MAR.2021 16:10:59




Date: 18.MAR.2021 16:11:42

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	305.99	175.20

CH50 26 dB Bandwidth



Date: 18.MAR.2021 16:06:42

99 % Occupied Bandwidth




Date: 18.MAR.2021 16:06:21

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	272.80	157.60

CH50 26 dB Bandwidth



Date: 18.MAR.2021 16:30:30

99 % Occupied Bandwidth




Date: 18.MAR.2021 16:30:10

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.65	17.20
116	5580	21.71	17.20
140	5700	21.59	17.20

CH100




Date: 18.MAR.2021 15:33:22

CH116
26 dB Bandwidth




Date: 18.MAR.2021 15:34:35

CH140




Date: 18.MAR.2021 15:35:21


99 % Occupied Bandwidth



Date: 18.MAR.2021 15:32:56



Date: 18.MAR.2021 15:34:09




Date: 18.MAR.2021 15:34:56

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.95	18.20
116	5580	22.00	18.20
140	5700	21.89	18.20

CH100




Date: 18.MAR.2021 15:45:18

CH116
26 dB Bandwidth




Date: 18.MAR.2021 15:46:05

CH140




Date: 18.MAR.2021 15:47:02


99 % Occupied Bandwidth



Date: 18.MAR.2021 15:44:52



Date: 18.MAR.2021 15:45:40



Date: 18.MAR.2021 15:46:36

