


Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.80	76.00
122	5610	82.81	76.40

CH106




Date: 18_MAR, 2021 16:04:16

CH122
26 dB Bandwidth




Date: 18_MAR, 2021 16:05:04

99 % Occupied Bandwidth



Date: 18_MAR, 2021 16:03:45




Date: 18_MAR, 2021 16:04:34

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	229.20	156.00

CH114 26 dB Bandwidth



Date: 18.MAR.2021 16:07:27

99 % Occupied Bandwidth




Date: 18.MAR.2021 16:07:03

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.85	19.20
116	5580	21.85	19.20
140	5700	21.95	19.20

CH100




Date: 18.MAR.2021 16:12:53

CH116
26 dB Bandwidth




Date: 18.MAR.2021 16:13:14

CH140




Date: 18.MAR.2021 16:14:17


99 % Occupied Bandwidth



Date: 18.MAR.2021 16:12:28



Date: 18.MAR.2021 16:13:09




Date: 18.MAR.2021 16:13:52

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.00	77.20
122	5610	82.20	77.20

CH106




Date: 18_MAR_2021 16:27:46

CH122
26 dB Bandwidth




Date: 18_MAR_2021 16:28:40

99 % Occupied Bandwidth



Date: 18_MAR_2021 16:27:13



Date: 18_MAR_2021 16:28:10

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.45	0.23	15.68	23.98	0.2500	Complies
60	5300	15.61	0.23	15.84	23.98	0.2500	Complies
64	5320	15.24	0.23	15.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.43	0.23	15.66	23.98	0.2500	Complies
60	5300	15.11	0.23	15.34	23.98	0.2500	Complies
64	5320	15.06	0.23	15.29	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.36	0.23	15.59	23.98	0.2500	Complies
60	5300	15.43	0.23	15.66	23.98	0.2500	Complies
64	5320	15.16	0.23	15.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.18	0.23	15.41	23.98	0.2500	Complies
60	5300	15.09	0.23	15.32	23.98	0.2500	Complies
64	5320	15.22	0.23	15.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.61	23.98	0.2500	Complies
60	5300	21.56	23.98	0.2500	Complies
64	5320	21.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.45	0.21	15.66	23.98	0.2500	Complies
60	5300	15.46	0.21	15.67	23.98	0.2500	Complies
64	5320	15.26	0.21	15.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.37	0.21	15.58	23.98	0.2500	Complies
60	5300	15.41	0.21	15.62	23.98	0.2500	Complies
64	5320	15.22	0.21	15.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.38	0.21	15.59	23.98	0.2500	Complies
60	5300	15.32	0.21	15.53	23.98	0.2500	Complies
64	5320	15.18	0.21	15.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.72	0.21	14.93	23.98	0.2500	Complies
60	5300	14.81	0.21	15.02	23.98	0.2500	Complies
64	5320	14.88	0.21	15.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.47	23.98	0.2500	Complies
60	5300	21.49	23.98	0.2500	Complies
64	5320	21.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.61	0.43	18.04	23.98	0.2500	Complies
62	5310	17.53	0.43	17.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.57	0.43	18.00	23.98	0.2500	Complies
62	5310	17.49	0.43	17.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.59	0.43	18.02	23.98	0.2500	Complies
62	5310	17.42	0.43	17.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.04	0.43	17.47	23.98	0.2500	Complies
62	5310	16.98	0.43	17.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.91	23.98	0.2500	Complies
62	5310	23.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.57	0.00	15.57	23.98	0.2500	Complies
60	5300	15.85	0.00	15.85	23.98	0.2500	Complies
64	5320	15.63	0.00	15.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.53	0.00	15.53	23.98	0.2500	Complies
60	5300	15.33	0.00	15.33	23.98	0.2500	Complies
64	5320	15.43	0.00	15.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.53	0.00	15.53	23.98	0.2500	Complies
60	5300	15.72	0.00	15.72	23.98	0.2500	Complies
64	5320	15.60	0.00	15.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.38	0.00	15.38	23.98	0.2500	Complies
60	5300	15.44	0.00	15.44	23.98	0.2500	Complies
64	5320	15.29	0.00	15.29	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.52	23.98	0.2500	Complies
60	5300	21.61	23.98	0.2500	Complies
64	5320	21.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.01	0.13	18.14	23.98	0.2500	Complies
62	5310	17.88	0.13	18.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.99	0.13	18.12	23.98	0.2500	Complies
62	5310	17.86	0.13	17.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.02	0.13	18.15	23.98	0.2500	Complies
62	5310	17.96	0.13	18.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.12	0.13	17.25	23.98	0.2500	Complies
62	5310	17.21	0.13	17.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.96	23.98	0.2500	Complies
62	5310	23.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.56	0.23	17.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.96	0.23	18.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.82	0.23	18.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.23	17.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.39	0.10	15.49	23.98	0.2500	Complies
60	5300	15.45	0.10	15.55	23.98	0.2500	Complies
64	5320	15.66	0.10	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.10	15.56	23.98	0.2500	Complies
60	5300	15.49	0.10	15.59	23.98	0.2500	Complies
64	5320	15.44	0.10	15.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.59	0.10	15.69	23.98	0.2500	Complies
60	5300	15.89	0.10	15.99	23.98	0.2500	Complies
64	5320	15.62	0.10	15.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.54	0.10	15.64	23.98	0.2500	Complies
60	5300	15.45	0.10	15.55	23.98	0.2500	Complies
64	5320	15.18	0.10	15.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.62	23.98	0.2500	Complies
60	5300	21.70	23.98	0.2500	Complies
64	5320	21.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.58	0.16	17.74	23.98	0.2500	Complies
62	5310	17.73	0.16	17.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.69	0.16	17.85	23.98	0.2500	Complies
62	5310	17.56	0.16	17.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.79	0.16	17.95	23.98	0.2500	Complies
62	5310	17.69	0.16	17.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.12	0.16	17.28	23.98	0.2500	Complies
62	5310	17.08	0.16	17.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.74	23.98	0.2500	Complies
62	5310	23.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.66	0.30	17.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.58	0.30	17.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.81	0.30	18.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.99	0.30	17.29	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.84	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.21	0.68	17.89	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.98	0.68	17.66	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.01	0.68	17.69	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.58	0.68	17.26	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.66	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.42	0.29	17.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.51	0.29	17.80	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.39	0.29	17.68	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.12	0.29	17.41	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.97	0.23	15.20	23.98	0.2500	Complies
116	5580	15.02	0.23	15.25	23.98	0.2500	Complies
140	5700	14.54	0.23	14.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.06	0.23	14.29	23.98	0.2500	Complies
116	5580	14.04	0.23	14.27	23.98	0.2500	Complies
140	5700	13.39	0.23	13.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.95	0.23	15.18	23.98	0.2500	Complies
116	5580	15.00	0.23	15.23	23.98	0.2500	Complies
140	5700	14.39	0.23	14.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.71	0.23	14.94	23.98	0.2500	Complies
116	5580	14.86	0.23	15.09	23.98	0.2500	Complies
140	5700	13.94	0.23	14.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.94	23.98	0.2500	Complies
116	5580	21.00	23.98	0.2500	Complies
140	5700	20.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.56	0.21	14.77	23.98	0.2500	Complies
116	5580	14.65	0.21	14.86	23.98	0.2500	Complies
140	5700	14.93	0.21	15.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.68	0.21	14.89	23.98	0.2500	Complies
116	5580	14.59	0.21	14.80	23.98	0.2500	Complies
140	5700	14.75	0.21	14.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.55	0.21	14.76	23.98	0.2500	Complies
116	5580	14.76	0.21	14.97	23.98	0.2500	Complies
140	5700	14.83	0.21	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.89	0.21	14.10	23.98	0.2500	Complies
116	5580	13.86	0.21	14.07	23.98	0.2500	Complies
140	5700	13.99	0.21	14.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.66	23.98	0.2500	Complies
116	5580	20.71	23.98	0.2500	Complies
140	5700	20.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.59	0.43	18.02	23.98	0.2500	Complies
110	5550	17.24	0.43	17.67	23.98	0.2500	Complies
134	5670	17.31	0.43	17.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.61	0.43	18.04	23.98	0.2500	Complies
110	5550	17.38	0.43	17.81	23.98	0.2500	Complies
134	5670	17.35	0.43	17.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.55	0.43	17.98	23.98	0.2500	Complies
110	5550	17.31	0.43	17.74	23.98	0.2500	Complies
134	5670	17.29	0.43	17.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.41	0.43	16.84	23.98	0.2500	Complies
110	5550	16.13	0.43	16.56	23.98	0.2500	Complies
134	5670	16.18	0.43	16.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.77	23.98	0.2500	Complies
110	5550	23.50	23.98	0.2500	Complies
134	5670	23.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.88	0.00	14.88	23.98	0.2500	Complies
116	5580	14.85	0.00	14.85	23.98	0.2500	Complies
140	5700	15.05	0.00	15.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.57	0.00	14.57	23.98	0.2500	Complies
116	5580	14.45	0.00	14.45	23.98	0.2500	Complies
140	5700	15.08	0.00	15.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.87	0.00	14.87	23.98	0.2500	Complies
116	5580	14.82	0.00	14.82	23.98	0.2500	Complies
140	5700	14.84	0.00	14.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.88	0.00	14.88	23.98	0.2500	Complies
116	5580	14.93	0.00	14.93	23.98	0.2500	Complies
140	5700	15.37	0.00	15.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.82	23.98	0.2500	Complies
116	5580	20.79	23.98	0.2500	Complies
140	5700	21.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.81	0.13	17.94	23.98	0.2500	Complies
110	5550	17.67	0.13	17.80	23.98	0.2500	Complies
134	5670	17.65	0.13	17.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.86	0.13	17.99	23.98	0.2500	Complies
110	5550	17.42	0.13	17.55	23.98	0.2500	Complies
134	5670	17.74	0.13	17.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.91	0.13	18.04	23.98	0.2500	Complies
110	5550	17.62	0.13	17.75	23.98	0.2500	Complies
134	5670	17.63	0.13	17.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.79	0.13	16.92	23.98	0.2500	Complies
110	5550	16.58	0.13	16.71	23.98	0.2500	Complies
134	5670	16.22	0.13	16.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.77	23.98	0.2500	Complies
110	5550	23.50	23.98	0.2500	Complies
134	5670	23.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.95	0.23	18.18	23.98	0.2500	Complies
122	5610	18.01	0.23	18.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.95	0.23	18.18	23.98	0.2500	Complies
122	5610	17.91	0.23	18.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.88	0.23	18.11	23.98	0.2500	Complies
122	5610	17.93	0.23	18.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.99	0.23	17.22	23.98	0.2500	Complies
122	5610	16.97	0.23	17.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.96	23.98	0.2500	Complies
122	5610	23.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.32	0.68	18.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.48	0.68	18.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.28	0.68	17.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.93	0.68	17.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.98	0.10	15.08	23.98	0.2500	Complies
116	5580	15.05	0.10	15.15	23.98	0.2500	Complies
140	5700	14.96	0.10	15.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.25	0.10	14.35	23.98	0.2500	Complies
116	5580	14.21	0.10	14.31	23.98	0.2500	Complies
140	5700	13.77	0.10	13.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.02	0.10	15.12	23.98	0.2500	Complies
116	5580	14.99	0.10	15.09	23.98	0.2500	Complies
140	5700	14.85	0.10	14.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.07	0.10	15.17	23.98	0.2500	Complies
116	5580	14.99	0.10	15.09	23.98	0.2500	Complies
140	5700	14.36	0.10	14.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.96	23.98	0.2500	Complies
116	5580	20.94	23.98	0.2500	Complies
140	5700	20.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.89	0.16	18.05	23.98	0.2500	Complies
110	5550	17.89	0.16	18.05	23.98	0.2500	Complies
134	5670	17.56	0.16	17.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.92	0.16	18.08	23.98	0.2500	Complies
110	5550	17.68	0.16	17.84	23.98	0.2500	Complies
134	5670	17.86	0.16	18.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.92	0.16	18.08	23.98	0.2500	Complies
110	5550	17.62	0.16	17.78	23.98	0.2500	Complies
134	5670	17.89	0.16	18.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.96	0.16	17.12	23.98	0.2500	Complies
110	5550	16.84	0.16	17.00	23.98	0.2500	Complies
134	5670	16.57	0.16	16.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.87	23.98	0.2500	Complies
110	5550	23.71	23.98	0.2500	Complies
134	5670	23.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.68	0.30	17.98	23.98	0.2500	Complies
122	5610	17.43	0.30	17.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.75	0.30	18.05	23.98	0.2500	Complies
122	5610	17.49	0.30	17.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.58	0.30	17.88	23.98	0.2500	Complies
122	5610	17.58	0.30	17.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.86	0.30	17.16	23.98	0.2500	Complies
122	5610	16.99	0.30	17.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.81	23.98	0.2500	Complies
122	5610	23.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.96	0.29	18.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.84	0.29	18.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.86	0.29	18.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.74	0.29	17.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.94	23.98	0.2500	Complies

Beamforming

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.54	0.21	15.75	23.98	0.2500	Complies
60	5300	15.35	0.21	15.56	23.98	0.2500	Complies
64	5320	15.42	0.21	15.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.26	0.21	15.47	23.98	0.2500	Complies
60	5300	15.11	0.21	15.32	23.98	0.2500	Complies
64	5320	15.19	0.21	15.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.25	0.21	15.46	23.98	0.2500	Complies
60	5300	15.20	0.21	15.41	23.98	0.2500	Complies
64	5320	15.00	0.21	15.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.01	0.21	15.22	23.98	0.2500	Complies
60	5300	14.79	0.21	15.00	23.98	0.2500	Complies
64	5320	14.79	0.21	15.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.50	23.15	0.2065	Complies
60	5300	21.35	23.15	0.2065	Complies
64	5320	21.34	23.15	0.2065	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.68	0.43	17.11	23.98	0.2500	Complies
62	5310	16.61	0.43	17.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.52	0.43	16.95	23.98	0.2500	Complies
62	5310	16.58	0.43	17.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.43	0.43	16.86	23.98	0.2500	Complies
62	5310	16.58	0.43	17.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.99	0.43	16.42	23.98	0.2500	Complies
62	5310	16.01	0.43	16.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.87	23.15	0.2065	Complies
62	5310	22.91	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.74	0.00	15.74	23.98	0.2500	Complies
60	5300	15.65	0.00	15.65	23.98	0.2500	Complies
64	5320	15.63	0.00	15.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.50	0.00	15.50	23.98	0.2500	Complies
60	5300	15.37	0.00	15.37	23.98	0.2500	Complies
64	5320	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.47	0.00	15.47	23.98	0.2500	Complies
60	5300	15.50	0.00	15.50	23.98	0.2500	Complies
64	5320	15.25	0.00	15.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.24	0.00	15.24	23.98	0.2500	Complies
60	5300	15.07	0.00	15.07	23.98	0.2500	Complies
64	5320	15.01	0.00	15.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.51	23.15	0.2065	Complies
60	5300	21.42	23.15	0.2065	Complies
64	5320	21.35	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.92	0.13	17.05	23.98	0.2500	Complies
62	5310	16.88	0.13	17.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.08	0.13	17.21	23.98	0.2500	Complies
62	5310	16.91	0.13	17.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.85	0.13	16.98	23.98	0.2500	Complies
62	5310	17.11	0.13	17.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.35	0.13	16.48	23.98	0.2500	Complies
62	5310	16.42	0.13	16.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.96	23.15	0.2065	Complies
62	5310	22.99	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.96	0.23	17.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.86	0.23	17.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.89	0.23	17.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.37	0.23	16.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.02	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.95	0.10	15.05	23.98	0.2500	Complies
60	5300	14.87	0.10	14.97	23.98	0.2500	Complies
64	5320	14.85	0.10	14.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.67	0.10	14.77	23.98	0.2500	Complies
60	5300	14.58	0.10	14.68	23.98	0.2500	Complies
64	5320	14.60	0.10	14.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.71	0.10	14.81	23.98	0.2500	Complies
60	5300	14.89	0.10	14.99	23.98	0.2500	Complies
64	5320	14.50	0.10	14.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.47	0.10	14.57	23.98	0.2500	Complies
60	5300	14.31	0.10	14.41	23.98	0.2500	Complies
64	5320	14.25	0.10	14.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.82	23.15	0.2065	Complies
60	5300	20.79	23.15	0.2065	Complies
64	5320	20.68	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.96	0.16	17.12	23.98	0.2500	Complies
62	5310	16.98	0.16	17.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.05	0.16	17.21	23.98	0.2500	Complies
62	5310	16.96	0.16	17.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.99	0.16	17.15	23.98	0.2500	Complies
62	5310	16.96	0.16	17.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.30	0.16	16.46	23.98	0.2500	Complies
62	5310	16.34	0.16	16.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.02	23.15	0.2065	Complies
62	5310	23.00	23.15	0.2065	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.08	0.30	17.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.06	0.30	17.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.04	0.30	17.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.01	0.30	16.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.14	23.15	0.2065	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.55	0.68	14.23	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.80	0.68	13.48	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.33	0.68	14.01	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.90	0.68	13.58	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.86	23.15	0.2065	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.25	0.29	13.54	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.86	0.29	13.15	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.41	0.29	13.70	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.02	0.29	13.31	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.45	23.15	0.2065	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.29	0.21	14.50	23.98	0.2500	Complies
116	5580	14.25	0.21	14.46	23.98	0.2500	Complies
140	5700	14.34	0.21	14.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.35	0.21	13.56	23.98	0.2500	Complies
116	5580	13.41	0.21	13.62	23.98	0.2500	Complies
140	5700	13.88	0.21	14.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.28	0.21	14.49	23.98	0.2500	Complies
116	5580	14.22	0.21	14.43	23.98	0.2500	Complies
140	5700	14.29	0.21	14.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.35	0.21	14.56	23.98	0.2500	Complies
116	5580	14.29	0.21	14.50	23.98	0.2500	Complies
140	5700	13.89	0.21	14.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.32	23.15	0.2065	Complies
116	5580	20.29	23.15	0.2065	Complies
140	5700	20.34	23.15	0.2065	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.32	0.43	16.75	23.98	0.2500	Complies
110	5550	16.35	0.43	16.78	23.98	0.2500	Complies
134	5670	16.38	0.43	16.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.35	0.43	16.78	23.98	0.2500	Complies
110	5550	16.25	0.43	16.68	23.98	0.2500	Complies
134	5670	16.28	0.43	16.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.30	0.43	16.73	23.98	0.2500	Complies
110	5550	16.42	0.43	16.85	23.98	0.2500	Complies
134	5670	16.11	0.43	16.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.86	0.43	16.29	23.98	0.2500	Complies
110	5550	15.99	0.43	16.42	23.98	0.2500	Complies
134	5670	16.01	0.43	16.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.67	23.15	0.2065	Complies
110	5550	22.71	23.15	0.2065	Complies
134	5670	22.65	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.21	0.00	14.21	23.98	0.2500	Complies
116	5580	14.01	0.00	14.01	23.98	0.2500	Complies
140	5700	14.04	0.00	14.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.41	0.00	13.41	23.98	0.2500	Complies
116	5580	13.22	0.00	13.22	23.98	0.2500	Complies
140	5700	12.97	0.00	12.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.18	0.00	14.18	23.98	0.2500	Complies
116	5580	13.93	0.00	13.93	23.98	0.2500	Complies
140	5700	14.00	0.00	14.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.94	0.00	13.94	23.98	0.2500	Complies
116	5580	13.66	0.00	13.66	23.98	0.2500	Complies
140	5700	13.29	0.00	13.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.97	23.15	0.2065	Complies
116	5580	19.74	23.15	0.2065	Complies
140	5700	19.62	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.70	0.13	16.83	23.98	0.2500	Complies
110	5550	16.89	0.13	17.02	23.98	0.2500	Complies
134	5670	16.88	0.13	17.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.01	0.13	17.14	23.98	0.2500	Complies
110	5550	16.91	0.13	17.04	23.98	0.2500	Complies
134	5670	16.72	0.13	16.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.74	0.13	16.87	23.98	0.2500	Complies
110	5550	16.52	0.13	16.65	23.98	0.2500	Complies
134	5670	16.57	0.13	16.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.11	0.13	16.24	23.98	0.2500	Complies
110	5550	16.05	0.13	16.18	23.98	0.2500	Complies
134	5670	16.12	0.13	16.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.81	23.15	0.2065	Complies
110	5550	22.76	23.15	0.2065	Complies
134	5670	22.74	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.00	0.23	17.23	23.98	0.2500	Complies
122	5610	17.11	0.23	17.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.92	0.23	17.15	23.98	0.2500	Complies
122	5610	17.09	0.23	17.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.82	0.23	17.05	23.98	0.2500	Complies
122	5610	17.18	0.23	17.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.61	0.23	16.84	23.98	0.2500	Complies
122	5610	16.01	0.23	16.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.09	23.15	0.2065	Complies
122	5610	23.12	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.53	0.68	13.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.25	0.68	12.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.44	0.68	13.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.37	0.68	12.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.88	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.12	0.10	14.22	23.98	0.2500	Complies
116	5580	14.01	0.10	14.11	23.98	0.2500	Complies
140	5700	14.11	0.10	14.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.52	0.10	13.62	23.98	0.2500	Complies
116	5580	13.22	0.10	13.32	23.98	0.2500	Complies
140	5700	13.28	0.10	13.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.18	0.10	14.28	23.98	0.2500	Complies
116	5580	13.85	0.10	13.95	23.98	0.2500	Complies
140	5700	13.89	0.10	13.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.93	0.10	14.03	23.98	0.2500	Complies
116	5580	13.57	0.10	13.67	23.98	0.2500	Complies
140	5700	13.43	0.10	13.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.07	23.15	0.2065	Complies
116	5580	19.79	23.15	0.2065	Complies
140	5700	19.81	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.73	0.16	16.89	23.98	0.2500	Complies
110	5550	16.50	0.16	16.66	23.98	0.2500	Complies
134	5670	16.44	0.16	16.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.71	0.16	16.87	23.98	0.2500	Complies
110	5550	16.44	0.16	16.60	23.98	0.2500	Complies
134	5670	16.60	0.16	16.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.82	0.16	16.98	23.98	0.2500	Complies
110	5550	16.57	0.16	16.73	23.98	0.2500	Complies
134	5670	16.59	0.16	16.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.28	0.16	16.44	23.98	0.2500	Complies
110	5550	16.95	0.16	17.11	23.98	0.2500	Complies
134	5670	16.01	0.16	16.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.82	23.15	0.2065	Complies
110	5550	22.80	23.15	0.2065	Complies
134	5670	22.60	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.86	0.30	17.16	23.98	0.2500	Complies
122	5610	16.99	0.30	17.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.98	0.30	17.28	23.98	0.2500	Complies
122	5610	16.86	0.30	17.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.01	0.30	17.31	23.98	0.2500	Complies
122	5610	17.06	0.30	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.23	0.30	16.53	23.98	0.2500	Complies
122	5610	16.22	0.30	16.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.10	23.15	0.2065	Complies
122	5610	23.12	23.15	0.2065	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.90	0.29	13.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.78	0.29	13.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.80	0.29	13.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.68	0.29	11.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.88	23.15	0.2065	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Non Beamforming

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.47	0.23	4.70	11.00	Complies
60	5300	4.67	0.23	4.90	11.00	Complies
64	5320	4.54	0.23	4.77	11.00	Complies



Date: 18.MAR.2021 10:19:05




Date: 18.MAR.2021 10:20:50




Date: 18.MAR.2021 10:27:43

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.68	0.23	4.91	11.00	Complies
60	5300	4.71	0.23	4.94	11.00	Complies
64	5320	4.49	0.23	4.72	11.00	Complies



Date: 18.MAR.2021 10:18:32




Date: 18.MAR.2021 10:21:27




Date: 18.MAR.2021 10:28:25

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.02	0.23	4.25	11.00	Complies
60	5300	4.48	0.23	4.71	11.00	Complies
64	5320	4.07	0.23	4.30	11.00	Complies



Date: 18.MAR.2021 10:19:35




Date: 18.MAR.2021 10:25:44




Date: 18.MAR.2021 10:29:12

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.06	0.23	4.29	11.00	Complies
60	5300	4.45	0.23	4.68	11.00	Complies
64	5320	4.15	0.23	4.38	11.00	Complies



Date: 18.MAR.2021 10:20:04



Date: 18.MAR.2021 10:26:17




Date: 18.MAR.2021 10:29:39

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.57	11.00	Complies
60	5300	10.83	11.00	Complies
64	5320	10.57	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.22	0.00	4.22	11.00	Complies
60	5300	4.56	0.00	4.56	11.00	Complies
64	5320	4.29	0.00	4.29	11.00	Complies



Date: 18.MAR.2021 10:53:41




Date: 18.MAR.2021 10:54:04




Date: 18.MAR.2021 10:54:30

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.40	0.00	4.40	11.00	Complies
60	5300	4.51	0.00	4.51	11.00	Complies
64	5320	4.25	0.00	4.25	11.00	Complies



Date: 18.MAR.2021 10:57:58




Date: 18.MAR.2021 10:58:20




Date: 18.MAR.2021 10:58:46

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.95	0.00	3.95	11.00	Complies
60	5300	4.22	0.00	4.22	11.00	Complies
64	5320	3.95	0.00	3.95	11.00	Complies



Date: 18.MAR.2021 11:04:28




Date: 18.MAR.2021 11:04:50




Date: 18.MAR.2021 11:05:16

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.90	0.00	3.90	11.00	Complies
60	5300	4.21	0.00	4.21	11.00	Complies
64	5320	4.02	0.00	4.02	11.00	Complies



Date: 18.MAR.2021 11:08:53



Date: 18.MAR.2021 11:09:15




Date: 18.MAR.2021 11:09:39

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.14	11.00	Complies
60	5300	10.40	11.00	Complies
64	5320	10.15	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.40	0.13	2.53	11.00	Complies
62	5310	2.66	0.13	2.79	11.00	Complies




Date: 15_MAR_2021 13:57:53




Date: 15_MAR_2021 13:58:24

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.38	0.13	2.51	11.00	Complies
62	5310	2.62	0.13	2.75	11.00	Complies





Date: 15_MAR_2021 14:51:58



Date: 15_MAR_2021 14:52:29



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.04	0.13	2.17	11.00	Complies
62	5310	2.26	0.13	2.39	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.80	0.13	2.93	11.00	Complies
62	5310	2.99	0.13	3.12	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.57	11.00	Complies
62	5310	8.80	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.55	0.23	-0.32	11.00	Complies



Date: 15.MAR.2021 14:04:45

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.53	0.23	-0.30	11.00	Complies



Date: 15.MAR.2021 14:58:28

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.92	0.23	-0.69	11.00	Complies



Date: 15.MAR.2021 17:00:13

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.35	0.23	-0.12	11.00	Complies




Date: 18.MAR.2021 11:40:10

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.66	11.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.28	0.10	4.38	11.00	Complies
60	5300	4.52	0.10	4.62	11.00	Complies
64	5320	4.34	0.10	4.44	11.00	Complies



Date: 18.MAR.2021 11:13:16




Date: 18.MAR.2021 11:13:19




Date: 18.MAR.2021 11:14:05

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.51	0.10	4.61	11.00	Complies
60	5300	4.57	0.10	4.67	11.00	Complies
64	5320	4.22	0.10	4.32	11.00	Complies



Date: 18.MAR.2021 11:17:34




Date: 18.MAR.2021 11:18:14




Date: 18.MAR.2021 11:18:36

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.92	0.10	4.02	11.00	Complies
60	5300	4.12	0.10	4.22	11.00	Complies
64	5320	3.81	0.10	3.91	11.00	Complies



Date: 18.MAR.2021 11:23:01




Date: 18.MAR.2021 11:23:23




Date: 18.MAR.2021 11:23:47

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.84	0.10	3.94	11.00	Complies
60	5300	4.13	0.10	4.23	11.00	Complies
64	5320	3.95	0.10	4.05	11.00	Complies



Date: 18.MAR.2021 11:27:25



Date: 18.MAR.2021 11:27:47



Date: 18.MAR.2021 11:28:10


Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.27	11.00	Complies
60	5300	10.46	11.00	Complies
64	5320	10.21	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.33	0.16	2.49	11.00	Complies
62	5310	2.73	0.16	2.89	11.00	Complies

CH54



Date: 15_MAR_2021 16:06:01

CH62




Date: 15_MAR_2021 16:06:31

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.15	0.16	2.31	11.00	Complies
62	5310	2.19	0.16	2.35	11.00	Complies

CH54



Date: 15_MAR_2021 15:49:37


CH62




Date: 15_MAR_2021 15:50:09

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.84	0.16	2.00	11.00	Complies
62	5310	2.19	0.16	2.35	11.00	Complies




Date: 15_MAR_2021 17:26:48




Date: 15_MAR_2021 17:27:26

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.31	0.16	2.47	11.00	Complies
62	5310	2.70	0.16	2.86	11.00	Complies



Date: 18_MAR_2021 11:48:28




Date: 18_MAR_2021 11:48:56

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.35	11.00	Complies
62	5310	8.64	11.00	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.75	0.30	-0.45	11.00	Complies



Date: 15.MAR.2021 16:10:50

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.69	0.30	-0.39	11.00	Complies



Date: 15.MAR.2021 15:55:07

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.17	0.30	-0.87	11.00	Complies



Date: 15.MAR.2021 17:32:16

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.46	0.30	-0.16	11.00	Complies




Date: 18.MAR.2021 11:53:04

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.56	11.00	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.26	0.68	3.94	11.00	Complies



Date: 15.MAR.2021 14:07:29

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.38	0.68	3.06	11.00	Complies



Date: 18.MAR.2021 13:51:20

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.29	0.68	3.97	11.00	Complies



Date: 15.MAR.2021 17:05:07

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.07	0.68	3.75	11.00	Complies




Date: 18.MAR.2021 11:43:10

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	9.72	11.00	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.22	0.29	3.51	11.00	Complies



Date: 15.MAR.2021 16:13:40

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.79	0.29	2.08	11.00	Complies



Date: 15.MAR.2021 15:58:05

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.06	0.29	3.35	11.00	Complies



Date: 15.MAR.2021 17:35:01

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.65	0.29	2.94	11.00	Complies




Date: 18.MAR.2021 11:54:58

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	9.03	11.00	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.68	0.23	4.91	11.00	Complies
116	5580	4.63	0.23	4.86	11.00	Complies
140	5700	4.67	0.23	4.90	11.00	Complies



Date: 18.MAR.2021 10:30:25




Date: 18.MAR.2021 10:33:56




Date: 18.MAR.2021 10:37:18

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.24	0.23	3.47	11.00	Complies
116	5580	3.36	0.23	3.59	11.00	Complies
140	5700	3.48	0.23	3.71	11.00	Complies



Date: 18.MAR.2021 10:31:44




Date: 18.MAR.2021 10:34:38




Date: 18.MAR.2021 10:38:35

Test Mode	UNII-2C_TX A Mode_Ant.
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.00	0.23	4.23	11.00	Complies
116	5580	3.48	0.23	3.71	11.00	Complies
140	5700	3.43	0.23	3.66	11.00	Complies



Date: 19.MAR.2021 10:32:45




Date: 18.MAR.2021 10:35:30




Date: 18.MAR.2021 10:39:15

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.28	0.23	4.51	11.00	Complies
116	5580	4.25	0.23	4.48	11.00	Complies
140	5700	3.67	0.23	3.90	11.00	Complies



Date: 19.MAR.2021 10:33:15



Date: 18.MAR.2021 10:35:50




Date: 18.MAR.2021 10:39:46

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.33	11.00	Complies
116	5580	10.21	11.00	Complies
140	5700	10.09	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.58	0.00	4.58	11.00	Complies
116	5580	4.56	0.00	4.56	11.00	Complies
140	5700	4.30	0.00	4.30	11.00	Complies



Date: 18.MAR.2021 10:54:58




Date: 18.MAR.2021 10:55:25




Date: 18.MAR.2021 10:55:52

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.35	0.00	3.35	11.00	Complies
116	5580	3.11	0.00	3.11	11.00	Complies
140	5700	3.27	0.00	3.27	11.00	Complies



Date: 18.MAR.2021 11:01:00




Date: 18.MAR.2021 11:01:21




Date: 18.MAR.2021 11:02:09

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.70	0.00	3.70	11.00	Complies
116	5580	3.46	0.00	3.46	11.00	Complies
140	5700	3.34	0.00	3.34	11.00	Complies



Date: 18.MAR.2021 11:05:48




Date: 18.MAR.2021 11:06:10




Date: 18.MAR.2021 11:06:37

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.00	0.00	4.00	11.00	Complies
116	5580	3.97	0.00	3.97	11.00	Complies
140	5700	3.44	0.00	3.44	11.00	Complies



Date: 18.MAR.2021 11:10:08



Date: 18.MAR.2021 11:10:30




Date: 18.MAR.2021 11:10:54

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.95	11.00	Complies
116	5580	9.83	11.00	Complies
140	5700	9.63	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.89	0.13	3.02	11.00	Complies
110	5550	3.02	0.13	3.15	11.00	Complies
134	5670	1.74	0.13	1.87	11.00	Complies



Date: 15.MAR.2021 13:59:02




Date: 15.MAR.2021 13:59:40




Date: 15.MAR.2021 14:00:12

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.33	0.13	1.46	11.00	Complies
110	5550	2.09	0.13	2.22	11.00	Complies
134	5670	0.77	0.13	0.90	11.00	Complies



Date: 15.MAR.2021 14:53:21




Date: 18.MAR.2021 14:22:20




Date: 15.MAR.2021 14:55:12

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.08	0.13	2.21	11.00	Complies
110	5550	2.09	0.13	2.22	11.00	Complies
134	5670	0.51	0.13	0.64	11.00	Complies



Date: 15.MAR.2021 16:38:18




Date: 15.MAR.2021 16:38:49




Date: 15.MAR.2021 16:39:21

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.77	0.13	2.90	11.00	Complies
110	5550	2.90	0.13	3.03	11.00	Complies
134	5670	1.79	0.13	1.92	11.00	Complies



Date: 18.MAR.2021 11:36:16



Date: 18.MAR.2021 11:37:05



Date: 18.MAR.2021 11:37:33


Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.47	11.00	Complies
110	5550	8.70	11.00	Complies
134	5670	7.39	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.05	0.23	0.28	11.00	Complies
122	5610	-1.55	0.23	-1.32	11.00	Complies

CH106



Date: 15_MAR_2021 14:05:20

CH122




Date: 15_MAR_2021 14:05:53

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.29	0.23	-1.06	11.00	Complies
122	5610	-2.24	0.23	-2.01	11.00	Complies

CH106



Date: 15_MAR_2021 14:59:03

CH122



Date: 15_MAR_2021 14:59:47