



Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	24.60	18.20
40	5200	25.30	18.20
48	5240	24.70	18.20



Date: 29.MAY.2019 09:53:36




Date: 29.MAY.2019 10:00:50




Date: 29.MAY.2019 10:03:37

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	45.50	36.80
46	5230	44.00	37.20




Date: 20.MAY.2019 20:07:45




Date: 20.MAY.2019 20:11:32

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	19.10	500	Complies
157	5785	17.70	18.70	500	Complies
165	5825	17.65	18.50	500	Complies



Date: 29_MAY.2019 10:07:49




Date: 29_MAY.2019 10:12:58




Date: 29_MAY.2019 10:16:31

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.60	36.40	500	Complies
159	5795	36.60	36.40	500	Complies




Date: 29_MAY.2019 10:21:16



Date: 29_MAY.2019 10:23:54

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.41	76.40	500	Complies



Date: 29.MAY.2019 10:28:15

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.95	20.49	30.00	1.00	Complies
40	5200	23.46	0.95	24.41	30.00	1.00	Complies
48	5240	24.58	0.95	25.53	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.11	0.95	26.06	30.00	1.00	Complies
157	5785	25.03	0.95	25.98	30.00	1.00	Complies
165	5825	24.91	0.95	25.86	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.81	1.02	15.83	30.00	1.00	Complies
40	5200	14.83	1.02	15.85	30.00	1.00	Complies
48	5240	15.14	1.02	16.16	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.17	1.02	19.19	30.00	1.00	Complies
40	5200	18.03	1.02	19.05	30.00	1.00	Complies
48	5240	17.91	1.02	18.93	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.24	1.02	17.26	30.00	1.00	Complies
40	5200	16.22	1.02	17.24	30.00	1.00	Complies
48	5240	16.05	1.02	17.07	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.50	1.02	17.52	30.00	1.00	Complies
40	5200	16.31	1.02	17.33	30.00	1.00	Complies
48	5240	15.92	1.02	16.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.63	30.00	1.00	Complies
40	5200	23.54	30.00	1.00	Complies
48	5240	23.42	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.24	1.99	10.23	30.00	1.00	Complies
46	5230	6.69	1.99	8.68	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.51	1.99	13.50	30.00	1.00	Complies
46	5230	9.25	1.99	11.24	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.64	1.99	11.63	30.00	1.00	Complies
46	5230	7.85	1.99	9.84	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.98	1.99	11.97	30.00	1.00	Complies
46	5230	7.38	1.99	9.37	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.01	30.00	1.00	Complies
46	5230	15.91	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.88	1.02	18.90	30.00	1.00	Complies
157	5785	18.28	1.02	19.30	30.00	1.00	Complies
165	5825	17.95	1.02	18.97	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.13	1.02	21.15	30.00	1.00	Complies
157	5785	20.96	1.02	21.98	30.00	1.00	Complies
165	5825	20.76	1.02	21.78	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.29	1.02	20.31	30.00	1.00	Complies
157	5785	20.31	1.02	21.33	30.00	1.00	Complies
165	5825	19.94	1.02	20.96	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.51	1.02	19.53	30.00	1.00	Complies
157	5785	18.83	1.02	19.85	30.00	1.00	Complies
165	5825	18.32	1.02	19.34	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.07	30.00	1.00	Complies
157	5785	26.77	30.00	1.00	Complies
165	5825	26.44	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.89	1.99	18.88	30.00	1.00	Complies
159	5795	16.72	1.99	18.71	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.15	1.99	21.14	30.00	1.00	Complies
159	5795	19.12	1.99	21.11	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.14	1.99	20.13	30.00	1.00	Complies
159	5795	18.44	1.99	20.43	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.36	1.99	19.35	30.00	1.00	Complies
159	5795	17.32	1.99	19.31	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.98	30.00	1.00	Complies
159	5795	26.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.77	1.01	15.78	30.00	1.00	Complies
40	5200	14.85	1.01	15.86	30.00	1.00	Complies
48	5240	15.12	1.01	16.13	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.11	1.01	19.12	30.00	1.00	Complies
40	5200	18.03	1.01	19.04	30.00	1.00	Complies
48	5240	17.84	1.01	18.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.15	1.01	17.16	30.00	1.00	Complies
40	5200	16.07	1.01	17.08	30.00	1.00	Complies
48	5240	15.85	1.01	16.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.51	1.01	17.52	30.00	1.00	Complies
40	5200	16.34	1.01	17.35	30.00	1.00	Complies
48	5240	16.01	1.01	17.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	30.00	1.00	Complies
40	5200	23.51	30.00	1.00	Complies
48	5240	23.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	6.33	1.99	8.32	30.00	1.00	Complies
46	5230	5.56	1.99	7.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.51	1.99	11.50	30.00	1.00	Complies
46	5230	8.38	1.99	10.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.98	1.99	9.97	30.00	1.00	Complies
46	5230	6.87	1.99	8.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.86	1.99	9.85	30.00	1.00	Complies
46	5230	6.51	1.99	8.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.08	30.00	1.00	Complies
46	5230	14.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	4.20	3.48	7.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.14	3.48	10.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.62	3.48	9.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.13	3.48	8.61	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.85	1.01	18.86	30.00	1.00	Complies
157	5785	18.12	1.01	19.13	30.00	1.00	Complies
165	5825	17.91	1.01	18.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.07	1.01	21.08	30.00	1.00	Complies
157	5785	20.94	1.01	21.95	30.00	1.00	Complies
165	5825	20.82	1.01	21.83	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.29	1.01	20.30	30.00	1.00	Complies
157	5785	20.18	1.01	21.19	30.00	1.00	Complies
165	5825	19.94	1.01	20.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.41	1.01	19.42	30.00	1.00	Complies
157	5785	18.75	1.01	19.76	30.00	1.00	Complies
165	5825	18.56	1.01	19.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.02	30.00	1.00	Complies
157	5785	26.67	30.00	1.00	Complies
165	5825	26.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.88	1.99	18.87	30.00	1.00	Complies
159	5795	17.19	1.99	19.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.11	1.99	21.10	30.00	1.00	Complies
159	5795	19.17	1.99	21.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.41	1.99	20.40	30.00	1.00	Complies
159	5795	18.35	1.99	20.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.44	1.99	19.43	30.00	1.00	Complies
159	5795	17.76	1.99	19.75	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.06	30.00	1.00	Complies
159	5795	26.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.82	3.48	17.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.42	3.48	19.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.53	3.48	19.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.61	3.48	18.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.71	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.76	1.02	15.78	27.89	0.6152	Complies
40	5200	14.90	1.02	15.92	27.89	0.6152	Complies
48	5240	15.17	1.02	16.19	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.21	1.02	19.23	27.89	0.6152	Complies
40	5200	18.11	1.02	19.13	27.89	0.6152	Complies
48	5240	17.88	1.02	18.90	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.22	1.02	17.24	27.89	0.6152	Complies
40	5200	16.24	1.02	17.26	27.89	0.6152	Complies
48	5240	16.09	1.02	17.11	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.43	1.02	17.45	27.89	0.6152	Complies
40	5200	16.32	1.02	17.34	27.89	0.6152	Complies
48	5240	15.95	1.02	16.97	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.62	27.89	0.6152	Complies
40	5200	23.58	27.89	0.6152	Complies
48	5240	23.43	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.38	1.99	11.37	27.89	0.6152	Complies
46	5230	9.66	1.99	11.65	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.49	1.99	14.48	27.89	0.6152	Complies
46	5230	12.22	1.99	14.21	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.73	1.99	12.72	27.89	0.6152	Complies
46	5230	10.71	1.99	12.70	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.71	1.99	12.70	27.89	0.6152	Complies
46	5230	10.36	1.99	12.35	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.98	27.89	0.6152	Complies
46	5230	18.85	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.46	1.02	19.48	27.89	0.6152	Complies
157	5785	18.28	1.02	19.30	27.89	0.6152	Complies
165	5825	17.95	1.02	18.97	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.82	1.02	21.84	27.89	0.6152	Complies
157	5785	20.96	1.02	21.98	27.89	0.6152	Complies
165	5825	20.76	1.02	21.78	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.16	1.02	21.18	27.89	0.6152	Complies
157	5785	20.31	1.02	21.33	27.89	0.6152	Complies
165	5825	19.94	1.02	20.96	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.74	1.02	19.76	27.89	0.6152	Complies
157	5785	18.83	1.02	19.85	27.89	0.6152	Complies
165	5825	18.32	1.02	19.34	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.69	27.89	0.6152	Complies
157	5785	26.77	27.89	0.6152	Complies
165	5825	26.44	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.05	1.99	19.04	27.89	0.6152	Complies
159	5795	17.32	1.99	19.31	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.64	1.99	21.63	27.89	0.6152	Complies
159	5795	20.16	1.99	22.15	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.04	1.99	20.03	27.89	0.6152	Complies
159	5795	19.41	1.99	21.40	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.83	1.99	19.82	27.89	0.6152	Complies
159	5795	17.66	1.99	19.65	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.26	27.89	0.6152	Complies
159	5795	26.81	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.87	1.01	15.88	27.89	0.6152	Complies
40	5200	14.86	1.01	15.87	27.89	0.6152	Complies
48	5240	15.11	1.01	16.12	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.07	1.01	19.08	27.89	0.6152	Complies
40	5200	18.12	1.01	19.13	27.89	0.6152	Complies
48	5240	17.85	1.01	18.86	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.13	1.01	17.14	27.89	0.6152	Complies
40	5200	16.05	1.01	17.06	27.89	0.6152	Complies
48	5240	15.89	1.01	16.90	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.51	1.01	17.52	27.89	0.6152	Complies
40	5200	16.33	1.01	17.34	27.89	0.6152	Complies
48	5240	15.99	1.01	17.00	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	27.89	0.6152	Complies
40	5200	23.53	27.89	0.6152	Complies
48	5240	23.37	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.42	1.99	10.41	27.89	0.6152	Complies
46	5230	8.48	1.99	10.47	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.58	1.99	13.57	27.89	0.6152	Complies
46	5230	11.51	1.99	13.50	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.85	1.99	11.84	27.89	0.6152	Complies
46	5230	9.96	1.99	11.95	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.85	1.99	11.84	27.89	0.6152	Complies
46	5230	9.73	1.99	11.72	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.09	27.89	0.6152	Complies
46	5230	18.07	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.81	3.48	13.29	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.76	3.48	16.24	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.87	3.48	14.35	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.02	3.48	14.50	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.75	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.93	1.01	19.94	27.89	0.6152	Complies
157	5785	18.12	1.01	19.13	27.89	0.6152	Complies
165	5825	17.91	1.01	18.92	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.46	1.01	22.47	27.89	0.6152	Complies
157	5785	20.94	1.01	21.95	27.89	0.6152	Complies
165	5825	20.82	1.01	21.83	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.68	1.01	20.69	27.89	0.6152	Complies
157	5785	20.18	1.01	21.19	27.89	0.6152	Complies
165	5825	19.94	1.01	20.95	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.35	1.01	20.36	27.89	0.6152	Complies
157	5785	18.75	1.01	19.76	27.89	0.6152	Complies
165	5825	18.56	1.01	19.57	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.00	27.89	0.6152	Complies
157	5785	26.67	27.89	0.6152	Complies
165	5825	26.49	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.83	1.99	18.82	27.89	0.6152	Complies
159	5795	17.23	1.99	19.22	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.08	1.99	22.07	27.89	0.6152	Complies
159	5795	20.17	1.99	22.16	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.25	1.99	20.24	27.89	0.6152	Complies
159	5795	19.41	1.99	21.40	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.26	1.99	20.25	27.89	0.6152	Complies
159	5795	17.57	1.99	19.56	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.53	27.89	0.6152	Complies
159	5795	26.78	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.93	3.48	18.41	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.96	3.48	21.44	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.12	3.48	20.60	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.68	3.48	19.16	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.09	27.89	0.6152	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Non Beamforming

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.97	0.95	13.92	17.00	Complies
40	5200	13.10	0.95	14.05	17.00	Complies
48	5240	12.42	0.95	13.37	17.00	Complies

CH36




Date: 15.MAY.2019 22:28:15

CH40



Date: 15.MAY.2019 22:34:22

CH48




Date: 15.MAY.2019 22:37:02

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.71	0.95	12.66	30.00	Complies
157	5785	11.41	0.95	12.36	30.00	Complies
165	5825	11.10	0.95	12.05	30.00	Complies

CH149




Date: 15.MAY.2019 22:40:16

CH157



Date: 15.MAY.2019 22:42:29


CH165




Date: 15.MAY.2019 22:43:57

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.41	1.02	6.43	17.00	Complies
40	5200	5.39	1.02	6.41	17.00	Complies
48	5240	5.33	1.02	6.35	17.00	Complies



Date: 16.MAY.2019 21:33:40




Date: 16.MAY.2019 21:34:55




Date: 16.MAY.2019 21:35:44

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.82	1.02	9.84	17.00	Complies
40	5200	8.95	1.02	9.97	17.00	Complies
48	5240	8.66	1.02	9.68	17.00	Complies



Date: 16.MAY.2019 21:41:57




Date: 16.MAY.2019 21:43:12




Date: 16.MAY.2019 21:44:28

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.87	1.02	7.89	17.00	Complies
40	5200	7.06	1.02	8.08	17.00	Complies
48	5240	6.90	1.02	7.92	17.00	Complies



Date: 16.MAY.2019 21:39:12




Date: 16.MAY.2019 21:39:39




Date: 16.MAY.2019 21:40:04

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.00	1.02	8.02	17.00	Complies
40	5200	7.23	1.02	8.25	17.00	Complies
48	5240	6.67	1.02	7.69	17.00	Complies



Date: 16.MAY.2019 21:36:49



Date: 16.MAY.2019 21:37:33




Date: 16.MAY.2019 21:38:01

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.24	17.00	Complies
40	5200	14.38	17.00	Complies
48	5240	14.09	17.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.97	1.99	-1.98	17.00	Complies
46	5230	-5.64	1.99	-3.65	17.00	Complies




Date: 16.MAY.2019 15:52:46




Date: 16.MAY.2019 15:53:21

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.86	1.99	1.13	17.00	Complies
46	5230	-2.29	1.99	-0.30	17.00	Complies




Date: 16.MAY.2019 10:59:26




Date: 16.MAY.2019 11:01:41

Test Mode UNII-1_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.98	1.99	0.01	17.00	Complies
46	5230	-3.94	1.99	-1.95	17.00	Complies




Date: 16.MAY.2019 15:31:36




Date: 16.MAY.2019 15:32:24

Test Mode UNII-1_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.21	1.99	-0.22	17.00	Complies
46	5230	-4.41	1.99	-2.42	17.00	Complies



Date: 16.MAY.2019 16:09:54




Date: 16.MAY.2019 16:12:45

Test Mode UNII-1_TX N (HT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.89	17.00	Complies
46	5230	4.11	17.00	Complies

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.74	1.02	6.76	30.00	Complies
157	5785	6.48	1.02	7.50	30.00	Complies
165	5825	6.28	1.02	7.30	30.00	Complies



Date: 16.MAY.2019 15:46:57




Date: 29.MAY.2019 11:39:15




Date: 29.MAY.2019 11:41:14

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.71	1.02	8.73	30.00	Complies
157	5785	8.32	1.02	9.34	30.00	Complies
165	5825	8.42	1.02	9.44	30.00	Complies



Date: 16.MAY.2019 10:44:09




Date: 29.MAY.2019 11:40:08




Date: 29.MAY.2019 11:42:35

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.99	1.02	8.01	30.00	Complies
157	5785	7.69	1.02	8.71	30.00	Complies
165	5825	7.34	1.02	8.36	30.00	Complies



Date: 16.MAY.2019 15:20:34




Date: 29.MAY.2019 11:39:47




Date: 29.MAY.2019 11:42:16

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.17	1.02	7.19	30.00	Complies
157	5785	7.17	1.02	8.19	30.00	Complies
165	5825	6.76	1.02	7.78	30.00	Complies



Date: 16.MAY.2019 16:04:41



Date: 29.MAY.2019 11:38:35



Date: 29.MAY.2019 11:41:43


Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.76	30.00	Complies
157	5785	14.51	30.00	Complies
165	5825	14.31	30.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.00	1.99	3.99	30.00	Complies
159	5795	1.67	1.99	3.66	30.00	Complies

CH151



Date: 16.MAY.2019 15:54:00

CH159




Date: 16.MAY.2019 15:54:42

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.33	1.99	6.32	30.00	Complies
159	5795	3.88	1.99	5.87	30.00	Complies

CH151



Date: 16.MAY.2019 11:03:15


CH159




Date: 16.MAY.2019 11:05:23

Test Mode UNII-3_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.43	1.99	5.42	30.00	Complies
159	5795	3.30	1.99	5.29	30.00	Complies




Date: 16.MAY.2019 15:33:04




Date: 16.MAY.2019 15:34:00

Test Mode UNII-3_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.37	1.99	4.36	30.00	Complies
159	5795	1.90	1.99	3.89	30.00	Complies



Date: 16.MAY.2019 16:13:21




Date: 16.MAY.2019 16:13:49

Test Mode UNII-3_TX N (HT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.14	30.00	Complies
159	5795	10.80	30.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.64	1.01	5.65	17.00	Complies
40	5200	4.94	1.01	5.95	17.00	Complies
48	5240	4.94	1.01	5.95	17.00	Complies



Date: 16.MAY.2019 22:05:57




Date: 16.MAY.2019 22:06:31




Date: 16.MAY.2019 22:07:00

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.84	1.01	9.85	17.00	Complies
40	5200	9.37	1.01	10.38	17.00	Complies
48	5240	8.82	1.01	9.83	17.00	Complies



Date: 16.MAY.2019 22:10:59




Date: 16.MAY.2019 22:11:25




Date: 16.MAY.2019 22:11:52

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.91	1.01	7.92	17.00	Complies
40	5200	7.26	1.01	8.27	17.00	Complies
48	5240	6.98	1.01	7.99	17.00	Complies



Date: 16.MAY.2019 22:07:59




Date: 16.MAY.2019 22:08:28




Date: 16.MAY.2019 22:10:03

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.79	1.01	7.80	17.00	Complies
40	5200	6.86	1.01	7.87	17.00	Complies
48	5240	6.56	1.01	7.57	17.00	Complies



Date: 16.MAY.2019 22:02:21



Date: 16.MAY.2019 22:02:54



Date: 16.MAY.2019 22:04:22


Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.08	17.00	Complies
40	5200	14.43	17.00	Complies
48	5240	14.08	17.00	Complies

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.76	1.99	-3.77	17.00	Complies
46	5230	-6.37	1.99	-4.38	17.00	Complies

CH38



Date: 16.MAY.2019 15:55:58

CH46




Date: 16.MAY.2019 15:56:35

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.69	1.99	-0.70	17.00	Complies
46	5230	-3.75	1.99	-1.76	17.00	Complies

CH38



Date: 16.MAY.2019 11:07:07


CH46




Date: 16.MAY.2019 11:08:43

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.59	1.99	-1.60	17.00	Complies
46	5230	-4.68	1.99	-2.69	17.00	Complies




Date: 16.MAY.2019 15:34:35




Date: 16.MAY.2019 15:35:26

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.10	1.99	-2.11	17.00	Complies
46	5230	-5.53	1.99	-3.54	17.00	Complies



Date: 16.MAY.2019 16:14:28




Date: 16.MAY.2019 16:15:44

Test Mode UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.12	17.00	Complies
46	5230	3.04	17.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-10.05	3.48	-6.57	17.00	Complies



Date: 16.MAY.2019 15:58:52

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.10	3.48	-3.62	17.00	Complies



Date: 16.MAY.2019 11:15:12

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.41	3.48	-4.93	17.00	Complies



Date: 16.MAY.2019 15:37:33

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.62	3.48	-5.14	17.00	Complies



Date: 16.MAY.2019 16:18:04

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.08	17.00	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.56	1.01	6.57	30.00	Complies
157	5785	6.64	1.01	7.65	30.00	Complies
165	5825	6.12	1.01	7.13	30.00	Complies



Date: 16.MAY.2019 15:50:29




Date: 29.MAY.2019 11:44:18




Date: 29.MAY.2019 11:46:15

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.83	1.01	8.84	30.00	Complies
157	5785	8.46	1.01	9.47	30.00	Complies
165	5825	8.37	1.01	9.38	30.00	Complies



Date: 16.MAY.2019 10:54:39




Date: 29.MAY.2019 11:45:13




Date: 29.MAY.2019 11:47:33

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.08	1.01	8.09	30.00	Complies
157	5785	7.70	1.01	8.71	30.00	Complies
165	5825	7.49	1.01	8.50	30.00	Complies



Date: 16.MAY.2019 15:24:48




Date: 29.MAY.2019 11:44:51




Date: 29.MAY.2019 11:47:12

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.46	1.01	7.47	30.00	Complies
157	5785	7.30	1.01	8.31	30.00	Complies
165	5825	6.71	1.01	7.72	30.00	Complies



Date: 16.MAY.2019 16:07:29



Date: 29.MAY.2019 11:43:44



Date: 29.MAY.2019 11:46:38


Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.85	30.00	Complies
157	5785	14.61	30.00	Complies
165	5825	14.29	30.00	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.31	1.99	4.30	30.00	Complies
159	5795	1.53	1.99	3.52	30.00	Complies

CH151



Date: 16.MAY.2019 15:57:48

CH159




Date: 16.MAY.2019 15:58:12

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.13	1.99	6.12	30.00	Complies
159	5795	3.99	1.99	5.98	30.00	Complies

CH151



Date: 16.MAY.2019 11:10:24

CH159




Date: 16.MAY.2019 11:12:52

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.57	1.99	5.56	30.00	Complies
159	5795	3.25	1.99	5.24	30.00	Complies

CH151



Date: 16.MAY.2019 15:36:11

CH159




Date: 16.MAY.2019 15:36:41

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.59	1.99	4.58	30.00	Complies
159	5795	2.03	1.99	4.02	30.00	Complies

CH151



Date: 16.MAY.2019 16:16:52

CH159




Date: 16.MAY.2019 16:17:21

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.23	27.89	Complies
159	5795	10.82	27.89	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.31	3.48	0.17	30.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.64	3.48	2.84	30.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.32	3.48	2.16	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.47	3.48	1.01	30.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.69	30.75	Complies


Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.34	1.02	6.36	14.89	Complies
40	5200	5.08	1.02	6.10	14.89	Complies
48	5240	5.12	1.02	6.14	14.89	Complies



Date: 29_MAY.2019 09:30:38




Date: 29_MAY.2019 09:26:39




Date: 29_MAY.2019 09:22:30

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.67	1.02	9.69	14.89	Complies
40	5200	8.91	1.02	9.93	14.89	Complies
48	5240	8.51	1.02	9.53	14.89	Complies



Date: 29_MAY.2019 09:32:20




Date: 29_MAY.2019 09:28:15




Date: 29_MAY.2019 09:23:38

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.82	1.02	7.84	14.89	Complies
40	5200	6.96	1.02	7.98	14.89	Complies
48	5240	6.71	1.02	7.73	14.89	Complies



Date: 29_MAY.2019 09:31:58




Date: 29_MAY.2019 09:27:34




Date: 29_MAY.2019 09:23:05

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.85	1.02	7.87	14.89	Complies
40	5200	6.78	1.02	7.80	14.89	Complies
48	5240	6.66	1.02	7.68	14.89	Complies



Date: 29_MAY.2019 09:31:05



Date: 29_MAY.2019 09:26:02



Date: 29_MAY.2019 09:21:57

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.12	14.89	Complies
40	5200	14.19	14.89	Complies
48	5240	13.96	14.89	Complies