


Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	76.00


CH42




Date: 16.MAY.2019 11:16:11

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.90	18.10
60	5300	21.80	18.10
64	5320	21.75	18.00



Date: 21.AUG.2019 16:34:57




Date: 21.AUG.2019 16:35:35




Date: 21.AUG.2019 16:37:01

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.70	36.80
62	5310	41.39	37.00




Date: 21.AUG.2019 16:47:26



Date: 21.AUG.2019 16:49:18

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.60	76.00




Date: 21.AUG.2019 16:53:40

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.75	18.10
116	5580	21.89	18.10
140	5700	21.80	18.10



Date: 21.AUG.2019 16:37:40




Date: 21.AUG.2019 16:38:20




Date: 21.AUG.2019 16:39:06

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.70	37.00
110	5550	42.80	37.00
134	5670	41.50	36.80



Date: 21.AUG.2019 16:50:00



Date: 21.AUG.2019 16:50:47




Date: 21.AUG.2019 16:51:30

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	17.90	500	Complies
157	5785	17.65	18.60	500	Complies
165	5825	17.65	18.80	500	Complies

CH149




Date: 16.MAY.2019 10:55:25

CH157



Date: 29.MAY.2019 11:45:39

CH165




Date: 29.MAY.2019 11:48:00

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	36.40	500	Complies
159	5795	36.60	36.40	500	Complies

CH151



Date: 16.MAY.2019 11:11:23

CH159



Date: 16.MAY.2019 11:13:55


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.60	76.00	500	Complies




With Beamforming

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	26.45	18.20
40	5200	24.19	18.20
48	5240	24.39	18.20



Date: 29.MAY.2019 09:32:39




Date: 29.MAY.2019 09:28:41




Date: 29.MAY.2019 09:24:03

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	42.19	37.00
46	5230	55.59	37.20




Date: 20.MAY.2019 19:18:09




Date: 20.MAY.2019 19:22:44

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.79	18.10
116	5580	21.80	18.00
140	5700	21.75	18.00



Date: 21.AUG.2019 15:02:39




Date: 21.AUG.2019 15:03:21




Date: 21.AUG.2019 15:04:09

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.60	37.00
110	5550	51.30	37.00
134	5670	42.81	37.00



Date: 21.AUG.2019 15:20:37




Date: 21.AUG.2019 15:22:07




Date: 21.AUG.2019 15:22:59

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	19.10	500	Complies
157	5785	17.70	18.60	500	Complies
165	5825	17.65	18.50	500	Complies



Date: 29.MAY.2019 09:14:34




Date: 29.MAY.2019 09:10:13




Date: 29.MAY.2019 09:36:30

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.40	36.40	500	Complies
159	5795	36.60	36.80	500	Complies




Date: 29.MAY.2019 09:42:35




Date: 29.MAY.2019 09:47:34

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	24.60	18.20
40	5200	25.30	18.20
48	5240	24.70	18.20



Date: 29.MAY.2019 09:53:36




Date: 29.MAY.2019 10:00:50




Date: 29.MAY.2019 10:03:37

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	45.50	36.80
46	5230	44.00	37.20



Date: 20.MAY.2019 20:07:45




Date: 20.MAY.2019 20:11:32

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	76.00

CH42



Date: 20.MAY.2019 20:36:03

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.00	76.00




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.20	76.00




Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	19.10	500	Complies
157	5785	17.70	18.70	500	Complies
165	5825	17.65	18.50	500	Complies



Date: 29_MAY.2019 10:07:49




Date: 29_MAY.2019 10:12:58




Date: 29_MAY.2019 10:16:31

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.60	36.40	500	Complies
159	5795	36.60	36.40	500	Complies



Date: 29_MAY.2019 10:21:16




Date: 29_MAY.2019 10:23:54

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.41	76.40	500	Complies

CH155



Date: 29.MAY.2019 10:28:15

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.95	20.49	30.00	1.00	Complies
40	5200	23.46	0.95	24.41	30.00	1.00	Complies
48	5240	24.58	0.95	25.53	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.16	0.00	21.16	24.00	0.25	Complies
60	5300	20.56	0.00	20.56	24.00	0.25	Complies
64	5320	19.53	0.00	19.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.17	0.00	19.17	24.00	0.25	Complies
116	5580	19.85	0.00	19.85	24.00	0.25	Complies
140	5700	19.32	0.00	19.32	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.11	0.95	26.06	30.00	1.00	Complies
157	5785	25.03	0.95	25.98	30.00	1.00	Complies
165	5825	24.91	0.95	25.86	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.81	1.02	15.83	30.00	1.00	Complies
40	5200	14.83	1.02	15.85	30.00	1.00	Complies
48	5240	15.14	1.02	16.16	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.17	1.02	19.19	30.00	1.00	Complies
40	5200	18.03	1.02	19.05	30.00	1.00	Complies
48	5240	17.91	1.02	18.93	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.24	1.02	17.26	30.00	1.00	Complies
40	5200	16.22	1.02	17.24	30.00	1.00	Complies
48	5240	16.05	1.02	17.07	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.50	1.02	17.52	30.00	1.00	Complies
40	5200	16.31	1.02	17.33	30.00	1.00	Complies
48	5240	15.92	1.02	16.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.63	30.00	1.00	Complies
40	5200	23.54	30.00	1.00	Complies
48	5240	23.42	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.24	1.99	10.23	30.00	1.00	Complies
46	5230	6.69	1.99	8.68	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.51	1.99	13.50	30.00	1.00	Complies
46	5230	9.25	1.99	11.24	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.64	1.99	11.63	30.00	1.00	Complies
46	5230	7.85	1.99	9.84	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.98	1.99	11.97	30.00	1.00	Complies
46	5230	7.38	1.99	9.37	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.01	30.00	1.00	Complies
46	5230	15.91	30.00	1.00	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.04	0.00	14.04	24.00	0.25	Complies
60	5300	14.07	0.00	14.07	24.00	0.25	Complies
64	5320	13.91	0.00	13.91	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.86	0.00	16.86	24.00	0.25	Complies
60	5300	16.65	0.00	16.65	24.00	0.25	Complies
64	5320	16.67	0.00	16.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.08	0.00	15.08	24.00	0.25	Complies
60	5300	14.96	0.00	14.96	24.00	0.25	Complies
64	5320	14.84	0.00	14.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.65	0.00	14.65	24.00	0.25	Complies
60	5300	14.39	0.00	14.39	24.00	0.25	Complies
64	5320	14.38	0.00	14.38	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.31	24.00	0.25	Complies
60	5300	21.16	24.00	0.25	Complies
64	5320	21.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.32	0.12	9.44	24.00	0.25	Complies
62	5310	9.65	0.12	9.77	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.41	0.12	12.53	24.00	0.25	Complies
62	5310	12.09	0.12	12.21	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.32	0.12	11.44	24.00	0.25	Complies
62	5310	10.98	0.12	11.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.78	0.12	10.90	24.00	0.25	Complies
62	5310	10.08	0.12	10.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.24	24.00	0.25	Complies
62	5310	16.94	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.71	0.00	13.71	24.00	0.25	Complies
116	5580	13.62	0.00	13.62	24.00	0.25	Complies
140	5700	13.64	0.00	13.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.92	0.00	14.92	24.00	0.25	Complies
116	5580	15.61	0.00	15.61	24.00	0.25	Complies
140	5700	15.58	0.00	15.58	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.27	0.00	13.27	24.00	0.25	Complies
116	5580	13.65	0.00	13.65	24.00	0.25	Complies
140	5700	13.91	0.00	13.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.53	0.00	13.53	24.00	0.25	Complies
116	5580	13.43	0.00	13.43	24.00	0.25	Complies
140	5700	14.15	0.00	14.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.93	24.00	0.25	Complies
116	5580	20.20	24.00	0.25	Complies
140	5700	20.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.37	0.12	14.49	24.00	0.25	Complies
110	5550	13.96	0.12	14.08	24.00	0.25	Complies
134	5670	8.39	0.12	8.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.66	0.12	15.78	24.00	0.25	Complies
110	5550	15.33	0.12	15.45	24.00	0.25	Complies
134	5670	10.59	0.12	10.71	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.06	0.12	14.18	24.00	0.25	Complies
110	5550	13.46	0.12	13.58	24.00	0.25	Complies
134	5670	9.12	0.12	9.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.95	0.12	14.07	24.00	0.25	Complies
110	5550	13.43	0.12	13.55	24.00	0.25	Complies
134	5670	9.21	0.12	9.33	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.71	24.00	0.25	Complies
110	5550	20.26	24.00	0.25	Complies
134	5670	15.54	24.00	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.88	1.02	18.90	30.00	1.00	Complies
157	5785	18.28	1.02	19.30	30.00	1.00	Complies
165	5825	17.95	1.02	18.97	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.13	1.02	21.15	30.00	1.00	Complies
157	5785	20.96	1.02	21.98	30.00	1.00	Complies
165	5825	20.76	1.02	21.78	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.29	1.02	20.31	30.00	1.00	Complies
157	5785	20.31	1.02	21.33	30.00	1.00	Complies
165	5825	19.94	1.02	20.96	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.51	1.02	19.53	30.00	1.00	Complies
157	5785	18.83	1.02	19.85	30.00	1.00	Complies
165	5825	18.32	1.02	19.34	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.07	30.00	1.00	Complies
157	5785	26.77	30.00	1.00	Complies
165	5825	26.44	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.89	1.99	18.88	30.00	1.00	Complies
159	5795	16.72	1.99	18.71	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.15	1.99	21.14	30.00	1.00	Complies
159	5795	19.12	1.99	21.11	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.14	1.99	20.13	30.00	1.00	Complies
159	5795	18.44	1.99	20.43	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.36	1.99	19.35	30.00	1.00	Complies
159	5795	17.32	1.99	19.31	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.98	30.00	1.00	Complies
159	5795	26.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.77	1.01	15.78	30.00	1.00	Complies
40	5200	14.85	1.01	15.86	30.00	1.00	Complies
48	5240	15.12	1.01	16.13	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.11	1.01	19.12	30.00	1.00	Complies
40	5200	18.03	1.01	19.04	30.00	1.00	Complies
48	5240	17.84	1.01	18.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.15	1.01	17.16	30.00	1.00	Complies
40	5200	16.07	1.01	17.08	30.00	1.00	Complies
48	5240	15.85	1.01	16.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.51	1.01	17.52	30.00	1.00	Complies
40	5200	16.34	1.01	17.35	30.00	1.00	Complies
48	5240	16.01	1.01	17.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	30.00	1.00	Complies
40	5200	23.51	30.00	1.00	Complies
48	5240	23.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	6.33	1.99	8.32	30.00	1.00	Complies
46	5230	5.56	1.99	7.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.51	1.99	11.50	30.00	1.00	Complies
46	5230	8.38	1.99	10.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.98	1.99	9.97	30.00	1.00	Complies
46	5230	6.87	1.99	8.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.86	1.99	9.85	30.00	1.00	Complies
46	5230	6.51	1.99	8.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.08	30.00	1.00	Complies
46	5230	14.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	4.20	3.48	7.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.14	3.48	10.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.62	3.48	9.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.13	3.48	8.61	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.16	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.29	0.00	14.29	24.00	0.25	Complies
60	5300	14.09	0.00	14.09	24.00	0.25	Complies
64	5320	13.79	0.00	13.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.93	0.00	16.93	24.00	0.25	Complies
60	5300	16.63	0.00	16.63	24.00	0.25	Complies
64	5320	16.59	0.00	16.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.18	0.00	15.18	24.00	0.25	Complies
60	5300	14.95	0.00	14.95	24.00	0.25	Complies
64	5320	14.78	0.00	14.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.57	0.00	14.57	24.00	0.25	Complies
60	5300	14.31	0.00	14.31	24.00	0.25	Complies
64	5320	14.35	0.00	14.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.39	24.00	0.25	Complies
60	5300	21.14	24.00	0.25	Complies
64	5320	21.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.23	0.00	9.23	24.00	0.25	Complies
62	5310	9.54	0.00	9.54	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.39	0.00	12.39	24.00	0.25	Complies
62	5310	12.12	0.00	12.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.43	0.00	11.43	24.00	0.25	Complies
62	5310	10.94	0.00	10.94	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.83	0.00	10.83	24.00	0.25	Complies
62	5310	10.15	0.00	10.15	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.14	24.00	0.25	Complies
62	5310	16.82	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.93	0.16	14.09	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.84	0.16	17.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.32	0.16	15.48	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.86	0.16	15.02	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.55	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.63	0.00	13.63	24.00	0.25	Complies
116	5580	13.44	0.00	13.44	24.00	0.25	Complies
140	5700	13.59	0.00	13.59	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.03	0.00	15.03	24.00	0.25	Complies
116	5580	15.49	0.00	15.49	24.00	0.25	Complies
140	5700	15.26	0.00	15.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.00	13.05	24.00	0.25	Complies
116	5580	13.34	0.00	13.34	24.00	0.25	Complies
140	5700	13.83	0.00	13.83	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.33	0.00	13.33	24.00	0.25	Complies
116	5580	13.32	0.00	13.32	24.00	0.25	Complies
140	5700	14.06	0.00	14.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.85	24.00	0.25	Complies
116	5580	20.02	24.00	0.25	Complies
140	5700	20.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.43	0.00	14.43	24.00	0.25	Complies
110	5550	13.83	0.00	13.83	24.00	0.25	Complies
134	5670	9.12	0.00	9.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.43	0.00	15.43	24.00	0.25	Complies
110	5550	15.17	0.00	15.17	24.00	0.25	Complies
134	5670	10.83	0.00	10.83	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.97	0.00	13.97	24.00	0.25	Complies
110	5550	13.25	0.00	13.25	24.00	0.25	Complies
134	5670	9.68	0.00	9.68	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.86	0.00	13.86	24.00	0.25	Complies
110	5550	13.34	0.00	13.34	24.00	0.25	Complies
134	5670	9.77	0.00	9.77	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.49	24.00	0.25	Complies
110	5550	19.99	24.00	0.25	Complies
134	5670	15.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.38	0.16	13.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.99	0.16	16.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.25	0.16	14.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.89	0.16	14.05	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.67	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.85	1.01	18.86	30.00	1.00	Complies
157	5785	18.12	1.01	19.13	30.00	1.00	Complies
165	5825	17.91	1.01	18.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.07	1.01	21.08	30.00	1.00	Complies
157	5785	20.94	1.01	21.95	30.00	1.00	Complies
165	5825	20.82	1.01	21.83	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.29	1.01	20.30	30.00	1.00	Complies
157	5785	20.18	1.01	21.19	30.00	1.00	Complies
165	5825	19.94	1.01	20.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.41	1.01	19.42	30.00	1.00	Complies
157	5785	18.75	1.01	19.76	30.00	1.00	Complies
165	5825	18.56	1.01	19.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.02	30.00	1.00	Complies
157	5785	26.67	30.00	1.00	Complies
165	5825	26.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.88	1.99	18.87	30.00	1.00	Complies
159	5795	17.19	1.99	19.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.11	1.99	21.10	30.00	1.00	Complies
159	5795	19.17	1.99	21.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.41	1.99	20.40	30.00	1.00	Complies
159	5795	18.35	1.99	20.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.44	1.99	19.43	30.00	1.00	Complies
159	5795	17.76	1.99	19.75	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.06	30.00	1.00	Complies
159	5795	26.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.82	3.48	17.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.42	3.48	19.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.53	3.48	19.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.61	3.48	18.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.71	30.00	1.00	Complies

With Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.76	1.02	15.78	27.89	0.6152	Complies
40	5200	14.90	1.02	15.92	27.89	0.6152	Complies
48	5240	15.17	1.02	16.19	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.21	1.02	19.23	27.89	0.6152	Complies
40	5200	18.11	1.02	19.13	27.89	0.6152	Complies
48	5240	17.88	1.02	18.90	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.22	1.02	17.24	27.89	0.6152	Complies
40	5200	16.24	1.02	17.26	27.89	0.6152	Complies
48	5240	16.09	1.02	17.11	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.43	1.02	17.45	27.89	0.6152	Complies
40	5200	16.32	1.02	17.34	27.89	0.6152	Complies
48	5240	15.95	1.02	16.97	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.62	27.89	0.6152	Complies
40	5200	23.58	27.89	0.6152	Complies
48	5240	23.43	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.38	1.99	11.37	27.89	0.6152	Complies
46	5230	9.66	1.99	11.65	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.49	1.99	14.48	27.89	0.6152	Complies
46	5230	12.22	1.99	14.21	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.73	1.99	12.72	27.89	0.6152	Complies
46	5230	10.71	1.99	12.70	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.71	1.99	12.70	27.89	0.6152	Complies
46	5230	10.36	1.99	12.35	27.89	0.6152	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.98	27.89	0.6152	Complies
46	5230	18.85	27.89	0.6152	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.04	0.00	13.04	21.89	0.1545	Complies
60	5300	13.34	0.00	13.34	21.89	0.1545	Complies
64	5320	13.45	0.00	13.45	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.48	0.00	16.48	21.89	0.1545	Complies
60	5300	16.12	0.00	16.12	21.89	0.1545	Complies
64	5320	15.92	0.00	15.92	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.82	0.00	14.82	21.89	0.1545	Complies
60	5300	14.58	0.00	14.58	21.89	0.1545	Complies
64	5320	14.39	0.00	14.39	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.39	0.00	14.39	21.89	0.1545	Complies
60	5300	13.94	0.00	13.94	21.89	0.1545	Complies
64	5320	13.47	0.00	13.47	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.88	21.89	0.1545	Complies
60	5300	20.64	21.89	0.1545	Complies
64	5320	20.45	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.62	0.12	13.74	21.89	0.1545	Complies
62	5310	13.52	0.12	13.64	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.31	0.12	16.43	21.89	0.1545	Complies
62	5310	16.26	0.12	16.38	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.86	0.12	14.98	21.89	0.1545	Complies
62	5310	14.56	0.12	14.68	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.20	0.12	14.32	21.89	0.1545	Complies
62	5310	14.29	0.12	14.41	21.89	0.1545	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.01	21.89	0.1545	Complies
62	5310	20.92	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.99	0.00	12.99	21.89	0.1545	Complies
116	5580	12.05	0.00	12.05	21.89	0.1545	Complies
140	5700	11.67	0.00	11.67	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.36	0.00	15.36	21.89	0.1545	Complies
116	5580	15.61	0.00	15.61	21.89	0.1545	Complies
140	5700	14.84	0.00	14.84	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.73	0.00	13.73	21.89	0.1545	Complies
116	5580	13.57	0.00	13.57	21.89	0.1545	Complies
140	5700	13.46	0.00	13.46	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.63	0.00	13.63	21.89	0.1545	Complies
116	5580	12.07	0.00	12.07	21.89	0.1545	Complies
140	5700	11.97	0.00	11.97	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.04	21.89	0.1545	Complies
116	5580	19.60	21.89	0.1545	Complies
140	5700	19.20	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.33	0.12	13.45	21.89	0.1545	Complies
110	5550	13.64	0.12	13.76	21.89	0.1545	Complies
134	5670	13.36	0.12	13.48	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.81	0.12	15.93	21.89	0.1545	Complies
110	5550	16.36	0.12	16.48	21.89	0.1545	Complies
134	5670	16.45	0.12	16.57	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.16	0.12	14.28	21.89	0.1545	Complies
110	5550	15.12	0.12	15.24	21.89	0.1545	Complies
134	5670	15.12	0.12	15.24	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.14	0.12	13.26	21.89	0.1545	Complies
110	5550	13.47	0.12	13.59	21.89	0.1545	Complies
134	5670	14.35	0.12	14.47	21.89	0.1545	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.39	21.89	0.1545	Complies
110	5550	20.95	21.89	0.1545	Complies
134	5670	21.11	21.89	0.1545	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.46	1.02	19.48	27.89	0.6152	Complies
157	5785	18.28	1.02	19.30	27.89	0.6152	Complies
165	5825	17.95	1.02	18.97	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.82	1.02	21.84	27.89	0.6152	Complies
157	5785	20.96	1.02	21.98	27.89	0.6152	Complies
165	5825	20.76	1.02	21.78	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.16	1.02	21.18	27.89	0.6152	Complies
157	5785	20.31	1.02	21.33	27.89	0.6152	Complies
165	5825	19.94	1.02	20.96	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.74	1.02	19.76	27.89	0.6152	Complies
157	5785	18.83	1.02	19.85	27.89	0.6152	Complies
165	5825	18.32	1.02	19.34	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.69	27.89	0.6152	Complies
157	5785	26.77	27.89	0.6152	Complies
165	5825	26.44	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.05	1.99	19.04	27.89	0.6152	Complies
159	5795	17.32	1.99	19.31	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.64	1.99	21.63	27.89	0.6152	Complies
159	5795	20.16	1.99	22.15	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.04	1.99	20.03	27.89	0.6152	Complies
159	5795	19.41	1.99	21.40	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.83	1.99	19.82	27.89	0.6152	Complies
159	5795	17.66	1.99	19.65	27.89	0.6152	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.26	27.89	0.6152	Complies
159	5795	26.81	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.87	1.01	15.88	27.89	0.6152	Complies
40	5200	14.86	1.01	15.87	27.89	0.6152	Complies
48	5240	15.11	1.01	16.12	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.07	1.01	19.08	27.89	0.6152	Complies
40	5200	18.12	1.01	19.13	27.89	0.6152	Complies
48	5240	17.85	1.01	18.86	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.13	1.01	17.14	27.89	0.6152	Complies
40	5200	16.05	1.01	17.06	27.89	0.6152	Complies
48	5240	15.89	1.01	16.90	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.51	1.01	17.52	27.89	0.6152	Complies
40	5200	16.33	1.01	17.34	27.89	0.6152	Complies
48	5240	15.99	1.01	17.00	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	27.89	0.6152	Complies
40	5200	23.53	27.89	0.6152	Complies
48	5240	23.37	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.42	1.99	10.41	27.89	0.6152	Complies
46	5230	8.48	1.99	10.47	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.58	1.99	13.57	27.89	0.6152	Complies
46	5230	11.51	1.99	13.50	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.85	1.99	11.84	27.89	0.6152	Complies
46	5230	9.96	1.99	11.95	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.85	1.99	11.84	27.89	0.6152	Complies
46	5230	9.73	1.99	11.72	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.09	27.89	0.6152	Complies
46	5230	18.07	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.81	3.48	13.29	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.76	3.48	16.24	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.87	3.48	14.35	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.02	3.48	14.50	27.89	0.6152	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.75	27.89	0.6152	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.95	0.00	12.95	21.89	0.1545	Complies
60	5300	13.37	0.00	13.37	21.89	0.1545	Complies
64	5320	13.46	0.00	13.46	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.45	0.00	16.45	21.89	0.1545	Complies
60	5300	16.14	0.00	16.14	21.89	0.1545	Complies
64	5320	15.77	0.00	15.77	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.89	0.00	14.89	21.89	0.1545	Complies
60	5300	14.58	0.00	14.58	21.89	0.1545	Complies
64	5320	14.43	0.00	14.43	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.41	0.00	14.41	21.89	0.1545	Complies
60	5300	13.94	0.00	13.94	21.89	0.1545	Complies
64	5320	13.61	0.00	13.61	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.87	21.89	0.1545	Complies
60	5300	20.66	21.89	0.1545	Complies
64	5320	20.44	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.67	0.00	13.67	21.89	0.1545	Complies
62	5310	13.44	0.00	13.44	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.46	0.00	16.46	21.89	0.1545	Complies
62	5310	16.12	0.00	16.12	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.71	0.00	14.71	21.89	0.1545	Complies
62	5310	14.52	0.00	14.52	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.26	0.00	14.26	21.89	0.1545	Complies
62	5310	14.13	0.00	14.13	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.93	21.89	0.1545	Complies
62	5310	20.69	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.03	0.16	13.19	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.63	0.16	15.79	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.01	0.16	14.17	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.55	0.16	13.71	21.89	0.1545	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.35	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.87	0.00	12.87	21.89	0.1545	Complies
116	5580	12.15	0.00	12.15	21.89	0.1545	Complies
140	5700	11.53	0.00	11.53	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.45	0.00	15.45	21.89	0.1545	Complies
116	5580	15.53	0.00	15.53	21.89	0.1545	Complies
140	5700	14.81	0.00	14.81	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.62	0.00	13.62	21.89	0.1545	Complies
116	5580	13.72	0.00	13.72	21.89	0.1545	Complies
140	5700	13.27	0.00	13.27	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.65	0.00	13.65	21.89	0.1545	Complies
116	5580	13.02	0.00	13.02	21.89	0.1545	Complies
140	5700	12.22	0.00	12.22	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.03	21.89	0.1545	Complies
116	5580	19.81	21.89	0.1545	Complies
140	5700	19.16	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.97	0.00	13.97	21.89	0.1545	Complies
110	5550	13.69	0.00	13.69	21.89	0.1545	Complies
134	5670	13.55	0.00	13.55	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.56	0.00	16.56	21.89	0.1545	Complies
110	5550	16.49	0.00	16.49	21.89	0.1545	Complies
134	5670	16.33	0.00	16.33	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.95	0.00	14.95	21.89	0.1545	Complies
110	5550	14.79	0.00	14.79	21.89	0.1545	Complies
134	5670	15.21	0.00	15.21	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.14	0.00	14.14	21.89	0.1545	Complies
110	5550	13.53	0.00	13.53	21.89	0.1545	Complies
134	5670	14.51	0.00	14.51	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.05	21.89	0.1545	Complies
110	5550	20.81	21.89	0.1545	Complies
134	5670	21.04	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.43	0.16	12.59	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.66	0.16	14.82	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.36	0.16	13.52	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.65	0.16	12.81	21.89	0.1545	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.54	21.89	0.1545	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.93	1.01	19.94	27.89	0.6152	Complies
157	5785	18.12	1.01	19.13	27.89	0.6152	Complies
165	5825	17.91	1.01	18.92	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.46	1.01	22.47	27.89	0.6152	Complies
157	5785	20.94	1.01	21.95	27.89	0.6152	Complies
165	5825	20.82	1.01	21.83	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.68	1.01	20.69	27.89	0.6152	Complies
157	5785	20.18	1.01	21.19	27.89	0.6152	Complies
165	5825	19.94	1.01	20.95	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.35	1.01	20.36	27.89	0.6152	Complies
157	5785	18.75	1.01	19.76	27.89	0.6152	Complies
165	5825	18.56	1.01	19.57	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.00	27.89	0.6152	Complies
157	5785	26.67	27.89	0.6152	Complies
165	5825	26.49	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.83	1.99	18.82	27.89	0.6152	Complies
159	5795	17.23	1.99	19.22	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.08	1.99	22.07	27.89	0.6152	Complies
159	5795	20.17	1.99	22.16	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.25	1.99	20.24	27.89	0.6152	Complies
159	5795	19.41	1.99	21.40	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.26	1.99	20.25	27.89	0.6152	Complies
159	5795	17.57	1.99	19.56	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.53	27.89	0.6152	Complies
159	5795	26.78	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.93	3.48	18.41	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.96	3.48	21.44	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.12	3.48	20.60	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.68	3.48	19.16	27.89	0.6152	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.09	27.89	0.6152	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Non Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.97	0.95	13.92	17.00	Complies
40	5200	13.10	0.95	14.05	17.00	Complies
48	5240	12.42	0.95	13.37	17.00	Complies



Date: 15.MAY.2019 22:28:15




Date: 15.MAY.2019 22:34:22




Date: 15.MAY.2019 22:37:02

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.57	0.00	9.57	11.00	Complies
60	5300	9.67	0.00	9.67	11.00	Complies
64	5320	8.64	0.00	8.64	11.00	Complies



Date: 21.AUG.2019 15:50:02




Date: 21.AUG.2019 15:55:32




Date: 21.AUG.2019 15:57:40

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.66	0.00	9.66	11.00	Complies
116	5580	9.97	0.00	9.97	11.00	Complies
140	5700	9.21	0.00	9.21	11.00	Complies



Date: 21.AUG.2019 15:58:53




Date: 21.AUG.2019 16:03:15




Date: 21.AUG.2019 16:04:14

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.71	0.95	12.66	30.00	Complies
157	5785	11.41	0.95	12.36	30.00	Complies
165	5825	11.10	0.95	12.05	30.00	Complies



Date: 15.MAY.2019 22:40:16



Date: 15.MAY.2019 22:42:29



Date: 15.MAY.2019 22:43:57