







Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.91	1.01	7.92	14.89	Complies
40	5200	7.06	1.01	8.07	14.89	Complies
48	5240	6.83	1.01	7.84	14.89	Complies



Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.86	1.01	7.87	14.89	Complies
40	5200	6.83	1.01	7.84	14.89	Complies
48	5240	6.68	1.01	7.69	14.89	Complies





Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.14	14.89	Complies
40	5200	14.16	14.89	Complies
48	5240	14.02	14.89	Complies

Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.50	1.99	2.49	14.89	Complies
46	5230	0.90	1.99	2.89	14.89	Complies





Date: 20.MAY.2019 20:04:05

Date: 20.MAY.2019 20:13:42

Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.34	1.99	6.33	14.89	Complies
46	5230	4.11	1.99	6.10	14.89	Complies





Date: 20.MAY.2019 20:07:57

Date: 20.MAY.2019 20:11:43

Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.62	1.99	4.61	14.89	Complies
46	5230	2.43	1.99	4.42	14.89	Complies





Date: 20.MAY.2019 20:09:10

Date: 20.MAY.2019 20:10:39

Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.34	1.99	4.33	14.89	Complies
46	5230	1.69	1.99	3.68	14.89	Complies



Date: 20.MAY.2019 20:05:39


Date: 20.MAY.2019 20:12:49

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.67	14.89	Complies
46	5230	10.46	14.89	Complies


Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.56	3.48	-0.08	14.89	Complies




Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.66	3.48	4.14	14.89	Complies




Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.73	3.48	1.75	14.89	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.22	3.48	2.26	14.89	Complies




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.30	14.89	Complies

**Test Mode** UNII-2A\_TX AC (VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.34	0.00	1.34	8.89	Complies
60	5300	1.31	0.00	1.31	8.89	Complies
64	5320	1.47	0.00	1.47	8.89	Complies



Date: 20\_AUG.2019 19:50:43




Date: 20\_AUG.2019 19:51:39




Date: 20\_AUG.2019 19:52:00

**Test Mode** UNII-2A\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.96	0.00	3.96	8.89	Complies
60	5300	3.91	0.00	3.91	8.89	Complies
64	5320	3.82	0.00	3.82	8.89	Complies



Date: 20\_AUG.2019 19:31:15



Date: 20\_AUG.2019 19:31:44




Date: 20\_AUG.2019 19:32:24




Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.29	0.00	2.29	8.89	Complies
60	5300	2.25	0.00	2.25	8.89	Complies
64	5320	2.34	0.00	2.34	8.89	Complies



Date: 20\_AUG.2019 19:34:30




Date: 20\_AUG.2019 19:35:32




Date: 20\_AUG.2019 19:36:14

Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.39	0.00	2.39	8.89	Complies
60	5300	1.88	0.00	1.88	8.89	Complies
64	5320	1.92	0.00	1.92	8.89	Complies



Date: 20\_AUG.2019 19:39:56



Date: 20\_AUG.2019 19:45:10




Date: 20\_AUG.2019 19:45:59

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.62	8.89	Complies
60	5300	8.47	8.89	Complies
64	5320	8.50	8.89	Complies

Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.41	0.00	-0.41	8.89	Complies
62	5310	-0.13	0.00	-0.13	8.89	Complies




Date: 21.AUG.2019 14:43:12




Date: 21.AUG.2019 14:44:07

Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.32	0.00	2.32	8.89	Complies
62	5310	2.20	0.00	2.20	8.89	Complies




Date: 21.AUG.2019 14:33:22




Date: 21.AUG.2019 14:34:04

Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.70	0.00	0.70	8.89	Complies
62	5310	0.70	0.00	0.70	8.89	Complies




Date: 21.AUG.2019 14:36:19




Date: 21.AUG.2019 14:36:47

Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.72	0.00	0.72	8.89	Complies
62	5310	0.45	0.00	0.45	8.89	Complies



Date: 21.AUG.2019 14:40:02




Date: 21.AUG.2019 14:40:43

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.96	8.89	Complies
62	5310	6.91	8.89	Complies


Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.92	0.16	-2.76	8.89	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.40	0.16	-0.24	8.89	Complies




Test Mode UNII-2A\_TX AC (VHT80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.19	0.16	-2.03	8.89	Complies



Test Mode UNII-2A\_TX AC (VHT80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.23	0.16	-2.07	8.89	Complies




Test Mode UNII-2A\_TX AC (VHT80) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.35	8.89	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.52	0.00	1.52	8.89	Complies
116	5580	0.93	0.00	0.93	8.89	Complies
140	5700	0.93	0.00	0.93	8.89	Complies



Date: 20\_AUG.2019 19:52:43




Date: 20\_AUG.2019 19:53:15




Date: 20\_AUG.2019 19:53:45

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.92	0.00	3.92	8.89	Complies
116	5580	3.20	0.00	3.20	8.89	Complies
140	5700	3.71	0.00	3.71	8.89	Complies



Date: 20\_AUG.2019 19:32:51



Date: 20\_AUG.2019 19:33:14




Date: 20\_AUG.2019 19:33:43




Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.20	0.00	2.20	8.89	Complies
116	5580	1.61	0.00	1.61	8.89	Complies
140	5700	2.18	0.00	2.18	8.89	Complies



Date: 20\_AUG.2019 19:36:39




Date: 20\_AUG.2019 19:37:17




Date: 20\_AUG.2019 19:38:07

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.25	0.00	2.25	8.89	Complies
116	5580	1.57	0.00	1.57	8.89	Complies
140	5700	1.73	0.00	1.73	8.89	Complies



Date: 20\_AUG.2019 19:46:58



Date: 20\_AUG.2019 19:47:52




Date: 20\_AUG.2019 19:49:25

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.59	8.89	Complies
116	5580	7.93	8.89	Complies
140	5700	8.28	8.89	Complies

Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.84	0.00	0.84	8.89	Complies
110	5550	1.65	0.00	1.65	8.89	Complies
134	5670	1.62	0.00	1.62	8.89	Complies



Date: 21.AUG.2019 14:44:40




Date: 21.AUG.2019 14:45:09




Date: 21.AUG.2019 14:45:42

Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.14	0.00	3.14	8.89	Complies
110	5550	3.87	0.00	3.87	8.89	Complies
134	5670	3.74	0.00	3.74	8.89	Complies



Date: 21.AUG.2019 14:34:36






Date: 21.AUG.2019 14:35:07



Date: 21.AUG.2019 14:35:33




Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.52	0.00	1.52	8.89	Complies
110	5550	2.15	0.00	2.15	8.89	Complies
134	5670	2.53	0.00	2.53	8.89	Complies



Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.42	0.00	1.42	8.89	Complies
110	5550	2.41	0.00	2.41	8.89	Complies
134	5670	2.43	0.00	2.43	8.89	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.84	8.89	Complies
110	5550	8.62	8.89	Complies
134	5670	8.67	8.89	Complies


Test Mode UNII-2C\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.83	0.16	-1.67	8.89	Complies




Test Mode UNII-2C\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.27	0.16	0.43	8.89	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.72	0.16	-1.56	8.89	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.28	0.16	-1.12	8.89	Complies






Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.12	8.89	Complies




Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.08	1.01	8.09	27.89	Complies
157	5785	6.58	1.01	7.59	27.89	Complies
165	5825	5.99	1.01	7.00	27.89	Complies



Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.86	1.01	9.87	27.89	Complies
157	5785	8.62	1.01	9.63	27.89	Complies
165	5825	8.27	1.01	9.28	27.89	Complies






Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.01	1.01	9.02	27.89	Complies
157	5785	7.62	1.01	8.63	27.89	Complies
165	5825	7.58	1.01	8.59	27.89	Complies



Date: 29\_MAY.2019 10:06:57




Date: 29\_MAY.2019 10:11:53




Date: 29\_MAY.2019 10:15:44

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.48	1.01	8.49	27.89	Complies
157	5785	7.11	1.01	8.12	27.89	Complies
165	5825	6.64	1.01	7.65	27.89	Complies



Date: 29\_MAY.2019 10:05:30



Date: 29\_MAY.2019 10:11:04




Date: 29\_MAY.2019 10:14:25

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.94	27.89	Complies
157	5785	14.58	27.89	Complies
165	5825	14.24	27.89	Complies

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.35	1.99	4.34	27.89	Complies
159	5795	2.04	1.99	4.03	27.89	Complies




Date: 29.MAY.2019 10:19:18




Date: 29.MAY.2019 10:22:31

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.29	1.99	6.28	27.89	Complies
159	5795	4.16	1.99	6.15	27.89	Complies





Date: 29.MAY.2019 10:20:41



Date: 29.MAY.2019 10:23:21

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.71	1.99	5.70	27.89	Complies
159	5795	3.36	1.99	5.35	27.89	Complies





Date: 29.MAY.2019 10:20:12

Date: 29.MAY.2019 10:23:01

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.74	1.99	4.73	27.89	Complies
159	5795	2.63	1.99	4.62	27.89	Complies



Date: 29.MAY.2019 10:19:44


Date: 29.MAY.2019 10:22:11

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.35	27.89	Complies
159	5795	11.13	27.89	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.71	3.48	1.77	27.89	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.46	3.48	3.94	27.89	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.46	3.48	3.02	27.89	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.97	3.48	2.51	27.89	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.91	27.89	Complies

## **APPENDIX H - FREQUENCY STABILITY**



Test Mode	UNII-1
-----------	--------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9999
120	5180.0150
108	5180.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8982

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0000
10	5180.0000
20	5179.9999
30	5180.0000
40	5179.9999
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0241

Test Mode	UNII-2A
-----------	---------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9750
120	5259.9750
108	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9597
10	5260.0000
20	5259.9750
30	5259.9950
40	5259.9950
Maximum Deviation (MHz)	0.0403
Maximum Deviation (ppm)	7.6663

Test Mode	UNII-2C
-----------	---------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9750
120	5499.9597
108	5499.9599
Maximum Deviation (MHz)	0.0403
Maximum Deviation (ppm)	7.3318

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9799
10	5499.9600
20	5499.9800
30	5499.9599
40	5499.9902
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.2932

Test Mode	UNII-3
-----------	--------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5744.9999
108	5744.9999
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0196

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9999
10	5744.9999
20	5745.0000
30	5745.0150
40	5745.0000
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

**End of Test Report**