





11BE40MIMO_Ant3_5510



Date: 13.OCT.2024 16:32:26


11BE40MIMO_Ant4_5510



Date: 13.OCT.2024 16:33:32




11BE40MIMO_Ant1_5550



Date: 13.OCT.2024 16:45:20


11BE40MIMO_Ant2_5550



Date: 13.OCT.2024 16:46:16




11BE40MIMO_Ant3_5550



Date: 13.OCT.2024 16:46:57


11BE40MIMO_Ant4_5550



Date: 13.OCT.2024 16:48:03




11BE40MIMO_Ant1_5670



Date: 13.OCT.2024 17:13:23


11BE40MIMO_Ant2_5670



Date: 13.OCT.2024 17:14:36




11BE40MIMO_Ant3_5670



Date: 13.OCT.2024 17:15:12


11BE40MIMO_Ant4_5670



Date: 13.OCT.2024 17:15:47




11BE40MIMO_Ant1_5710_UNII-2C




Date: 13.OCT.2024 17:30:47

11BE40MIMO_Ant2_5710_UNII-2C




Date: 13.OCT.2024 17:33:12

11BE40MIMO_Ant3_5710_UNII-2C



Date: 13.OCT.2024 17:34:38


11BE40MIMO_Ant4_5710_UNII-2C



Date: 13.OCT.2024 17:36:03




11BE40MIMO_Ant1_5710_UNII-3



Date: 13.OCT.2024 17:30:59


11BE40MIMO_Ant2_5710_UNII-3



Date: 13.OCT.2024 17:33:23




11BE40MIMO_Ant3_5710_UNII-3



Date: 13.OCT.2024 17:34:47


11BE40MIMO_Ant4_5710_UNII-3



Date: 13.OCT.2024 17:36:13




11BE40MIMO_Ant1_5755



Date: 13.OCT.2024 17:49:18


11BE40MIMO_Ant2_5755



Date: 13.OCT.2024 17:50:13




11BE40MIMO_Ant3_5755



Date: 13.OCT.2024 17:52:00


11BE40MIMO_Ant4_5755



Date: 13.OCT.2024 17:52:50




11BE40MIMO_Ant1_5795



Date: 13.OCT.2024 18:06:36


11BE40MIMO_Ant2_5795



Date: 13.OCT.2024 18:07:23




11BE40MIMO_Ant3_5795



Date: 13.OCT.2024 18:08:11


11BE40MIMO_Ant4_5795



Date: 13.OCT.2024 18:09:34




11BE80MIMO_Ant1_5210



Date: 11.NOV.2024 04:02:11


11BE80MIMO_Ant2_5210



Date: 11.NOV.2024 04:02:39




11BE80MIMO_Ant3_5210



Date: 11.NOV.2024 04:03:21


11BE80MIMO_Ant4_5210



Date: 11.NOV.2024 04:04:00




11BE80MIMO_Ant1_5290



Date: 13.OCT.2024 19:15:11


11BE80MIMO_Ant2_5290



Date: 13.OCT.2024 19:16:16




11BE80MIMO_Ant3_5290



Date: 13.OCT.2024 19:18:19


11BE80MIMO_Ant4_5290



Date: 13.OCT.2024 19:53:46




11BE80MIMO_Ant1_5530



Date: 13.OCT.2024 20:05:55


11BE80MIMO_Ant2_5530



Date: 13.OCT.2024 20:08:02




11BE80MIMO_Ant3_5530



Date: 13.OCT.2024 20:08:48


11BE80MIMO_Ant4_5530



Date: 13.OCT.2024 20:09:24




11BE80MIMO_Ant1_5610



Date: 13.OCT.2024 21:08:48


11BE80MIMO_Ant2_5610



Date: 13.OCT.2024 21:09:27




11BE80MIMO_Ant3_5610



Date: 13.OCT.2024 21:10:02


11BE80MIMO_Ant4_5610




Date: 13.OCT.2024 21:10:52



11BE80MIMO_Ant1_5690_UNII-2C




11BE80MIMO_Ant2_5690_UNII-2C






11BE80MIMO_Ant3_5690_UNII-2C



Date: 13.OCT.2024 21:27:42


11BE80MIMO_Ant4_5690_UNII-2C



Date: 13.OCT.2024 21:28:52




11BE80MIMO_Ant1_5690_UNII-3



Date: 13.OCT.2024 21:24:10


11BE80MIMO_Ant2_5690_UNII-3



Date: 13.OCT.2024 21:25:42




11BE80MIMO_Ant3_5690_UNII-3



Date: 13.OCT.2024 21:27:51


11BE80MIMO_Ant4_5690_UNII-3



Date: 13.OCT.2024 21:29:02




11BE80MIMO_Ant1_5775



Date: 13.OCT.2024 23:31:01


11BE80MIMO_Ant2_5775



Date: 13.OCT.2024 23:32:18




11BE80MIMO_Ant3_5775



Date: 13.OCT.2024 23:33:14


11BE80MIMO_Ant4_5775



Date: 13.OCT.2024 23:34:18




11BE160MIMO_Ant1_5250_UNII-1



Date: 14 OCT.2024 00:05:06


11BE160MIMO_Ant2_5250_UNII-1



Date: 14 OCT.2024 00:06:20




11BE160MIMO_Ant3_5250_UNII-1



Date: 14 OCT.2024 00:09:17


11BE160MIMO_Ant4_5250_UNII-1



Date: 14 OCT.2024 00:10:53




11BE160MIMO_Ant1_5250_UNII-2A



Date: 14 OCT.2024 00:05:15


11BE160MIMO_Ant2_5250_UNII-2A



Date: 14 OCT.2024 00:06:32




11BE160MIMO_Ant3_5250_UNII-2A



Date: 14 OCT.2024 00:09:37

11BE160MIMO_Ant4_5250_UNII-2A



Date: 14 OCT.2024 00:11:02




11BE160MIMO_Ant1_5570



Date: 14 OCT.2024 00:35:10


11BE160MIMO_Ant2_5570



Date: 14 OCT.2024 00:36:18




11BE160MIMO_Ant3_5570



Date: 14 OCT.2024 00:37:22


11BE160MIMO_Ant4_5570



Date: 14 OCT.2024 00:39:41




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.153	52.34	-13.48	65.82	41.80	0.12	10.42	QP
2	0.153	36.14	-19.68	55.82	25.60	0.12	10.42	Average
3	0.162	49.74	-15.60	65.34	39.20	0.12	10.42	QP
4	0.162	32.04	-23.30	55.34	21.50	0.12	10.42	Average
5	0.186	46.44	-17.76	64.20	35.90	0.13	10.41	QP
6	0.186	31.14	-23.06	54.20	20.60	0.13	10.41	Average
7	0.205	46.72	-16.68	63.40	36.20	0.11	10.41	QP
8	0.205	37.42	-15.98	53.40	26.90	0.11	10.41	Average
9	0.527	33.26	-22.74	56.00	23.20	-0.15	10.21	QP
10	0.527	22.36	-23.64	46.00	12.30	-0.15	10.21	Average
11	0.573	36.63	-19.37	56.00	26.60	-0.16	10.19	QP
12	0.573	29.23	-16.77	46.00	19.20	-0.16	10.19	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42 %

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 6	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	46	5230	MCS0	Full RU	-
Mode 9	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	Full RU	-
Mode 10	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	RU52*4	-
Mode 11	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	PC 20MHz, Loc 4	-
Mode 12	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	52	5260	6Mbps	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	60	5300	6Mbps	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	64	5320	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 16	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 17	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 18	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 19	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	62	5310	MCS0	Full RU	-
Mode 20	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	PC 20MHz, Loc 1	-
Mode 22	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	Full RU	-
Mode 23	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	64	5320	MCS0	RU52*4	-
Mode 24	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	PC 20MHz, Loc 1	-
Mode 25	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	PC 20MHz, Loc 8	-
Mode 26	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	100	5500	6Mbps	-	-
Mode 27	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	116	5580	6Mbps	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	140	5700	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	100	5500	MCS0	Full RU	-
Mode 30	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	116	5580	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	140	5700	MCS0	Full RU	-
Mode 32	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 33	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	110	5550	MCS0	Full RU	-
Mode 34	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 36	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	PC 20MHz,Loc 4	-
Mode 37	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	122	5610	MCS0	Full RU I	-
Mode 38	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	122	5610	MCS0	PC 20MHz,Loc 1	-
Mode 39	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	F Full RU	-
Mode 40	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 40MHz,Loc 1	-
Mode 41	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 40MHz,Loc 4	-
Mode 42	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	100	5500	MCS0	RU52*4	-
Mode 43	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	140	5700	MCS0	RU52*4	-
Mode 44	U-NII-2C	5.725-5.85	CDD 1S4T	802.11a	144	5720	6Mbps	-	-
Mode 45	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT20	144	5720	MCS0	Full RU	-
Mode 46	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT40	142	5710	MCS0	Full RU	-
Mode 47	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT80	138	5690	MCS0	Full RU	-
Mode 48	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	149	5745	6Mbps	Full RU	-
Mode 49	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	157	5785	6Mbps	Full RU	-
Mode 50	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	165	5825	6Mbps	Full RU	-
Mode 51	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 52	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 53	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 54	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 55	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	RU52*4	-
Mode 56	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 57	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 58	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	RU52*4	-
Mode 59	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 4	-
Mode 60	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 1	-
Mode 61	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 62	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 63	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 65	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	46	5230	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT80	42	5210	MCS0	Full RU	-
Mode 67	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 68	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 69	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 70	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 71	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	62	5310	MCS0	Full RU	-
Mode 72	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT160	50	5250	MCS0	Full RU	-
Mode 74	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	100	5500	MCS0	Full RU	-
Mode 75	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	116	5580	MCS0	Full RU	-
Mode 76	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	140	5700	MCS0	Full RU	-
Mode 77	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 78	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	110	5550	MCS0	Full RU	-
Mode 79	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 80	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 81	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	122	5610	MCS0	Full RU	-
Mode 82	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT160	114	5570	MCS0	Full RU	-
Mode 83	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT20	144	5720	MCS0	Full RU	-
Mode 84	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT40	142	5710	MCS0	Full RU	-
Mode 85	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT80	138	5690	MCS0	Full RU	-
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 87	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 88	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 89	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 90	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 91	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 92	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	40	5200	MCS0	Full RU	-

Co-Location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 93	2400-2483.5	2400-2483.5	TxBF 1S4T	802.11be EHT40	09	2452	MCS0	Full RU	-
	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full RU	-

Note: Loc: Puncture Location. PC: channel puncturing



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.74	68.20	-22.46	V	PEAK	Pass	Harmonic
2	802.11a	44	5148.50	53.44	54.00	-0.56	H	AVERAGE	Pass	Band Edge
2	802.11a	44	10440.00	44.71	68.20	-23.49	V	PEAK	Pass	Harmonic
3	802.11a	48	5425.24	50.79	54.00	-3.21	V	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	45.61	68.20	-22.59	V	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5146.70	53.35	54.00	-0.65	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	44.88	68.20	-23.32	H	PEAK	Pass	Harmonic
5	802.11be EHT20	44	5149.38	53.56	54.00	-0.44	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	44	10440.00	46.27	68.20	-21.93	H	PEAK	Pass	Harmonic
6	802.11be EHT20	48	5149.28	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
6	802.11be EHT20	48	10480.00	45.55	68.20	-22.65	H	PEAK	Pass	Harmonic
7	802.11be EHT40	38	5142.08	52.45	54.00	-1.55	H	AVERAGE	Pass	Band Edge
7	802.11be EHT40	38	10380.00	44.65	68.20	-23.55	H	PEAK	Pass	Harmonic
8	802.11be EHT40	46	5138.24	52.18	54.00	-1.82	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	46	10460.00	45.43	68.20	-22.77	H	PEAK	Pass	Harmonic
9	802.11be EHT80	42	5139.84	53.60	54.00	-0.40	H	AVERAGE	Pass	Band Edge
9	802.11be EHT80	42	10420.00	44.68	68.20	-23.52	V	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5146.40	52.34	54.00	-1.66	V	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
11	802.11be EHT80	42	5145.60	52.71	54.00	-1.29	H	AVERAGE	Pass	Band Edge
11	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
12	802.11a	52	5120.48	49.96	54.00	-4.04	H	AVERAGE	Pass	Band Edge
12	802.11a	52	10520.00	44.75	68.20	-23.45	H	PEAK	Pass	Harmonic
13	802.11a	60	5018.60	50.46	54.00	-3.54	H	AVERAGE	Pass	Band Edge
13	802.11a	60	10600.00	44.38	74.00	-29.62	H	PEAK	Pass	Harmonic
14	802.11a	64	5350.00	49.81	54.00	-4.19	H	AVERAGE	Pass	Band Edge
14	802.11a	64	10640.00	44.18	74.00	-29.82	V	PEAK	Pass	Harmonic
15	802.11be EHT20	52	5106.24	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
15	802.11be EHT20	52	10520.00	44.51	68.20	-23.69	V	PEAK	Pass	Harmonic
16	802.11be EHT20	60	5019.20	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
16	802.11be EHT20	60	10600.00	44.38	74.00	-29.62	H	PEAK	Pass	Harmonic
17	802.11be EHT20	64	5354.60	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
17	802.11be EHT20	64	10640.00	44.64	74.00	-29.36	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11be EHT40	54	5138.78	50.20	54.00	-3.80	H	AVERAGE	Pass	Band Edge
18	802.11be EHT40	54	10540.00	45.16	68.20	-23.04	H	PEAK	Pass	Harmonic
19	802.11be EHT40	62	5350.30	50.13	54.00	-3.87	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	62	10620.00	44.26	74.00	-29.74	V	PEAK	Pass	Harmonic
20	802.11be EHT80	58	5364.80	51.98	54.00	-2.02	H	AVERAGE	Pass	Band Edge
20	802.11be EHT80	58	10580.00	44.80	68.20	-23.40	V	PEAK	Pass	Harmonic
21	802.11be EHT80	58	5354.30	49.73	54.00	-4.27	V	AVERAGE	Pass	Band Edge
21	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
22	802.11be EHT160	50	5356.68	52.76	54.00	-1.24	H	AVERAGE	Pass	Band Edge
22	802.11be EHT160	50	10500.00	44.79	68.20	-23.41	H	PEAK	Pass	Harmonic
23	802.11be EHT20	64	5353.60	48.37	54.00	-5.63	H	AVERAGE	Pass	Band Edge
23	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
24	802.11be EHT160	50	5355.00	51.41	54.00	-2.59	V	AVERAGE	Pass	Band Edge
24	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
25	802.11be EHT160	50	5145.75	52.37	54.00	-1.63	H	AVERAGE	Pass	Band Edge
25	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
26	802.11a	100	5453.52	50.12	54.00	-3.88	H	AVERAGE	Pass	Band Edge
26	802.11a	100	11000.00	44.59	74.00	-29.41	V	PEAK	Pass	Harmonic
27	802.11a	116	5458.64	49.27	54.00	-4.73	H	AVERAGE	Pass	Band Edge
27	802.11a	116	11160.00	45.43	74.00	-28.57	V	PEAK	Pass	Harmonic
28	802.11a	140	5725.32	62.31	68.20	-5.89	H	PEAK	Pass	Band Edge
28	802.11a	140	11400.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
29	802.11be EHT20	100	5469.84	67.69	68.20	-0.51	V	PEAK	Pass	Band Edge
29	802.11be EHT20	100	11000.00	45.44	74.00	-28.56	V	PEAK	Pass	Harmonic
30	802.11be EHT20	116	5458.80	49.27	54.00	-4.73	H	AVERAGE	Pass	Band Edge
30	802.11be EHT20	116	11160.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
31	802.11be EHT20	140	5731.64	62.59	68.20	-5.61	H	PEAK	Pass	Band Edge
31	802.11be EHT20	140	11400.00	45.70	74.00	-28.30	V	PEAK	Pass	Harmonic
32	802.11be EHT40	102	5449.68	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
32	802.11be EHT40	102	11020.00	44.65	74.00	-29.35	V	PEAK	Pass	Harmonic
33	802.11be EHT40	110	5459.60	49.93	54.00	-4.07	H	AVERAGE	Pass	Band Edge
33	802.11be EHT40	110	11100.00	45.24	74.00	-28.76	V	PEAK	Pass	Harmonic
34	802.11be EHT40	134	5395.44	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
34	802.11be EHT40	134	11340.00	44.87	74.00	-29.13	H	PEAK	Pass	Harmonic
35	802.11be EHT80	106	5443.92	50.77	54.00	-3.23	H	AVERAGE	Pass	Band Edge
35	802.11be EHT80	106	11060.00	44.81	74.00	-29.19	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11be EHT80	106	5463.76	67.22	68.20	-0.98	H	PEAK	Pass	Band Edge
36	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT80	122	5450.96	49.82	54.00	-4.18	H	AVERAGE	Pass	Band Edge
37	802.11be EHT80	122	11220.00	45.24	74.00	-28.76	V	PEAK	Pass	Harmonic
38	802.11be EHT80	122	5457.68	47.85	54.00	-6.15	H	AVERAGE	Pass	Band Edge
38	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
39	802.11be EHT160	114	5445.26	51.87	54.00	-2.13	H	AVERAGE	Pass	Band Edge
39	802.11be EHT160	114	11140.00	45.28	74.00	-28.72	H	PEAK	Pass	Harmonic
40	802.11be EHT160	114	5462.42	67.14	68.20	-1.06	H	PEAK	Pass	Band Edge
40	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT160	114	5466.38	67.08	68.20	-1.12	V	PEAK	Pass	Band Edge
41	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT20	100	5457.68	47.89	54.00	-6.11	V	AVERAGE	Pass	Band Edge
42	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT20	140	5725.08	67.38	68.20	-0.82	V	PEAK	Pass	Band Edge
43	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
44	802.11a	144	-	-	-	-	-	-	-	Band Edge
44	802.11a	144	11440.00	45.44	74.00	-28.56	H	PEAK	Pass	Harmonic
45	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
45	802.11be EHT20	144	11440.00	45.10	74.00	-28.90	H	PEAK	Pass	Harmonic
46	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT40	142	11420.00	44.96	74.00	-29.04	V	PEAK	Pass	Harmonic
47	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT80	138	11380.00	45.70	74.00	-28.30	H	PEAK	Pass	Harmonic
48	802.11a	149	5356.00	52.22	54.00	-1.78	H	Average	Pass	Band Edge
48	802.11a	149	11490.00	45.95	74.00	-28.05	H	PEAK	Pass	Harmonic
49	802.11a	157	5617.60	62.46	68.20	-5.74	V	PEAK	Pass	Band Edge
49	802.11a	157	11570.00	45.88	74.00	-28.12	V	PEAK	Pass	Harmonic
50	802.11a	165	5446.00	51.62	54.00	-2.38	V	AVERAGE	Pass	Band Edge
50	802.11a	165	11650.00	43.16	54.00	-10.84	V	AVERAGE	Pass	Harmonic
51	802.11be EHT20	149	5362.00	52.40	54.00	-1.60	V	Average	Pass	Band Edge
51	802.11be EHT20	149	11490.00	44.79	74.00	-29.21	V	PEAK	Pass	Harmonic
52	802.11be EHT20	157	5410.00	52.39	54.00	-1.61	V	Average	Pass	Band Edge
52	802.11be EHT20	157	11570.00	45.98	74.00	-28.02	H	PEAK	Pass	Harmonic
53	802.11be EHT20	165	5440.00	53.90	54.00	-0.10	V	Average	Pass	Band Edge
53	802.11be EHT20	165	11650.00	45.33	54.00	-8.67	V	AVERAGE	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11be EHT40	151	5642.47	64.31	68.20	-3.89	H	PEAK	Pass	Band Edge
54	802.11be EHT40	151	11510.00	44.99	74.00	-29.01	V	PEAK	Pass	Harmonic
55	802.11be EHT20	149	5649.20	62.41	68.20	-5.79	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT40	159	5636.80	61.74	68.20	-6.46	H	PEAK	Pass	Band Edge
56	802.11be EHT40	159	11590.00	45.22	74.00	-28.78	V	PEAK	Pass	Harmonic
57	802.11be EHT80	155	5649.20	64.23	68.20	-3.97	H	PEAK	Pass	Band Edge
57	802.11be EHT80	155	11550.00	44.83	74.00	-29.17	V	PEAK	Pass	Harmonic
58	802.11be EHT20	165	5978.40	60.40	68.20	-7.80	H	PEAK	Pass	Band Edge
58	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	155	5623.20	63.87	68.20	-4.33	H	PEAK	Pass	Band Edge
59	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT80	155	5646.40	63.56	68.20	-4.64	H	PEAK	Pass	Band Edge
60	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	36	5149.80	52.09	54.00	-1.91	H	AVERAGE	Pass	Band Edge
61	802.11be EHT20	36	10360.00	45.41	68.20	-22.79	V	PEAK	Pass	Harmonic
62	802.11be EHT20	44	5147.84	53.25	54.00	-0.75	H	AVERAGE	Pass	Band Edge
62	802.11be EHT20	44	10440.00	45.43	68.20	-22.77	V	PEAK	Pass	Harmonic
63	802.11be EHT20	48	5143.52	52.72	54.00	-1.28	H	AVERAGE	Pass	Band Edge
63	802.11be EHT20	48	10480.00	45.66	68.20	-22.54	V	PEAK	Pass	Harmonic
64	802.11be EHT40	38	5143.84	52.93	54.00	-1.07	H	AVERAGE	Pass	Band Edge
64	802.11be EHT40	38	10380.00	45.52	68.20	-22.68	V	PEAK	Pass	Harmonic
65	802.11be EHT40	46	5142.72	53.03	54.00	-0.97	H	AVERAGE	Pass	Band Edge
65	802.11be EHT40	46	10460.00	45.16	68.20	-23.04	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	5149.92	52.45	54.00	-1.55	H	AVERAGE	Pass	Band Edge
66	802.11be EHT80	42	10420.00	44.74	68.20	-23.46	V	PEAK	Pass	Harmonic
67	802.11be EHT20	52	5140.96	50.59	54.00	-3.41	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	52	10520.00	45.32	68.20	-22.88	H	PEAK	Pass	Harmonic
68	802.11be EHT20	60	5019.50	51.13	54.00	-2.87	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	60	10600.00	45.72	74.00	-28.28	V	PEAK	Pass	Harmonic
69	802.11be EHT20	64	5350.40	51.82	54.00	-2.18	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	64	10640.00	44.43	74.00	-29.57	H	PEAK	Pass	Harmonic
70	802.11be EHT40	54	5135.27	50.54	54.00	-3.46	H	AVERAGE	Pass	Band Edge
70	802.11be EHT40	54	10540.00	44.88	68.20	-23.32	V	PEAK	Pass	Harmonic
71	802.11be EHT40	62	5350.00	52.50	54.00	-1.50	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	62	10620.00	44.33	74.00	-29.67	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
72	802.11be EHT80	58	5350.90	53.21	54.00	-0.79	H	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	10580.00	44.92	68.20	-23.28	H	PEAK	Pass	Harmonic
73	802.11be EHT160	50	5350.80	53.70	54.00	-0.30	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	50	10500.00	45.38	68.20	-22.82	V	PEAK	Pass	Harmonic
74	802.11be EHT20	100	5463.12	65.16	68.20	-3.04	H	PEAK	Pass	Band Edge
74	802.11be EHT20	100	11000.00	46.04	74.00	-27.96	V	PEAK	Pass	Harmonic
75	802.11be EHT20	116	5453.36	48.37	54.00	-5.63	H	AVERAGE	Pass	Band Edge
75	802.11be EHT20	116	11160.00	46.20	74.00	-27.80	V	PEAK	Pass	Harmonic
76	802.11be EHT20	140	5733.16	66.88	68.20	-1.32	H	PEAK	Pass	Band Edge
76	802.11be EHT20	140	11400.00	45.91	74.00	-28.09	V	PEAK	Pass	Harmonic
77	802.11be EHT40	102	5465.68	67.31	68.20	-0.89	H	Peak	Pass	Band Edge
77	802.11be EHT40	102	11020.00	45.34	74.00	-28.66	H	PEAK	Pass	Harmonic
78	802.11be EHT40	110	5457.80	50.33	54.00	-3.67	H	AVERAGE	Pass	Band Edge
78	802.11be EHT40	110	8879.53	44.90	68.20	-23.30	V	Peak	Pass	Harmonic
79	802.11be EHT40	134	5391.12	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
79	802.11be EHT40	134	11340.00	45.19	74.00	-28.81	H	PEAK	Pass	Harmonic
80	802.11be EHT80	106	5459.28	51.07	54.00	-2.93	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	106	7891.00	44.84	68.20	-23.36	V	Peak	Pass	Harmonic
81	802.11be EHT80	122	5456.40	50.03	54.00	-3.97	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	8976.33	46.33	68.20	-21.87	V	Peak	Pass	Harmonic
82	802.11be EHT160	114	5463.96	67.35	68.20	-0.85	H	PEAK	Pass	Band Edge
82	802.11be EHT160	114	11140.00	45.16	74.00	-28.84	H	PEAK	Pass	Harmonic
83	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT20	144	11440.00	45.56	74.00	-28.44	V	PEAK	Pass	Harmonic
84	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT40	142	11420.00	44.77	74.00	-29.23	H	PEAK	Pass	Harmonic
85	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	138	11380.00	45.19	74.00	-28.81	H	PEAK	Pass	Harmonic
86	802.11be EHT20	149	5652.80	67.26	70.29	-3.03	H	PEAK	Pass	Band Edge
86	802.11be EHT20	149	11490.00	45.12	74.00	-28.88	V	PEAK	Pass	Harmonic
87	802.11be EHT20	157	5410.00	53.39	54.00	-0.61	V	AVERAGE	Pass	Band Edge
87	802.11be EHT20	157	9255.73	46.78	68.20	-21.42	V	Peak	Pass	Harmonic
88	802.11be EHT20	165	5434.00	53.30	54.00	-0.70	V	AVERAGE	Pass	Band Edge
88	802.11be EHT20	165	11650.00	38.92	54.00	-15.08	H	AVERAGE	Pass	Harmonic
89	802.11be EHT40	151	5643.25	65.50	68.20	-2.70	H	PEAK	Pass	Band Edge
89	802.11be EHT40	151	9208.00	43.59	68.20	-24.61	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
90	802.11be EHT40	159	5649.60	67.79	68.20	-0.41	H	PEAK	Pass	Band Edge
90	802.11be EHT40	159	9272.00	43.74	68.20	-24.46	H	PEAK	Pass	Harmonic
91	802.11be EHT80	155	5636.40	67.56	68.20	-0.64	H	PEAK	Pass	Band Edge
91	802.11be EHT80	155	9240.33	45.26	68.20	-22.94	V	Peak	Pass	Harmonic
92	802.11be EHT20	40	5148.72	51.97	54.00	-2.03	H	AVERAGE	Pass	Band Edge
92	802.11be EHT20	40	10400.00	45.14	68.20	-23.06	V	PEAK	Pass	Harmonic





Co-Location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
93	802.11be EHT40	09	2483.50	53.26	54.00	-0.74	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	09	5825.00	61.57	74.00	-12.43	V	PEAK	Pass	Harmonic
	802.11be EHT20	165	5452.00	53.70	54.00	-0.30	V	Average	Pass	Band Edge
	802.11be EHT20	165	11650.00	46.96	54.00	-7.04	H	AVERAGE	Pass	Harmonic



		1																																																					
Mode	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.00</td><td>65.94</td><td>74.00</td><td>-8.06</td><td>47.63</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>289</td><td>91</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.00	65.94	74.00	-8.06	47.63	34.39	10.59	36.67	10.00	289	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5135.00	65.94	74.00	-8.06	47.63	34.39	10.59	36.67	10.00	289	91	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>123.23</td><td>-----</td><td>-----</td><td>104.77</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>289</td><td>91</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	123.23	-----	-----	104.77	34.43	10.64	36.61	10.00	289	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	123.23	-----	-----	104.77	34.43	10.64	36.61	10.00	289	91	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>35.12</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>289</td><td>91</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	53.48	54.00	-0.52	35.12	34.40	10.61	36.65	10.00	289	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	53.48	54.00	-0.52	35.12	34.40	10.61	36.65	10.00	289	91	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>115.48</td><td>-----</td><td>-----</td><td>97.02</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>289</td><td>91</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	115.48	-----	-----	97.02	34.43	10.64	36.61	10.00	289	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	115.48	-----	-----	97.02	34.43	10.64	36.61	10.00	289	91	AVERAGE																																											







		1																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																												
ANT		CDD 1S4T																																																																																																												
Pol.		Fundamental																																																																																																												
Peak	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.80</td><td>64.75</td><td>74.00</td><td>-9.25</td><td>46.40</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>57</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.80	64.75	74.00	-9.25	46.40	34.40	10.61	36.66	10.00	57	PEAK	Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>120.00</td><td>-----</td><td>-----</td><td>101.51</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>108</td><td>57</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	120.00	-----	-----	101.51	34.44	10.65	36.60	10.00	108	57	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5147.80	64.75	74.00	-9.25	46.40	34.40	10.61	36.66	10.00	57	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	120.00	-----	-----	101.51	34.44	10.65	36.60	10.00	108	57	PEAK																																																																																																		
Avg	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>52.52</td><td>54.00</td><td>-1.48</td><td>34.16</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>108</td><td>57</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	52.52	54.00	-1.48	34.16	34.40	10.61	36.65	10.00	108	57	AVERAGE	Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.47</td><td>-----</td><td>-----</td><td>92.98</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>108</td><td>57</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.47	-----	-----	92.98	34.44	10.65	36.60	10.00	108	57	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5149.70	52.52	54.00	-1.48	34.16	34.40	10.61	36.65	10.00	108	57	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	111.47	-----	-----	92.98	34.44	10.65	36.60	10.00	108	57	AVERAGE																																																																																																		





Mode	1																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.47</td><td>68.20</td><td>-22.73</td><td>59.62</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.47	68.20	-22.73	59.62	37.36	15.45	66.96	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	45.47	68.20	-22.73	59.62	37.36	15.45	66.96	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.74</td><td>68.20</td><td>-22.46</td><td>59.89</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.74	68.20	-22.46	59.89	37.36	15.45	66.96	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	45.74	68.20	-22.46	59.89	37.36	15.45	66.96	0.00	---	---	PEAK																																												







Mode	2																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.82</td><td>66.39</td><td>74.00</td><td>-7.61</td><td>48.03</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>101</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	66.39	74.00	-7.61	48.03	34.40	10.61	36.65	10.00	101	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>124.55</td><td>-----</td><td>-----</td><td>105.96</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>101</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	124.55	-----	-----	105.96	34.47	10.67	36.55	10.00	101	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.82	66.39	74.00	-7.61	48.03	34.40	10.61	36.65	10.00	101	145	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	124.55	-----	-----	105.96	34.47	10.67	36.55	10.00	101	145	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>53.44</td><td>54.00</td><td>-0.56</td><td>35.09</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>101</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	53.44	54.00	-0.56	35.09	34.40	10.61	36.66	10.00	101	145	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>115.48</td><td>-----</td><td>-----</td><td>96.86</td><td>34.48</td><td>10.68</td><td>36.54</td><td>10.00</td><td>101</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	115.48	-----	-----	96.86	34.48	10.68	36.54	10.00	101	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.50	53.44	54.00	-0.56	35.09	34.40	10.61	36.66	10.00	101	145	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	115.48	-----	-----	96.86	34.48	10.68	36.54	10.00	101	145	AVERAGE																																																																																																			





Mode	2																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.80</td><td>62.81</td><td>74.00</td><td>-11.99</td><td>42.97</td><td>34.62</td><td>10.76</td><td>36.34</td><td>10.00</td><td>101</td><td>145</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.80	62.81	74.00	-11.99	42.97	34.62	10.76	36.34	10.00	101	145	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5374.80	62.81	74.00	-11.99	42.97	34.62	10.76	36.34	10.00	101	145	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.28</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>31.32</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>101</td><td>145</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.28	50.62	54.00	-3.38	31.32	34.69	10.83	36.22	10.00	101	145	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.28	50.62	54.00	-3.38	31.32	34.69	10.83	36.22	10.00	101	145	AVERAGE																																												



	2																																																					
Mode	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.84</td><td>64.73</td><td>74.00</td><td>-9.27</td><td>46.38</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>90</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	64.73	74.00	-9.27	46.38	34.40	10.61	36.66	10.00	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.84	64.73	74.00	-9.27	46.38	34.40	10.61	36.66	10.00	90	PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>121.28</td><td>-----</td><td>-----</td><td>102.69</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>100</td><td>90</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	121.28	-----	-----	102.69	34.47	10.67	36.55	10.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	121.28	-----	-----	102.69	34.47	10.67	36.55	10.00	100	90	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.82</td><td>51.26</td><td>54.00</td><td>-2.74</td><td>32.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	51.26	54.00	-2.74	32.90	34.40	10.61	36.65	10.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.82	51.26	54.00	-2.74	32.90	34.40	10.61	36.65	10.00	100	90	AVERAGE																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>112.82</td><td>-----</td><td>-----</td><td>94.23</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	112.82	-----	-----	94.23	34.47	10.67	36.55	10.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	112.82	-----	-----	94.23	34.47	10.67	36.55	10.00	100	90	AVERAGE																																										







Mode	2																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.88</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>42.87</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.88	62.13	74.00	-11.87	42.87	34.68	10.82	36.24	10.00	90	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5444.88	62.13	74.00	-11.87	42.87	34.68	10.82	36.24	10.00	90	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.96</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>31.22</td><td>34.65</td><td>10.78</td><td>36.29</td><td>10.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.96	50.36	54.00	-3.64	31.22	34.65	10.78	36.29	10.00	100	90	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5406.96	50.36	54.00	-3.64	31.22	34.65	10.78	36.29	10.00	100	90	AVERAGE																																											





Mode	2																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>58.33</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.37	68.20	-23.83	58.33	37.44	15.52	66.92	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10440.00	44.37	68.20	-23.83	58.33	37.44	15.52	66.92	0.00	---	---	PEAK																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.71</td><td>68.20</td><td>-23.49</td><td>58.67</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.71	68.20	-23.49	58.67	37.44	15.52	66.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10440.00	44.71	68.20	-23.49	58.67	37.44	15.52	66.92	0.00	---	---	PEAK																																												







Mode	3																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5066.96</td><td>62.80</td><td>74.00</td><td>-11.20</td><td>44.72</td><td>34.33</td><td>10.52</td><td>36.77</td><td>10.00</td><td>80</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5066.96	62.80	74.00	-11.20	44.72	34.33	10.52	36.77	10.00	80	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5066.96	62.80	74.00	-11.20	44.72	34.33	10.52	36.77	10.00	80	PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.96</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>32.45</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>80</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.96	50.72	54.00	-3.28	32.45	34.38	10.58	36.69	10.00	80	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5120.96	50.72	54.00	-3.28	32.45	34.38	10.58	36.69	10.00	80	AVERAGE																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>123.45</td><td>-----</td><td>-----</td><td>104.80</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>300</td><td>80</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	123.45	-----	-----	104.80	34.49	10.68	36.52	10.00	300	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	123.45	-----	-----	104.80	34.49	10.68	36.52	10.00	300	80	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>115.51</td><td>-----</td><td>-----</td><td>96.86</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>300</td><td>80</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	115.51	-----	-----	96.86	34.49	10.68	36.52	10.00	300	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	115.51	-----	-----	96.86	34.49	10.68	36.52	10.00	300	80	AVERAGE																																										





Mode	3																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.68</td><td>61.42</td><td>74.00</td><td>-12.58</td><td>42.37</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>300</td><td>80</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.68	61.42	74.00	-12.58	42.37	34.62	10.76	36.33	10.00	300	80	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.68	61.42	74.00	-12.58	42.37	34.62	10.76	36.33	10.00	300	80	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.00</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>30.95</td><td>34.68</td><td>10.81</td><td>36.25</td><td>10.00</td><td>300</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.00	50.19	54.00	-3.81	30.95	34.68	10.81	36.25	10.00	300	80	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5438.00	50.19	54.00	-3.81	30.95	34.68	10.81	36.25	10.00	300	80	AVERAGE																																												





Mode	3																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.56</td><td>62.54</td><td>74.00</td><td>-11.46</td><td>44.19</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>140</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.56	62.54	74.00	-11.46	44.19	34.40	10.61	36.66	10.00	140	82	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>121.02</td><td>-----</td><td>-----</td><td>102.37</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>140</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	121.02	-----	-----	102.37	34.49	10.68	36.52	10.00	140	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.56	62.54	74.00	-11.46	44.19	34.40	10.61	36.66	10.00	140	82	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	121.02	-----	-----	102.37	34.49	10.68	36.52	10.00	140	82	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5043.68</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>32.66</td><td>34.30</td><td>10.50</td><td>36.00</td><td>10.00</td><td>140</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5043.68	50.66	54.00	-3.34	32.66	34.30	10.50	36.00	10.00	140	82	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>113.41</td><td>-----</td><td>-----</td><td>94.76</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>140</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	113.41	-----	-----	94.76	34.49	10.68	36.52	10.00	140	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5043.68	50.66	54.00	-3.34	32.66	34.30	10.50	36.00	10.00	140	82	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	113.41	-----	-----	94.76	34.49	10.68	36.52	10.00	140	82	AVERAGE																																																																																																			







Mode	3																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.22</td><td>61.49</td><td>74.00</td><td>-12.51</td><td>42.36</td><td>34.64</td><td>10.78</td><td>36.29</td><td>10.00</td><td>140</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.22	61.49	74.00	-12.51	42.36	34.64	10.78	36.29	10.00	140	82	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5405.22	61.49	74.00	-12.51	42.36	34.64	10.78	36.29	10.00	140	82	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5425.24</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>31.59</td><td>34.66</td><td>10.80</td><td>36.26</td><td>10.00</td><td>140</td><td>82</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.24	50.79	54.00	-3.21	31.59	34.66	10.80	36.26	10.00	140	82	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5425.24	50.79	54.00	-3.21	31.59	34.66	10.80	36.26	10.00	140	82	AVERAGE																																												







Mode	3																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>58.27</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.42	68.20	-23.78	58.27	37.48	15.56	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.61</td><td>68.20</td><td>-22.59</td><td>59.46</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.61	68.20	-22.59	59.46	37.48	15.56	66.89	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	44.42	68.20	-23.78	58.27	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	45.61	68.20	-22.59	59.46	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																							





Mode	4																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.60</td><td>66.73</td><td>74.00</td><td>-7.27</td><td>48.39</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>101</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.60	66.73	74.00	-7.27	48.39	34.40	10.60	36.66	10.00	101	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5142.60	66.73	74.00	-7.27	48.39	34.40	10.60	36.66	10.00	101	102	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>122.83</td><td>-----</td><td>-----</td><td>104.38</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>101</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	122.83	-----	-----	104.38	34.43	10.64	36.62	10.00	101	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	122.83	-----	-----	104.38	34.43	10.64	36.62	10.00	101	102	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.70</td><td>53.35</td><td>54.00</td><td>-0.65</td><td>35.01</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>101</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.70	53.35	54.00	-0.65	35.01	34.40	10.60	36.66	10.00	101	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.70	53.35	54.00	-0.65	35.01	34.40	10.60	36.66	10.00	101	102	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.50</td><td>-----</td><td>-----</td><td>95.05</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>101</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.50	-----	-----	95.05	34.43	10.64	36.62	10.00	101	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	113.50	-----	-----	95.05	34.43	10.64	36.62	10.00	101	102	AVERAGE																																											



	4																																																					
Mode	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.70</td><td>63.70</td><td>74.00</td><td>-10.30</td><td>45.40</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>107</td><td>84 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.70	63.70	74.00	-10.30	45.40	34.39	10.59	36.68	10.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5133.70	63.70	74.00	-10.30	45.40	34.39	10.59	36.68	10.00	107	84 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>121.17</td><td>-----</td><td>-----</td><td>102.68</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>107</td><td>84 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	121.17	-----	-----	102.68	34.44	10.65	36.60	10.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	121.17	-----	-----	102.68	34.44	10.65	36.60	10.00	107	84 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.70</td><td>51.95</td><td>54.00</td><td>-2.05</td><td>33.60</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>107</td><td>84 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.70	51.95	54.00	-2.05	33.60	34.40	10.61	36.66	10.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.70	51.95	54.00	-2.05	33.60	34.40	10.61	36.66	10.00	107	84 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.60</td><td>-----</td><td>-----</td><td>93.11</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>107</td><td>84 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.60	-----	-----	93.11	34.44	10.65	36.60	10.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	111.60	-----	-----	93.11	34.44	10.65	36.60	10.00	107	84 AVERAGE																																											





		4																																																																																																																				
Mode		Harmonic																																																																																																																				
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																				
ANT		CDD 1S4T																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>44.88</td><td>68.20</td><td>-23.32</td><td>59.03</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.88	68.20	-23.32	59.03	37.36	15.45	66.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>58.87</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.72	68.20	-23.48	58.87	37.36	15.45	66.96	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	10360.00	44.88	68.20	-23.32	59.03	37.36	15.45	66.96	0.00	---	---	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	10360.00	44.72	68.20	-23.48	58.87	37.36	15.45	66.96	0.00	---	---	PEAK																																																																																																										







Mode	5																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.96</td><td>66.17</td><td>74.00</td><td>-7.83</td><td>47.82</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>145 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.96	66.17	74.00	-7.83	47.82	34.40	10.61	36.66	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5146.96	66.17	74.00	-7.83	47.82	34.40	10.61	36.66	10.00	145 PEAK																																												
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>124.92</td><td>-----</td><td>-----</td><td>106.33</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>145 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	124.92	-----	-----	106.33	34.47	10.67	36.55	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	124.92	-----	-----	106.33	34.47	10.67	36.55	10.00	145 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.38</td><td>53.56</td><td>54.00</td><td>-0.44</td><td>35.20</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>145 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.38	53.56	54.00	-0.44	35.20	34.40	10.61	36.65	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.38	53.56	54.00	-0.44	35.20	34.40	10.61	36.65	10.00	145 AVERAGE																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>115.02</td><td>-----</td><td>-----</td><td>96.40</td><td>34.48</td><td>10.68</td><td>36.54</td><td>10.00</td><td>145 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	115.02	-----	-----	96.40	34.48	10.68	36.54	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	115.02	-----	-----	96.40	34.48	10.68	36.54	10.00	145 AVERAGE																																												



Mode	5																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.04</td><td>62.63</td><td>74.00</td><td>-11.37</td><td>43.66</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.04	62.63	74.00	-11.37	43.66	34.59	10.75	36.37	10.00	100	145	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.04	62.63	74.00	-11.37	43.66	34.59	10.75	36.37	10.00	100	145	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.52</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>31.26</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>100</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	50.56	54.00	-3.44	31.26	34.69	10.83	36.22	10.00	100	145	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.52	50.56	54.00	-3.44	31.26	34.69	10.83	36.22	10.00	100	145	AVERAGE																																												





Mode	5																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.04</td><td>63.80</td><td>74.00</td><td>-10.20</td><td>45.48</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>90 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.04	63.80	74.00	-10.20	45.48	34.39	10.60	36.67	10.00	90 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>122.84</td><td>-----</td><td>-----</td><td>104.25</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>100 90 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	122.84	-----	-----	104.25	34.47	10.67	36.55	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5139.04	63.80	74.00	-10.20	45.48	34.39	10.60	36.67	10.00	90 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	122.84	-----	-----	104.25	34.47	10.67	36.55	10.00	100 90 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.16</td><td>51.53</td><td>54.00</td><td>-2.47</td><td>33.17</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>90 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.16	51.53	54.00	-2.47	33.17	34.40	10.61	36.65	10.00	90 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>112.35</td><td>-----</td><td>-----</td><td>93.76</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>90 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	112.35	-----	-----	93.76	34.47	10.67	36.55	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.16	51.53	54.00	-2.47	33.17	34.40	10.61	36.65	10.00	90 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	112.35	-----	-----	93.76	34.47	10.67	36.55	10.00	90 AVERAGE																																																																																								







Mode	5																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																												
ANT	CDD 1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.12</td><td>62.21</td><td>74.00</td><td>-11.79</td><td>43.10</td><td>34.64</td><td>10.77</td><td>36.30</td><td>10.00</td><td>90</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.12	62.21	74.00	-11.79	43.10	34.64	10.77	36.30	10.00	90	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5397.12	62.21	74.00	-11.79	43.10	34.64	10.77	36.30	10.00	90	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5404.32</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>31.13</td><td>34.64</td><td>10.78</td><td>36.29</td><td>10.00</td><td>90</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.32	50.26	54.00	-3.74	31.13	34.64	10.78	36.29	10.00	90	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5404.32	50.26	54.00	-3.74	31.13	34.64	10.78	36.29	10.00	90	AVERAGE																																		





Mode	5																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10448.00</td><td>46.27</td><td>68.20</td><td>-21.93</td><td>60.23</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10448.00	46.27	68.20	-21.93	60.23	37.44	15.52	66.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10448.00	46.27	68.20	-21.93	60.23	37.44	15.52	66.92	0.00	---	---	PEAK																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10448.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>59.92</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10448.00	45.96	68.20	-22.24	59.92	37.44	15.52	66.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10448.00	45.96	68.20	-22.24	59.92	37.44	15.52	66.92	0.00	---	---	PEAK																																												







	6																																																					
Mode	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5073.68</td><td>62.86</td><td>74.00</td><td>-11.14</td><td>44.76</td><td>34.33</td><td>10.53</td><td>36.76</td><td>10.00</td><td>300 81 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5073.68	62.86	74.00	-11.14	44.76	34.33	10.53	36.76	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5073.68	62.86	74.00	-11.14	44.76	34.33	10.53	36.76	10.00	300 81 PEAK																																												
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>124.26</td><td>-----</td><td>-----</td><td>105.61</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>300 81 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	124.26	-----	-----	105.61	34.49	10.68	36.52	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	124.26	-----	-----	105.61	34.49	10.68	36.52	10.00	300 81 PEAK																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.28</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>32.50</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>300 81 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	50.86	54.00	-3.14	32.50	34.40	10.61	36.65	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.28	50.86	54.00	-3.14	32.50	34.40	10.61	36.65	10.00	300 81 AVERAGE																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>115.01</td><td>-----</td><td>-----</td><td>96.36</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>300 81 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	115.01	-----	-----	96.36	34.49	10.68	36.52	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	115.01	-----	-----	96.36	34.49	10.68	36.52	10.00	300 81 AVERAGE																																												





Mode	6																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																			
ANT	CDD 1S4T																																																			
Pol.	Horizontal										Fundamental																																									
Peak											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.12</td><td>61.30</td><td>74.00</td><td>-12.70</td><td>42.10</td><td>34.66</td><td>10.80</td><td>36.26</td><td>10.00</td><td>300</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.12	61.30	74.00	-12.70	42.10	34.66	10.80	36.26	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5426.12	61.30	74.00	-12.70	42.10	34.66	10.80	36.26	10.00	300	81 PEAK																																									
Avg											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.98</td><td>50.23</td><td>54.00</td><td>-3.77</td><td>30.97</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>300</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.98	50.23	54.00	-3.77	30.97	34.68	10.82	36.24	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5439.98	50.23	54.00	-3.77	30.97	34.68	10.82	36.24	10.00	300	81 AVERAGE																																									





		6																																																																																														
Mode	Band Edge - L																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Vertical					Fundamental																																																																																										
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.12</td><td>62.45</td><td>74.00</td><td>-11.55</td><td>44.12</td><td>34.40</td><td>10.60</td><td>36.67</td><td>10.00</td><td>78</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.12	62.45	74.00	-11.55	44.12	34.40	10.60	36.67	10.00	78	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>122.63</td><td>-----</td><td>-----</td><td>103.95</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	122.63	-----	-----	103.95	34.50	10.69	36.51	10.00	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5141.12	62.45	74.00	-11.55	44.12	34.40	10.60	36.67	10.00	78	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5240.00	122.63	-----	-----	103.95	34.50	10.69	36.51	10.00	78	PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5130.56</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>32.36</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>78</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.56	50.66	54.00	-3.34	32.36	34.39	10.59	36.68	10.00	78	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>112.40</td><td>-----</td><td>-----</td><td>93.72</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>78</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.40	-----	-----	93.72	34.50	10.69	36.51	10.00	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5130.56	50.66	54.00	-3.34	32.36	34.39	10.59	36.68	10.00	78	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5240.00	112.40	-----	-----	93.72	34.50	10.69	36.51	10.00	78	AVERAGE																																																																																					







Mode	6																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.50</td><td>62.78</td><td>74.00</td><td>-11.22</td><td>43.70</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>100</td><td>78</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.50	62.78	74.00	-11.22	43.70	34.63	10.77	36.32	10.00	100	78	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5388.50	62.78	74.00	-11.22	43.70	34.63	10.77	36.32	10.00	100	78	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.96</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>31.04</td><td>34.67</td><td>10.81</td><td>36.26</td><td>10.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.96	50.26	54.00	-3.74	31.04	34.67	10.81	36.26	10.00	100	78	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5430.96	50.26	54.00	-3.74	31.04	34.67	10.81	36.26	10.00	100	78	AVERAGE																																											





Mode	6																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.55</td><td>68.20</td><td>-22.65</td><td>59.40</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.55	68.20	-22.65	59.40	37.48	15.56	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>58.30</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.45	68.20	-23.75	58.30	37.48	15.56	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	45.55	68.20	-22.65	59.40	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	44.45	68.20	-23.75	58.30	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																								







	7																																																																																																						
Mode	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																						
ANT	CDD 1S4T																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5148.64</td><td>64.81</td><td>74.00</td><td>-9.19</td><td>46.46</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>100</td><td>145 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5148.64	64.81	74.00	-9.19	46.46	34.40	10.61	36.66	10.00	100	145 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>119.13</td><td>-----</td><td>-----</td><td>100.68</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>100</td><td>145 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	119.13	-----	-----	100.68	34.43	10.64	36.62	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5148.64	64.81	74.00	-9.19	46.46	34.40	10.61	36.66	10.00	100	145 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5190.00	119.13	-----	-----	100.68	34.43	10.64	36.62	10.00	100	145 PEAK																																																																																													
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5142.08</td><td>52.45</td><td>54.00</td><td>-1.55</td><td>34.11</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>100</td><td>145 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5142.08	52.45	54.00	-1.55	34.11	34.40	10.60	36.66	10.00	100	145 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>109.96</td><td>-----</td><td>-----</td><td>91.43</td><td>34.45</td><td>10.66</td><td>36.58</td><td>10.00</td><td>100</td><td>145 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	109.96	-----	-----	91.43	34.45	10.66	36.58	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5142.08	52.45	54.00	-1.55	34.11	34.40	10.60	36.66	10.00	100	145 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5190.00	109.96	-----	-----	91.43	34.45	10.66	36.58	10.00	100	145 AVERAGE																																																																																													





Mode	7																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																														
ANT	CDD 1S4T																																														
Pol.	Horizontal						Fundamental																																								
Peak							Blank																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.46</td><td>62.30</td><td>74.00</td><td>-11.70</td><td>43.07</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>145 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.46	62.30	74.00	-11.70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5432.46	62.30	74.00	-11.70	43.07	34.67	10.81	36.25	10.00	145 PEAK																																					
Avg							Blank																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.46</td><td>50.28</td><td>54.00</td><td>-3.72</td><td>30.96</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>145 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.46	50.28	54.00	-3.72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5459.46	50.28	54.00	-3.72	30.96	34.70	10.84	36.22	10.00	145 AVERAGE																																					





		7																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.72</td><td>63.23</td><td>74.00</td><td>-10.77</td><td>44.89</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>300</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.72	63.23	74.00	-10.77	44.89	34.40	10.60	36.66	10.00	300	40	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>115.21</td><td>-----</td><td>-----</td><td>96.75</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>300</td><td>40</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	115.21	-----	-----	96.75	34.43	10.64	36.61	10.00	300	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.72	63.23	74.00	-10.77	44.89	34.40	10.60	36.66	10.00	300	40	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	115.21	-----	-----	96.75	34.43	10.64	36.61	10.00	300	40	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.64</td><td>51.39</td><td>54.00</td><td>-2.61</td><td>33.05</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.64	51.39	54.00	-2.61	33.05	34.40	10.60	36.66	10.00	300	40	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.31</td><td>-----</td><td>-----</td><td>88.85</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.31	-----	-----	88.85	34.43	10.64	36.61	10.00	300	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5144.64	51.39	54.00	-2.61	33.05	34.40	10.60	36.66	10.00	300	40	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	107.31	-----	-----	88.85	34.43	10.64	36.61	10.00	300	40	AVERAGE																																																																																						







Mode	7																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.42</td><td>62.43</td><td>74.00</td><td>-11.57</td><td>43.17</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>300</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.42	62.43	74.00	-11.57	43.17	34.68	10.82	36.24	10.00	300	40	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5445.42	62.43	74.00	-11.57	43.17	34.68	10.82	36.24	10.00	300	40	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.73</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>30.81</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.73	50.13	54.00	-3.87	30.81	34.70	10.84	36.22	10.00	300	40	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5459.73	50.13	54.00	-3.87	30.81	34.70	10.84	36.22	10.00	300	40	AVERAGE																																											





		7																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>58.75</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10380.00	44.65	68.20	-23.55	58.75	37.38	15.47	66.95	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																															
1	10380.00	44.65	68.20	-23.55	58.75	37.38	15.47	66.95	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.40</td><td>68.20</td><td>-23.80</td><td>58.50</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10380.00	44.40	68.20	-23.80	58.50	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																															
1	10380.00	44.40	68.20	-23.80	58.50	37.38	15.47	66.95	0.00	---	---	PEAK																																													







		8																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																							
ANT		CDD 1S4T																																																																																																							
Pol.	Horizontal										Fundamental																																																																																														
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5107.04</td><td>64.82</td><td>74.00</td><td>-9.18</td><td>46.61</td><td>34.36</td><td>10.56</td><td>36.71</td><td>10.00</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5107.04	64.82	74.00	-9.18	46.61	34.36	10.56	36.71	10.00	100	141	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>121.81</td><td>-----</td><td>-----</td><td>103.18</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	121.81	-----	-----	103.18	34.48	10.68	36.53	10.00	100	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5107.04	64.82	74.00	-9.18	46.61	34.36	10.56	36.71	10.00	100	141	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5230.00	121.81	-----	-----	103.18	34.48	10.68	36.53	10.00	100	141	PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5138.24</td><td>52.18</td><td>54.00</td><td>-1.82</td><td>33.86</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5138.24	52.18	54.00	-1.82	33.86	34.39	10.60	36.67	10.00	100	141	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>111.71</td><td>-----</td><td>-----</td><td>93.00</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	111.71	-----	-----	93.00	34.48	10.68	36.53	10.00	100	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5138.24	52.18	54.00	-1.82	33.86	34.39	10.60	36.67	10.00	100	141	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5230.00	111.71	-----	-----	93.00	34.48	10.68	36.53	10.00	100	141	AVERAGE																																																																																														





Mode	8																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.22</td><td>62.54</td><td>74.00</td><td>-11.46</td><td>43.57</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>141</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.22	62.54	74.00	-11.46	43.57	34.59	10.75	36.37	10.00	141	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5351.22	62.54	74.00	-11.46	43.57	34.59	10.75	36.37	10.00	141	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.82</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>31.87</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>141</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.82	50.86	54.00	-3.14	31.87	34.60	10.75	36.36	10.00	141	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.82	50.86	54.00	-3.14	31.87	34.60	10.75	36.36	10.00	141	AVERAGE																																											





	8																																																																																												
Mode	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.68</td><td>62.92</td><td>74.00</td><td>-11.08</td><td>44.57</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.68	62.92	74.00	-11.08	44.57	34.40	10.61	36.66	10.00	100	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>117.75</td><td>-----</td><td>-----</td><td>99.19</td><td>34.46</td><td>10.67</td><td>36.57</td><td>10.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	117.75	-----	-----	99.19	34.46	10.67	36.57	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5147.68	62.92	74.00	-11.08	44.57	34.40	10.61	36.66	10.00	100	79 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5230.00	117.75	-----	-----	99.19	34.46	10.67	36.57	10.00	100	79 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5146.56</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>32.60</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5146.56	50.94	54.00	-3.06	32.60	34.40	10.60	36.66	10.00	100	79 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>108.68</td><td>-----</td><td>-----</td><td>90.10</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	108.68	-----	-----	90.10	34.47	10.67	36.56	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5146.56	50.94	54.00	-3.06	32.60	34.40	10.60	36.66	10.00	100	79 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5230.00	108.68	-----	-----	90.10	34.47	10.67	36.56	10.00	100	79 AVERAGE																																																																																			







Mode	8																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																												
ANT	CDD 1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.04</td><td>61.07</td><td>74.00</td><td>-12.93</td><td>42.02</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.04	61.07	74.00	-12.93	42.02	34.62	10.76	36.33	10.00	79	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5378.04	61.07	74.00	-12.93	42.02	34.62	10.76	36.33	10.00	79	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.66</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>30.72</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>79</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.66	49.69	54.00	-4.31	30.72	34.59	10.75	36.37	10.00	79	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5352.66	49.69	54.00	-4.31	30.72	34.59	10.75	36.37	10.00	79	AVERAGE																																		





Mode	8																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>59.34</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.43	68.20	-22.77	59.34	37.46	15.54	66.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>58.35</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.44	68.20	-23.76	58.35	37.46	15.54	66.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	45.43	68.20	-22.77	59.34	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	44.44	68.20	-23.76	58.35	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							







		9																																									
Mode		Band Edge - L																																									
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																									
ANT		CDD 1S4T																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.96	66.26	74.00	-7.74	47.95	34.39	10.59	36.67	10.00	145	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5136.96	66.26	74.00	-7.74	47.95	34.39	10.59	36.67	10.00	145	PEAK																																
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	116.96	-----	-----	98.43	34.45	10.66	36.58	10.00	100	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5210.00	116.96	-----	-----	98.43	34.45	10.66	36.58	10.00	100	145	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.84	53.60	54.00	-0.40	35.28	34.39	10.60	36.67	10.00	100	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5139.84	53.60	54.00	-0.40	35.28	34.39	10.60	36.67	10.00	100	145	AVERAGE																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.46	-----	-----	86.93	34.45	10.66	36.58	10.00	100	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5210.00	105.46	-----	-----	86.93	34.45	10.66	36.58	10.00	100	145	AVERAGE																															



Mode	9																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																											
ANT	CDD 1S4T																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.60</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>42.35</td><td>34.61</td><td>10.76</td><td>36.35</td><td>10.00</td><td>145 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.60	61.37	74.00	-12.63	42.35	34.61	10.76	36.35	10.00	145 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5367.60	61.37	74.00	-12.63	42.35	34.61	10.76	36.35	10.00	145 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.48</td><td>49.93</td><td>54.00</td><td>-4.07</td><td>30.82</td><td>34.64</td><td>10.77</td><td>36.30</td><td>10.00</td><td>145 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.48	49.93	54.00	-4.07	30.82	34.64	10.77	36.30	10.00	145 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5397.48	49.93	54.00	-4.07	30.82	34.64	10.77	36.30	10.00	145 AVERAGE																																		





		9																																																				
Mode		Band Edge - L																																																				
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																				
ANT		CDD 1S4T																																																				
Pol.		Fundamental																																																				
Peak	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.36</td><td>64.00</td><td>74.00</td><td>-10.00</td><td>45.69</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>80</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.36	64.00	74.00	-10.00	45.69	34.39	10.59	36.67	10.00	80	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5135.36	64.00	74.00	-10.00	45.69	34.39	10.59	36.67	10.00	80	PEAK																																											
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>112.17</td><td>-----</td><td>-----</td><td>93.61</td><td>34.46</td><td>10.67</td><td>36.57</td><td>10.00</td><td>80</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	112.17	-----	-----	93.61	34.46	10.67	36.57	10.00	80	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	112.17	-----	-----	93.61	34.46	10.67	36.57	10.00	80	PEAK																																											
Avg	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.36</td><td>51.39</td><td>54.00</td><td>-2.61</td><td>33.08</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>80</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.36	51.39	54.00	-2.61	33.08	34.39	10.59	36.67	10.00	80	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5135.36	51.39	54.00	-2.61	33.08	34.39	10.59	36.67	10.00	80	AVERAGE																																											
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>102.35</td><td>-----</td><td>-----</td><td>83.77</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>80</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.35	-----	-----	83.77	34.47	10.67	36.56	10.00	80	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	102.35	-----	-----	83.77	34.47	10.67	36.56	10.00	80	AVERAGE																																											







Mode	9																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																				
ANT	CDD 1S4T																																																				
Pol.	Vertical					Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.78</td><td>62.04</td><td>74.00</td><td>-11.96</td><td>42.99</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>80</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.78	62.04	74.00	-11.96	42.99	34.62	10.76	36.33	10.00	80	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5376.78	62.04	74.00	-11.96	42.99	34.62	10.76	36.33	10.00	80	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.90</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>30.50</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>80</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.90	49.59	54.00	-4.41	30.50	34.63	10.77	36.31	10.00	80	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5391.90	49.59	54.00	-4.41	30.50	34.63	10.77	36.31	10.00	80	AVERAGE																																										



		9																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>58.56</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.56	68.20	-23.64	58.56	37.42	15.51	66.93	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	44.56	68.20	-23.64	58.56	37.42	15.51	66.93	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>58.68</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.68	68.20	-23.52	58.68	37.42	15.51	66.93	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	44.68	68.20	-23.52	58.68	37.42	15.51	66.93	0.00	---	---	PEAK																																													



		10																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_RU52*4_5180MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.70</td><td>68.84</td><td>74.00</td><td>-5.16</td><td>50.50</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>308</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.70	68.84	74.00	-5.16	50.50	34.40	10.60	36.66	10.00	308	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>119.57</td><td>-----</td><td>-----</td><td>101.11</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>308</td><td>77</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	119.57	-----	-----	101.11	34.43	10.64	36.61	10.00	308	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5143.70	68.84	74.00	-5.16	50.50	34.40	10.60	36.66	10.00	308	77	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	119.57	-----	-----	101.11	34.43	10.64	36.61	10.00	308	77	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.60</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>33.86</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>308</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.60	52.20	54.00	-1.80	33.86	34.40	10.60	36.66	10.00	308	77	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.18</td><td>-----</td><td>-----</td><td>92.72</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>308</td><td>77</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.18	-----	-----	92.72	34.43	10.64	36.61	10.00	308	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5144.60	52.20	54.00	-1.80	33.86	34.40	10.60	36.66	10.00	308	77	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	111.18	-----	-----	92.72	34.43	10.64	36.61	10.00	308	77	AVERAGE																																																																																						