















Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																						
ANT	1+2+3+4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.20</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>41.43</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7126.20	54.87	88.20	-33.33	41.43	36.51	15.25	38.32	0.00	252	0 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>107.33</td><td>-----</td><td>-----</td><td>94.44</td><td>35.98</td><td>15.12</td><td>38.21</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	107.33	-----	-----	94.44	35.98	15.12	38.21	0.00	252	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7126.20	54.87	88.20	-33.33	41.43	36.51	15.25	38.32	0.00	252	0 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7025.00	107.33	-----	-----	94.44	35.98	15.12	38.21	0.00	252	0 PEAK																																																																																												
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.00</td><td>46.75</td><td>68.20</td><td>-21.45</td><td>33.30</td><td>36.52</td><td>15.25</td><td>38.32</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7127.00	46.75	68.20	-21.45	33.30	36.52	15.25	38.32	0.00	252	0 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>100.15</td><td>-----</td><td>-----</td><td>87.03</td><td>36.20</td><td>15.17</td><td>38.25</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	100.15	-----	-----	87.03	36.20	15.17	38.25	0.00	252	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7127.00	46.75	68.20	-21.45	33.30	36.52	15.25	38.32	0.00	252	0 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7025.00	100.15	-----	-----	87.03	36.20	15.17	38.25	0.00	252	0 AVERAGE																																																																																												



Mode	16																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.06</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>40.00</td><td>36.62</td><td>15.27</td><td>38.33</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.06	53.56	88.20	-34.64	40.00	36.62	15.27	38.33	0.00	127	0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>105.26</td><td>-----</td><td>-----</td><td>92.18</td><td>36.16</td><td>15.16</td><td>38.24</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	105.26	-----	-----	92.18	36.16	15.16	38.24	0.00	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7140.06	53.56	88.20	-34.64	40.00	36.62	15.27	38.33	0.00	127	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	105.26	-----	-----	92.18	36.16	15.16	38.24	0.00	127	0 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.84</td><td>44.79</td><td>68.20</td><td>-23.41</td><td>31.32</td><td>36.53</td><td>15.26</td><td>38.32</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.84	44.79	68.20	-23.41	31.32	36.53	15.26	38.32	0.00	127	0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>98.46</td><td>-----</td><td>-----</td><td>85.42</td><td>36.13</td><td>15.15</td><td>38.24</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.46	-----	-----	85.42	36.13	15.15	38.24	0.00	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7128.84	44.79	68.20	-23.41	31.32	36.53	15.26	38.32	0.00	127	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	98.46	-----	-----	85.42	36.13	15.15	38.24	0.00	127	0 AVERAGE																																																																																					





		17																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7162.00</td><td>65.09</td><td>88.20</td><td>-23.11</td><td>51.40</td><td>36.75</td><td>15.29</td><td>38.35</td><td>0.00</td><td>246</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7162.00	65.09	88.20	-23.11	51.40	36.75	15.29	38.35	0.00	246	359	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>100.49</td><td>-----</td><td>-----</td><td>95.55</td><td>36.03</td><td>15.13</td><td>38.22</td><td>0.00</td><td>246</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	100.49	-----	-----	95.55	36.03	15.13	38.22	0.00	246	359	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7162.00	65.09	88.20	-23.11	51.40	36.75	15.29	38.35	0.00	246	359	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	100.49	-----	-----	95.55	36.03	15.13	38.22	0.00	246	359	PEAK																																																																																								
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.40</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>43.96</td><td>36.52</td><td>15.25</td><td>38.32</td><td>0.00</td><td>246</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.40	57.41	68.20	-10.79	43.96	36.52	15.25	38.32	0.00	246	359	AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>100.05</td><td>-----</td><td>-----</td><td>87.37</td><td>35.80</td><td>15.05</td><td>38.17</td><td>0.00</td><td>246</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	100.05	-----	-----	87.37	35.80	15.05	38.17	0.00	246	359	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7127.40	57.41	68.20	-10.79	43.96	36.52	15.25	38.32	0.00	246	359	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	100.05	-----	-----	87.37	35.80	15.05	38.17	0.00	246	359	AVERAGE																																																																																								



Mode	17																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7155.88</td><td>64.71</td><td>88.20</td><td>-23.49</td><td>51.05</td><td>36.72</td><td>15.28</td><td>38.34</td><td>0.00</td><td>100</td><td>4 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7155.88	64.71	88.20	-23.49	51.05	36.72	15.28	38.34	0.00	100	4 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>106.14</td><td>-----</td><td>-----</td><td>93.46</td><td>35.00</td><td>15.06</td><td>38.18</td><td>0.00</td><td>100</td><td>4 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	106.14	-----	-----	93.46	35.00	15.06	38.18	0.00	100	4 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7155.88	64.71	88.20	-23.49	51.05	36.72	15.28	38.34	0.00	100	4 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	106.14	-----	-----	93.46	35.00	15.06	38.18	0.00	100	4 PEAK																																																																																						
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7154.92</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>42.20</td><td>36.72</td><td>15.28</td><td>38.34</td><td>0.00</td><td>100</td><td>4 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7154.92	55.86	68.20	-12.34	42.20	36.72	15.28	38.34	0.00	100	4 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.87</td><td>-----</td><td>-----</td><td>85.17</td><td>35.81</td><td>15.08</td><td>38.19</td><td>0.00</td><td>100</td><td>4 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.87	-----	-----	85.17	35.81	15.08	38.19	0.00	100	4 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7154.92	55.86	68.20	-12.34	42.20	36.72	15.28	38.34	0.00	100	4 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	97.87	-----	-----	85.17	35.81	15.08	38.19	0.00	100	4 AVERAGE																																																																																						







Mode	17																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																																																					
ANT	1+2+3+4																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13970.00</td><td>58.48</td><td>88.20</td><td>-29.72</td><td>40.16</td><td>39.26</td><td>21.53</td><td>43.57</td><td>1.10</td><td>100</td></tr><tr><td>2 13970.00</td><td>50.83</td><td>68.20</td><td>-17.37</td><td>32.51</td><td>39.26</td><td>21.53</td><td>43.57</td><td>1.10</td><td>100</td></tr><tr><td>3 20955.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>44.26</td><td>37.92</td><td>26.65</td><td>54.82</td><td>-9.54</td><td>150</td></tr><tr><td>4 20955.00</td><td>33.78</td><td>54.00</td><td>-20.22</td><td>33.57</td><td>37.92</td><td>26.65</td><td>54.82</td><td>-9.54</td><td>150</td></tr><tr><td>5 27940.00</td><td>43.83</td><td>88.20</td><td>-44.37</td><td>36.36</td><td>39.50</td><td>31.11</td><td>53.60</td><td>-9.54</td><td>150</td></tr><tr><td>6 27940.00</td><td>34.90</td><td>68.20</td><td>-33.30</td><td>27.43</td><td>39.50</td><td>31.11</td><td>53.60</td><td>-9.54</td><td>150</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13970.00	58.48	88.20	-29.72	40.16	39.26	21.53	43.57	1.10	100	2 13970.00	50.83	68.20	-17.37	32.51	39.26	21.53	43.57	1.10	100	3 20955.00	44.47	74.00	-29.53	44.26	37.92	26.65	54.82	-9.54	150	4 20955.00	33.78	54.00	-20.22	33.57	37.92	26.65	54.82	-9.54	150	5 27940.00	43.83	88.20	-44.37	36.36	39.50	31.11	53.60	-9.54	150	6 27940.00	34.90	68.20	-33.30	27.43	39.50	31.11	53.60	-9.54	150	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13970.00</td><td>54.56</td><td>88.20</td><td>-33.64</td><td>36.24</td><td>39.26</td><td>21.53</td><td>43.57</td><td>1.10</td><td>400</td></tr><tr><td>2 13970.00</td><td>47.08</td><td>68.20</td><td>-21.12</td><td>28.76</td><td>39.26</td><td>21.53</td><td>43.57</td><td>1.10</td><td>400</td></tr><tr><td>3 20955.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>38.93</td><td>37.92</td><td>26.65</td><td>54.82</td><td>-9.54</td><td>150</td></tr><tr><td>4 20955.00</td><td>30.52</td><td>54.00</td><td>-23.48</td><td>30.31</td><td>37.92</td><td>26.65</td><td>54.82</td><td>-9.54</td><td>150</td></tr><tr><td>5 27940.00</td><td>43.97</td><td>88.20</td><td>-44.23</td><td>36.50</td><td>39.50</td><td>31.11</td><td>53.60</td><td>-9.54</td><td>150</td></tr><tr><td>6 27940.00</td><td>34.37</td><td>68.20</td><td>-33.83</td><td>26.90</td><td>39.50</td><td>31.11</td><td>53.60</td><td>-9.54</td><td>150</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13970.00	54.56	88.20	-33.64	36.24	39.26	21.53	43.57	1.10	400	2 13970.00	47.08	68.20	-21.12	28.76	39.26	21.53	43.57	1.10	400	3 20955.00	39.14	74.00	-34.86	38.93	37.92	26.65	54.82	-9.54	150	4 20955.00	30.52	54.00	-23.48	30.31	37.92	26.65	54.82	-9.54	150	5 27940.00	43.97	88.20	-44.23	36.50	39.50	31.11	53.60	-9.54	150	6 27940.00	34.37	68.20	-33.83	26.90	39.50	31.11	53.60	-9.54	150
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																													
1 13970.00	58.48	88.20	-29.72	40.16	39.26	21.53	43.57	1.10	100																																																																																																																																																																													
2 13970.00	50.83	68.20	-17.37	32.51	39.26	21.53	43.57	1.10	100																																																																																																																																																																													
3 20955.00	44.47	74.00	-29.53	44.26	37.92	26.65	54.82	-9.54	150																																																																																																																																																																													
4 20955.00	33.78	54.00	-20.22	33.57	37.92	26.65	54.82	-9.54	150																																																																																																																																																																													
5 27940.00	43.83	88.20	-44.37	36.36	39.50	31.11	53.60	-9.54	150																																																																																																																																																																													
6 27940.00	34.90	68.20	-33.30	27.43	39.50	31.11	53.60	-9.54	150																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																													
1 13970.00	54.56	88.20	-33.64	36.24	39.26	21.53	43.57	1.10	400																																																																																																																																																																													
2 13970.00	47.08	68.20	-21.12	28.76	39.26	21.53	43.57	1.10	400																																																																																																																																																																													
3 20955.00	39.14	74.00	-34.86	38.93	37.92	26.65	54.82	-9.54	150																																																																																																																																																																													
4 20955.00	30.52	54.00	-23.48	30.31	37.92	26.65	54.82	-9.54	150																																																																																																																																																																													
5 27940.00	43.97	88.20	-44.23	36.50	39.50	31.11	53.60	-9.54	150																																																																																																																																																																													
6 27940.00	34.37	68.20	-33.83	26.90	39.50	31.11	53.60	-9.54	150																																																																																																																																																																													







Mode	17	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 17	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 17





Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.12</td><td>73.96</td><td>88.20</td><td>-14.24</td><td>63.64</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.12	73.96	88.20	-14.24	63.64	34.30	13.95	37.93	0.00	100	120	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>107.83</td><td>-----</td><td>-----</td><td>97.16</td><td>34.34</td><td>14.27</td><td>37.94</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.83	-----	-----	97.16	34.34	14.27	37.94	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.12	73.96	88.20	-14.24	63.64	34.30	13.95	37.93	0.00	100	120	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	107.83	-----	-----	97.16	34.34	14.27	37.94	0.00	100	120	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>54.74</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	65.07	68.20	-3.13	54.74	34.30	13.96	37.93	0.00	100	120	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>100.44</td><td>-----</td><td>-----</td><td>89.99</td><td>34.19</td><td>14.20</td><td>37.94</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	100.44	-----	-----	89.99	34.19	14.20	37.94	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.44	65.07	68.20	-3.13	54.74	34.30	13.96	37.93	0.00	100	120	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	100.44	-----	-----	89.99	34.19	14.20	37.94	0.00	100	120	AVERAGE																																																																																							



		18																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.56</td><td>70.97</td><td>88.20</td><td>-17.23</td><td>60.65</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.56	70.97	88.20	-17.23	60.65	34.30	13.95	37.93	0.00	300	160	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>106.49</td><td>-----</td><td>-----</td><td>96.00</td><td>34.22</td><td>14.21</td><td>37.94</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	106.49	-----	-----	96.00	34.22	14.21	37.94	0.00	300	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.56	70.97	88.20	-17.23	60.65	34.30	13.95	37.93	0.00	300	160	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	106.49	-----	-----	96.00	34.22	14.21	37.94	0.00	300	160	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.88</td><td>63.65</td><td>68.20</td><td>-4.55</td><td>53.32</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.88	63.65	68.20	-4.55	53.32	34.30	13.96	37.93	0.00	300	160	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>98.68</td><td>-----</td><td>-----</td><td>88.23</td><td>34.19</td><td>14.20</td><td>37.94</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	98.68	-----	-----	88.23	34.19	14.20	37.94	0.00	300	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.88	63.65	68.20	-4.55	53.32	34.30	13.96	37.93	0.00	300	160	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	98.68	-----	-----	88.23	34.19	14.20	37.94	0.00	300	160	AVERAGE																																																																																							





Mode	18																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																																																																																																																																																																																																									
ANT	1+2+3+4																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																								
Peak																																																																																																																																																																																																																																																																																										
Avg.	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 18 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7631.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>40.22</td><td>36.13</td><td>15.00</td><td>38.70</td><td>0.87</td><td>100</td><td></td><td></td><td>39 Peak</td></tr><tr><td>2</td><td>7631.00</td><td>52.02</td><td>54.00</td><td>-1.98</td><td>37.92</td><td>36.13</td><td>15.00</td><td>38.70</td><td>0.87</td><td>100</td><td></td><td></td><td>39 Average</td></tr><tr><td>3</td><td>12210.00</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>39.65</td><td>39.20</td><td>20.08</td><td>42.90</td><td>0.63</td><td>100</td><td></td><td></td><td>102 PEAK</td></tr><tr><td>4</td><td>12210.00</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>31.81</td><td>39.20</td><td>20.08</td><td>42.90</td><td>0.63</td><td>100</td><td></td><td></td><td>102 Average</td></tr><tr><td>5</td><td>18315.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>49.96</td><td>37.86</td><td>24.79</td><td>55.81</td><td>-9.54</td><td>150</td><td></td><td></td><td>83 PEAK</td></tr><tr><td>6</td><td>18315.00</td><td>37.80</td><td>54.00</td><td>-16.20</td><td>40.50</td><td>37.86</td><td>24.79</td><td>55.81</td><td>-9.54</td><td>150</td><td></td><td></td><td>83 Average</td></tr><tr><td>7</td><td>24420.00</td><td>48.03</td><td>88.20</td><td>-40.17</td><td>43.20</td><td>39.14</td><td>28.78</td><td>53.55</td><td>-9.54</td><td>150</td><td></td><td></td><td>50 PEAK</td></tr><tr><td>8</td><td>24420.00</td><td>39.13</td><td>68.20</td><td>-29.07</td><td>34.30</td><td>39.14</td><td>28.78</td><td>53.55</td><td>-9.54</td><td>150</td><td></td><td></td><td>50 Average</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7631.00	54.32	74.00	-19.68	40.22	36.13	15.00	38.70	0.87	100			39 Peak	2	7631.00	52.02	54.00	-1.98	37.92	36.13	15.00	38.70	0.87	100			39 Average	3	12210.00	56.66	74.00	-17.34	39.65	39.20	20.08	42.90	0.63	100			102 PEAK	4	12210.00	48.82	54.00	-5.18	31.81	39.20	20.08	42.90	0.63	100			102 Average	5	18315.00	47.26	74.00	-26.74	49.96	37.86	24.79	55.81	-9.54	150			83 PEAK	6	18315.00	37.80	54.00	-16.20	40.50	37.86	24.79	55.81	-9.54	150			83 Average	7	24420.00	48.03	88.20	-40.17	43.20	39.14	28.78	53.55	-9.54	150			50 PEAK	8	24420.00	39.13	68.20	-29.07	34.30	39.14	28.78	53.55	-9.54	150			50 Average	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 18 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7631.00</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>39.31</td><td>36.13</td><td>15.00</td><td>38.70</td><td>0.87</td><td>200</td><td></td><td></td><td>174 Peak</td></tr><tr><td>2</td><td>7631.00</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>37.04</td><td>36.13</td><td>15.00</td><td>38.70</td><td>0.87</td><td>200</td><td></td><td></td><td>174 Average</td></tr><tr><td>3</td><td>12210.00</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>36.92</td><td>39.20</td><td>20.08</td><td>42.90</td><td>0.63</td><td>200</td><td></td><td></td><td>134 PEAK</td></tr><tr><td>4</td><td>12210.00</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>29.19</td><td>39.20</td><td>20.08</td><td>42.90</td><td>0.63</td><td>200</td><td></td><td></td><td>134 Average</td></tr><tr><td>5</td><td>18315.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>43.21</td><td>37.86</td><td>24.79</td><td>55.81</td><td>-9.54</td><td>150</td><td></td><td></td><td>64 PEAK</td></tr><tr><td>6</td><td>18315.00</td><td>31.02</td><td>54.00</td><td>-22.98</td><td>33.72</td><td>37.86</td><td>24.79</td><td>55.81</td><td>-9.54</td><td>150</td><td></td><td></td><td>64 Average</td></tr><tr><td>7</td><td>24420.00</td><td>41.76</td><td>88.20</td><td>-46.44</td><td>36.93</td><td>39.14</td><td>28.78</td><td>53.55</td><td>-9.54</td><td>150</td><td></td><td></td><td>94 PEAK</td></tr><tr><td>8</td><td>24420.00</td><td>33.52</td><td>68.20</td><td>-34.68</td><td>28.69</td><td>39.14</td><td>28.78</td><td>53.55</td><td>-9.54</td><td>150</td><td></td><td></td><td>94 Average</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7631.00	53.41	74.00	-20.59	39.31	36.13	15.00	38.70	0.87	200			174 Peak	2	7631.00	51.14	54.00	-2.86	37.04	36.13	15.00	38.70	0.87	200			174 Average	3	12210.00	53.93	74.00	-20.07	36.92	39.20	20.08	42.90	0.63	200			134 PEAK	4	12210.00	46.20	54.00	-7.80	29.19	39.20	20.08	42.90	0.63	200			134 Average	5	18315.00	40.51	74.00	-33.49	43.21	37.86	24.79	55.81	-9.54	150			64 PEAK	6	18315.00	31.02	54.00	-22.98	33.72	37.86	24.79	55.81	-9.54	150			64 Average	7	24420.00	41.76	88.20	-46.44	36.93	39.14	28.78	53.55	-9.54	150			94 PEAK	8	24420.00	33.52	68.20	-34.68	28.69	39.14	28.78	53.55	-9.54	150			94 Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7631.00	54.32	74.00	-19.68	40.22	36.13	15.00	38.70	0.87	100			39 Peak																																																																																																																																																																																																																																																																													
2	7631.00	52.02	54.00	-1.98	37.92	36.13	15.00	38.70	0.87	100			39 Average																																																																																																																																																																																																																																																																													
3	12210.00	56.66	74.00	-17.34	39.65	39.20	20.08	42.90	0.63	100			102 PEAK																																																																																																																																																																																																																																																																													
4	12210.00	48.82	54.00	-5.18	31.81	39.20	20.08	42.90	0.63	100			102 Average																																																																																																																																																																																																																																																																													
5	18315.00	47.26	74.00	-26.74	49.96	37.86	24.79	55.81	-9.54	150			83 PEAK																																																																																																																																																																																																																																																																													
6	18315.00	37.80	54.00	-16.20	40.50	37.86	24.79	55.81	-9.54	150			83 Average																																																																																																																																																																																																																																																																													
7	24420.00	48.03	88.20	-40.17	43.20	39.14	28.78	53.55	-9.54	150			50 PEAK																																																																																																																																																																																																																																																																													
8	24420.00	39.13	68.20	-29.07	34.30	39.14	28.78	53.55	-9.54	150			50 Average																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7631.00	53.41	74.00	-20.59	39.31	36.13	15.00	38.70	0.87	200			174 Peak																																																																																																																																																																																																																																																																													
2	7631.00	51.14	54.00	-2.86	37.04	36.13	15.00	38.70	0.87	200			174 Average																																																																																																																																																																																																																																																																													
3	12210.00	53.93	74.00	-20.07	36.92	39.20	20.08	42.90	0.63	200			134 PEAK																																																																																																																																																																																																																																																																													
4	12210.00	46.20	54.00	-7.80	29.19	39.20	20.08	42.90	0.63	200			134 Average																																																																																																																																																																																																																																																																													
5	18315.00	40.51	74.00	-33.49	43.21	37.86	24.79	55.81	-9.54	150			64 PEAK																																																																																																																																																																																																																																																																													
6	18315.00	31.02	54.00	-22.98	33.72	37.86	24.79	55.81	-9.54	150			64 Average																																																																																																																																																																																																																																																																													
7	24420.00	41.76	88.20	-46.44	36.93	39.14	28.78	53.55	-9.54	150			94 PEAK																																																																																																																																																																																																																																																																													
8	24420.00	33.52	68.20	-34.68	28.69	39.14	28.78	53.55	-9.54	150			94 Average																																																																																																																																																																																																																																																																													



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 18	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 18





Mode	19																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																																																																															
ANT	1+2+3+4																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak																																																																																																																																																																
Avg.	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1230_241025 HORIZONTAL Mode : 19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12850.00</td><td>54.83</td><td>88.20</td><td>-33.37</td><td>36.61</td><td>39.60</td><td>20.66</td><td>42.84</td><td>0.80</td><td>187</td><td>57</td><td>PEAK</td></tr><tr><td>2 12850.00</td><td>47.10</td><td>68.20</td><td>-21.10</td><td>28.88</td><td>39.60</td><td>20.66</td><td>42.84</td><td>0.80</td><td>187</td><td>57</td><td>Average</td></tr><tr><td>3 19275.00</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>53.05</td><td>38.20</td><td>25.46</td><td>55.19</td><td>-9.54</td><td>150</td><td>90</td><td>PEAK</td></tr><tr><td>4 19275.00</td><td>38.57</td><td>54.00</td><td>-15.43</td><td>39.64</td><td>38.20</td><td>25.46</td><td>55.19</td><td>-9.54</td><td>150</td><td>90</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12850.00	54.83	88.20	-33.37	36.61	39.60	20.66	42.84	0.80	187	57	PEAK	2 12850.00	47.10	68.20	-21.10	28.88	39.60	20.66	42.84	0.80	187	57	Average	3 19275.00	51.98	74.00	-22.02	53.05	38.20	25.46	55.19	-9.54	150	90	PEAK	4 19275.00	38.57	54.00	-15.43	39.64	38.20	25.46	55.19	-9.54	150	90	Average	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1230_241025 VERTICAL Mode : 19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12850.00</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>35.79</td><td>39.60</td><td>20.66</td><td>42.84</td><td>0.80</td><td>400</td><td>128</td><td>PEAK</td></tr><tr><td>2 12850.00</td><td>45.07</td><td>68.20</td><td>-23.13</td><td>26.85</td><td>39.60</td><td>20.66</td><td>42.84</td><td>0.80</td><td>400</td><td>128</td><td>Average</td></tr><tr><td>3 19275.00</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>45.20</td><td>38.20</td><td>25.46</td><td>55.19</td><td>-9.54</td><td>150</td><td>132</td><td>PEAK</td></tr><tr><td>4 19275.00</td><td>33.31</td><td>54.00</td><td>-20.69</td><td>34.38</td><td>38.20</td><td>25.46</td><td>55.19</td><td>-9.54</td><td>150</td><td>132</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12850.00	54.01	88.20	-34.19	35.79	39.60	20.66	42.84	0.80	400	128	PEAK	2 12850.00	45.07	68.20	-23.13	26.85	39.60	20.66	42.84	0.80	400	128	Average	3 19275.00	44.13	74.00	-29.87	45.20	38.20	25.46	55.19	-9.54	150	132	PEAK	4 19275.00	33.31	54.00	-20.69	34.38	38.20	25.46	55.19	-9.54	150	132	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 12850.00	54.83	88.20	-33.37	36.61	39.60	20.66	42.84	0.80	187	57	PEAK																																																																																																																																																					
2 12850.00	47.10	68.20	-21.10	28.88	39.60	20.66	42.84	0.80	187	57	Average																																																																																																																																																					
3 19275.00	51.98	74.00	-22.02	53.05	38.20	25.46	55.19	-9.54	150	90	PEAK																																																																																																																																																					
4 19275.00	38.57	54.00	-15.43	39.64	38.20	25.46	55.19	-9.54	150	90	Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 12850.00	54.01	88.20	-34.19	35.79	39.60	20.66	42.84	0.80	400	128	PEAK																																																																																																																																																					
2 12850.00	45.07	68.20	-23.13	26.85	39.60	20.66	42.84	0.80	400	128	Average																																																																																																																																																					
3 19275.00	44.13	74.00	-29.87	45.20	38.20	25.46	55.19	-9.54	150	132	PEAK																																																																																																																																																					
4 19275.00	33.31	54.00	-20.69	34.38	38.20	25.46	55.19	-9.54	150	132	Average																																																																																																																																																					



Mode	19	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 19	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 19







		20																																																																																																
Mode	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Horizontal																																																																																																	
Peak Avg.																																																																																																		
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL Mode : 20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7356.00</td><td>58.12</td><td>74.00</td><td>-15.88</td><td>43.30</td><td>36.56</td><td>15.49</td><td>38.51</td><td>1.20</td><td>238</td></tr><tr><td>2</td><td>7356.00</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>32.84</td><td>36.56</td><td>15.49</td><td>38.51</td><td>1.20</td><td>238</td></tr><tr><td>3</td><td>13490.00</td><td>58.42</td><td>88.20</td><td>-29.78</td><td>39.86</td><td>39.70</td><td>21.17</td><td>43.28</td><td>0.97</td><td>196</td></tr><tr><td>4</td><td>13490.00</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>31.57</td><td>39.70</td><td>21.17</td><td>43.28</td><td>0.97</td><td>196</td></tr><tr><td>5</td><td>20235.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>48.65</td><td>38.10</td><td>26.12</td><td>55.00</td><td>-9.54</td><td>150</td></tr><tr><td>6</td><td>20235.00</td><td>38.25</td><td>54.00</td><td>-15.75</td><td>38.57</td><td>38.10</td><td>26.12</td><td>55.00</td><td>-9.54</td><td>150</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7356.00	58.12	74.00	-15.88	43.30	36.56	15.49	38.51	1.20	238	2	7356.00	47.58	54.00	-6.42	32.84	36.56	15.49	38.51	1.20	238	3	13490.00	58.42	88.20	-29.78	39.86	39.70	21.17	43.28	0.97	196	4	13490.00	50.13	68.20	-18.07	31.57	39.70	21.17	43.28	0.97	196	5	20235.00	48.33	74.00	-25.67	48.65	38.10	26.12	55.00	-9.54	150	6	20235.00	38.25	54.00	-15.75	38.57	38.10	26.12	55.00	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
1	7356.00	58.12	74.00	-15.88	43.30	36.56	15.49	38.51	1.20	238																																																																																								
2	7356.00	47.58	54.00	-6.42	32.84	36.56	15.49	38.51	1.20	238																																																																																								
3	13490.00	58.42	88.20	-29.78	39.86	39.70	21.17	43.28	0.97	196																																																																																								
4	13490.00	50.13	68.20	-18.07	31.57	39.70	21.17	43.28	0.97	196																																																																																								
5	20235.00	48.33	74.00	-25.67	48.65	38.10	26.12	55.00	-9.54	150																																																																																								
6	20235.00	38.25	54.00	-15.75	38.57	38.10	26.12	55.00	-9.54	150																																																																																								
		Vertical																																																																																																
Peak Avg.																																																																																																		
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL Mode : 20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7356.00</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>41.26</td><td>36.56</td><td>15.49</td><td>38.51</td><td>1.20</td><td>114</td></tr><tr><td>2</td><td>7356.00</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>31.24</td><td>36.56</td><td>15.49</td><td>38.51</td><td>1.20</td><td>114</td></tr><tr><td>3</td><td>13490.00</td><td>56.98</td><td>88.20</td><td>-31.22</td><td>38.42</td><td>39.70</td><td>21.17</td><td>43.28</td><td>0.97</td><td>187</td></tr><tr><td>4</td><td>13490.00</td><td>48.59</td><td>68.20</td><td>-19.61</td><td>30.83</td><td>39.70</td><td>21.17</td><td>43.28</td><td>0.97</td><td>187</td></tr><tr><td>5</td><td>20235.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>44.87</td><td>38.10</td><td>26.12</td><td>55.00</td><td>-9.54</td><td>150</td></tr><tr><td>6</td><td>20235.00</td><td>35.15</td><td>54.00</td><td>-18.85</td><td>35.47</td><td>38.10</td><td>26.12</td><td>55.00</td><td>-9.54</td><td>150</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7356.00	56.00	74.00	-18.00	41.26	36.56	15.49	38.51	1.20	114	2	7356.00	45.98	54.00	-8.02	31.24	36.56	15.49	38.51	1.20	114	3	13490.00	56.98	88.20	-31.22	38.42	39.70	21.17	43.28	0.97	187	4	13490.00	48.59	68.20	-19.61	30.83	39.70	21.17	43.28	0.97	187	5	20235.00	44.55	74.00	-29.45	44.87	38.10	26.12	55.00	-9.54	150	6	20235.00	35.15	54.00	-18.85	35.47	38.10	26.12	55.00	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
1	7356.00	56.00	74.00	-18.00	41.26	36.56	15.49	38.51	1.20	114																																																																																								
2	7356.00	45.98	54.00	-8.02	31.24	36.56	15.49	38.51	1.20	114																																																																																								
3	13490.00	56.98	88.20	-31.22	38.42	39.70	21.17	43.28	0.97	187																																																																																								
4	13490.00	48.59	68.20	-19.61	30.83	39.70	21.17	43.28	0.97	187																																																																																								
5	20235.00	44.55	74.00	-29.45	44.87	38.10	26.12	55.00	-9.54	150																																																																																								
6	20235.00	35.15	54.00	-18.85	35.47	38.10	26.12	55.00	-9.54	150																																																																																								







Mode	20	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 20	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 20





Mode	21																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.88</td><td>71.55</td><td>88.20</td><td>-16.65</td><td>61.22</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.88	71.55	88.20	-16.65	61.22	34.30	13.96	37.93	0.00	100	119	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>100.05</td><td>-----</td><td>-----</td><td>96.89</td><td>34.70</td><td>14.41</td><td>37.95</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	100.05	-----	-----	96.89	34.70	14.41	37.95	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.88	71.55	88.20	-16.65	61.22	34.30	13.96	37.93	0.00	100	119	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	100.05	-----	-----	96.89	34.70	14.41	37.95	0.00	100	119	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.28</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>52.09</td><td>34.30</td><td>13.93</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.28	62.39	68.20	-5.81	52.09	34.30	13.93	37.93	0.00	100	119	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>99.72</td><td>-----</td><td>-----</td><td>88.62</td><td>34.65</td><td>14.40</td><td>37.95</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	99.72	-----	-----	88.62	34.65	14.40	37.95	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5907.28	62.39	68.20	-5.81	52.09	34.30	13.93	37.93	0.00	100	119	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	99.72	-----	-----	88.62	34.65	14.40	37.95	0.00	100	119	AVERAGE																																																																																							





		21																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.32</td><td>68.83</td><td>88.20</td><td>-19.37</td><td>58.52</td><td>34.30</td><td>13.94</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.32	68.83	88.20	-19.37	58.52	34.30	13.94	37.93	0.00	100	119	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>109.89</td><td>-----</td><td>-----</td><td>98.79</td><td>34.65</td><td>14.40</td><td>37.95</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	109.89	-----	-----	98.79	34.65	14.40	37.95	0.00	100	119	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5914.32	68.83	88.20	-19.37	58.52	34.30	13.94	37.93	0.00	100	119	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6265.00	109.89	-----	-----	98.79	34.65	14.40	37.95	0.00	100	119	PEAK																																																																																								
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.92</td><td>61.89</td><td>68.20</td><td>-6.31</td><td>51.57</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.92	61.89	68.20	-6.31	51.57	34.30	13.95	37.93	0.00	100	119	AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>101.28</td><td>-----</td><td>-----</td><td>89.87</td><td>34.91</td><td>14.46</td><td>37.96</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	101.28	-----	-----	89.87	34.91	14.46	37.96	0.00	100	119	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5920.92	61.89	68.20	-6.31	51.57	34.30	13.95	37.93	0.00	100	119	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6265.00	101.28	-----	-----	89.87	34.91	14.46	37.96	0.00	100	119	AVERAGE																																																																																								





		21																																																																																																
Mode	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Horizontal																																																																																																	
Peak Avg.																																																																																																		
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL Mode : 21 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12530.00</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>36.86</td><td>39.06</td><td>20.37</td><td>42.93</td><td>0.71</td><td>111</td><td>61 PEAK</td></tr><tr><td>2 12530.00</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>28.79</td><td>39.06</td><td>20.37</td><td>42.93</td><td>0.71</td><td>111</td><td>61 Average</td></tr><tr><td>3 18795.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>52.02</td><td>38.20</td><td>25.13</td><td>55.46</td><td>-9.54</td><td>150</td><td>99 PEAK</td></tr><tr><td>4 18795.00</td><td>39.85</td><td>54.00</td><td>-14.15</td><td>41.52</td><td>38.20</td><td>25.13</td><td>55.46</td><td>-9.54</td><td>150</td><td>99 Average</td></tr><tr><td>5 25060.00</td><td>49.63</td><td>88.20</td><td>-38.57</td><td>43.93</td><td>39.30</td><td>29.13</td><td>53.19</td><td>-9.54</td><td>150</td><td>111 PEAK</td></tr><tr><td>6 25060.00</td><td>40.21</td><td>68.20</td><td>-27.99</td><td>34.51</td><td>39.30</td><td>29.13</td><td>53.19</td><td>-9.54</td><td>150</td><td>111 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 12530.00	54.07	74.00	-19.93	36.86	39.06	20.37	42.93	0.71	111	61 PEAK	2 12530.00	46.00	54.00	-8.00	28.79	39.06	20.37	42.93	0.71	111	61 Average	3 18795.00	50.35	74.00	-23.65	52.02	38.20	25.13	55.46	-9.54	150	99 PEAK	4 18795.00	39.85	54.00	-14.15	41.52	38.20	25.13	55.46	-9.54	150	99 Average	5 25060.00	49.63	88.20	-38.57	43.93	39.30	29.13	53.19	-9.54	150	111 PEAK	6 25060.00	40.21	68.20	-27.99	34.51	39.30	29.13	53.19	-9.54	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
1 12530.00	54.07	74.00	-19.93	36.86	39.06	20.37	42.93	0.71	111	61 PEAK																																																																																								
2 12530.00	46.00	54.00	-8.00	28.79	39.06	20.37	42.93	0.71	111	61 Average																																																																																								
3 18795.00	50.35	74.00	-23.65	52.02	38.20	25.13	55.46	-9.54	150	99 PEAK																																																																																								
4 18795.00	39.85	54.00	-14.15	41.52	38.20	25.13	55.46	-9.54	150	99 Average																																																																																								
5 25060.00	49.63	88.20	-38.57	43.93	39.30	29.13	53.19	-9.54	150	111 PEAK																																																																																								
6 25060.00	40.21	68.20	-27.99	34.51	39.30	29.13	53.19	-9.54	150	111 Average																																																																																								
		Vertical																																																																																																
Peak Avg.																																																																																																		
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL Mode : 21 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12530.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>36.77</td><td>39.06</td><td>20.37</td><td>42.93</td><td>0.71</td><td>396</td><td>21 PEAK</td></tr><tr><td>2 12530.00</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>27.61</td><td>39.06</td><td>20.37</td><td>42.93</td><td>0.71</td><td>396</td><td>21 Average</td></tr><tr><td>3 18795.00</td><td>41.32</td><td>74.00</td><td>-32.68</td><td>42.99</td><td>38.20</td><td>25.13</td><td>55.46</td><td>-9.54</td><td>150</td><td>85 PEAK</td></tr><tr><td>4 18795.00</td><td>33.21</td><td>54.00</td><td>-20.79</td><td>34.80</td><td>38.20</td><td>25.13</td><td>55.46</td><td>-9.54</td><td>150</td><td>85 Average</td></tr><tr><td>5 25060.00</td><td>44.25</td><td>88.20</td><td>-43.95</td><td>38.55</td><td>39.30</td><td>29.13</td><td>53.19</td><td>-9.54</td><td>150</td><td>120 PEAK</td></tr><tr><td>6 25060.00</td><td>36.37</td><td>68.20</td><td>-31.83</td><td>30.67</td><td>39.30</td><td>29.13</td><td>53.19</td><td>-9.54</td><td>150</td><td>120 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 12530.00	53.98	74.00	-20.02	36.77	39.06	20.37	42.93	0.71	396	21 PEAK	2 12530.00	44.82	54.00	-9.18	27.61	39.06	20.37	42.93	0.71	396	21 Average	3 18795.00	41.32	74.00	-32.68	42.99	38.20	25.13	55.46	-9.54	150	85 PEAK	4 18795.00	33.21	54.00	-20.79	34.80	38.20	25.13	55.46	-9.54	150	85 Average	5 25060.00	44.25	88.20	-43.95	38.55	39.30	29.13	53.19	-9.54	150	120 PEAK	6 25060.00	36.37	68.20	-31.83	30.67	39.30	29.13	53.19	-9.54	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
1 12530.00	53.98	74.00	-20.02	36.77	39.06	20.37	42.93	0.71	396	21 PEAK																																																																																								
2 12530.00	44.82	54.00	-9.18	27.61	39.06	20.37	42.93	0.71	396	21 Average																																																																																								
3 18795.00	41.32	74.00	-32.68	42.99	38.20	25.13	55.46	-9.54	150	85 PEAK																																																																																								
4 18795.00	33.21	54.00	-20.79	34.80	38.20	25.13	55.46	-9.54	150	85 Average																																																																																								
5 25060.00	44.25	88.20	-43.95	38.55	39.30	29.13	53.19	-9.54	150	120 PEAK																																																																																								
6 25060.00	36.37	68.20	-31.83	30.67	39.30	29.13	53.19	-9.54	150	120 Average																																																																																								



Mode	21	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 21	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 21







Mode	22																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																																																																																							
ANT	1+2+3+4																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg.																																																																																																																																																																								
	Site : 03CH20-HY Condition: PEAK(U-NII)_6E 1m 88HA9170_1230_241025 HORIZONTAL Mode : 22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13170.00</td><td>55.38</td><td>88.20</td><td>-32.82</td><td>36.97</td><td>39.56</td><td>20.93</td><td>42.97</td><td>0.89</td><td>195</td><td>137</td><td>PEAK</td></tr><tr><td>2 13170.00</td><td>46.15</td><td>68.20</td><td>-22.05</td><td>27.74</td><td>39.56</td><td>20.93</td><td>42.97</td><td>0.89</td><td>195</td><td>137</td><td>Average</td></tr><tr><td>3 19755.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>49.63</td><td>38.19</td><td>25.78</td><td>55.05</td><td>-9.54</td><td>150</td><td>106</td><td>PEAK</td></tr><tr><td>4 19755.00</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>39.67</td><td>38.19</td><td>25.78</td><td>55.05</td><td>-9.54</td><td>150</td><td>106</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13170.00	55.38	88.20	-32.82	36.97	39.56	20.93	42.97	0.89	195	137	PEAK	2 13170.00	46.15	68.20	-22.05	27.74	39.56	20.93	42.97	0.89	195	137	Average	3 19755.00	49.01	74.00	-24.99	49.63	38.19	25.78	55.05	-9.54	150	106	PEAK	4 19755.00	39.05	54.00	-14.95	39.67	38.19	25.78	55.05	-9.54	150	106	Average	Site : 03CH20-HY Condition: PEAK(U-NII)_6E 1m 88HA9170_1230_241025 VERTICAL Mode : 22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13170.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>36.06</td><td>39.56</td><td>20.93</td><td>42.97</td><td>0.89</td><td>235</td><td>338</td><td>PEAK</td></tr><tr><td>2 13170.00</td><td>45.40</td><td>68.20</td><td>-22.80</td><td>26.99</td><td>39.56</td><td>20.93</td><td>42.97</td><td>0.89</td><td>235</td><td>338</td><td>Average</td></tr><tr><td>3 19755.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>43.61</td><td>38.19</td><td>25.78</td><td>55.05</td><td>-9.54</td><td>150</td><td>100</td><td>PEAK</td></tr><tr><td>4 19755.00</td><td>32.00</td><td>54.00</td><td>-21.20</td><td>33.42</td><td>38.19</td><td>25.78</td><td>55.05</td><td>-9.54</td><td>150</td><td>100</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13170.00	54.47	88.20	-33.73	36.06	39.56	20.93	42.97	0.89	235	338	PEAK	2 13170.00	45.40	68.20	-22.80	26.99	39.56	20.93	42.97	0.89	235	338	Average	3 19755.00	42.99	74.00	-31.01	43.61	38.19	25.78	55.05	-9.54	150	100	PEAK	4 19755.00	32.00	54.00	-21.20	33.42	38.19	25.78	55.05	-9.54	150	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13170.00	55.38	88.20	-32.82	36.97	39.56	20.93	42.97	0.89	195	137	PEAK																																																																																																																																																													
2 13170.00	46.15	68.20	-22.05	27.74	39.56	20.93	42.97	0.89	195	137	Average																																																																																																																																																													
3 19755.00	49.01	74.00	-24.99	49.63	38.19	25.78	55.05	-9.54	150	106	PEAK																																																																																																																																																													
4 19755.00	39.05	54.00	-14.95	39.67	38.19	25.78	55.05	-9.54	150	106	Average																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13170.00	54.47	88.20	-33.73	36.06	39.56	20.93	42.97	0.89	235	338	PEAK																																																																																																																																																													
2 13170.00	45.40	68.20	-22.80	26.99	39.56	20.93	42.97	0.89	235	338	Average																																																																																																																																																													
3 19755.00	42.99	74.00	-31.01	43.61	38.19	25.78	55.05	-9.54	150	100	PEAK																																																																																																																																																													
4 19755.00	32.00	54.00	-21.20	33.42	38.19	25.78	55.05	-9.54	150	100	Average																																																																																																																																																													







Mode	22	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 22	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 22





Mode	23																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7165.00</td><td>66.55</td><td>88.20</td><td>-21.65</td><td>52.85</td><td>36.76</td><td>15.29</td><td>38.35</td><td>0.00</td><td>241</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7165.00	66.55	88.20	-21.65	52.85	36.76	15.29	38.35	0.00	241	0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>107.15</td><td>-----</td><td>-----</td><td>94.47</td><td>35.00</td><td>15.04</td><td>38.16</td><td>0.00</td><td>241</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	107.15	-----	-----	94.47	35.00	15.04	38.16	0.00	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7165.00	66.55	88.20	-21.65	52.85	36.76	15.29	38.35	0.00	241	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6905.00	107.15	-----	-----	94.47	35.00	15.04	38.16	0.00	241	0 PEAK																																																																																						
Avg.																																																																																																	
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7207.51</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>43.11</td><td>36.90</td><td>15.34</td><td>38.38</td><td>0.00</td><td>241</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7207.51	56.97	68.20	-11.23	43.11	36.90	15.34	38.38	0.00	241	0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>99.43</td><td>-----</td><td>-----</td><td>86.64</td><td>35.97</td><td>14.91</td><td>38.09</td><td>0.00</td><td>241</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	99.43	-----	-----	86.64	35.97	14.91	38.09	0.00	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7207.51	56.97	68.20	-11.23	43.11	36.90	15.34	38.38	0.00	241	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6905.00	99.43	-----	-----	86.64	35.97	14.91	38.09	0.00	241	0 AVERAGE																																																																																						



Mode	23																																																																																
	Band Edge																																																																																
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																
ANT	1+2+3+4																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7154.38</td><td>62.76</td><td>88.20 -25.44</td><td>49.10</td><td>36.72</td><td>15.28</td><td>38.34</td><td>0.00</td><td>133 0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7154.38	62.76	88.20 -25.44	49.10	36.72	15.28	38.34	0.00	133 0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>106.97</td><td>-----</td><td>94.31</td><td>35.00</td><td>15.01</td><td>38.15</td><td>0.00</td><td>133 0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	106.97	-----	94.31	35.00	15.01	38.15	0.00
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7154.38	62.76	88.20 -25.44	49.10	36.72	15.28	38.34	0.00	133 0 PEAK																																																																									
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6905.00	106.97	-----	94.31	35.00	15.01	38.15	0.00	133 0 PEAK																																																																									
Avg.																																																																																	
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7135.90</td><td>54.22</td><td>68.20 -13.98</td><td>40.69</td><td>36.59</td><td>15.26</td><td>38.32</td><td>0.00</td><td>133 0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7135.90	54.22	68.20 -13.98	40.69	36.59	15.26	38.32	0.00	133 0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>97.97</td><td>-----</td><td>85.22</td><td>35.91</td><td>14.95</td><td>38.11</td><td>0.00</td><td>133 0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	97.97	-----	85.22	35.91	14.95	38.11	0.00
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7135.90	54.22	68.20 -13.98	40.69	36.59	15.26	38.32	0.00	133 0 AVERAGE																																																																									
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6905.00	97.97	-----	85.22	35.91	14.95	38.11	0.00	133 0 AVERAGE																																																																									





Mode	23																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																																																																																																																									
ANT	1+2+3+4																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																								
Peak	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL Mode : 23 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7306.40</td><td>60.44</td><td>74.00</td><td>-13.56</td><td>45.42</td><td>36.06</td><td>15.44</td><td>38.47</td><td>1.19</td><td>258</td><td></td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>7306.40</td><td>52.46</td><td>54.00</td><td>-1.54</td><td>37.44</td><td>36.06</td><td>15.44</td><td>38.47</td><td>1.19</td><td>258</td><td></td><td></td><td>0 Average</td></tr><tr><td>3</td><td>13810.00</td><td>59.74</td><td>88.20</td><td>-28.46</td><td>41.77</td><td>38.98</td><td>21.41</td><td>43.48</td><td>1.06</td><td>125</td><td>151</td><td></td><td>PEAK</td></tr><tr><td>4</td><td>13810.00</td><td>50.76</td><td>68.20</td><td>-17.44</td><td>32.79</td><td>38.98</td><td>21.41</td><td>43.48</td><td>1.06</td><td>125</td><td>151</td><td></td><td>Average</td></tr><tr><td>5</td><td>20715.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>49.11</td><td>38.10</td><td>26.47</td><td>54.91</td><td>-9.54</td><td>150</td><td>93</td><td></td><td>PEAK</td></tr><tr><td>6</td><td>20715.00</td><td>39.22</td><td>54.00</td><td>-14.78</td><td>39.10</td><td>38.10</td><td>26.47</td><td>54.91</td><td>-9.54</td><td>150</td><td>93</td><td></td><td>Average</td></tr><tr><td>7</td><td>27620.00</td><td>51.16</td><td>88.20</td><td>-37.04</td><td>44.03</td><td>39.34</td><td>30.93</td><td>53.60</td><td>-9.54</td><td>150</td><td>104</td><td></td><td>PEAK</td></tr><tr><td>8</td><td>27620.00</td><td>40.82</td><td>68.20</td><td>-27.38</td><td>33.69</td><td>39.34</td><td>30.93</td><td>53.60</td><td>-9.54</td><td>150</td><td>104</td><td></td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7306.40	60.44	74.00	-13.56	45.42	36.06	15.44	38.47	1.19	258			0 Peak	2	7306.40	52.46	54.00	-1.54	37.44	36.06	15.44	38.47	1.19	258			0 Average	3	13810.00	59.74	88.20	-28.46	41.77	38.98	21.41	43.48	1.06	125	151		PEAK	4	13810.00	50.76	68.20	-17.44	32.79	38.98	21.41	43.48	1.06	125	151		Average	5	20715.00	49.23	74.00	-24.77	49.11	38.10	26.47	54.91	-9.54	150	93		PEAK	6	20715.00	39.22	54.00	-14.78	39.10	38.10	26.47	54.91	-9.54	150	93		Average	7	27620.00	51.16	88.20	-37.04	44.03	39.34	30.93	53.60	-9.54	150	104		PEAK	8	27620.00	40.82	68.20	-27.38	33.69	39.34	30.93	53.60	-9.54	150	104		Average	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL Mode : 23 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7295.20</td><td>60.64</td><td>74.00</td><td>-13.36</td><td>45.58</td><td>36.90</td><td>15.43</td><td>38.46</td><td>1.19</td><td>150</td><td>95</td><td></td><td>Peak</td></tr><tr><td>2</td><td>7295.20</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>34.54</td><td>36.90</td><td>15.43</td><td>38.46</td><td>1.19</td><td>150</td><td>95</td><td></td><td>Average</td></tr><tr><td>3</td><td>13810.00</td><td>54.79</td><td>88.20</td><td>-33.41</td><td>36.82</td><td>38.98</td><td>21.41</td><td>43.48</td><td>1.06</td><td>179</td><td>334</td><td></td><td>PEAK</td></tr><tr><td>4</td><td>13810.00</td><td>48.16</td><td>68.20</td><td>-20.04</td><td>30.19</td><td>38.98</td><td>21.41</td><td>43.48</td><td>1.06</td><td>179</td><td>334</td><td></td><td>Average</td></tr><tr><td>5</td><td>20715.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>39.19</td><td>38.10</td><td>26.47</td><td>54.91</td><td>-9.54</td><td>150</td><td>124</td><td></td><td>PEAK</td></tr><tr><td>6</td><td>20715.00</td><td>31.27</td><td>54.00</td><td>-22.73</td><td>31.15</td><td>38.10</td><td>26.47</td><td>54.91</td><td>-9.54</td><td>150</td><td>124</td><td></td><td>Average</td></tr><tr><td>7</td><td>27620.00</td><td>44.66</td><td>88.20</td><td>-43.54</td><td>37.53</td><td>39.34</td><td>30.93</td><td>53.60</td><td>-9.54</td><td>150</td><td>91</td><td></td><td>PEAK</td></tr><tr><td>8</td><td>27620.00</td><td>35.78</td><td>68.20</td><td>-32.42</td><td>28.65</td><td>39.34</td><td>30.93</td><td>53.60</td><td>-9.54</td><td>150</td><td>91</td><td></td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7295.20	60.64	74.00	-13.36	45.58	36.90	15.43	38.46	1.19	150	95		Peak	2	7295.20	49.60	54.00	-4.40	34.54	36.90	15.43	38.46	1.19	150	95		Average	3	13810.00	54.79	88.20	-33.41	36.82	38.98	21.41	43.48	1.06	179	334		PEAK	4	13810.00	48.16	68.20	-20.04	30.19	38.98	21.41	43.48	1.06	179	334		Average	5	20715.00	39.31	74.00	-34.69	39.19	38.10	26.47	54.91	-9.54	150	124		PEAK	6	20715.00	31.27	54.00	-22.73	31.15	38.10	26.47	54.91	-9.54	150	124		Average	7	27620.00	44.66	88.20	-43.54	37.53	39.34	30.93	53.60	-9.54	150	91		PEAK	8	27620.00	35.78	68.20	-32.42	28.65	39.34	30.93	53.60	-9.54	150	91		Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7306.40	60.44	74.00	-13.56	45.42	36.06	15.44	38.47	1.19	258			0 Peak																																																																																																																																																																																																																																																																													
2	7306.40	52.46	54.00	-1.54	37.44	36.06	15.44	38.47	1.19	258			0 Average																																																																																																																																																																																																																																																																													
3	13810.00	59.74	88.20	-28.46	41.77	38.98	21.41	43.48	1.06	125	151		PEAK																																																																																																																																																																																																																																																																													
4	13810.00	50.76	68.20	-17.44	32.79	38.98	21.41	43.48	1.06	125	151		Average																																																																																																																																																																																																																																																																													
5	20715.00	49.23	74.00	-24.77	49.11	38.10	26.47	54.91	-9.54	150	93		PEAK																																																																																																																																																																																																																																																																													
6	20715.00	39.22	54.00	-14.78	39.10	38.10	26.47	54.91	-9.54	150	93		Average																																																																																																																																																																																																																																																																													
7	27620.00	51.16	88.20	-37.04	44.03	39.34	30.93	53.60	-9.54	150	104		PEAK																																																																																																																																																																																																																																																																													
8	27620.00	40.82	68.20	-27.38	33.69	39.34	30.93	53.60	-9.54	150	104		Average																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7295.20	60.64	74.00	-13.36	45.58	36.90	15.43	38.46	1.19	150	95		Peak																																																																																																																																																																																																																																																																													
2	7295.20	49.60	54.00	-4.40	34.54	36.90	15.43	38.46	1.19	150	95		Average																																																																																																																																																																																																																																																																													
3	13810.00	54.79	88.20	-33.41	36.82	38.98	21.41	43.48	1.06	179	334		PEAK																																																																																																																																																																																																																																																																													
4	13810.00	48.16	68.20	-20.04	30.19	38.98	21.41	43.48	1.06	179	334		Average																																																																																																																																																																																																																																																																													
5	20715.00	39.31	74.00	-34.69	39.19	38.10	26.47	54.91	-9.54	150	124		PEAK																																																																																																																																																																																																																																																																													
6	20715.00	31.27	54.00	-22.73	31.15	38.10	26.47	54.91	-9.54	150	124		Average																																																																																																																																																																																																																																																																													
7	27620.00	44.66	88.20	-43.54	37.53	39.34	30.93	53.60	-9.54	150	91		PEAK																																																																																																																																																																																																																																																																													
8	27620.00	35.78	68.20	-32.42	28.65	39.34	30.93	53.60	-9.54	150	91		Average																																																																																																																																																																																																																																																																													







Mode	23	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 23	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 23







Mode	68																																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																																																																																																																																	
ANT	1+2+3+4																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																
QP/ Peak	 Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>64.92</td><td>30.35</td><td>40.00</td><td>-9.65</td><td>52.35</td><td>12.00</td><td>1.53</td><td>35.72</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>156.10</td><td>26.92</td><td>43.50</td><td>-16.58</td><td>43.04</td><td>16.95</td><td>2.33</td><td>35.59</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>357.86</td><td>37.24</td><td>46.00</td><td>-8.76</td><td>48.03</td><td>20.68</td><td>3.46</td><td>35.09</td><td>0.16</td><td>153</td><td>98</td><td>QP</td><td></td></tr><tr><td>4</td><td>528.58</td><td>41.61</td><td>46.00</td><td>-4.39</td><td>47.95</td><td>24.05</td><td>4.17</td><td>34.68</td><td>0.12</td><td>100</td><td>315</td><td>QP</td><td></td></tr><tr><td>5</td><td>780.78</td><td>43.11</td><td>46.00</td><td>-2.89</td><td>43.52</td><td>28.20</td><td>5.01</td><td>33.77</td><td>0.15</td><td>100</td><td>132</td><td>QP</td><td></td></tr><tr><td>6</td><td>790.48</td><td>43.31</td><td>46.00</td><td>-2.69</td><td>43.63</td><td>28.22</td><td>5.03</td><td>33.73</td><td>0.16</td><td>100</td><td>195</td><td>QP</td><td></td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	64.92	30.35	40.00	-9.65	52.35	12.00	1.53	35.72	0.19	--	--	--	Peak	2	156.10	26.92	43.50	-16.58	43.04	16.95	2.33	35.59	0.19	--	--	--	Peak	3	357.86	37.24	46.00	-8.76	48.03	20.68	3.46	35.09	0.16	153	98	QP		4	528.58	41.61	46.00	-4.39	47.95	24.05	4.17	34.68	0.12	100	315	QP		5	780.78	43.11	46.00	-2.89	43.52	28.20	5.01	33.77	0.15	100	132	QP		6	790.48	43.31	46.00	-2.69	43.63	28.22	5.03	33.73	0.16	100	195	QP		 Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>64.92</td><td>33.17</td><td>40.00</td><td>-6.83</td><td>55.17</td><td>12.00</td><td>1.53</td><td>35.72</td><td>0.19</td><td>173</td><td>200</td><td>QP</td><td></td></tr><tr><td>2</td><td>160.95</td><td>29.21</td><td>43.50</td><td>-14.29</td><td>45.89</td><td>16.36</td><td>2.37</td><td>35.59</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>450.98</td><td>35.20</td><td>46.00</td><td>-10.80</td><td>43.02</td><td>23.08</td><td>3.86</td><td>34.90</td><td>0.14</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>741.98</td><td>39.74</td><td>46.00</td><td>-6.26</td><td>40.54</td><td>28.09</td><td>4.89</td><td>33.92</td><td>0.14</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>786.60</td><td>37.34</td><td>46.00</td><td>-8.66</td><td>37.66</td><td>28.25</td><td>5.02</td><td>33.74</td><td>0.15</td><td>100</td><td>106</td><td>QP</td><td></td></tr><tr><td>6</td><td>822.49</td><td>38.46</td><td>46.00</td><td>-7.54</td><td>38.98</td><td>27.84</td><td>5.11</td><td>33.60</td><td>0.13</td><td>100</td><td>9</td><td>QP</td><td></td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	64.92	33.17	40.00	-6.83	55.17	12.00	1.53	35.72	0.19	173	200	QP		2	160.95	29.21	43.50	-14.29	45.89	16.36	2.37	35.59	0.18	--	--	--	Peak	3	450.98	35.20	46.00	-10.80	43.02	23.08	3.86	34.90	0.14	--	--	--	Peak	4	741.98	39.74	46.00	-6.26	40.54	28.09	4.89	33.92	0.14	--	--	--	Peak	5	786.60	37.34	46.00	-8.66	37.66	28.25	5.02	33.74	0.15	100	106	QP		6	822.49	38.46	46.00	-7.54	38.98	27.84	5.11	33.60	0.13	100	9	QP	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	64.92	30.35	40.00	-9.65	52.35	12.00	1.53	35.72	0.19	--	--	--	Peak																																																																																																																																																																																																																					
2	156.10	26.92	43.50	-16.58	43.04	16.95	2.33	35.59	0.19	--	--	--	Peak																																																																																																																																																																																																																					
3	357.86	37.24	46.00	-8.76	48.03	20.68	3.46	35.09	0.16	153	98	QP																																																																																																																																																																																																																						
4	528.58	41.61	46.00	-4.39	47.95	24.05	4.17	34.68	0.12	100	315	QP																																																																																																																																																																																																																						
5	780.78	43.11	46.00	-2.89	43.52	28.20	5.01	33.77	0.15	100	132	QP																																																																																																																																																																																																																						
6	790.48	43.31	46.00	-2.69	43.63	28.22	5.03	33.73	0.16	100	195	QP																																																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	64.92	33.17	40.00	-6.83	55.17	12.00	1.53	35.72	0.19	173	200	QP																																																																																																																																																																																																																						
2	160.95	29.21	43.50	-14.29	45.89	16.36	2.37	35.59	0.18	--	--	--	Peak																																																																																																																																																																																																																					
3	450.98	35.20	46.00	-10.80	43.02	23.08	3.86	34.90	0.14	--	--	--	Peak																																																																																																																																																																																																																					
4	741.98	39.74	46.00	-6.26	40.54	28.09	4.89	33.92	0.14	--	--	--	Peak																																																																																																																																																																																																																					
5	786.60	37.34	46.00	-8.66	37.66	28.25	5.02	33.74	0.15	100	106	QP																																																																																																																																																																																																																						
6	822.49	38.46	46.00	-7.54	38.98	27.84	5.11	33.60	0.13	100	9	QP																																																																																																																																																																																																																						







<Nss=2>

		24																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																						
ANT		1+2+3+4																																																																																						
Pol.		Horizontal						Fundamental																																																																																
Peak																																																																																								
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5833.19</td><td>49.98</td><td>88.20</td><td>-38.22</td><td>39.86</td><td>34.23</td><td>13.81</td><td>37.92</td><td>0.00</td><td>241</td><td>20</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5833.19	49.98	88.20	-38.22	39.86	34.23	13.81	37.92	0.00	241	20	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.94</td><td>-----</td><td>-----</td><td>85.58</td><td>34.28</td><td>14.01</td><td>37.93</td><td>0.00</td><td>241</td><td>20</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	95.94	-----	-----	85.58	34.28	14.01	37.93	0.00	241	20
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5833.19	49.98	88.20	-38.22	39.86	34.23	13.81	37.92	0.00	241	20	PEAK																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5955.00	95.94	-----	-----	85.58	34.28	14.01	37.93	0.00	241	20	PEAK																																																																												
Avg.																																																																																								
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>40.42</td><td>68.20</td><td>-27.78</td><td>30.09</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>241</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.32	40.42	68.20	-27.78	30.09	34.30	13.96	37.93	0.00	241	20	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.65</td><td>-----</td><td>-----</td><td>77.30</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>241</td><td>20</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	87.65	-----	-----	77.30	34.26	14.02	37.93	0.00	241	20
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5924.32	40.42	68.20	-27.78	30.09	34.30	13.96	37.93	0.00	241	20	AVERAGE																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5955.00	87.65	-----	-----	77.30	34.26	14.02	37.93	0.00	241	20	AVERAGE																																																																												







Mode	24																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>51.58</td><td>88.20</td><td>-36.62</td><td>41.25</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>203</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	51.58	88.20	-36.62	41.25	34.30	13.96	37.93	0.00	203	162	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.48</td><td>-----</td><td>-----</td><td>96.13</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>203</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.48	-----	-----	96.13	34.26	14.02	37.93	0.00	203	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.19	51.58	88.20	-36.62	41.25	34.30	13.96	37.93	0.00	203	162	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	106.48	-----	-----	96.13	34.26	14.02	37.93	0.00	203	162	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>42.46</td><td>68.20</td><td>-25.74</td><td>32.13</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>203</td><td>162</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	42.46	68.20	-25.74	32.13	34.30	13.96	37.93	0.00	203	162	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.76</td><td>-----</td><td>-----</td><td>86.41</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>203</td><td>162</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.76	-----	-----	86.41	34.26	14.02	37.93	0.00	203	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.32	42.46	68.20	-25.74	32.13	34.30	13.96	37.93	0.00	203	162	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	96.76	-----	-----	86.41	34.26	14.02	37.93	0.00	203	162	AVERAGE																																																																																							







Mode	25																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>58.51</td><td>88.20</td><td>-29.69</td><td>48.18</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>49 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	58.51	88.20	-29.69	48.18	34.30	13.96	37.93	0.00	200	49 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.88</td><td>-----</td><td>-----</td><td>89.51</td><td>34.30</td><td>14.00</td><td>37.93</td><td>0.00</td><td>200</td><td>49 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.88	-----	-----	89.51	34.30	14.00	37.93	0.00	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5922.44	58.51	88.20	-29.69	48.18	34.30	13.96	37.93	0.00	200	49 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	99.88	-----	-----	89.51	34.30	14.00	37.93	0.00	200	49 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>47.78</td><td>68.20</td><td>-20.42</td><td>37.45</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>49 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	47.78	68.20	-20.42	37.45	34.30	13.96	37.93	0.00	200	49 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.01</td><td>-----</td><td>-----</td><td>81.64</td><td>34.30</td><td>14.00</td><td>37.93</td><td>0.00</td><td>200</td><td>49 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.01	-----	-----	81.64	34.30	14.00	37.93	0.00	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.96	47.78	68.20	-20.42	37.45	34.30	13.96	37.93	0.00	200	49 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	92.01	-----	-----	81.64	34.30	14.00	37.93	0.00	200	49 AVERAGE																																																																																					







Mode	25																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.12</td><td>63.12</td><td>88.20</td><td>-25.08</td><td>52.79</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	63.12	88.20	-25.08	52.79	34.30	13.96	37.93	0.00	200	172	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>108.19</td><td>-----</td><td>-----</td><td>97.85</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	108.19	-----	-----	97.85	34.24	14.03	37.93	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.12	63.12	88.20	-25.08	52.79	34.30	13.96	37.93	0.00	200	172	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	108.19	-----	-----	97.85	34.24	14.03	37.93	0.00	200	172	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.98</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>42.79</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	53.12	68.20	-15.08	42.79	34.30	13.96	37.93	0.00	200	172	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>99.78</td><td>-----</td><td>-----</td><td>89.44</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.78	-----	-----	89.44	34.24	14.03	37.93	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.98	53.12	68.20	-15.08	42.79	34.30	13.96	37.93	0.00	200	172	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	99.78	-----	-----	89.44	34.24	14.03	37.93	0.00	200	172	AVERAGE																																																																																							







		26																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.24</td><td>72.11</td><td>88.20</td><td>-16.09</td><td>61.82</td><td>34.30</td><td>13.92</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5899.24	72.11	88.20	-16.09	61.82	34.30	13.92	37.93	0.00	102	123	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>111.95</td><td>-----</td><td>-----</td><td>101.63</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	111.95	-----	-----	101.63	34.21	14.04	37.93	0.00	102	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5899.24	72.11	88.20	-16.09	61.82	34.30	13.92	37.93	0.00	102	123	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	111.95	-----	-----	101.63	34.21	14.04	37.93	0.00	102	123	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>63.91</td><td>68.20</td><td>-4.29</td><td>53.58</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	63.91	68.20	-4.29	53.58	34.30	13.96	37.93	0.00	102	123	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.28</td><td>-----</td><td>-----</td><td>94.02</td><td>34.11</td><td>14.08</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.28	-----	-----	94.02	34.11	14.08	37.93	0.00	102	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	63.91	68.20	-4.29	53.58	34.30	13.96	37.93	0.00	102	123	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	104.28	-----	-----	94.02	34.11	14.08	37.93	0.00	102	123	AVERAGE																																																																																							







		26																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.40</td><td>69.22</td><td>88.20</td><td>-18.98</td><td>58.89</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	69.22	88.20	-18.98	58.89	34.30	13.96	37.93	0.00	216	168	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>107.87</td><td>-----</td><td>-----</td><td>97.53</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.87	-----	-----	97.53	34.24	14.03	37.93	0.00	216	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.40	69.22	88.20	-18.98	58.89	34.30	13.96	37.93	0.00	216	168	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	107.87	-----	-----	97.53	34.24	14.03	37.93	0.00	216	168	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>60.76</td><td>68.20</td><td>-7.44</td><td>50.43</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	60.76	68.20	-7.44	50.43	34.30	13.96	37.93	0.00	216	168	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>100.54</td><td>-----</td><td>-----</td><td>90.20</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.54	-----	-----	90.20	34.24	14.03	37.93	0.00	216	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	60.76	68.20	-7.44	50.43	34.30	13.96	37.93	0.00	216	168	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	100.54	-----	-----	90.20	34.24	14.03	37.93	0.00	216	168	AVERAGE																																																																																							



Mode	27																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.40</td><td>63.89</td><td>88.20</td><td>-24.31</td><td>53.58</td><td>34.30</td><td>13.94</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.40	63.89	88.20	-24.31	53.58	34.30	13.94	37.93	0.00	100	122	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>108.71</td><td>-----</td><td>-----</td><td>98.41</td><td>34.10</td><td>14.13</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	108.71	-----	-----	98.41	34.10	14.13	37.93	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5913.40	63.89	88.20	-24.31	53.58	34.30	13.94	37.93	0.00	100	122	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	108.71	-----	-----	98.41	34.10	14.13	37.93	0.00	100	122	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.00</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>45.91</td><td>34.30</td><td>13.94</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.00	56.22	68.20	-11.98	45.91	34.30	13.94	37.93	0.00	100	122	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>101.54</td><td>-----</td><td>-----</td><td>91.24</td><td>34.10</td><td>14.13</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.54	-----	-----	91.24	34.10	14.13	37.93	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5914.00	56.22	68.20	-11.98	45.91	34.30	13.94	37.93	0.00	100	122	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	101.54	-----	-----	91.24	34.10	14.13	37.93	0.00	100	122	AVERAGE																																																																																							







		27																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.00</td><td>61.64</td><td>88.20</td><td>-26.56</td><td>51.32</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>266</td><td>121</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.00	61.64	88.20	-26.56	51.32	34.30	13.95	37.93	0.00	266	121	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>104.46</td><td>-----</td><td>-----</td><td>94.15</td><td>34.10</td><td>14.15</td><td>37.94</td><td>0.00</td><td>266</td><td>121</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	104.46	-----	-----	94.15	34.10	14.15	37.94	0.00	266	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5919.00	61.64	88.20	-26.56	51.32	34.30	13.95	37.93	0.00	266	121	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	104.46	-----	-----	94.15	34.10	14.15	37.94	0.00	266	121	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.20</td><td>52.97</td><td>68.20</td><td>-15.23</td><td>42.65</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>266</td><td>121</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.20	52.97	68.20	-15.23	42.65	34.30	13.95	37.93	0.00	266	121	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>97.64</td><td>-----</td><td>-----</td><td>87.32</td><td>34.10</td><td>14.16</td><td>37.94</td><td>0.00</td><td>266</td><td>121</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.64	-----	-----	87.32	34.10	14.16	37.94	0.00	266	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5916.20	52.97	68.20	-15.23	42.65	34.30	13.95	37.93	0.00	266	121	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	97.64	-----	-----	87.32	34.10	14.16	37.94	0.00	266	121	AVERAGE																																																																																						







		28									
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz										
ANT	1+2+3+4										
Pol.	Horizontal										
Peak	</										



	28												
Mode	Band Edge												
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz												
ANT	1+2+3+4												
Pol.	Vertical						Fundamental						
Peak													
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7236.30	53.10	88.20	-35.10	39.24	36.90	15.37	38.41	0.00	138		0	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7095.00	105.03	-----	-----	91.82	36.28	15.21	38.28	0.00	138		0	PEAK
Avg.													
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto						Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7125.75	44.08	68.20	-24.12	30.64	36.51	15.25	38.32	0.00	138		0	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7095.00	96.54	-----	-----	83.33	36.28	15.21	38.28	0.00	138		0	AVERAGE



Mode	29																																																																																												
	Band Edge																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																												
ANT	1+2+3+4																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>77.57</td><td>88.20</td><td>-10.63</td><td>64.14</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	77.57	88.20	-10.63	64.14	36.50	15.25	38.32	0.00	255	0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>102.19</td><td>-----</td><td>-----</td><td>88.90</td><td>36.36</td><td>15.23</td><td>38.30</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	102.19	-----	-----	88.90	36.36	15.23	38.30	0.00	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7125.01	77.57	88.20	-10.63	64.14	36.50	15.25	38.32	0.00	255	0 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7115.00	102.19	-----	-----	88.90	36.36	15.23	38.30	0.00	255	0 PEAK																																																																																			
Avg.																																																																																													
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>67.92</td><td>68.20</td><td>-0.28</td><td>54.49</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	67.92	68.20	-0.28	54.49	36.50	15.25	38.32	0.00	255	0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>93.83</td><td>-----</td><td>-----</td><td>80.54</td><td>36.36</td><td>15.23</td><td>38.30</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	93.83	-----	-----	80.54	36.36	15.23	38.30	0.00	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7125.01	67.92	68.20	-0.28	54.49	36.50	15.25	38.32	0.00	255	0 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7115.00	93.83	-----	-----	80.54	36.36	15.23	38.30	0.00	255	0 AVERAGE																																																																																			



Mode	29																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>73.84</td><td>88.20</td><td>-14.36</td><td>60.41</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	73.84	88.20	-14.36	60.41	36.50	15.25	38.32	0.00	250	0 PEAK	Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>97.62</td><td>-----</td><td>-----</td><td>84.19</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	97.62	-----	-----	84.19	36.50	15.25	38.32	0.00	250	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.01	73.84	88.20	-14.36	60.41	36.50	15.25	38.32	0.00	250	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	97.62	-----	-----	84.19	36.50	15.25	38.32	0.00	250	0 PEAK																																																																																						
Avg.	Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>62.52</td><td>68.20</td><td>-5.68</td><td>49.09</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	62.52	68.20	-5.68	49.09	36.50	15.25	38.32	0.00	250	0 AVERAGE	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.58</td><td>-----</td><td>-----</td><td>75.15</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.58	-----	-----	75.15	36.50	15.25	38.32	0.00	250	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.01	62.52	68.20	-5.68	49.09	36.50	15.25	38.32	0.00	250	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	88.58	-----	-----	75.15	36.50	15.25	38.32	0.00	250	0 AVERAGE																																																																																						



Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.84</td><td>67.87</td><td>88.20</td><td>-20.33</td><td>54.40</td><td>36.53</td><td>15.26</td><td>38.32</td><td>0.00</td><td>252 0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.84	67.87	88.20	-20.33	54.40	36.53	15.26	38.32	0.00	252 0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>107.91</td><td>-----</td><td>-----</td><td>94.69</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>252 0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	107.91	-----	-----	94.69	36.29	15.22	38.29	0.00	252 0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7128.84	67.87	88.20	-20.33	54.40	36.53	15.26	38.32	0.00	252 0 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	107.91	-----	-----	94.69	36.29	15.22	38.29	0.00	252 0 PEAK																																																																																									
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.52</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>42.82</td><td>36.53</td><td>15.25</td><td>38.32</td><td>0.00</td><td>252 0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.52	56.28	68.20	-11.92	42.82	36.53	15.25	38.32	0.00	252 0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>99.18</td><td>-----</td><td>-----</td><td>85.97</td><td>36.28</td><td>15.21</td><td>38.28</td><td>0.00</td><td>252 0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	99.18	-----	-----	85.97	36.28	15.21	38.28	0.00	252 0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7128.52	56.28	68.20	-11.92	42.82	36.53	15.25	38.32	0.00	252 0 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	99.18	-----	-----	85.97	36.28	15.21	38.28	0.00	252 0 AVERAGE																																																																																									







Mode	30																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>62.48</td><td>88.20</td><td>-25.72</td><td>49.05</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>300</td><td>30 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	62.48	88.20	-25.72	49.05	36.50	15.25	38.32	0.00	300	30 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>98.66</td><td>-----</td><td>-----</td><td>85.47</td><td>36.26</td><td>15.21</td><td>38.28</td><td>0.00</td><td>300</td><td>30 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	98.66	-----	-----	85.47	36.26	15.21	38.28	0.00	300	30 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.16	62.48	88.20	-25.72	49.05	36.50	15.25	38.32	0.00	300	30 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	98.66	-----	-----	85.47	36.26	15.21	38.28	0.00	300	30 PEAK																																																																																						
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>50.75</td><td>68.20</td><td>-17.45</td><td>37.32</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>300</td><td>30 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	50.75	68.20	-17.45	37.32	36.50	15.25	38.32	0.00	300	30 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>91.43</td><td>-----</td><td>-----</td><td>78.25</td><td>36.25</td><td>15.20</td><td>38.27</td><td>0.00</td><td>300</td><td>30 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	91.43	-----	-----	78.25	36.25	15.20	38.27	0.00	300	30 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.16	50.75	68.20	-17.45	37.32	36.50	15.25	38.32	0.00	300	30 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	91.43	-----	-----	78.25	36.25	15.20	38.27	0.00	300	30 AVERAGE																																																																																						







		31																																																																																															
Mode	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.06</td><td>67.82</td><td>88.20</td><td>-20.38</td><td>54.35</td><td>36.53</td><td>15.26</td><td>38.32</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7129.06	67.82	88.20	-20.38	54.35	36.53	15.26	38.32	0.00	252	0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>106.57</td><td>-----</td><td>-----</td><td>93.58</td><td>36.08</td><td>15.14</td><td>38.23</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	106.57	-----	-----	93.58	36.08	15.14	38.23	0.00	252	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7129.06	67.82	88.20	-20.38	54.35	36.53	15.26	38.32	0.00	252	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7025.00	106.57	-----	-----	93.58	36.08	15.14	38.23	0.00	252	0 PEAK																																																																																						
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.84</td><td>58.76</td><td>68.20</td><td>-9.44</td><td>45.29</td><td>36.53</td><td>15.26</td><td>38.32</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7128.84	58.76	68.20	-9.44	45.29	36.53	15.26	38.32	0.00	252	0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>98.38</td><td>-----</td><td>-----</td><td>85.44</td><td>36.03</td><td>15.13</td><td>38.22</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	98.38	-----	-----	85.44	36.03	15.13	38.22	0.00	252	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7128.84	58.76	68.20	-9.44	45.29	36.53	15.26	38.32	0.00	252	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7025.00	98.38	-----	-----	85.44	36.03	15.13	38.22	0.00	252	0 AVERAGE																																																																																						







Mode	31																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.42</td><td>64.93</td><td>88.20</td><td>-23.27</td><td>51.49</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.42	64.93	88.20	-23.27	51.49	36.51	15.25	38.32	0.00	127	0 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>104.25</td><td>-----</td><td>-----</td><td>91.15</td><td>36.18</td><td>15.17</td><td>38.25</td><td>0.00</td><td>127</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	104.25	-----	-----	91.15	36.18	15.17	38.25	0.00	127	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7126.42	64.93	88.20	-23.27	51.49	36.51	15.25	38.32	0.00	127	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	104.25	-----	-----	91.15	36.18	15.17	38.25	0.00	127	0 PEAK																																																																																						
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.42</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>42.21</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.42	55.65	68.20	-12.55	42.21	36.51	15.25	38.32	0.00	127	0 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>97.25</td><td>-----</td><td>-----</td><td>84.17</td><td>36.16</td><td>15.16</td><td>38.24</td><td>0.00</td><td>127</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	97.25	-----	-----	84.17	36.16	15.16	38.24	0.00	127	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7126.42	55.65	68.20	-12.55	42.21	36.51	15.25	38.32	0.00	127	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	97.25	-----	-----	84.17	36.16	15.16	38.24	0.00	127	0 AVERAGE																																																																																						







Mode	32																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7144.04</td><td>75.39</td><td>88.20</td><td>-12.81</td><td>61.00</td><td>36.65</td><td>15.27</td><td>38.33</td><td>0.00</td><td>246</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7144.04	75.39	88.20	-12.81	61.00	36.65	15.27	38.33	0.00	246	359	PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>104.93</td><td>-----</td><td>-----</td><td>92.25</td><td>35.00</td><td>15.04</td><td>38.16</td><td>0.00</td><td>246</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	104.93	-----	-----	92.25	35.00	15.04	38.16	0.00	246	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7144.04	75.39	88.20	-12.81	61.00	36.65	15.27	38.33	0.00	246	359	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	104.93	-----	-----	92.25	35.00	15.04	38.16	0.00	246	359	PEAK																																																																																								
Avg.	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.80</td><td>67.27</td><td>68.20</td><td>-0.93</td><td>53.76</td><td>36.57</td><td>15.26</td><td>38.32</td><td>0.00</td><td>246</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.80	67.27	68.20	-0.93	53.76	36.57	15.26	38.32	0.00	246	359	AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.72</td><td>-----</td><td>-----</td><td>85.04</td><td>35.00</td><td>15.04</td><td>38.16</td><td>0.00</td><td>246</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.72	-----	-----	85.04	35.00	15.04	38.16	0.00	246	359	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7133.80	67.27	68.20	-0.93	53.76	36.57	15.26	38.32	0.00	246	359	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	97.72	-----	-----	85.04	35.00	15.04	38.16	0.00	246	359	AVERAGE																																																																																								







		32																																																																																														
Mode	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.36</td><td>75.78</td><td>88.20</td><td>-12.42</td><td>62.25</td><td>36.59</td><td>15.26</td><td>38.32</td><td>0.00</td><td>100</td><td>4 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.36	75.78	88.20	-12.42	62.25	36.59	15.26	38.32	0.00	100	4 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>103.46</td><td>-----</td><td>-----</td><td>90.74</td><td>35.83</td><td>15.08</td><td>38.19</td><td>0.00</td><td>100</td><td>4 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	103.46	-----	-----	90.74	35.83	15.08	38.19	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7136.36	75.78	88.20	-12.42	62.25	36.59	15.26	38.32	0.00	100	4 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	103.46	-----	-----	90.74	35.83	15.08	38.19	0.00	100	4 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.36</td><td>66.57</td><td>68.20</td><td>-1.63</td><td>53.04</td><td>36.59</td><td>15.26</td><td>38.32</td><td>0.00</td><td>100</td><td>4 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.36	66.57	68.20	-1.63	53.04	36.59	15.26	38.32	0.00	100	4 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>96.08</td><td>-----</td><td>-----</td><td>82.92</td><td>36.23</td><td>15.19</td><td>38.26</td><td>0.00</td><td>100</td><td>4 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.08	-----	-----	82.92	36.23	15.19	38.26	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7136.36	66.57	68.20	-1.63	53.04	36.59	15.26	38.32	0.00	100	4 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	96.08	-----	-----	82.92	36.23	15.19	38.26	0.00	100	4 AVERAGE																																																																																					



Mode	33																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5895.28</td><td>74.88</td><td>88.20</td><td>-13.32</td><td>64.60</td><td>34.30</td><td>13.91</td><td>37.93</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5895.28	74.88	88.20	-13.32	64.60	34.30	13.91	37.93	0.00	100	120	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>107.26</td><td>-----</td><td>-----</td><td>96.77</td><td>34.22</td><td>14.21</td><td>37.94</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.26	-----	-----	96.77	34.22	14.21	37.94	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5895.28	74.88	88.20	-13.32	64.60	34.30	13.91	37.93	0.00	100	120	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	107.26	-----	-----	96.77	34.22	14.21	37.94	0.00	100	120	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5895.00</td><td>67.46</td><td>68.20</td><td>-0.74</td><td>57.18</td><td>34.30</td><td>13.91</td><td>37.93</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5895.00	67.46	68.20	-0.74	57.18	34.30	13.91	37.93	0.00	100	120	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>101.11</td><td>-----</td><td>-----</td><td>90.64</td><td>34.20</td><td>14.21</td><td>37.94</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	101.11	-----	-----	90.64	34.20	14.21	37.94	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5895.00	67.46	68.20	-0.74	57.18	34.30	13.91	37.93	0.00	100	120	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	101.11	-----	-----	90.64	34.20	14.21	37.94	0.00	100	120	AVERAGE																																																																																							







		33																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.92</td><td>71.00</td><td>88.20</td><td>-17.20</td><td>60.68</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.92	71.00	88.20	-17.20	60.68	34.30	13.95	37.93	0.00	300	160	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>104.90</td><td>-----</td><td>-----</td><td>94.59</td><td>34.10</td><td>14.14</td><td>37.93</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	104.90	-----	-----	94.59	34.10	14.14	37.93	0.00	300	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.92	71.00	88.20	-17.20	60.68	34.30	13.95	37.93	0.00	300	160	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	104.90	-----	-----	94.59	34.10	14.14	37.93	0.00	300	160	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>52.93</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	63.26	68.20	-4.94	52.93	34.30	13.96	37.93	0.00	300	160	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>97.73</td><td>-----</td><td>-----</td><td>86.98</td><td>34.40</td><td>14.30</td><td>37.95</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	97.73	-----	-----	86.98	34.40	14.30	37.95	0.00	300	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.84	63.26	68.20	-4.94	52.93	34.30	13.96	37.93	0.00	300	160	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	97.73	-----	-----	86.98	34.40	14.30	37.95	0.00	300	160	AVERAGE																																																																																							







		34																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal																																																																																																		
Peak	Fundamental																																																																																																		
	Fundamental																																																																																																		
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.72</td><td>75.65</td><td>88.20</td><td>-12.55</td><td>65.33</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></table> Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>109.86</td><td>-----</td><td>-----</td><td>98.53</td><td>34.84</td><td>14.44</td><td>37.95</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5918.72	75.65	88.20	-12.55	65.33	34.30	13.95	37.93	0.00	100	119 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6265.00	109.86	-----	-----	98.53	34.84	14.44	37.95	0.00	100	119 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5918.72	75.65	88.20	-12.55	65.33	34.30	13.95	37.93	0.00	100	119 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 6265.00	109.86	-----	-----	98.53	34.84	14.44	37.95	0.00	100	119 PEAK																																																																																									
Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.04</td><td>67.62</td><td>68.20</td><td>-0.58</td><td>57.30</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></table> Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>102.62</td><td>-----</td><td>-----</td><td>91.49</td><td>34.68</td><td>14.40</td><td>37.95</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.04	67.62	68.20	-0.58	57.30	34.30	13.95	37.93	0.00	100	119 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6265.00	102.62	-----	-----	91.49	34.68	14.40	37.95	0.00	100	119 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5920.04	67.62	68.20	-0.58	57.30	34.30	13.95	37.93	0.00	100	119 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 6265.00	102.62	-----	-----	91.49	34.68	14.40	37.95	0.00	100	119 AVERAGE																																																																																									



Mode	34																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.28</td><td>72.27</td><td>88.20</td><td>-15.93</td><td>61.97</td><td>34.30</td><td>13.93</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.28	72.27	88.20	-15.93	61.97	34.30	13.93	37.93	0.00	100	119	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>107.68</td><td>-----</td><td>-----</td><td>96.30</td><td>34.88</td><td>14.45</td><td>37.95</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	107.68	-----	-----	96.30	34.88	14.45	37.95	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5907.28	72.27	88.20	-15.93	61.97	34.30	13.93	37.93	0.00	100	119	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	107.68	-----	-----	96.30	34.88	14.45	37.95	0.00	100	119	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.36</td><td>66.01</td><td>68.20</td><td>-2.19</td><td>55.69</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.36	66.01	68.20	-2.19	55.69	34.30	13.95	37.93	0.00	100	119	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>100.30</td><td>-----</td><td>-----</td><td>88.89</td><td>34.91</td><td>14.46</td><td>37.96</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	100.30	-----	-----	88.89	34.91	14.46	37.96	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.36	66.01	68.20	-2.19	55.69	34.30	13.95	37.93	0.00	100	119	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	100.30	-----	-----	88.89	34.91	14.46	37.96	0.00	100	119	AVERAGE																																																																																							



Mode	35																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.33</td><td>76.33</td><td>88.20</td><td>-11.87</td><td>62.64</td><td>36.74</td><td>15.29</td><td>38.34</td><td>0.00</td><td>241</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7159.33	76.33	88.20	-11.87	62.64	36.74	15.29	38.34	0.00	241	0 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>101.21</td><td>-----</td><td>-----</td><td>88.29</td><td>36.01</td><td>15.12</td><td>38.21</td><td>0.00</td><td>241</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	101.21	-----	-----	88.29	36.01	15.12	38.21	0.00	241	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7159.33	76.33	88.20	-11.87	62.64	36.74	15.29	38.34	0.00	241	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6905.00	101.21	-----	-----	88.29	36.01	15.12	38.21	0.00	241	0 PEAK																																																																																							
Avg.	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.33</td><td>66.96</td><td>68.20</td><td>-1.24</td><td>53.27</td><td>36.74</td><td>15.29</td><td>38.34</td><td>0.00</td><td>241</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7159.33	66.96	68.20	-1.24	53.27	36.74	15.29	38.34	0.00	241	0 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>95.18</td><td>-----</td><td>-----</td><td>82.43</td><td>35.91</td><td>14.95</td><td>38.11</td><td>0.00</td><td>241</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.18	-----	-----	82.43	35.91	14.95	38.11	0.00	241	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7159.33	66.96	68.20	-1.24	53.27	36.74	15.29	38.34	0.00	241	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6905.00	95.18	-----	-----	82.43	35.91	14.95	38.11	0.00	241	0 AVERAGE																																																																																							







Mode	35																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7145.00</td><td>72.87</td><td>88.20</td><td>-15.33</td><td>59.26</td><td>36.67</td><td>15.27</td><td>38.33</td><td>0.00</td><td>133</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7145.00	72.87	88.20	-15.33	59.26	36.67	15.27	38.33	0.00	133	0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>103.97</td><td>-----</td><td>-----</td><td>91.18</td><td>35.98</td><td>14.90</td><td>38.09</td><td>0.00</td><td>133</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	103.97	-----	-----	91.18	35.98	14.90	38.09	0.00	133	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7145.00	72.87	88.20	-15.33	59.26	36.67	15.27	38.33	0.00	133	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6905.00	103.97	-----	-----	91.18	35.98	14.90	38.09	0.00	133	0 PEAK																																																																																						
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.09</td><td>63.79</td><td>68.20</td><td>-4.41</td><td>49.93</td><td>36.90</td><td>15.35</td><td>38.39</td><td>0.00</td><td>133</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7216.09	63.79	68.20	-4.41	49.93	36.90	15.35	38.39	0.00	133	0 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>96.49</td><td>-----</td><td>-----</td><td>83.74</td><td>35.92</td><td>14.94</td><td>38.11</td><td>0.00</td><td>133</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	96.49	-----	-----	83.74	35.92	14.94	38.11	0.00	133	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7216.09	63.79	68.20	-4.41	49.93	36.90	15.35	38.39	0.00	133	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6905.00	96.49	-----	-----	83.74	35.92	14.94	38.11	0.00	133	0 AVERAGE																																																																																						







<TXBF Mode>





<Nss=1>

		36																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>51.11</td><td>88.20</td><td>-37.09</td><td>40.78</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>186</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	51.11	88.20	-37.09	40.78	34.30	13.96	37.93	0.00	200	186	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.55</td><td>-----</td><td>-----</td><td>97.20</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>200</td><td>186</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.55	-----	-----	97.20	34.26	14.02	37.93	0.00	200	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.45	51.11	88.20	-37.09	40.78	34.30	13.96	37.93	0.00	200	186	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.55	-----	-----	97.20	34.26	14.02	37.93	0.00	200	186	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>40.70</td><td>68.20</td><td>-27.50</td><td>30.37</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>186</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	40.70	68.20	-27.50	30.37	34.30	13.96	37.93	0.00	200	186	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.48</td><td>-----</td><td>-----</td><td>89.13</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>200</td><td>186</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.48	-----	-----	89.13	34.26	14.02	37.93	0.00	200	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.45	40.70	68.20	-27.50	30.37	34.30	13.96	37.93	0.00	200	186	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.48	-----	-----	89.13	34.26	14.02	37.93	0.00	200	186	AVERAGE																																																																																							







		36																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																				
ANT	1+2+3+4																																																																																																				
Pol.	Vertical																																																																																																				
Peak	Fundamental																																																																																																				
	Fundamental																																																																																																				
Peak																																																																																																					
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto											Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.45</td><td>51.45</td><td>88.20 -36.75</td><td>41.12</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>69 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.45	51.45	88.20 -36.75	41.12	34.30	13.96	37.93	0.00	100	69 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>111.23</td><td>-----</td><td>100.88</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>100</td><td>69 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	111.23	-----	100.88	34.26	14.02	37.93	0.00	100	69 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5924.45	51.45	88.20 -36.75	41.12	34.30	13.96	37.93	0.00	100	69 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5955.00	111.23	-----	100.88	34.26	14.02	37.93	0.00	100	69 PEAK																																																																																												
Avg.																																																																																																					
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto											Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.45</td><td>43.62</td><td>68.20 -24.58</td><td>33.29</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>69 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.45	43.62	68.20 -24.58	33.29	34.30	13.96	37.93	0.00	100	69 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>102.57</td><td>-----</td><td>92.23</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>100</td><td>69 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	102.57	-----	92.23	34.24	14.03	37.93	0.00	100	69 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5924.45	43.62	68.20 -24.58	33.29	34.30	13.96	37.93	0.00	100	69 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5955.00	102.57	-----	92.23	34.24	14.03	37.93	0.00	100	69 AVERAGE																																																																																												







		37																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.56</td><td>50.94</td><td>88.20</td><td>-37.26</td><td>40.61</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	50.94	88.20	-37.26	40.61	34.30	13.96	37.93	0.00	100	103	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.36</td><td>-----</td><td>-----</td><td>93.02</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.36	-----	-----	93.02	34.24	14.03	37.93	0.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.56	50.94	88.20	-37.26	40.61	34.30	13.96	37.93	0.00	100	103	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	103.36	-----	-----	93.02	34.24	14.03	37.93	0.00	100	103	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.28</td><td>42.13</td><td>68.20</td><td>-26.07</td><td>31.00</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	42.13	68.20	-26.07	31.00	34.30	13.96	37.93	0.00	100	103	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>96.24</td><td>-----</td><td>-----</td><td>85.93</td><td>34.19</td><td>14.05</td><td>37.93</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.24	-----	-----	85.93	34.19	14.05	37.93	0.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.28	42.13	68.20	-26.07	31.00	34.30	13.96	37.93	0.00	100	103	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	96.24	-----	-----	85.93	34.19	14.05	37.93	0.00	100	103	AVERAGE																																																																																							







		37																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.16</td><td>51.53</td><td>88.20</td><td>-36.67</td><td>41.20</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>300</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	51.53	88.20	-36.67	41.20	34.30	13.96	37.93	0.00	300	161	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>104.01</td><td>-----</td><td>-----</td><td>93.67</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>300</td><td>161</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.01	-----	-----	93.67	34.24	14.03	37.93	0.00	300	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.16	51.53	88.20	-36.67	41.20	34.30	13.96	37.93	0.00	300	161	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	104.01	-----	-----	93.67	34.24	14.03	37.93	0.00	300	161	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.88</td><td>42.20</td><td>68.20</td><td>-26.00</td><td>31.87</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>300</td><td>161</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.88	42.20	68.20	-26.00	31.87	34.30	13.96	37.93	0.00	300	161	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>96.56</td><td>-----</td><td>-----</td><td>86.24</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>300</td><td>161</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.56	-----	-----	86.24	34.21	14.04	37.93	0.00	300	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5921.88	42.20	68.20	-26.00	31.87	34.30	13.96	37.93	0.00	300	161	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	96.56	-----	-----	86.24	34.21	14.04	37.93	0.00	300	161	AVERAGE																																																																																						







		38																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.68</td><td>57.96</td><td>88.20</td><td>-30.24</td><td>47.64</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	57.96	88.20	-30.24	47.64	34.30	13.95	37.93	0.00	100	124	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>106.11</td><td>-----</td><td>-----</td><td>95.00</td><td>34.19</td><td>14.05</td><td>37.93</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	106.11	-----	-----	95.00	34.19	14.05	37.93	0.00	100	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.68	57.96	88.20	-30.24	47.64	34.30	13.95	37.93	0.00	100	124	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	106.11	-----	-----	95.00	34.19	14.05	37.93	0.00	100	124	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.88</td><td>48.02</td><td>68.20</td><td>-20.18</td><td>37.69</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	48.02	68.20	-20.18	37.69	34.30	13.96	37.93	0.00	100	124	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.88</td><td>-----</td><td>-----</td><td>87.56</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.88	-----	-----	87.56	34.21	14.04	37.93	0.00	100	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.88	48.02	68.20	-20.18	37.69	34.30	13.96	37.93	0.00	100	124	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.88	-----	-----	87.56	34.21	14.04	37.93	0.00	100	124	AVERAGE																																																																																							







Mode	38																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.56</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>43.69</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>394</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.56	54.01	88.20	-34.19	43.69	34.30	13.95	37.93	0.00	394	101	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>108.21</td><td>-----</td><td>-----</td><td>97.95</td><td>34.10</td><td>14.09</td><td>37.93</td><td>0.00</td><td>394</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	108.21	-----	-----	97.95	34.10	14.09	37.93	0.00	394	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.56	54.01	88.20	-34.19	43.69	34.30	13.95	37.93	0.00	394	101	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	108.21	-----	-----	97.95	34.10	14.09	37.93	0.00	394	101	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.92</td><td>45.47</td><td>68.20</td><td>-22.73</td><td>35.14</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>394</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.92	45.47	68.20	-22.73	35.14	34.30	13.96	37.93	0.00	394	101	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>99.22</td><td>-----</td><td>-----</td><td>88.96</td><td>34.10</td><td>14.09</td><td>37.93</td><td>0.00</td><td>394</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.22	-----	-----	88.96	34.10	14.09	37.93	0.00	394	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.92	45.47	68.20	-22.73	35.14	34.30	13.96	37.93	0.00	394	101	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	99.22	-----	-----	88.96	34.10	14.09	37.93	0.00	394	101	AVERAGE																																																																																							





		39																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.60</td><td>52.46</td><td>88.20</td><td>-35.74</td><td>42.15</td><td>34.30</td><td>13.94</td><td>37.93</td><td>0.00</td><td>173</td><td>62</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.60	52.46	88.20	-35.74	42.15	34.30	13.94	37.93	0.00	173	62	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.51</td><td>-----</td><td>-----</td><td>95.24</td><td>34.10</td><td>14.10</td><td>37.93</td><td>0.00</td><td>173</td><td>62</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.51	-----	-----	95.24	34.10	14.10	37.93	0.00	173	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5915.60	52.46	88.20	-35.74	42.15	34.30	13.94	37.93	0.00	173	62	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	105.51	-----	-----	95.24	34.10	14.10	37.93	0.00	173	62	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>33.69</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>173</td><td>62</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	44.02	68.20	-24.18	33.69	34.30	13.96	37.93	0.00	173	62	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.65</td><td>-----</td><td>-----</td><td>88.38</td><td>34.10</td><td>14.10</td><td>37.93</td><td>0.00</td><td>173</td><td>62</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.65	-----	-----	88.38	34.10	14.10	37.93	0.00	173	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	44.02	68.20	-24.18	33.69	34.30	13.96	37.93	0.00	173	62	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	98.65	-----	-----	88.38	34.10	14.10	37.93	0.00	173	62	AVERAGE																																																																																							







		39																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.00</td><td>54.05</td><td>88.20</td><td>-34.15</td><td>43.72</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.00	54.05	88.20	-34.15	43.72	34.30	13.96	37.93	0.00	100	51 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.88</td><td>-----</td><td>-----</td><td>95.56</td><td>34.10</td><td>14.16</td><td>37.94</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.88	-----	-----	95.56	34.10	14.16	37.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.00	54.05	88.20	-34.15	43.72	34.30	13.96	37.93	0.00	100	51 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	105.88	-----	-----	95.56	34.10	14.16	37.94	0.00	100	51 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.20</td><td>43.85</td><td>68.20</td><td>-24.35</td><td>33.52</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.20	43.85	68.20	-24.35	33.52	34.30	13.96	37.93	0.00	100	51 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>96.81</td><td>-----</td><td>-----</td><td>86.50</td><td>34.10</td><td>14.15</td><td>37.94</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.81	-----	-----	86.50	34.10	14.15	37.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5923.20	43.85	68.20	-24.35	33.52	34.30	13.96	37.93	0.00	100	51 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	96.81	-----	-----	86.50	34.10	14.15	37.94	0.00	100	51 AVERAGE																																																																																					





Mode	39																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																													
ANT	1+2+3+4																																																																																																													
Pol.	Horizontal																																																																																																													
Peak Avg.																																																																																																														
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 39 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7531.25</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>41.14</td><td>36.34</td><td>15.71</td><td>38.65</td><td>1.07</td><td>110</td><td></td><td></td><td>41 Peak</td></tr><tr><td>2</td><td>7531.25</td><td>52.00</td><td>54.00</td><td>-1.20</td><td>38.34</td><td>36.34</td><td>15.71</td><td>38.66</td><td>1.07</td><td>110</td><td></td><td></td><td>41 Average</td></tr><tr><td>3</td><td>12050.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>35.93</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td></td><td>151 PEAK</td></tr><tr><td>4</td><td>12050.00</td><td>42.31</td><td>54.00</td><td>-11.69</td><td>25.57</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td></td><td>151 Average</td></tr><tr><td>5</td><td>18075.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>40.27</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>--</td><td></td><td></td><td>-- PEAK</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7531.25	55.61	74.00	-18.39	41.14	36.34	15.71	38.65	1.07	110			41 Peak	2	7531.25	52.00	54.00	-1.20	38.34	36.34	15.71	38.66	1.07	110			41 Average	3	12050.00	52.67	74.00	-21.33	35.93	39.10	19.94	42.88	0.58	200			151 PEAK	4	12050.00	42.31	54.00	-11.69	25.57	39.10	19.94	42.88	0.58	200			151 Average	5	18075.00	36.99	74.00	-37.01	40.27	37.60	24.62	55.96	-9.54	--		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7531.25	55.61	74.00	-18.39	41.14	36.34	15.71	38.65	1.07	110			41 Peak																																																																																																	
2	7531.25	52.00	54.00	-1.20	38.34	36.34	15.71	38.66	1.07	110			41 Average																																																																																																	
3	12050.00	52.67	74.00	-21.33	35.93	39.10	19.94	42.88	0.58	200			151 PEAK																																																																																																	
4	12050.00	42.31	54.00	-11.69	25.57	39.10	19.94	42.88	0.58	200			151 Average																																																																																																	
5	18075.00	36.99	74.00	-37.01	40.27	37.60	24.62	55.96	-9.54	--			-- PEAK																																																																																																	
Peak Avg.																																																																																																														
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 39 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7531.25</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>41.33</td><td>36.34</td><td>15.71</td><td>38.66</td><td>1.07</td><td>196</td><td></td><td></td><td>173 Peak</td></tr><tr><td>2</td><td>7531.25</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>36.21</td><td>36.34</td><td>15.71</td><td>38.66</td><td>1.07</td><td>196</td><td></td><td></td><td>173 Average</td></tr><tr><td>3</td><td>12050.00</td><td>51.79</td><td>74.00</td><td>-22.21</td><td>35.05</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>100</td><td></td><td></td><td>147 PEAK</td></tr><tr><td>4</td><td>12050.00</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>24.71</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>100</td><td></td><td></td><td>147 Average</td></tr><tr><td>5</td><td>18075.00</td><td>37.03</td><td>74.00</td><td>-36.97</td><td>40.31</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>--</td><td></td><td></td><td>-- PEAK</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7531.25	55.79	74.00	-18.21	41.33	36.34	15.71	38.66	1.07	196			173 Peak	2	7531.25	50.67	54.00	-3.33	36.21	36.34	15.71	38.66	1.07	196			173 Average	3	12050.00	51.79	74.00	-22.21	35.05	39.10	19.94	42.88	0.58	100			147 PEAK	4	12050.00	41.45	54.00	-12.55	24.71	39.10	19.94	42.88	0.58	100			147 Average	5	18075.00	37.03	74.00	-36.97	40.31	37.60	24.62	55.96	-9.54	--		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7531.25	55.79	74.00	-18.21	41.33	36.34	15.71	38.66	1.07	196			173 Peak																																																																																																	
2	7531.25	50.67	54.00	-3.33	36.21	36.34	15.71	38.66	1.07	196			173 Average																																																																																																	
3	12050.00	51.79	74.00	-22.21	35.05	39.10	19.94	42.88	0.58	100			147 PEAK																																																																																																	
4	12050.00	41.45	54.00	-12.55	24.71	39.10	19.94	42.88	0.58	100			147 Average																																																																																																	
5	18075.00	37.03	74.00	-36.97	40.31	37.60	24.62	55.96	-9.54	--			-- PEAK																																																																																																	







Mode	39	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 39	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 39
37.8G ~40G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 39	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 39





Mode	40																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																																																																					
ANT	1+2+3+4																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 40 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7731.25</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>40.28</td><td>36.60</td><td>15.93</td><td>38.81</td><td>1.05</td><td>111</td><td>44 Peak</td></tr><tr><td>2</td><td>7731.25</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>34.43</td><td>36.60</td><td>15.93</td><td>38.81</td><td>1.05</td><td>111</td><td>44 Average</td></tr><tr><td>3</td><td>12370.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>34.96</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>100</td><td>102 PEAK</td></tr><tr><td>4</td><td>12370.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.02</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>100</td><td>102 Average</td></tr><tr><td>5</td><td>18555.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>40.97</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7731.25	55.05	74.00	-18.95	40.28	36.60	15.93	38.81	1.05	111	44 Peak	2	7731.25	49.20	54.00	-4.80	34.43	36.60	15.93	38.81	1.05	111	44 Average	3	12370.00	51.96	74.00	-22.04	34.96	39.02	20.23	42.92	0.67	100	102 PEAK	4	12370.00	42.02	54.00	-11.98	25.02	39.02	20.23	42.92	0.67	100	102 Average	5	18555.00	38.66	74.00	-35.34	40.97	37.93	24.96	55.66	-9.54	--	-- PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 40 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7731.25</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>39.84</td><td>36.60</td><td>15.93</td><td>38.81</td><td>1.05</td><td>198</td><td>21 Peak</td></tr><tr><td>2</td><td>7731.25</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>34.64</td><td>36.60</td><td>15.93</td><td>38.81</td><td>1.05</td><td>198</td><td>21 Average</td></tr><tr><td>3</td><td>12370.00</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>35.52</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>200</td><td>200 PEAK</td></tr><tr><td>4</td><td>12370.00</td><td>41.48</td><td>54.00</td><td>-12.52</td><td>24.48</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>200</td><td>200 Average</td></tr><tr><td>5</td><td>18555.00</td><td>38.68</td><td>74.00</td><td>-35.32</td><td>40.99</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7731.25	54.61	74.00	-19.39	39.84	36.60	15.93	38.81	1.05	198	21 Peak	2	7731.25	49.41	54.00	-4.59	34.64	36.60	15.93	38.81	1.05	198	21 Average	3	12370.00	52.52	74.00	-21.48	35.52	39.02	20.23	42.92	0.67	200	200 PEAK	4	12370.00	41.48	54.00	-12.52	24.48	39.02	20.23	42.92	0.67	200	200 Average	5	18555.00	38.68	74.00	-35.32	40.99	37.93	24.96	55.66	-9.54	--	-- PEAK
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	7731.25	55.05	74.00	-18.95	40.28	36.60	15.93	38.81	1.05	111	44 Peak																																																																																																																																																											
2	7731.25	49.20	54.00	-4.80	34.43	36.60	15.93	38.81	1.05	111	44 Average																																																																																																																																																											
3	12370.00	51.96	74.00	-22.04	34.96	39.02	20.23	42.92	0.67	100	102 PEAK																																																																																																																																																											
4	12370.00	42.02	54.00	-11.98	25.02	39.02	20.23	42.92	0.67	100	102 Average																																																																																																																																																											
5	18555.00	38.66	74.00	-35.34	40.97	37.93	24.96	55.66	-9.54	--	-- PEAK																																																																																																																																																											
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	7731.25	54.61	74.00	-19.39	39.84	36.60	15.93	38.81	1.05	198	21 Peak																																																																																																																																																											
2	7731.25	49.41	54.00	-4.59	34.64	36.60	15.93	38.81	1.05	198	21 Average																																																																																																																																																											
3	12370.00	52.52	74.00	-21.48	35.52	39.02	20.23	42.92	0.67	200	200 PEAK																																																																																																																																																											
4	12370.00	41.48	54.00	-12.52	24.48	39.02	20.23	42.92	0.67	200	200 Average																																																																																																																																																											
5	18555.00	38.68	74.00	-35.32	40.99	37.93	24.96	55.66	-9.54	--	-- PEAK																																																																																																																																																											







Mode	40	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 40	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 40
	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 40	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 40





Mode	41																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																																																																																																																		
ANT	1+2+3+4																																																																																																																																																																																																																		
Pol.	Horizontal							Vertical																																																																																																																																																																																																											
Peak Avg.																																																																																																																																																																																																																			
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 41 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7931.25</td><td>51.99</td><td>88.20</td><td>-36.21</td><td>36.30</td><td>37.10</td><td>16.15</td><td>38.97</td><td>1.33</td><td>199</td><td>351</td><td>Peak</td></tr><tr><td>2</td><td>7931.25</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>28.63</td><td>37.10</td><td>16.15</td><td>38.97</td><td>1.33</td><td>199</td><td>351</td><td>Average</td></tr><tr><td>3</td><td>12690.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>34.68</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>100</td><td>90</td><td>PEAK</td></tr><tr><td>4</td><td>12690.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>25.20</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>100</td><td>90</td><td>Average</td></tr><tr><td>5</td><td>19035.00</td><td>37.70</td><td>74.00</td><td>-36.30</td><td>39.01</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7931.25	51.99	88.20	-36.21	36.30	37.10	16.15	38.97	1.33	199	351	Peak	2	7931.25	44.24	68.20	-23.96	28.63	37.10	16.15	38.97	1.33	199	351	Average	3	12690.00	52.45	74.00	-21.55	34.68	39.38	20.52	42.89	0.76	100	90	PEAK	4	12690.00	42.97	54.00	-11.03	25.20	39.38	20.52	42.89	0.76	100	90	Average	5	19035.00	37.70	74.00	-36.30	39.01	38.23	25.29	55.29	-9.54	--	--	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 41 <table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7931.25</td><td>50.67</td><td>88.20</td><td>-37.53</td><td>35.06</td><td>37.10</td><td>16.15</td><td>38.97</td><td>1.33</td><td>199</td><td>351</td><td>Peak</td></tr><tr><td>2</td><td>7931.25</td><td>43.94</td><td>68.20</td><td>-24.26</td><td>28.33</td><td>37.10</td><td>16.15</td><td>38.97</td><td>1.33</td><td>199</td><td>351</td><td>Average</td></tr><tr><td>3</td><td>12690.00</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>35.73</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>200</td><td>352</td><td>PEAK</td></tr><tr><td>4</td><td>12690.00</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>24.40</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>200</td><td>352</td><td>Average</td></tr><tr><td>5</td><td>19035.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>39.31</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7931.25	50.67	88.20	-37.53	35.06	37.10	16.15	38.97	1.33	199	351	Peak	2	7931.25	43.94	68.20	-24.26	28.33	37.10	16.15	38.97	1.33	199	351	Average	3	12690.00	53.50	74.00	-20.50	35.73	39.38	20.52	42.89	0.76	200	352	PEAK	4	12690.00	42.17	54.00	-11.83	24.40	39.38	20.52	42.89	0.76	200	352	Average	5	19035.00	38.00	74.00	-36.00	39.31	38.23	25.29	55.29	-9.54	--	--
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																								
1	7931.25	51.99	88.20	-36.21	36.30	37.10	16.15	38.97	1.33	199	351	Peak																																																																																																																																																																																																							
2	7931.25	44.24	68.20	-23.96	28.63	37.10	16.15	38.97	1.33	199	351	Average																																																																																																																																																																																																							
3	12690.00	52.45	74.00	-21.55	34.68	39.38	20.52	42.89	0.76	100	90	PEAK																																																																																																																																																																																																							
4	12690.00	42.97	54.00	-11.03	25.20	39.38	20.52	42.89	0.76	100	90	Average																																																																																																																																																																																																							
5	19035.00	37.70	74.00	-36.30	39.01	38.23	25.29	55.29	-9.54	--	--	PEAK																																																																																																																																																																																																							
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																								
1	7931.25	50.67	88.20	-37.53	35.06	37.10	16.15	38.97	1.33	199	351	Peak																																																																																																																																																																																																							
2	7931.25	43.94	68.20	-24.26	28.33	37.10	16.15	38.97	1.33	199	351	Average																																																																																																																																																																																																							
3	12690.00	53.50	74.00	-20.50	35.73	39.38	20.52	42.89	0.76	200	352	PEAK																																																																																																																																																																																																							
4	12690.00	42.17	54.00	-11.83	24.40	39.38	20.52	42.89	0.76	200	352	Average																																																																																																																																																																																																							
5	19035.00	38.00	74.00	-36.00	39.31	38.23	25.29	55.29	-9.54	--	--	PEAK																																																																																																																																																																																																							







Mode	41	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 41	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 41
	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 41	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 41





Mode	42																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																															
ANT	1+2+3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak																																																																																																																
Avg.	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 42 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>34.77</td><td>39.70</td><td>20.81</td><td>42.81</td><td>0.84</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>40.34</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.31	88.20	-34.89	34.77	39.70	20.81	42.81	0.84	--	PEAK	2	19515.00	39.42	74.00	-34.58	40.34	38.10	25.62	55.10	-9.54	--	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 42 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>35.46</td><td>39.70</td><td>20.81</td><td>42.81</td><td>0.84</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>38.51</td><td>74.00</td><td>-35.49</td><td>39.43</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.00	88.20	-34.20	35.46	39.70	20.81	42.81	0.84	--	PEAK	2	19515.00	38.51	74.00	-35.49	39.43	38.10	25.62	55.10	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	53.31	88.20	-34.89	34.77	39.70	20.81	42.81	0.84	--	PEAK																																																																																																					
2	19515.00	39.42	74.00	-34.58	40.34	38.10	25.62	55.10	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	54.00	88.20	-34.20	35.46	39.70	20.81	42.81	0.84	--	PEAK																																																																																																					
2	19515.00	38.51	74.00	-35.49	39.43	38.10	25.62	55.10	-9.54	--	PEAK																																																																																																					







Mode	42	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 42	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 42
	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 42	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 42





Mode	43																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																																																						
ANT	1+2+3+4																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg.																																																																																																																																																							
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 43 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>37.89</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>27.23</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200</td><td>138</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>38.73</td><td>74.00</td><td>-35.27</td><td>39.22</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	56.25	74.00	-17.75	37.89	39.50	21.05	43.12	0.93	200	138	PEAK	2	13330.00	45.59	54.00	-8.41	27.23	39.50	21.05	43.12	0.93	200	138	Average	3	19995.00	38.73	74.00	-35.27	39.22	38.10	25.95	55.00	-9.54	--	--	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 43 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>34.91</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>43.98</td><td>54.00</td><td>-10.02</td><td>25.62</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200</td><td>339</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>38.79</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	53.27	74.00	-20.73	34.91	39.50	21.05	43.12	0.93	200	339	PEAK	2	13330.00	43.98	54.00	-10.02	25.62	39.50	21.05	43.12	0.93	200	339	Average	3	19995.00	38.30	74.00	-35.70	38.79	38.10	25.95	55.00	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13330.00	56.25	74.00	-17.75	37.89	39.50	21.05	43.12	0.93	200	138	PEAK																																																																																																																																											
2	13330.00	45.59	54.00	-8.41	27.23	39.50	21.05	43.12	0.93	200	138	Average																																																																																																																																											
3	19995.00	38.73	74.00	-35.27	39.22	38.10	25.95	55.00	-9.54	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13330.00	53.27	74.00	-20.73	34.91	39.50	21.05	43.12	0.93	200	339	PEAK																																																																																																																																											
2	13330.00	43.98	54.00	-10.02	25.62	39.50	21.05	43.12	0.93	200	339	Average																																																																																																																																											
3	19995.00	38.30	74.00	-35.70	38.79	38.10	25.95	55.00	-9.54	--	--	PEAK																																																																																																																																											







Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 43	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 43
	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 43	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 43



		44																																																																																																																																																																						
Mode	Harmonic																																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																																																																																																							
ANT	1+2+3+4																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg.																																																																																																																																																																								
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 44 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>55.23</td><td>88.20</td><td>-32.97</td><td>37.00</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td><td>63</td><td>PEAK</td></tr><tr><td>2 13650.00</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>28.33</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td><td>63</td><td>Average</td></tr><tr><td>3 20475.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>39.91</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 26000.00</td><td>39.10</td><td>88.20</td><td>-49.10</td><td>33.15</td><td>38.90</td><td>29.69</td><td>53.10</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13650.00	55.23	88.20	-32.97	37.00	39.30	21.29	43.38	1.02	200	63	PEAK	2 13650.00	46.56	68.20	-21.64	28.33	39.30	21.29	43.38	1.02	200	63	Average	3 20475.00	39.77	74.00	-34.23	39.91	38.10	26.30	55.00	-9.54	--	--	PEAK	4 26000.00	39.10	88.20	-49.10	33.15	38.90	29.69	53.10	-9.54	--	--	Peak	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 44 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>53.64</td><td>88.20</td><td>-34.56</td><td>35.41</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>400</td><td>240</td><td>PEAK</td></tr><tr><td>2 13650.00</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>25.78</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>400</td><td>240</td><td>Average</td></tr><tr><td>3 20475.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>38.99</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 26000.00</td><td>38.22</td><td>88.20</td><td>-49.98</td><td>32.27</td><td>38.90</td><td>29.69</td><td>53.10</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13650.00	53.64	88.20	-34.56	35.41	39.30	21.29	43.38	1.02	400	240	PEAK	2 13650.00	44.01	68.20	-24.19	25.78	39.30	21.29	43.38	1.02	400	240	Average	3 20475.00	38.85	74.00	-35.15	38.99	38.10	26.30	55.00	-9.54	--	--	PEAK	4 26000.00	38.22	88.20	-49.98	32.27	38.90	29.69	53.10	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13650.00	55.23	88.20	-32.97	37.00	39.30	21.29	43.38	1.02	200	63	PEAK																																																																																																																																																													
2 13650.00	46.56	68.20	-21.64	28.33	39.30	21.29	43.38	1.02	200	63	Average																																																																																																																																																													
3 20475.00	39.77	74.00	-34.23	39.91	38.10	26.30	55.00	-9.54	--	--	PEAK																																																																																																																																																													
4 26000.00	39.10	88.20	-49.10	33.15	38.90	29.69	53.10	-9.54	--	--	Peak																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13650.00	53.64	88.20	-34.56	35.41	39.30	21.29	43.38	1.02	400	240	PEAK																																																																																																																																																													
2 13650.00	44.01	68.20	-24.19	25.78	39.30	21.29	43.38	1.02	400	240	Average																																																																																																																																																													
3 20475.00	38.85	74.00	-35.15	38.99	38.10	26.30	55.00	-9.54	--	--	PEAK																																																																																																																																																													
4 26000.00	38.22	88.20	-49.98	32.27	38.90	29.69	53.10	-9.54	--	--	Peak																																																																																																																																																													



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 44	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 44
	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 HORIZONTAL Mode : 44	 Site : 03CH20-HY Condition: AVG(UNII)_6E 1m 88H9170_1230_241025 VERTICAL Mode : 44







Mode	45																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.30</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>39.08</td><td>36.90</td><td>15.36</td><td>38.40</td><td>0.00</td><td>299</td><td>20 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7230.30	52.94	88.20	-35.26	39.08	36.90	15.36	38.40	0.00	299	20 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>100.31</td><td>-----</td><td>-----</td><td>95.06</td><td>36.31</td><td>15.23</td><td>38.29</td><td>0.00</td><td>299</td><td>20 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.31	-----	-----	95.06	36.31	15.23	38.29	0.00	299	20 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7230.30	52.94	88.20	-35.26	39.08	36.90	15.36	38.40	0.00	299	20 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	100.31	-----	-----	95.06	36.31	15.23	38.29	0.00	299	20 PEAK																																																																																						
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.75</td><td>43.72</td><td>68.20</td><td>-24.48</td><td>30.28</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>299</td><td>20 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.75	43.72	68.20	-24.48	30.28	36.51	15.25	38.32	0.00	299	20 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.70</td><td>-----</td><td>-----</td><td>86.45</td><td>36.31</td><td>15.23</td><td>38.29</td><td>0.00</td><td>299</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.70	-----	-----	86.45	36.31	15.23	38.29	0.00	299	20 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.75	43.72	68.20	-24.48	30.28	36.51	15.25	38.32	0.00	299	20 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	99.70	-----	-----	86.45	36.31	15.23	38.29	0.00	299	20 AVERAGE																																																																																						







Mode	45																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7187.70</td><td>51.86</td><td>88.20</td><td>-36.34</td><td>38.06</td><td>36.85</td><td>15.32</td><td>38.37</td><td>0.00</td><td>103</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7187.70	51.86	88.20	-36.34	38.06	36.85	15.32	38.37	0.00	103	88	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>105.58</td><td>-----</td><td>-----</td><td>92.37</td><td>36.28</td><td>15.21</td><td>38.28</td><td>0.00</td><td>103</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.58	-----	-----	92.37	36.28	15.21	38.28	0.00	103	88	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7187.70	51.86	88.20	-36.34	38.06	36.85	15.32	38.37	0.00	103	88	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	105.58	-----	-----	92.37	36.28	15.21	38.28	0.00	103	88	PEAK																																																																																								
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.75</td><td>42.81</td><td>68.20</td><td>-25.39</td><td>29.37</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>103</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.75	42.81	68.20	-25.39	29.37	36.51	15.25	38.32	0.00	103	88	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.24</td><td>-----</td><td>-----</td><td>84.02</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>103</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.24	-----	-----	84.02	36.29	15.22	38.29	0.00	103	88	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.75	42.81	68.20	-25.39	29.37	36.51	15.25	38.32	0.00	103	88	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	97.24	-----	-----	84.02	36.29	15.22	38.29	0.00	103	88	AVERAGE																																																																																								







Mode	46																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>78.35</td><td>88.20</td><td>-9.85</td><td>64.92</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>290</td><td>20 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	78.35	88.20	-9.85	64.92	36.50	15.25	38.32	0.00	290	20 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>103.28</td><td>-----</td><td>-----</td><td>89.85</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>290</td><td>20 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	103.28	-----	-----	89.85	36.50	15.25	38.32	0.00	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	78.35	88.20	-9.85	64.92	36.50	15.25	38.32	0.00	290	20 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	103.28	-----	-----	89.85	36.50	15.25	38.32	0.00	290	20 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>67.51</td><td>68.20</td><td>-0.69</td><td>54.08</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>290</td><td>20 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	67.51	68.20	-0.69	54.08	36.50	15.25	38.32	0.00	290	20 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>93.14</td><td>-----</td><td>-----</td><td>79.85</td><td>36.36</td><td>15.23</td><td>38.30</td><td>0.00</td><td>290</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.14	-----	-----	79.85	36.36	15.23	38.30	0.00	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	67.51	68.20	-0.69	54.08	36.50	15.25	38.32	0.00	290	20 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	93.14	-----	-----	79.85	36.36	15.23	38.30	0.00	290	20 AVERAGE																																																																																					



Mode	46																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>66.78</td><td>88.20</td><td>-21.42</td><td>53.35</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>286</td><td>7 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	66.78	88.20	-21.42	53.35	36.50	15.25	38.32	0.00	286	7 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.55</td><td>-----</td><td>-----</td><td>80.15</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>286</td><td>7 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.55	-----	-----	80.15	36.46	15.25	38.31	0.00	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	66.78	88.20	-21.42	53.35	36.50	15.25	38.32	0.00	286	7 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	93.55	-----	-----	80.15	36.46	15.25	38.31	0.00	286	7 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>56.73</td><td>68.20</td><td>-11.47</td><td>43.30</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>286</td><td>7 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	56.73	68.20	-11.47	43.30	36.50	15.25	38.32	0.00	286	7 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>85.67</td><td>-----</td><td>-----</td><td>72.27</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>286</td><td>7 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	85.67	-----	-----	72.27	36.46	15.25	38.31	0.00	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	56.73	68.20	-11.47	43.30	36.50	15.25	38.32	0.00	286	7 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	85.67	-----	-----	72.27	36.46	15.25	38.31	0.00	286	7 AVERAGE																																																																																					



		47																																																																																															
Mode	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7197.64</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>39.61</td><td>36.89</td><td>15.33</td><td>38.38</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7197.64	53.45	88.20	-34.75	39.61	36.89	15.33	38.38	0.00	100	91 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.07</td><td>36.25</td><td>15.20</td><td>38.27</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	102.25	-----	-----	89.07	36.25	15.20	38.27	0.00	100	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7197.64	53.45	88.20	-34.75	39.61	36.89	15.33	38.38	0.00	100	91 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	102.25	-----	-----	89.07	36.25	15.20	38.27	0.00	100	91 PEAK																																																																																						
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.48</td><td>42.63</td><td>68.20</td><td>-25.57</td><td>29.20</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>100</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.48	42.63	68.20	-25.57	29.20	36.50	15.25	38.32	0.00	100	91 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>94.08</td><td>-----</td><td>-----</td><td>80.92</td><td>36.24</td><td>15.19</td><td>38.27</td><td>0.00</td><td>100</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	94.08	-----	-----	80.92	36.24	15.19	38.27	0.00	100	91 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.48	42.63	68.20	-25.57	29.20	36.50	15.25	38.32	0.00	100	91 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	94.08	-----	-----	80.92	36.24	15.19	38.27	0.00	100	91 AVERAGE																																																																																						



Mode	47																																																																																				
	Band Edge																																																																																				
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																				
ANT	1+2+3+4																																																																																				
Pol.	Vertical					Fundamental																																																																															
Peak																																																																																					
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.32</td><td>53.52</td><td>88.20 -34.68</td><td>40.09</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>200</td><td>82 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.32	53.52	88.20 -34.68	40.09	36.50	15.25	38.32	0.00	200	82 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>104.47</td><td>-----</td><td>91.31</td><td>36.24</td><td>15.19</td><td>38.27</td><td>0.00</td><td>200</td><td>82 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	104.47	-----	91.31	36.24	15.19	38.27	0.00	200
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 7125.32	53.52	88.20 -34.68	40.09	36.50	15.25	38.32	0.00	200	82 PEAK																																																																												
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 7085.00	104.47	-----	91.31	36.24	15.19	38.27	0.00	200	82 PEAK																																																																												
Avg.																																																																																					
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.16</td><td>44.42</td><td>68.20 -23.78</td><td>30.99</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>200</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.16	44.42	68.20 -23.78	30.99	36.50	15.25	38.32	0.00	200	82 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>96.06</td><td>-----</td><td>82.84</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>200</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	96.06	-----	82.84	36.29	15.22	38.29	0.00	200
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 7125.16	44.42	68.20 -23.78	30.99	36.50	15.25	38.32	0.00	200	82 AVERAGE																																																																												
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 7085.00	96.06	-----	82.84	36.29	15.22	38.29	0.00	200	82 AVERAGE																																																																												



Mode	48																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																	
ANT	1+2+3+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7200.56</td><td>52.83</td><td>88.20 -35.37</td><td>38.98</td><td>36.90</td><td>15.33</td><td>38.38</td><td>0.00</td><td>100</td><td>65 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7200.56	52.83	88.20 -35.37	38.98	36.90	15.33	38.38	0.00	100	65 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>106.01</td><td>-----</td><td>92.85</td><td>36.23</td><td>15.19</td><td>38.26</td><td>0.00</td><td>100</td><td>65 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	106.01	-----	92.85	36.23	15.19	38.26	0.00	100	65 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7200.56	52.83	88.20 -35.37	38.98	36.90	15.33	38.38	0.00	100	65 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7025.00	106.01	-----	92.85	36.23	15.19	38.26	0.00	100	65 PEAK																																																																									
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7127.52</td><td>43.35</td><td>68.20 -24.85</td><td>29.90</td><td>36.52</td><td>15.25</td><td>38.32</td><td>0.00</td><td>100</td><td>65 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7127.52	43.35	68.20 -24.85	29.90	36.52	15.25	38.32	0.00	100	65 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>97.40</td><td>-----</td><td>84.24</td><td>36.23</td><td>15.19</td><td>38.26</td><td>0.00</td><td>100</td><td>65 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	97.40	-----	84.24	36.23	15.19	38.26	0.00	100	65 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7127.52	43.35	68.20 -24.85	29.90	36.52	15.25	38.32	0.00	100	65 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7025.00	97.40	-----	84.24	36.23	15.19	38.26	0.00	100	65 AVERAGE																																																																									