


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199349G	-9.83	6.229375G	-63.39	-49.83	-13.56	1
6.188227G	-10.15	6.22575G	-61.76	-49.46	-12.30	2
6.194175G	-9.30	6.225625G	-61.09	-48.00	-13.09	3
6.192776G	-9.53	6.2263G	-61.92	-49.39	-12.53	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

21/05/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.402501G	-4.93	6.3437G	-57.75	-44.93	-12.82	1
6.412598G	-4.53	6.3437G	-57.26	-44.53	-12.73	2
6.408749G	-4.34	6.46635G	-57.21	-44.34	-12.87	3
6.411148G	-4.50	6.3439G	-57.14	-44.50	-12.64	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

21/05/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3702G	-2.62	6.2249G	-53.10	-42.62	-10.48	1
6.3965G	-1.82	6.2624G	-54.10	-41.68	-12.42	2
6.3975G	-1.63	6.2631G	-53.75	-41.63	-12.12	3
6.3719G	-1.75	6.5103G	-53.49	-41.75	-11.74	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

18/05/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00261G	0.62	6.2684G	-50.28	-39.17	-11.11	1
6.04899G	0.76	6.2682G	-49.42	-39.09	-10.33	2
6.04879G	0.46	6.2688G	-50.20	-39.48	-10.72	3
6.04899G	0.61	6.2692G	-50.98	-39.39	-11.59	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

21/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20937G	4.58	6.5802G	-34.73	-34.45	-0.28	1
6.24257G	4.09	6.5866G	-37.61	-35.60	-2.01	2
6.21257G	4.21	6.5894G	-37.19	-35.50	-1.69	3
6.21097G	4.26	6.6566G	-39.10	-35.64	-3.46	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

22/05/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477574G	-9.53	6.50585G	-61.93	-48.41	-13.52	1
6.467502G	-9.81	6.506975G	-63.31	-49.69	-13.62	2
6.472276G	-9.29	6.5059G	-61.94	-47.78	-14.16	3
6.478774G	-9.50	6.516275G	-63.38	-49.50	-13.88	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

21/05/2025

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.448999G	-5.69	6.5065G	-57.48	-45.69	-11.79	1
6.441401G	-5.21	6.3839G	-57.68	-45.21	-12.47	2
6.454098G	-4.79	6.50615G	-57.22	-44.79	-12.43	3
6.449849G	-4.96	6.50715G	-57.62	-44.96	-12.66	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

18/05/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4731G	-2.60	6.5872G	-54.72	-42.60	-12.12	1
6.4777G	-2.14	6.2856G	-54.47	-42.14	-12.33	2
6.4782G	-2.30	6.5874G	-55.74	-42.30	-13.44	3
6.49449G	-2.85	6.2855G	-55.91	-42.85	-13.06	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

18/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56219G	1.00	6.7478G	-50.49	-38.89	-11.60	1
6.56738G	0.99	6.2628G	-50.40	-38.72	-11.68	2
6.58198G	0.25	6.7482G	-50.78	-39.51	-11.27	3
6.48081G	0.28	6.7478G	-50.99	-39.32	-11.67	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

18/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55341G	2.97	7.061G	-40.38	-36.12	-4.26	1
6.62219G	2.92	7.0554G	-39.31	-35.66	-3.65	2
6.62859G	3.11	7.0574G	-40.09	-35.71	-4.38	3
6.62179G	2.88	7.0606G	-42.47	-36.08	-6.39	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

22/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87675G	-8.97	6.917275G	-62.84	-48.97	-13.87	1
6.870576G	-8.62	6.841025G	-62.41	-48.62	-13.79	2
6.881673G	-8.92	6.9056G	-61.13	-47.78	-13.35	3
6.871751G	-8.08	6.914125G	-62.61	-48.08	-14.53	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

21/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897447G	-6.12	6.94635G	-57.57	-46.12	-11.45	1
6.892598G	-6.15	6.8235G	-57.64	-46.15	-11.49	2
6.887749G	-5.68	6.9463G	-58.13	-45.68	-12.45	3
6.891448G	-5.37	6.9467G	-57.48	-45.37	-12.11	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

21/05/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

21/05/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

18/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

22/05/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

21/05/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

21/05/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

18/05/2024



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.01669G	-2.56	6.1078G	-53.68	-42.48	-11.20	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	Pass	6.09998G	1.13	6.2684G	-46.99	-38.87	-8.12	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	Pass	6.15019G	2.11	6.5878G	-45.85	-37.48	-8.37	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX	Pass	6.87021G	-3.07	6.417G	-50.55	-43.04	-7.51	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.99291G	-3.55	6.8652G	-53.34	-43.55	-9.79	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	Pass	6.92162G	-1.61	6.7418G	-50.11	-41.17	-8.94	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9766G	-2.76	6.1134G	-54.42	-42.76	-11.66	1
5985MHz	Pass	6.01339G	-2.50	6.1089G	-53.75	-42.50	-11.25	2
5985MHz	Pass	6.01669G	-2.56	6.1078G	-53.68	-42.48	-11.20	3
5985MHz	Pass	6.01709G	-3.05	6.1076G	-54.62	-43.05	-11.57	4
7025MHz	Pass	6.99291G	-3.55	6.8652G	-53.34	-43.55	-9.79	1
7025MHz	Pass	6.99611G	-4.16	6.9031G	-53.85	-44.00	-9.85	2
7025MHz	Pass	6.99911G	-3.57	6.9033G	-53.57	-43.57	-10.00	3
7025MHz	Pass	6.99351G	-3.81	6.8997G	-54.26	-43.81	-10.45	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08159G	0.63	6.2684G	-48.58	-39.37	-9.21	1
6025MHz	Pass	6.08918G	0.90	6.2682G	-47.64	-38.95	-8.69	2
6025MHz	Pass	6.08798G	0.78	6.2686G	-48.12	-39.13	-8.99	3
6025MHz	Pass	6.08099G	0.13	6.2684G	-48.55	-39.75	-8.80	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09998G	1.13	6.2684G	-46.99	-38.87	-8.12	1
6025MHz	Pass	6.10178G	1.09	6.2688G	-47.81	-38.85	-8.96	2
6025MHz	Pass	6.08758G	0.84	6.2676G	-48.15	-38.92	-9.23	3
6025MHz	Pass	6.08199G	0.39	6.2686G	-48.43	-39.52	-8.91	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9702G	-1.29	6.7404G	-51.11	-41.16	-9.95	1
6985MHz	Pass	6.92162G	-1.61	6.7418G	-50.11	-41.17	-8.94	2
6985MHz	Pass	6.9984G	-1.15	6.7416G	-50.93	-40.84	-10.09	3
6985MHz	Pass	6.92282G	-0.75	6.743G	-50.42	-40.43	-9.99	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9972G	-1.39	6.7412G	-51.14	-41.14	-10.00	1
6985MHz	Pass	6.92901G	-1.72	6.7404G	-51.01	-41.49	-9.52	2
6985MHz	Pass	6.92861G	-1.49	6.743G	-50.73	-40.97	-9.76	3
6985MHz	Pass	6.9994G	-1.22	6.7432G	-50.70	-40.87	-9.83	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15019G	2.11	6.5878G	-45.85	-37.48	-8.37	1
6105MHz	Pass	6.20857G	2.09	6.5942G	-46.94	-37.91	-9.03	2
6105MHz	Pass	6.21017G	2.84	6.5914G	-46.36	-37.01	-9.35	3
6105MHz	Pass	6.21057G	2.57	6.6582G	-48.29	-37.43	-10.86	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.14979G	2.59	6.5934G	-48.36	-37.41	-10.95	1
6105MHz	Pass	6.07101G	1.81	6.5874G	-48.10	-37.94	-10.16	2
6105MHz	Pass	6.07341G	2.62	6.5914G	-48.18	-37.23	-10.95	3
6105MHz	Pass	6.14939G	2.29	6.6842G	-49.01	-37.71	-11.30	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15899G	2.74	6.603G	-48.66	-37.26	-11.40	1
6105MHz	Pass	6.06981G	2.43	6.5938G	-48.57	-37.57	-11.00	2
6105MHz	Pass	6.06941G	3.16	6.591G	-48.56	-36.66	-11.90	3
6105MHz	Pass	6.06141G	3.15	6.905G	-49.26	-36.85	-12.41	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93979G	-1.41	6.4154G	-50.41	-41.41	-9.00	1
6905MHz	Pass	6.94019G	-2.36	6.3266G	-50.35	-42.36	-7.99	2
6905MHz	Pass	6.81142G	-1.73	6.4082G	-50.44	-41.73	-8.71	3
6905MHz	Pass	6.94019G	-1.45	6.4146G	-49.89	-41.45	-8.44	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85861G	-2.67	6.4198G	-50.41	-42.43	-7.98	1
6905MHz	Pass	6.87021G	-3.07	6.417G	-50.55	-43.04	-7.51	2
6905MHz	Pass	6.87381G	-2.62	6.4098G	-50.81	-42.62	-8.19	3
6905MHz	Pass	6.99978G	-2.47	6.4102G	-50.46	-42.47	-7.99	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-	-	-	-	-	-



Mask_Non-Beamforming_Multi-RU

Appendix D.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.94899G	-0.17	6.4198G	-50.23	-39.93	-10.30	1
6905MHz	Pass	6.94939G	-0.64	6.4154G	-50.14	-40.64	-9.50	2
6905MHz	Pass	6.86861G	-0.01	6.413G	-50.17	-40.01	-10.16	3
6905MHz	Pass	6.94979G	-0.27	6.4222G	-49.79	-39.86	-9.93	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

17/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9766G	-2.76	6.1134G	-54.42	-42.76	-11.66	1
6.01339G	-2.50	6.1089G	-53.75	-42.50	-11.25	2
6.01669G	-2.56	6.1078G	-53.68	-42.48	-11.20	3
6.01709G	-3.05	6.1076G	-54.62	-43.05	-11.57	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

MASK

6025MHz_TX

17/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09998G	1.13	6.2684G	-46.99	-38.87	-8.12	1
6.10178G	1.09	6.2688G	-47.81	-38.85	-8.96	2
6.08758G	0.84	6.2676G	-48.15	-38.92	-9.23	3
6.08199G	0.39	6.2686G	-48.43	-39.52	-8.91	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

MASK

6905MHz_TX

24/06/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

17/06/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6985MHz_TX

18/06/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	5.9544G	-9.40	5.985775G	-62.95	-48.74	-14.21	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	5.971298G	-10.49	6.0263G	-62.85	-50.49	-12.36	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.2204G	-3.37	6.0419G	-54.28	-43.37	-10.91	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.12501G	-1.47	6.56G	-48.96	-41.47	-7.49	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.47219G	-1.20	6.981G	-46.93	-41.20	-5.73	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.4366G	-10.97	6.4018G	-59.30	-50.97	-8.33	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.480851G	-8.74	6.5623G	-56.43	-48.74	-7.69	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.4503G	-2.68	6.5865G	-50.76	-42.68	-8.08	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.5214G	0.61	6.7486G	-48.05	-39.30	-8.75	2
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.72137G	5.16	7.0722G	-40.64	-34.65	-5.99	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.871326G	-9.24	6.84445G	-61.68	-48.51	-13.17	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.875902G	-10.99	6.9509G	-56.62	-50.99	-5.63	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.8745G	-4.64	6.9918G	-51.16	-44.64	-6.52	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.73038G	0.37	6.9094G	-47.73	-39.63	-8.10	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.70901G	3.09	6.5714G	-26.61	-17.39	-9.22	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.003273G	-11.81	6.962075G	-58.61	-51.81	-6.80	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.935847G	-8.06	6.98645G	-60.52	-48.06	-12.46	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.9409G	-4.32	6.7851G	-55.37	-44.32	-11.05	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.95961G	-0.36	6.7416G	-52.59	-40.34	-12.25	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963598G	-10.10	5.985675G	-62.94	-48.68	-14.26	1
5955MHz	Pass	5.9544G	-9.40	5.985775G	-62.95	-48.74	-14.21	2
5955MHz	Pass	5.952801G	-9.38	5.98565G	-63.62	-48.49	-15.13	3
5955MHz	Pass	5.948902G	-9.03	5.985725G	-63.59	-47.76	-15.83	4
6195MHz	Pass	6.19695G	-11.26	6.2257G	-65.45	-50.33	-15.12	1
6195MHz	Pass	6.192526G	-11.48	6.225825G	-65.14	-50.79	-14.35	2
6195MHz	Pass	6.196975G	-11.52	6.16455G	-65.24	-50.30	-14.94	3
6195MHz	Pass	6.191401G	-10.88	6.164525G	-64.09	-48.90	-15.19	4
6415MHz	Pass	6.418324G	-10.38	6.445675G	-64.74	-48.70	-16.04	1
6415MHz	Pass	6.410051G	-10.44	6.38425G	-64.72	-49.85	-14.87	2
6415MHz	Pass	6.421398G	-9.44	6.445875G	-64.66	-49.27	-15.39	3
6415MHz	Pass	6.417099G	-9.98	6.4458G	-63.67	-48.44	-15.23	4
6435MHz	Pass	6.4366G	-10.97	6.4018G	-59.30	-50.97	-8.33	1
6435MHz	Pass	6.434G	-9.51	6.401325G	-59.22	-49.51	-9.71	2
6435MHz	Pass	6.425877G	-9.39	6.387225G	-59.26	-49.39	-9.87	3
6435MHz	Pass	6.429526G	-9.14	6.390525G	-59.20	-49.14	-10.06	4
6475MHz	Pass	6.481073G	-12.13	6.50565G	-65.24	-50.60	-14.64	1
6475MHz	Pass	6.483173G	-12.85	6.50575G	-65.10	-51.79	-13.31	2
6475MHz	Pass	6.470226G	-11.84	6.444275G	-65.79	-51.22	-14.57	3
6475MHz	Pass	6.470326G	-11.99	6.5057G	-65.26	-51.35	-13.91	4
6515MHz	Pass	6.5138G	-9.20	6.54615G	-58.55	-49.16	-9.39	1
6515MHz	Pass	6.522623G	-8.59	6.55145G	-58.70	-48.59	-10.11	2
6515MHz	Pass	6.522348G	-8.68	6.5497G	-58.94	-48.68	-10.26	3
6515MHz	Pass	6.522573G	-9.08	6.563425G	-58.86	-49.08	-9.78	4
6535MHz	Pass	6.531276G	-10.54	6.565825G	-64.61	-49.39	-15.22	1
6535MHz	Pass	6.542573G	-10.94	6.565625G	-65.15	-49.56	-15.59	2
6535MHz	Pass	6.544423G	-11.00	6.565825G	-65.13	-49.59	-15.54	3
6535MHz	Pass	6.532876G	-10.20	6.565775G	-64.57	-49.07	-15.50	4
6695MHz	Pass	6.688852G	-9.46	6.664475G	-63.83	-48.15	-15.68	1
6695MHz	Pass	6.690801G	-9.24	6.664525G	-62.72	-47.09	-15.63	2
6695MHz	Pass	6.691251G	-7.66	6.7257G	-62.18	-47.02	-15.16	3
6695MHz	Pass	6.69675G	-8.18	6.6645G	-61.89	-46.66	-15.23	4
6875MHz	Pass	6.881373G	-9.55	6.90565G	-62.96	-48.28	-14.68	1
6875MHz	Pass	6.882423G	-10.75	6.9057G	-63.54	-49.28	-14.26	2
6875MHz	Pass	6.874025G	-9.55	6.84455G	-62.77	-47.80	-14.97	3
6875MHz	Pass	6.871326G	-9.24	6.84445G	-61.68	-48.51	-13.17	4
6895MHz	Pass	6.900074G	-10.78	6.9256G	-63.60	-49.45	-14.15	1
6895MHz	Pass	6.902773G	-11.40	6.92575G	-64.06	-49.98	-14.08	2
6895MHz	Pass	6.885902G	-10.82	6.92565G	-63.47	-49.11	-14.36	3
6895MHz	Pass	6.892901G	-11.66	6.925775G	-64.15	-50.45	-13.70	4
6995MHz	Pass	7.003273G	-11.81	6.962075G	-58.61	-51.81	-6.80	1
6995MHz	Pass	7.000424G	-10.38	6.96305G	-58.66	-50.38	-8.28	2
6995MHz	Pass	7.002598G	-10.24	6.9556G	-58.59	-50.24	-8.35	3
6995MHz	Pass	7.000199G	-10.06	6.958075G	-58.65	-50.06	-8.59	4
7095MHz	Pass	7.086827G	-12.33	7.0508G	-67.10	-52.33	-14.77	1
7095MHz	Pass	7.087002G	-13.02	7.060625G	-67.76	-53.02	-14.74	2
7095MHz	Pass	7.09625G	-12.36	7.064475G	-65.48	-51.13	-14.35	3
7095MHz	Pass	7.086402G	-12.55	7.06G	-67.02	-52.55	-14.47	4
7115MHz	Pass	7.116825G	-16.88	7.0745G	-68.72	-56.88	-11.84	1
7115MHz	Pass	7.122598G	-16.95	7.072425G	-68.77	-56.95	-11.82	2
7115MHz	Pass	7.109976G	-16.72	7.068375G	-68.54	-56.72	-11.82	3
7115MHz	Pass	7.122323G	-17.62	7.068975G	-68.51	-57.62	-10.89	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971298G	-10.49	6.0263G	-62.85	-50.49	-12.36	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.968399G	-9.74	6.0265G	-63.23	-49.74	-13.49	2
5965MHz	Pass	5.959151G	-10.31	6.02615G	-63.23	-50.31	-12.92	3
5965MHz	Pass	5.953753G	-10.09	6.0264G	-63.36	-50.09	-13.27	4
6205MHz	Pass	6.208949G	-9.74	6.26655G	-63.36	-49.74	-13.62	1
6205MHz	Pass	6.222346G	-10.10	6.2665G	-62.76	-50.10	-12.66	2
6205MHz	Pass	6.190054G	-9.05	6.2663G	-62.17	-49.05	-13.12	3
6205MHz	Pass	6.191053G	-9.49	6.26635G	-62.70	-49.49	-13.21	4
6405MHz	Pass	6.392803G	-10.20	6.46655G	-63.54	-50.20	-13.34	1
6405MHz	Pass	6.397552G	-10.10	6.34335G	-64.21	-50.10	-14.11	2
6405MHz	Pass	6.417697G	-9.35	6.4662G	-62.84	-49.35	-13.49	3
6405MHz	Pass	6.416247G	-9.18	6.3437G	-63.09	-49.18	-13.91	4
6445MHz	Pass	6.438802G	-9.47	6.5064G	-63.10	-49.47	-13.63	1
6445MHz	Pass	6.429954G	-9.86	6.3834G	-63.22	-49.86	-13.36	2
6445MHz	Pass	6.440151G	-7.93	6.3838G	-62.43	-47.93	-14.50	3
6445MHz	Pass	6.437102G	-9.19	6.50625G	-62.93	-49.19	-13.74	4
6485MHz	Pass	6.480851G	-8.74	6.5623G	-56.43	-48.74	-7.69	1
6485MHz	Pass	6.502746G	-8.17	6.55725G	-57.06	-48.17	-8.89	2
6485MHz	Pass	6.491948G	-8.08	6.5577G	-56.69	-48.08	-8.61	3
6485MHz	Pass	6.490099G	-8.85	6.54625G	-56.66	-48.85	-7.81	4
6525MHz	Pass	6.531748G	-6.01	6.58635G	-60.42	-46.01	-14.41	1
6525MHz	Pass	6.536297G	-6.54	6.58635G	-60.49	-46.54	-13.95	2
6525MHz	Pass	6.538347G	-6.97	6.5865G	-60.54	-46.97	-13.57	3
6525MHz	Pass	6.528049G	-6.37	6.4639G	-61.00	-46.37	-14.63	4
6565MHz	Pass	6.552253G	-6.57	6.6261G	-60.57	-46.57	-14.00	1
6565MHz	Pass	6.561201G	-6.74	6.6265G	-60.91	-46.74	-14.17	2
6565MHz	Pass	6.574648G	-6.23	6.62645G	-60.85	-46.23	-14.62	3
6565MHz	Pass	6.552753G	-6.64	6.62645G	-59.99	-46.64	-13.35	4
6685MHz	Pass	6.680501G	-6.89	6.5975G	-54.94	-46.89	-8.05	1
6685MHz	Pass	6.678652G	-5.60	6.7467G	-55.03	-45.60	-9.43	2
6685MHz	Pass	6.699646G	-4.87	6.59135G	-54.86	-44.87	-9.99	3
6685MHz	Pass	6.689399G	-5.90	6.6111G	-55.00	-45.90	-9.10	4
6885MHz	Pass	6.875902G	-10.99	6.9509G	-56.62	-50.99	-5.63	1
6885MHz	Pass	6.872553G	-10.53	6.9786G	-56.84	-50.53	-6.31	2
6885MHz	Pass	6.870854G	-9.08	6.94635G	-56.45	-49.08	-7.37	3
6885MHz	Pass	6.887749G	-10.20	6.94615G	-56.52	-50.20	-6.32	4
6925MHz	Pass	6.942496G	-7.89	6.98635G	-60.72	-47.89	-12.83	1
6925MHz	Pass	6.927649G	-7.00	6.9866G	-61.29	-47.00	-14.29	2
6925MHz	Pass	6.942846G	-7.66	6.98665G	-60.15	-47.66	-12.49	3
6925MHz	Pass	6.935847G	-8.06	6.98645G	-60.52	-48.06	-12.46	4
7005MHz	Pass	7.008849G	-8.09	6.94375G	-61.20	-48.09	-13.11	1
7005MHz	Pass	6.990854G	-7.73	6.94385G	-60.33	-47.73	-12.60	2
7005MHz	Pass	6.994453G	-6.22	6.94375G	-60.86	-46.22	-14.64	3
7005MHz	Pass	6.996502G	-7.64	6.9439G	-61.02	-47.64	-13.38	4
7085MHz	Pass	7.074653G	-10.23	7.02365G	-63.46	-50.23	-13.23	1
7085MHz	Pass	7.081001G	-10.60	7.1465G	-64.03	-50.60	-13.43	2
7085MHz	Pass	7.097597G	-10.42	7.0234G	-63.44	-50.42	-13.02	3
7085MHz	Pass	7.081251G	-9.77	7.0238G	-63.50	-49.77	-13.73	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01309G	-3.83	6.1516G	-55.39	-43.83	-11.56	1
5985MHz	Pass	5.9734G	-4.29	6.1069G	-56.70	-44.29	-12.41	2
5985MHz	Pass	6.01669G	-4.18	6.1514G	-55.42	-44.18	-11.24	3
5985MHz	Pass	5.9727G	-4.83	6.1515G	-56.47	-44.83	-11.64	4
6225MHz	Pass	6.2204G	-3.37	6.0419G	-54.28	-43.37	-10.91	1
6225MHz	Pass	6.2389G	-2.58	6.4083G	-56.15	-42.58	-13.57	2
6225MHz	Pass	6.238G	-3.65	6.0421G	-56.13	-43.65	-12.48	3
6225MHz	Pass	6.25329G	-3.12	6.0419G	-55.97	-43.12	-12.85	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3886G	-4.45	6.2075G	-56.07	-44.45	-11.62	1
6385MHz	Pass	6.3924G	-3.74	6.5627G	-56.89	-43.74	-13.15	2
6385MHz	Pass	6.4006G	-4.05	6.5625G	-56.50	-44.05	-12.45	3
6385MHz	Pass	6.41349G	-4.19	6.5626G	-56.69	-44.19	-12.50	4
6465MHz	Pass	6.4503G	-2.68	6.5865G	-50.76	-42.68	-8.08	1
6465MHz	Pass	6.4766G	-2.41	6.5865G	-51.20	-42.41	-8.79	2
6465MHz	Pass	6.4792G	-2.31	6.5996G	-51.28	-42.31	-8.97	3
6465MHz	Pass	6.4549G	-2.47	6.5864G	-51.10	-42.47	-8.63	4
6545MHz	Pass	6.5351G	-1.10	6.586G	-34.97	-21.11	-13.86	1
6545MHz	Pass	6.5367G	-2.45	6.6674G	-55.16	-42.45	-12.71	2
6545MHz	Pass	6.57359G	-1.29	6.6673G	-54.93	-41.29	-13.64	3
6545MHz	Pass	6.556G	-1.40	6.6668G	-54.49	-41.40	-13.09	4
6625MHz	Pass	6.59871G	-1.14	6.7486G	-50.68	-41.14	-9.54	1
6625MHz	Pass	6.6413G	-1.34	6.7539G	-51.36	-41.34	-10.02	2
6625MHz	Pass	6.6088G	0.07	6.7467G	-50.67	-39.93	-10.74	3
6625MHz	Pass	6.59641G	-1.05	6.7486G	-51.02	-41.05	-9.97	4
6705MHz	Pass	6.7149G	-2.20	6.5828G	-51.01	-42.20	-8.81	1
6705MHz	Pass	6.66771G	-1.87	6.5655G	-51.52	-41.87	-9.65	2
6705MHz	Pass	6.7141G	-0.26	6.8277G	-51.00	-40.26	-10.74	3
6705MHz	Pass	6.6972G	-1.52	6.5825G	-51.02	-41.52	-9.50	4
6785MHz	Pass	6.75571G	-1.93	6.9739G	-51.04	-41.93	-9.11	1
6785MHz	Pass	6.7999G	-1.86	6.9838G	-51.24	-41.86	-9.38	2
6785MHz	Pass	6.8013G	-1.82	6.9705G	-50.96	-41.82	-9.14	3
6785MHz	Pass	6.81419G	-2.43	6.9596G	-50.99	-42.43	-8.56	4
6865MHz	Pass	6.8745G	-4.64	6.9918G	-51.16	-44.64	-6.52	1
6865MHz	Pass	6.83611G	-3.75	6.9865G	-51.44	-43.75	-7.69	2
6865MHz	Pass	6.8537G	-2.71	6.9869G	-50.89	-42.55	-8.34	3
6865MHz	Pass	6.8781G	-3.39	6.9902G	-51.22	-43.39	-7.83	4
6945MHz	Pass	6.9409G	-4.32	6.7851G	-55.37	-44.32	-11.05	1
6945MHz	Pass	6.9307G	-3.54	6.7624G	-56.81	-43.54	-13.27	2
6945MHz	Pass	6.9625G	-3.77	6.8231G	-56.92	-43.71	-13.21	3
6945MHz	Pass	6.97349G	-4.71	6.8234G	-57.01	-44.66	-12.35	4
7025MHz	Pass	7.035G	-4.36	6.8649G	-56.23	-44.36	-11.87	1
7025MHz	Pass	6.99381G	-6.32	6.9029G	-57.71	-46.32	-11.39	2
7025MHz	Pass	6.99611G	-3.47	6.8495G	-56.28	-43.47	-12.81	3
7025MHz	Pass	7.0057G	-3.90	6.8494G	-56.62	-43.90	-12.72	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04979G	1.40	6.268G	-46.38	-38.23	-8.15	1
6025MHz	Pass	6.08419G	0.98	6.1064G	-24.14	-16.62	-7.52	2
6025MHz	Pass	6.05259G	1.32	6.2682G	-47.08	-38.68	-8.40	3
6025MHz	Pass	6.10098G	1.19	6.2682G	-48.13	-38.47	-9.66	4
6185MHz	Pass	6.20979G	-1.35	6.5568G	-48.98	-41.35	-7.63	1
6185MHz	Pass	6.24958G	-0.84	6.5508G	-49.02	-40.84	-8.18	2
6185MHz	Pass	6.10982G	-0.61	6.4286G	-48.40	-40.33	-8.07	3
6185MHz	Pass	6.12501G	-1.47	6.56G	-48.96	-41.47	-7.49	4
6345MHz	Pass	6.26962G	2.61	6.5876G	-45.99	-36.96	-9.03	1
6345MHz	Pass	6.36779G	1.64	6.589G	-47.22	-38.36	-8.86	2
6345MHz	Pass	6.40798G	2.83	6.5882G	-46.02	-37.12	-8.90	3
6345MHz	Pass	6.42078G	1.72	6.5886G	-46.90	-38.19	-8.71	4
6505MHz	Pass	6.56339G	2.05	6.7482G	-47.36	-37.90	-9.46	1
6505MHz	Pass	6.5214G	0.61	6.7486G	-48.05	-39.30	-8.75	2
6505MHz	Pass	6.44122G	2.30	6.7492G	-46.70	-37.41	-9.29	3
6505MHz	Pass	6.56558G	1.55	6.7492G	-47.44	-38.45	-8.99	4
6665MHz	Pass	6.59822G	1.36	6.908G	-47.88	-38.64	-9.24	1
6665MHz	Pass	6.64001G	0.65	6.3186G	-48.44	-39.35	-9.09	2
6665MHz	Pass	6.68959G	2.38	6.9088G	-47.26	-37.62	-9.64	3


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.73038G	0.37	6.9094G	-47.73	-39.63	-8.10	4
6825MHz	Pass	6.80121G	-0.09	6.582G	-53.13	-39.82	-13.31	1
6825MHz	Pass	6.76182G	-0.12	6.5822G	-52.39	-39.91	-12.48	2
6825MHz	Pass	6.8066G	-0.75	6.582G	-52.65	-40.38	-12.27	3
6825MHz	Pass	6.84659G	-1.85	6.5806G	-54.32	-41.78	-12.54	4
6985MHz	Pass	6.96281G	-1.75	6.7418G	-54.06	-41.51	-12.55	1
6985MHz	Pass	6.90902G	-0.15	6.7422G	-52.19	-39.85	-12.34	2
6985MHz	Pass	6.95961G	-0.36	6.7416G	-52.59	-40.34	-12.25	3
6985MHz	Pass	7.0002G	-1.12	6.7418G	-54.83	-41.12	-13.71	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24856G	1.85	6.589G	-44.47	-37.83	-6.64	1
6105MHz	Pass	6.26136G	1.55	6.5898G	-45.88	-38.28	-7.60	2
6105MHz	Pass	6.08221G	2.40	6.5958G	-44.30	-37.60	-6.70	3
6105MHz	Pass	6.14179G	1.31	6.589G	-44.87	-38.37	-6.50	4
6265MHz	Pass	6.23341G	2.64	6.7558G	-45.09	-37.36	-7.73	1
6265MHz	Pass	6.30139G	1.71	6.9774G	-46.66	-38.29	-8.37	2
6265MHz	Pass	6.11024G	3.25	6.755G	-44.59	-36.75	-7.84	3
6265MHz	Pass	6.10944G	2.75	6.7554G	-46.30	-37.25	-9.05	4
6425MHz	Pass	6.27144G	0.44	6.9638G	-46.28	-39.56	-6.72	1
6425MHz	Pass	6.47219G	-1.20	6.981G	-46.93	-41.20	-5.73	2
6425MHz	Pass	6.39941G	0.40	6.9846G	-46.54	-39.60	-6.94	3
6425MHz	Pass	6.45939G	-0.84	6.9622G	-46.57	-40.84	-5.73	4
6585MHz	Pass	6.61979G	4.70	7.0718G	-43.11	-35.09	-8.02	1
6585MHz	Pass	6.65858G	4.18	7.0778G	-43.32	-35.82	-7.50	2
6585MHz	Pass	6.72137G	5.16	7.0722G	-40.64	-34.65	-5.99	3
6585MHz	Pass	6.68098G	4.98	6.0886G	-44.28	-35.02	-9.26	4
6745MHz	Pass	6.78859G	1.49	6.2522G	-48.62	-38.51	-10.11	1
6745MHz	Pass	6.64143G	1.46	6.3206G	-45.56	-33.82	-11.74	2
6745MHz	Pass	6.70901G	3.09	6.5714G	-26.61	-17.39	-9.22	3
6745MHz	Pass	6.84298G	1.46	6.2582G	-48.92	-38.33	-10.59	4
6905MHz	Pass	6.95299G	0.32	6.415G	-50.81	-39.68	-11.13	1
6905MHz	Pass	6.74944G	1.98	6.4094G	-49.73	-38.02	-11.71	2
6905MHz	Pass	6.80902G	1.02	6.4202G	-49.87	-38.62	-11.25	3
6905MHz	Pass	6.99978G	0.92	6.4186G	-50.80	-38.93	-11.87	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

03/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963598G	-10.10	5.985675G	-62.94	-48.68	-14.26	1
5.9544G	-9.40	5.985775G	-62.95	-48.74	-14.21	2
5.952801G	-9.38	5.98565G	-63.62	-48.49	-15.13	3
5.948902G	-9.03	5.985725G	-63.59	-47.76	-15.83	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

03/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971298G	-10.49	6.0263G	-62.85	-50.49	-12.36	1
5.968399G	-9.74	6.0265G	-63.23	-49.74	-13.49	2
5.959151G	-10.31	6.02615G	-63.23	-50.31	-12.92	3
5.953753G	-10.09	6.0264G	-63.36	-50.09	-13.27	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

03/06/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

18/06/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

03/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

18/06/2025



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

18/06/2025

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.480851G	-8.74	6.5623G	-56.43	-48.74	-7.69	1
6.502746G	-8.17	6.55725G	-57.06	-48.17	-8.89	2
6.491948G	-8.08	6.5577G	-56.69	-48.08	-8.61	3
6.490099G	-8.85	6.54625G	-56.66	-48.85	-7.81	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

18/06/2025

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4503G	-2.68	6.5865G	-50.76	-42.68	-8.08	1
6.4766G	-2.41	6.5865G	-51.20	-42.41	-8.79	2
6.4792G	-2.31	6.5996G	-51.28	-42.31	-8.97	3
6.4549G	-2.47	6.5864G	-51.10	-42.47	-8.63	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

18/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56339G	2.05	6.7482G	-47.36	-37.90	-9.46	1
6.5214G	0.61	6.7486G	-48.05	-39.30	-8.75	2
6.44122G	2.30	6.7492G	-46.70	-37.41	-9.29	3
6.56558G	1.55	6.7492G	-47.44	-38.45	-8.99	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

03/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61979G	4.70	7.0718G	-43.11	-35.09	-8.02	1
6.65858G	4.18	7.0778G	-43.32	-35.82	-7.50	2
6.72137G	5.16	7.0722G	-40.64	-34.65	-5.99	3
6.68098G	4.98	6.0886G	-44.28	-35.02	-9.26	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

03/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

18/06/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

17/06/2025



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

03/06/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78859G	1.49	6.2522G	-48.62	-38.51	-10.11	1
6.64143G	1.46	6.3206G	-45.56	-33.82	-11.74	2
6.70901G	3.09	6.5714G	-26.61	-17.39	-9.22	3
6.84298G	1.46	6.2582G	-48.92	-38.33	-10.59	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

18/06/2025

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.003273G	-11.81	6.962075G	-58.61	-51.81	-6.80	1
7.000424G	-10.38	6.96305G	-58.66	-50.38	-8.28	2
7.002598G	-10.24	6.9556G	-58.59	-50.24	-8.35	3
7.000199G	-10.06	6.958075G	-58.65	-50.06	-8.59	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

03/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

03/06/2024




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

03/06/2024





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	37.76M	30.86	40.00	-9.14	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	37.76M	30.86	40.00	-9.14	3	Vertical	360	1.00
6105MHz	Pass	PK	90.14M	22.21	43.50	-21.29	3	Vertical	360	1.00
6105MHz	Pass	PK	220.12M	20.93	46.00	-25.07	3	Vertical	360	1.00
6105MHz	Pass	PK	437.4M	22.00	46.00	-24.00	3	Vertical	360	1.00
6105MHz	Pass	PK	559.62M	26.83	46.00	-19.17	3	Vertical	360	1.00
6105MHz	Pass	PK	705.12M	27.75	46.00	-18.25	3	Vertical	360	1.00
6105MHz	Pass	PK	37.76M	30.51	40.00	-9.49	3	Horizontal	0	1.00
6105MHz	Pass	PK	90.14M	22.67	43.50	-20.83	3	Horizontal	0	1.00
6105MHz	Pass	PK	218.18M	25.55	46.00	-20.45	3	Horizontal	0	1.00
6105MHz	Pass	PK	299.66M	26.73	46.00	-19.27	3	Horizontal	0	1.00
6105MHz	Pass	PK	441.28M	25.47	46.00	-20.53	3	Horizontal	0	1.00
6105MHz	Pass	PK	580.96M	29.13	46.00	-16.87	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	17.87859G	39.84	54.00	-14.16	3	Horizontal	155	2.10
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	17.89504G	39.65	54.00	-14.35	3	Horizontal	121	2.29
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.925G	54.39	68.20	-13.81	3	Vertical	339	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.9235G	62.32	68.20	-5.88	3	Vertical	20	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	5.925G	67.76	68.20	-0.44	3	Vertical	337	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	19.54594G	28.91	54.00	-25.09	3	Horizontal	246	2.84
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.91124G	40.82	68.20	-27.38	3	Vertical	187	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	19.394G	30.46	54.00	-23.54	3	Horizontal	199	2.73
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	19.51488G	31.55	54.00	-22.45	3	Vertical	274	1.44
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	19.75584G	28.85	54.00	-25.15	3	Vertical	159	2.03
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.3954G	39.94	54.00	-14.06	3	Vertical	298	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.37998G	37.66	54.00	-16.34	3	Horizontal	73	1.89
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	13.35888G	54.06	74.00	-19.94	3	Horizontal	69	1.76
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	13.37512G	53.08	74.00	-20.92	3	Vertical	20	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	20.23518G	31.39	54.00	-22.61	3	Horizontal	126	2.75
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	68.00	68.20	-0.20	3	Horizontal	324	1.19
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.2248G	50.97	68.20	-17.23	3	Horizontal	309	1.40
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1267G	47.22	68.20	-20.98	3	Vertical	7	1.95
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	59.77	68.20	-8.43	3	Vertical	167	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.1265G	65.73	68.20	-2.47	3	Vertical	12	2.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	41.77	68.20	-26.43	3	Vertical	354	1.95
5955MHz	Pass	AV	5.9523G	96.79	Inf	-Inf	3	Vertical	354	1.95
5955MHz	Pass	PK	5.9187G	54.86	88.20	-33.34	3	Vertical	354	1.95
5955MHz	Pass	PK	5.9475G	111.21	Inf	-Inf	3	Vertical	354	1.95
5955MHz	Pass	AV	5.9235G	41.30	68.20	-26.90	3	Horizontal	304	2.33
5955MHz	Pass	AV	5.9535G	94.35	Inf	-Inf	3	Horizontal	304	2.33
5955MHz	Pass	PK	5.9064G	55.28	88.20	-32.92	3	Horizontal	304	2.33
5955MHz	Pass	PK	5.9637G	107.45	Inf	-Inf	3	Horizontal	304	2.33
5955MHz	Pass	AV	11.89776G	36.31	54.00	-17.69	3	Vertical	124	1.50
5955MHz	Pass	AV	17.87985G	39.65	54.00	-14.35	3	Vertical	127	1.20
5955MHz	Pass	PK	11.90736G	49.06	74.00	-24.94	3	Vertical	124	1.50
5955MHz	Pass	PK	17.87976G	51.36	74.00	-22.64	3	Vertical	127	1.20
5955MHz	Pass	AV	11.89779G	36.30	54.00	-17.70	3	Horizontal	143	1.50
5955MHz	Pass	AV	17.87859G	39.84	54.00	-14.16	3	Horizontal	155	2.10
5955MHz	Pass	PK	11.90244G	50.11	74.00	-23.89	3	Horizontal	143	1.50
5955MHz	Pass	PK	17.8671G	51.49	74.00	-22.51	3	Horizontal	155	2.10
6195MHz	Pass	AV	12.39432G	38.18	54.00	-15.82	3	Vertical	230	2.42
6195MHz	Pass	PK	12.39882G	50.54	74.00	-23.46	3	Vertical	230	2.42
6195MHz	Pass	AV	12.3912G	39.20	54.00	-14.80	3	Horizontal	316	1.39
6195MHz	Pass	PK	12.39G	51.71	74.00	-22.29	3	Horizontal	316	1.39
6415MHz	Pass	AV	12.83198G	40.13	68.20	-28.07	3	Vertical	320	2.43
6415MHz	Pass	PK	12.83174G	52.01	88.20	-36.19	3	Vertical	320	2.43
6415MHz	Pass	AV	12.83456G	40.71	68.20	-27.49	3	Horizontal	310	1.26
6415MHz	Pass	PK	12.83786G	53.20	88.20	-35.00	3	Horizontal	310	1.26
6435MHz	Pass	AV	12.87081G	37.92	68.20	-30.28	3	Vertical	107	1.50
6435MHz	Pass	AV	19.30451G	28.77	54.00	-25.23	3	Vertical	234	1.72
6435MHz	Pass	PK	12.8577G	51.68	88.20	-36.52	3	Vertical	107	1.50
6435MHz	Pass	PK	19.30482G	41.79	74.00	-32.21	3	Vertical	234	1.72
6435MHz	Pass	AV	12.87054G	37.91	68.20	-30.29	3	Horizontal	262	1.50
6435MHz	Pass	AV	19.30488G	28.74	54.00	-25.26	3	Horizontal	338	1.28
6435MHz	Pass	PK	12.87093G	51.56	88.20	-36.64	3	Horizontal	262	1.50
6435MHz	Pass	PK	19.30513G	42.12	74.00	-31.88	3	Horizontal	338	1.28
6475MHz	Pass	AV	12.93896G	40.14	68.20	-28.06	3	Vertical	297	2.53
6475MHz	Pass	PK	12.95042G	52.93	88.20	-35.27	3	Vertical	297	2.53
6475MHz	Pass	AV	12.94958G	40.84	68.20	-27.36	3	Horizontal	310	2.81
6475MHz	Pass	PK	12.94994G	53.64	88.20	-34.56	3	Horizontal	310	2.81
6515MHz	Pass	AV	13.01524G	37.69	68.20	-30.51	3	Vertical	315	1.50
6515MHz	Pass	AV	19.54513G	28.88	54.00	-25.12	3	Vertical	170	2.76
6515MHz	Pass	PK	13.01509G	52.06	88.20	-36.14	3	Vertical	315	1.50
6515MHz	Pass	PK	19.54564G	41.89	74.00	-32.11	3	Vertical	170	2.76
6515MHz	Pass	AV	13.01575G	37.69	68.20	-30.51	3	Horizontal	347	2.26
6515MHz	Pass	AV	19.54594G	28.91	54.00	-25.09	3	Horizontal	246	2.84
6515MHz	Pass	PK	13.03765G	50.90	88.20	-37.30	3	Horizontal	347	2.26
6515MHz	Pass	PK	19.54571G	42.14	74.00	-31.86	3	Horizontal	246	2.84
6535MHz	Pass	AV	13.07198G	39.93	68.20	-28.27	3	Vertical	276	1.29
6535MHz	Pass	PK	13.06238G	52.66	88.20	-35.54	3	Vertical	276	1.29
6535MHz	Pass	AV	13.07204G	41.12	68.20	-27.08	3	Horizontal	317	1.02
6535MHz	Pass	PK	13.06904G	52.64	88.20	-35.56	3	Horizontal	317	1.02
6695MHz	Pass	AV	13.3954G	39.94	54.00	-14.06	3	Vertical	298	1.50
6695MHz	Pass	PK	13.39546G	52.06	74.00	-21.94	3	Vertical	298	1.50
6695MHz	Pass	AV	13.4047G	39.87	68.20	-28.33	3	Horizontal	328	1.50
6695MHz	Pass	PK	13.39114G	53.01	74.00	-20.99	3	Horizontal	328	1.50
6875MHz	Pass	AV	13.7518G	40.36	68.20	-27.84	3	Vertical	221	1.40
6875MHz	Pass	PK	13.76458G	53.02	88.20	-35.18	3	Vertical	221	1.40
6875MHz	Pass	AV	13.74916G	40.38	68.20	-27.82	3	Horizontal	75	1.50
6875MHz	Pass	PK	13.74616G	52.94	88.20	-35.26	3	Horizontal	75	1.50
6895MHz	Pass	AV	13.77578G	40.28	68.20	-27.92	3	Vertical	112	1.59
6895MHz	Pass	PK	13.80008G	52.86	88.20	-35.34	3	Vertical	112	1.59
6895MHz	Pass	AV	13.78742G	40.21	68.20	-27.99	3	Horizontal	336	1.34
6895MHz	Pass	PK	13.80434G	53.37	88.20	-34.83	3	Horizontal	336	1.34

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz	Pass	AV	14.00194G	40.02	68.20	-28.18	3	Vertical	327	1.42
6995MHz	Pass	PK	13.97566G	53.51	88.20	-34.69	3	Vertical	327	1.42
6995MHz	Pass	AV	13.99246G	39.90	68.20	-28.30	3	Horizontal	251	1.50
6995MHz	Pass	PK	13.99612G	53.04	88.20	-35.16	3	Horizontal	251	1.50
7095MHz	Pass	AV	7.0902G	96.66	Inf	-Inf	3	Vertical	165	1.49
7095MHz	Pass	AV	7.1256G	44.94	68.20	-23.26	3	Vertical	165	1.49
7095MHz	Pass	PK	7.0908G	109.73	Inf	-Inf	3	Vertical	165	1.49
7095MHz	Pass	PK	7.2324G	57.94	88.20	-30.26	3	Vertical	165	1.49
7095MHz	Pass	AV	7.0935G	94.33	Inf	-Inf	3	Horizontal	309	1.50
7095MHz	Pass	AV	7.242G	44.54	68.20	-23.66	3	Horizontal	309	1.50
7095MHz	Pass	PK	7.0938G	107.65	Inf	-Inf	3	Horizontal	309	1.50
7095MHz	Pass	PK	7.2042G	58.83	88.20	-29.37	3	Horizontal	309	1.50
7095MHz	Pass	AV	14.18934G	38.30	68.20	-29.90	3	Vertical	188	2.53
7095MHz	Pass	AV	21.28424G	28.84	54.00	-25.16	3	Vertical	89	1.62
7095MHz	Pass	PK	14.18925G	50.97	88.20	-37.23	3	Vertical	188	2.53
7095MHz	Pass	PK	21.28448G	42.61	74.00	-31.39	3	Vertical	89	1.62
7095MHz	Pass	AV	14.1812G	38.74	68.20	-29.46	3	Horizontal	291	1.33
7095MHz	Pass	AV	21.28462G	28.83	54.00	-25.17	3	Horizontal	282	2.97
7095MHz	Pass	PK	14.1883G	51.78	88.20	-36.42	3	Horizontal	291	1.33
7095MHz	Pass	PK	21.28417G	41.24	74.00	-32.76	3	Horizontal	282	2.97
7115MHz	Pass	AV	7.1105G	96.84	Inf	-Inf	3	Vertical	165	1.58
7115MHz	Pass	AV	7.1255G	67.75	68.20	-0.45	3	Vertical	165	1.58
7115MHz	Pass	PK	7.1105G	102.55	Inf	-Inf	3	Vertical	165	1.58
7115MHz	Pass	PK	7.1255G	78.48	88.20	-9.72	3	Vertical	165	1.58
7115MHz	Pass	AV	7.1135G	94.79	Inf	-Inf	3	Horizontal	324	1.19
7115MHz	Pass	AV	7.1255G	68.00	68.20	-0.20	3	Horizontal	324	1.19
7115MHz	Pass	PK	7.1135G	100.93	Inf	-Inf	3	Horizontal	324	1.19
7115MHz	Pass	PK	7.1255G	78.10	88.20	-10.10	3	Horizontal	324	1.19
7115MHz	Pass	AV	14.22948G	38.58	68.20	-29.62	3	Vertical	89	1.48
7115MHz	Pass	AV	21.34593G	29.03	54.00	-24.97	3	Vertical	39	1.20
7115MHz	Pass	PK	14.22985G	52.39	88.20	-35.81	3	Vertical	89	1.48
7115MHz	Pass	PK	21.34514G	42.40	74.00	-31.60	3	Vertical	39	1.20
7115MHz	Pass	AV	14.22544G	38.81	68.20	-29.39	3	Horizontal	22	2.99
7115MHz	Pass	AV	21.34588G	29.01	54.00	-24.99	3	Horizontal	351	1.46
7115MHz	Pass	PK	14.23398G	53.15	88.20	-35.05	3	Horizontal	22	2.99
7115MHz	Pass	PK	21.3455G	42.21	74.00	-31.79	3	Horizontal	351	1.46
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	46.74	68.20	-21.46	3	Vertical	22	1.50
5965MHz	Pass	AV	5.968G	98.60	Inf	-Inf	3	Vertical	22	1.50
5965MHz	Pass	PK	5.9221G	61.70	88.20	-26.50	3	Vertical	22	1.50
5965MHz	Pass	PK	5.9725G	110.55	Inf	-Inf	3	Vertical	22	1.50
5965MHz	Pass	AV	5.9236G	44.88	68.20	-23.32	3	Horizontal	11	1.50
5965MHz	Pass	AV	5.9773G	96.15	Inf	-Inf	3	Horizontal	11	1.50
5965MHz	Pass	PK	5.9209G	57.86	88.20	-30.34	3	Horizontal	11	1.50
5965MHz	Pass	PK	5.9773G	107.54	Inf	-Inf	3	Horizontal	11	1.50
5965MHz	Pass	AV	11.93047G	37.52	54.00	-16.48	3	Vertical	158	2.23
5965MHz	Pass	AV	17.89491G	39.59	54.00	-14.41	3	Vertical	202	2.30
5965MHz	Pass	PK	11.9293G	50.78	74.00	-23.22	3	Vertical	158	2.23
5965MHz	Pass	PK	17.89576G	51.11	74.00	-22.89	3	Vertical	202	2.30
5965MHz	Pass	AV	11.931G	38.03	54.00	-15.97	3	Horizontal	176	1.35
5965MHz	Pass	AV	17.89504G	39.65	54.00	-14.35	3	Horizontal	121	2.29
5965MHz	Pass	PK	11.92116G	48.70	74.00	-25.30	3	Horizontal	176	1.35
5965MHz	Pass	PK	17.89503G	51.81	74.00	-22.19	3	Horizontal	121	2.29
6205MHz	Pass	AV	12.41073G	36.31	54.00	-17.69	3	Vertical	300	2.68
6205MHz	Pass	AV	18.61489G	31.29	54.00	-22.71	3	Vertical	216	1.18
6205MHz	Pass	PK	12.41063G	49.00	74.00	-25.00	3	Vertical	300	2.68
6205MHz	Pass	PK	18.61595G	43.35	74.00	-30.65	3	Vertical	216	1.18
6205MHz	Pass	AV	12.41806G	36.45	54.00	-17.55	3	Horizontal	308	2.77
6205MHz	Pass	AV	18.61487G	36.12	54.00	-17.88	3	Horizontal	9	2.32
6205MHz	Pass	PK	12.4011G	49.31	74.00	-24.69	3	Horizontal	308	2.77
6205MHz	Pass	PK	18.6149G	47.91	74.00	-26.09	3	Horizontal	9	2.32
6405MHz	Pass	AV	12.8376G	40.43	68.20	-27.77	3	Vertical	108	2.87

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6405MHz	Pass	PK	12.81024G	53.08	88.20	-35.12	3	Vertical	108	2.87
6405MHz	Pass	AV	12.83292G	40.46	68.20	-27.74	3	Horizontal	276	1.91
6405MHz	Pass	PK	12.82524G	52.14	88.20	-36.06	3	Horizontal	276	1.91
6445MHz	Pass	AV	12.91124G	40.82	68.20	-27.38	3	Vertical	187	1.50
6445MHz	Pass	PK	12.8882G	52.81	88.20	-35.39	3	Vertical	187	1.50
6445MHz	Pass	AV	12.90716G	40.75	68.20	-27.45	3	Horizontal	0	1.50
6445MHz	Pass	PK	12.8972G	53.09	88.20	-35.11	3	Horizontal	0	1.50
6485MHz	Pass	AV	12.95032G	40.17	68.20	-28.03	3	Vertical	328	1.50
6485MHz	Pass	PK	12.9526G	53.25	88.20	-34.95	3	Vertical	328	1.50
6485MHz	Pass	AV	12.9592G	40.08	68.20	-28.12	3	Horizontal	56	1.50
6485MHz	Pass	PK	12.98368G	53.05	88.20	-35.15	3	Horizontal	56	1.50
6525MHz	Pass	AV	13.03896G	39.79	68.20	-28.41	3	Vertical	286	2.07
6525MHz	Pass	PK	13.02636G	52.48	88.20	-35.72	3	Vertical	286	2.07
6525MHz	Pass	AV	13.07316G	39.75	68.20	-28.45	3	Horizontal	86	1.50
6525MHz	Pass	PK	13.071G	52.69	88.20	-35.51	3	Horizontal	86	1.50
6565MHz	Pass	AV	13.12986G	37.61	68.20	-30.59	3	Vertical	315	2.80
6565MHz	Pass	AV	19.69456G	30.39	54.00	-23.61	3	Vertical	10	1.07
6565MHz	Pass	PK	13.13003G	51.38	88.20	-36.82	3	Vertical	315	2.80
6565MHz	Pass	PK	19.6947G	42.41	74.00	-31.59	3	Vertical	10	1.07
6565MHz	Pass	AV	13.13138G	37.66	68.20	-30.54	3	Horizontal	342	2.41
6565MHz	Pass	AV	19.69488G	30.16	54.00	-23.84	3	Horizontal	191	2.71
6565MHz	Pass	PK	13.12424G	51.51	88.20	-36.69	3	Horizontal	342	2.41
6565MHz	Pass	PK	19.69521G	41.34	74.00	-32.66	3	Horizontal	191	2.71
6685MHz	Pass	AV	13.3706G	37.44	54.00	-16.56	3	Vertical	301	2.20
6685MHz	Pass	AV	20.05578G	30.03	54.00	-23.97	3	Vertical	87	2.07
6685MHz	Pass	PK	13.37006G	51.10	74.00	-22.90	3	Vertical	301	2.20
6685MHz	Pass	PK	20.05532G	41.67	74.00	-32.33	3	Vertical	87	2.07
6685MHz	Pass	AV	13.37998G	37.66	54.00	-16.34	3	Horizontal	73	1.89
6685MHz	Pass	AV	20.05424G	30.03	54.00	-23.97	3	Horizontal	141	2.41
6685MHz	Pass	PK	13.37214G	50.31	74.00	-23.69	3	Horizontal	73	1.89
6685MHz	Pass	PK	20.0554G	43.61	74.00	-30.39	3	Horizontal	141	2.41
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.74144G	40.21	68.20	-27.99	3	Vertical	262	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.74384G	52.58	88.20	-35.62	3	Vertical	262	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.75716G	40.27	68.20	-27.93	3	Horizontal	67	2.90
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.7484G	52.68	88.20	-35.52	3	Horizontal	67	2.90
6925MHz	Pass	AV	13.85046G	38.11	68.20	-30.09	3	Vertical	217	1.96
6925MHz	Pass	AV	20.7743G	30.53	54.00	-23.47	3	Vertical	298	1.45
6925MHz	Pass	PK	13.84907G	51.20	88.20	-37.00	3	Vertical	217	1.96
6925MHz	Pass	PK	20.77585G	42.17	74.00	-31.83	3	Vertical	298	1.45
6925MHz	Pass	AV	13.84204G	38.37	68.20	-29.83	3	Horizontal	314	1.37
6925MHz	Pass	AV	20.77549G	30.58	54.00	-23.42	3	Horizontal	45	2.77
6925MHz	Pass	PK	13.85514G	50.99	88.20	-37.21	3	Horizontal	314	1.37
6925MHz	Pass	PK	20.7748G	42.20	74.00	-31.80	3	Horizontal	45	2.77
7005MHz	Pass	AV	14.01098G	38.11	68.20	-30.09	3	Vertical	5	1.19
7005MHz	Pass	AV	21.01588G	30.84	54.00	-23.16	3	Vertical	331	1.68
7005MHz	Pass	PK	14.00927G	51.85	88.20	-36.35	3	Vertical	5	1.19
7005MHz	Pass	PK	21.01433G	43.07	74.00	-30.93	3	Vertical	331	1.68
7005MHz	Pass	AV	14.01708G	38.36	68.20	-29.84	3	Horizontal	326	1.40
7005MHz	Pass	AV	21.01459G	30.39	54.00	-23.61	3	Horizontal	134	2.03
7005MHz	Pass	PK	14.00082G	50.95	88.20	-37.25	3	Horizontal	326	1.40
7005MHz	Pass	PK	21.01424G	42.65	74.00	-31.35	3	Horizontal	134	2.03
7085MHz	Pass	AV	7.0748G	98.15	Inf	-Inf	3	Vertical	165	1.50
7085MHz	Pass	AV	7.22G	50.81	68.20	-17.39	3	Vertical	165	1.50
7085MHz	Pass	PK	7.0802G	111.47	Inf	-Inf	3	Vertical	165	1.50
7085MHz	Pass	PK	7.208G	63.62	88.20	-24.58	3	Vertical	165	1.50
7085MHz	Pass	AV	7.0886G	97.16	Inf	-Inf	3	Horizontal	309	1.40
7085MHz	Pass	AV	7.2248G	50.97	68.20	-17.23	3	Horizontal	309	1.40
7085MHz	Pass	PK	7.0838G	108.73	Inf	-Inf	3	Horizontal	309	1.40
7085MHz	Pass	PK	7.2299G	62.94	88.20	-25.26	3	Horizontal	309	1.40
7085MHz	Pass	AV	14.19532G	40.23	68.20	-27.97	3	Vertical	277	1.50
7085MHz	Pass	PK	14.19412G	52.17	88.20	-36.03	3	Vertical	277	1.50
7085MHz	Pass	AV	14.19352G	40.43	68.20	-27.77	3	Horizontal	188	1.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	PK	14.1652G	52.16	88.20	-36.04	3	Horizontal	188	1.15
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	54.39	68.20	-13.81	3	Vertical	339	1.50
5985MHz	Pass	AV	5.9955G	98.67	Inf	-Inf	3	Vertical	339	1.50
5985MHz	Pass	PK	5.925G	69.09	88.20	-19.11	3	Vertical	339	1.50
5985MHz	Pass	PK	5.975G	110.66	Inf	-Inf	3	Vertical	339	1.50
5985MHz	Pass	AV	5.9225G	50.36	68.20	-17.84	3	Horizontal	12	1.50
5985MHz	Pass	AV	6.002G	96.35	Inf	-Inf	3	Horizontal	12	1.50
5985MHz	Pass	PK	5.917G	66.69	88.20	-21.51	3	Horizontal	12	1.50
5985MHz	Pass	PK	6.022G	108.09	Inf	-Inf	3	Horizontal	12	1.50
5985MHz	Pass	AV	11.97071G	37.92	54.00	-16.08	3	Vertical	153	1.65
5985MHz	Pass	AV	17.95513G	39.75	54.00	-14.25	3	Vertical	140	1.32
5985MHz	Pass	PK	11.9705G	49.72	74.00	-24.28	3	Vertical	153	1.65
5985MHz	Pass	PK	17.95583G	50.83	74.00	-23.17	3	Vertical	140	1.32
5985MHz	Pass	AV	11.9739G	38.09	54.00	-15.91	3	Horizontal	21	2.75
5985MHz	Pass	AV	17.95535G	39.28	54.00	-14.72	3	Horizontal	208	2.12
5985MHz	Pass	PK	11.9757G	48.86	74.00	-25.14	3	Horizontal	21	2.75
5985MHz	Pass	PK	17.95492G	50.86	74.00	-23.14	3	Horizontal	208	2.12
6225MHz	Pass	AV	12.50688G	38.21	54.00	-15.79	3	Vertical	54	1.50
6225MHz	Pass	PK	12.50088G	50.38	74.00	-23.62	3	Vertical	54	1.50
6225MHz	Pass	AV	12.49032G	38.31	54.00	-15.69	3	Horizontal	202	2.57
6225MHz	Pass	PK	12.49944G	51.86	74.00	-22.14	3	Horizontal	202	2.57
6385MHz	Pass	AV	12.82976G	39.73	68.20	-28.47	3	Vertical	67	2.89
6385MHz	Pass	PK	12.82088G	51.53	88.20	-36.67	3	Vertical	67	2.89
6385MHz	Pass	AV	12.80096G	39.75	68.20	-28.45	3	Horizontal	43	1.50
6385MHz	Pass	PK	12.7604G	52.62	88.20	-35.58	3	Horizontal	43	1.50
6465MHz	Pass	AV	12.93077G	38.02	68.20	-30.18	3	Vertical	98	2.12
6465MHz	Pass	AV	19.39585G	30.35	54.00	-23.65	3	Vertical	82	1.55
6465MHz	Pass	PK	12.92943G	51.01	88.20	-37.19	3	Vertical	98	2.12
6465MHz	Pass	PK	19.39471G	42.25	74.00	-31.75	3	Vertical	82	1.55
6465MHz	Pass	AV	12.93702G	38.23	68.20	-29.97	3	Horizontal	261	2.01
6465MHz	Pass	AV	19.394G	30.46	54.00	-23.54	3	Horizontal	199	2.73
6465MHz	Pass	PK	12.93324G	51.05	88.20	-37.15	3	Horizontal	261	2.01
6465MHz	Pass	PK	19.39433G	41.25	74.00	-32.75	3	Horizontal	199	2.73
6545MHz	Pass	AV	13.09003G	37.45	68.20	-30.75	3	Vertical	351	2.31
6545MHz	Pass	AV	19.63513G	30.18	54.00	-23.82	3	Vertical	210	1.22
6545MHz	Pass	PK	13.08925G	52.47	88.20	-35.73	3	Vertical	351	2.31
6545MHz	Pass	PK	19.6357G	41.96	74.00	-32.04	3	Vertical	210	1.22
6545MHz	Pass	AV	13.0976G	37.72	68.20	-30.48	3	Horizontal	280	1.39
6545MHz	Pass	AV	19.6346G	30.40	54.00	-23.60	3	Horizontal	10	2.92
6545MHz	Pass	PK	13.08968G	50.36	88.20	-37.84	3	Horizontal	280	1.39
6545MHz	Pass	PK	19.63418G	42.79	74.00	-31.21	3	Horizontal	10	2.92
6625MHz	Pass	AV	13.2491G	37.55	68.20	-30.65	3	Vertical	127	1.33
6625MHz	Pass	AV	19.87419G	30.33	54.00	-23.67	3	Vertical	322	2.85
6625MHz	Pass	PK	13.24978G	51.39	88.20	-36.81	3	Vertical	127	1.33
6625MHz	Pass	PK	19.87437G	41.68	74.00	-32.32	3	Vertical	322	2.85
6625MHz	Pass	AV	13.24254G	37.86	68.20	-30.34	3	Horizontal	116	2.30
6625MHz	Pass	AV	19.87508G	30.24	54.00	-23.76	3	Horizontal	308	1.47
6625MHz	Pass	PK	13.24294G	50.33	88.20	-37.87	3	Horizontal	116	2.30
6625MHz	Pass	PK	19.87533G	41.61	74.00	-32.39	3	Horizontal	308	1.47
6705MHz	Pass	AV	13.46976G	41.33	68.20	-26.87	3	Vertical	265	1.05
6705MHz	Pass	PK	13.4508G	52.66	88.20	-35.54	3	Vertical	265	1.05
6705MHz	Pass	AV	13.4604G	41.28	68.20	-26.92	3	Horizontal	69	1.76
6705MHz	Pass	PK	13.35888G	54.06	74.00	-19.94	3	Horizontal	69	1.76
6785MHz	Pass	AV	13.54288G	40.04	68.20	-28.16	3	Vertical	210	2.45
6785MHz	Pass	PK	13.58392G	52.00	88.20	-36.20	3	Vertical	210	2.45
6785MHz	Pass	AV	13.55992G	40.03	68.20	-28.17	3	Horizontal	56	1.76
6785MHz	Pass	PK	13.59304G	52.63	88.20	-35.57	3	Horizontal	56	1.76
6865MHz	Pass	AV	13.72968G	38.18	68.20	-30.02	3	Vertical	15	2.98
6865MHz	Pass	AV	20.59564G	30.69	54.00	-23.31	3	Vertical	1	1.48
6865MHz	Pass	PK	13.72907G	51.00	88.20	-37.20	3	Vertical	15	2.98
6865MHz	Pass	PK	20.59425G	42.36	74.00	-31.64	3	Vertical	1	1.48



RSE TX above 1GHz_Non-Beamforming_Full RU

Appendix D.5


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73972G	38.30	68.20	-29.90	3	Horizontal	217	2.93
6865MHz	Pass	AV	20.59535G	30.59	54.00	-23.41	3	Horizontal	284	1.27
6865MHz	Pass	PK	13.73408G	51.49	88.20	-36.71	3	Horizontal	217	2.93
6865MHz	Pass	PK	20.59465G	42.05	74.00	-31.95	3	Horizontal	284	1.27
6945MHz	Pass	AV	13.902G	40.73	68.20	-27.47	3	Vertical	300	1.50
6945MHz	Pass	PK	13.94928G	53.46	88.20	-34.74	3	Vertical	300	1.50
6945MHz	Pass	AV	13.8384G	40.67	68.20	-27.53	3	Horizontal	124	1.50
6945MHz	Pass	PK	13.93368G	52.87	88.20	-35.33	3	Horizontal	124	1.50
7025MHz	Pass	AV	7.0322G	98.22	Inf	-Inf	3	Vertical	7	1.95
7025MHz	Pass	AV	7.1267G	47.22	68.20	-20.98	3	Vertical	7	1.95
7025MHz	Pass	PK	7.007G	110.18	Inf	-Inf	3	Vertical	7	1.95
7025MHz	Pass	PK	7.1324G	59.74	88.20	-28.46	3	Vertical	7	1.95
7025MHz	Pass	AV	7.0133G	96.10	Inf	-Inf	3	Horizontal	307	1.43
7025MHz	Pass	AV	7.1255G	46.67	68.20	-21.53	3	Horizontal	307	1.43
7025MHz	Pass	PK	7.0184G	108.17	Inf	-Inf	3	Horizontal	307	1.43
7025MHz	Pass	PK	7.1261G	60.50	88.20	-27.70	3	Horizontal	307	1.43
7025MHz	Pass	AV	14.04901G	40.15	68.20	-28.05	3	Vertical	289	1.15
7025MHz	Pass	AV	21.07554G	30.84	54.00	-23.16	3	Vertical	300	2.87
7025MHz	Pass	PK	14.05068G	52.12	88.20	-36.08	3	Vertical	289	1.15
7025MHz	Pass	PK	21.07496G	42.36	74.00	-31.64	3	Vertical	300	2.87
7025MHz	Pass	AV	14.04002G	39.78	68.20	-28.42	3	Horizontal	31	1.88
7025MHz	Pass	AV	21.07434G	30.62	54.00	-23.38	3	Horizontal	357	1.23
7025MHz	Pass	PK	14.04232G	51.41	88.20	-36.79	3	Horizontal	31	1.88
7025MHz	Pass	PK	21.07548G	42.39	74.00	-31.61	3	Horizontal	357	1.23
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	62.32	68.20	-5.88	3	Vertical	20	1.50
6025MHz	Pass	AV	6.043G	99.45	Inf	-Inf	3	Vertical	20	1.50
6025MHz	Pass	PK	5.9225G	75.16	88.20	-13.04	3	Vertical	20	1.50
6025MHz	Pass	PK	6.003G	111.14	Inf	-Inf	3	Vertical	20	1.50
6025MHz	Pass	AV	5.924G	59.27	68.20	-8.93	3	Horizontal	310	1.50
6025MHz	Pass	AV	6.004G	97.46	Inf	-Inf	3	Horizontal	310	1.50
6025MHz	Pass	PK	5.922G	70.82	88.20	-17.38	3	Horizontal	310	1.50
6025MHz	Pass	PK	6.0085G	108.30	Inf	-Inf	3	Horizontal	310	1.50
6025MHz	Pass	AV	12.04932G	39.14	54.00	-14.86	3	Vertical	159	1.53
6025MHz	Pass	AV	18.07528G	31.31	54.00	-22.69	3	Vertical	238	1.90
6025MHz	Pass	PK	12.04961G	49.87	74.00	-24.13	3	Vertical	159	1.53
6025MHz	Pass	PK	18.07464G	41.57	74.00	-32.43	3	Vertical	238	1.90
6025MHz	Pass	AV	12.05964G	39.66	54.00	-14.34	3	Horizontal	111	2.42
6025MHz	Pass	AV	18.07472G	31.13	54.00	-22.87	3	Horizontal	252	1.10
6025MHz	Pass	PK	12.056G	50.00	74.00	-24.00	3	Horizontal	111	2.42
6025MHz	Pass	PK	18.07468G	41.13	74.00	-32.87	3	Horizontal	252	1.10
6185MHz	Pass	AV	12.36923G	36.28	54.00	-17.72	3	Vertical	234	2.05
6185MHz	Pass	AV	18.55536G	33.06	54.00	-20.94	3	Vertical	353	1.95
6185MHz	Pass	PK	12.36951G	49.40	74.00	-24.60	3	Vertical	234	2.05
6185MHz	Pass	PK	18.5553G	43.00	74.00	-31.00	3	Vertical	353	1.95
6185MHz	Pass	AV	12.3657G	36.48	54.00	-17.52	3	Horizontal	266	1.73
6185MHz	Pass	AV	18.55509G	36.96	54.00	-17.04	3	Horizontal	73	2.66
6185MHz	Pass	PK	12.37014G	49.45	74.00	-24.55	3	Horizontal	266	1.73
6185MHz	Pass	PK	18.55517G	47.42	74.00	-26.58	3	Horizontal	73	2.66
6345MHz	Pass	AV	12.69098G	36.89	54.00	-17.11	3	Vertical	224	1.75
6345MHz	Pass	AV	19.03584G	31.00	54.00	-23.00	3	Vertical	115	2.13
6345MHz	Pass	PK	12.69077G	50.04	74.00	-23.96	3	Vertical	224	1.75
6345MHz	Pass	PK	19.03428G	41.36	74.00	-32.64	3	Vertical	115	2.13
6345MHz	Pass	AV	12.68024G	37.02	54.00	-16.98	3	Horizontal	304	2.97
6345MHz	Pass	AV	19.03482G	30.91	54.00	-23.09	3	Horizontal	6	2.79
6345MHz	Pass	PK	12.68984G	49.24	74.00	-24.76	3	Horizontal	304	2.97
6345MHz	Pass	PK	19.03592G	42.37	74.00	-31.63	3	Horizontal	6	2.79
6505MHz	Pass	AV	13.01054G	37.58	68.20	-30.62	3	Vertical	172	2.39
6505MHz	Pass	AV	19.51488G	31.55	54.00	-22.45	3	Vertical	274	1.44
6505MHz	Pass	PK	13.01074G	50.63	88.20	-37.57	3	Vertical	172	2.39
6505MHz	Pass	PK	19.51501G	41.54	74.00	-32.46	3	Vertical	274	1.44
6505MHz	Pass	AV	13.00156G	37.75	68.20	-30.45	3	Horizontal	149	1.31

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6505MHz	Pass	AV	19.51421G	31.45	54.00	-22.55	3	Horizontal	314	1.03
6505MHz	Pass	PK	13.00668G	50.83	88.20	-37.37	3	Horizontal	149	1.31
6505MHz	Pass	PK	19.51427G	42.25	74.00	-31.75	3	Horizontal	314	1.03
6665MHz	Pass	AV	13.43752G	40.22	68.20	-27.98	3	Vertical	20	1.50
6665MHz	Pass	PK	13.37512G	53.08	74.00	-20.92	3	Vertical	20	1.50
6665MHz	Pass	AV	13.44568G	40.15	68.20	-28.05	3	Horizontal	250	1.50
6665MHz	Pass	PK	13.37752G	52.30	74.00	-21.70	3	Horizontal	250	1.50
6825MHz	Pass	AV	13.64938G	38.19	68.20	-30.01	3	Vertical	131	2.48
6825MHz	Pass	AV	20.47405G	31.61	54.00	-22.39	3	Vertical	148	2.22
6825MHz	Pass	PK	13.6509G	50.93	88.20	-37.27	3	Vertical	131	2.48
6825MHz	Pass	PK	20.47579G	41.54	74.00	-32.46	3	Vertical	148	2.22
6825MHz	Pass	AV	13.64928G	38.27	68.20	-29.93	3	Horizontal	343	2.31
6825MHz	Pass	AV	20.47512G	31.39	54.00	-22.61	3	Horizontal	282	2.87
6825MHz	Pass	PK	13.64078G	50.71	88.20	-37.49	3	Horizontal	343	2.31
6825MHz	Pass	PK	20.47477G	42.11	74.00	-31.89	3	Horizontal	282	2.87
6985MHz	Pass	AV	6.96G	99.66	Inf	-Inf	3	Vertical	167	1.50
6985MHz	Pass	AV	7.1255G	59.77	68.20	-8.43	3	Vertical	167	1.50
6985MHz	Pass	PK	7.005G	110.77	Inf	-Inf	3	Vertical	167	1.50
6985MHz	Pass	PK	7.1505G	70.87	88.20	-17.33	3	Vertical	167	1.50
6985MHz	Pass	AV	6.9265G	99.31	Inf	-Inf	3	Horizontal	307	2.09
6985MHz	Pass	AV	7.127G	56.04	68.20	-12.16	3	Horizontal	307	2.09
6985MHz	Pass	PK	6.927G	110.36	Inf	-Inf	3	Horizontal	307	2.09
6985MHz	Pass	PK	7.1285G	68.03	88.20	-20.17	3	Horizontal	307	2.09
6985MHz	Pass	AV	13.97045G	40.67	68.20	-27.53	3	Vertical	164	2.90
6985MHz	Pass	AV	20.9541G	31.84	54.00	-22.16	3	Vertical	323	2.85
6985MHz	Pass	PK	13.97044G	51.78	88.20	-36.42	3	Vertical	164	2.90
6985MHz	Pass	PK	20.9545G	41.58	74.00	-32.42	3	Vertical	323	2.85
6985MHz	Pass	AV	13.96166G	41.16	68.20	-27.04	3	Horizontal	113	2.28
6985MHz	Pass	AV	20.95422G	31.56	54.00	-22.44	3	Horizontal	273	1.08
6985MHz	Pass	PK	13.9747G	50.80	88.20	-37.40	3	Horizontal	113	2.28
6985MHz	Pass	PK	20.956G	42.22	74.00	-31.78	3	Horizontal	273	1.08
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	67.76	68.20	-0.44	3	Vertical	337	1.50
6105MHz	Pass	AV	6.059G	101.38	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	PK	5.919G	79.54	88.20	-8.66	3	Vertical	337	1.50
6105MHz	Pass	PK	6.249G	112.19	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	AV	5.919G	66.12	68.20	-2.08	3	Horizontal	305	2.65
6105MHz	Pass	AV	6.059G	99.52	Inf	-Inf	3	Horizontal	305	2.65
6105MHz	Pass	PK	5.919G	77.33	88.20	-10.87	3	Horizontal	305	2.65
6105MHz	Pass	PK	6.073G	110.25	Inf	-Inf	3	Horizontal	305	2.65
6105MHz	Pass	AV	12.0804G	41.96	54.00	-12.04	3	Vertical	81	1.50
6105MHz	Pass	PK	12.05064G	53.35	74.00	-20.65	3	Vertical	81	1.50
6105MHz	Pass	AV	12.1188G	42.36	54.00	-11.64	3	Horizontal	129	2.62
6105MHz	Pass	PK	12.14376G	52.41	74.00	-21.59	3	Horizontal	129	2.62
6265MHz	Pass	AV	12.51758G	39.25	54.00	-14.75	3	Vertical	132	1.83
6265MHz	Pass	AV	18.79487G	30.86	54.00	-23.14	3	Vertical	351	2.81
6265MHz	Pass	PK	12.53348G	51.02	74.00	-22.98	3	Vertical	132	1.83
6265MHz	Pass	PK	18.79562G	42.16	74.00	-31.84	3	Vertical	351	2.81
6265MHz	Pass	AV	12.54029G	39.22	54.00	-14.78	3	Horizontal	121	2.92
6265MHz	Pass	AV	18.79512G	30.86	54.00	-23.14	3	Horizontal	199	2.34
6265MHz	Pass	PK	12.51509G	51.31	74.00	-22.69	3	Horizontal	121	2.92
6265MHz	Pass	PK	18.79444G	41.85	74.00	-32.15	3	Horizontal	199	2.34
6425MHz	Pass	AV	12.85084G	37.95	68.20	-30.25	3	Vertical	72	2.35
6425MHz	Pass	AV	19.27545G	31.78	54.00	-22.22	3	Vertical	265	1.07
6425MHz	Pass	PK	12.85057G	51.07	88.20	-37.13	3	Vertical	72	2.35
6425MHz	Pass	PK	19.27535G	41.98	74.00	-32.02	3	Vertical	265	1.07
6425MHz	Pass	AV	12.85542G	37.87	68.20	-30.33	3	Horizontal	115	2.75
6425MHz	Pass	AV	19.27548G	31.87	54.00	-22.13	3	Horizontal	229	2.56
6425MHz	Pass	PK	12.84334G	51.38	88.20	-36.82	3	Horizontal	115	2.75
6425MHz	Pass	PK	19.2745G	43.03	74.00	-30.97	3	Horizontal	229	2.56
6585MHz	Pass	AV	13.1586G	37.60	68.20	-30.60	3	Vertical	153	2.31
6585MHz	Pass	AV	19.75584G	28.85	54.00	-25.15	3	Vertical	159	2.03

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6585MHz	Pass	PK	13.16859G	50.44	88.20	-37.76	3	Vertical	153	2.31
6585MHz	Pass	PK	19.75566G	42.30	74.00	-31.70	3	Vertical	159	2.03
6585MHz	Pass	AV	13.15704G	37.60	68.20	-30.60	3	Horizontal	99	1.43
6585MHz	Pass	AV	19.7554G	28.83	54.00	-25.17	3	Horizontal	329	1.41
6585MHz	Pass	PK	13.16337G	49.97	88.20	-38.23	3	Horizontal	99	1.43
6585MHz	Pass	PK	19.7553G	41.09	74.00	-32.91	3	Horizontal	329	1.41
6745MHz	Pass	AV	13.49037G	38.27	68.20	-29.93	3	Vertical	2	1.74
6745MHz	Pass	AV	20.23589G	31.20	54.00	-22.80	3	Vertical	198	2.02
6745MHz	Pass	PK	13.49095G	51.86	88.20	-36.34	3	Vertical	2	1.74
6745MHz	Pass	PK	20.23406G	40.69	74.00	-33.31	3	Vertical	198	2.02
6745MHz	Pass	AV	13.48854G	38.36	68.20	-29.84	3	Horizontal	273	1.63
6745MHz	Pass	AV	20.23518G	31.39	54.00	-22.61	3	Horizontal	126	2.75
6745MHz	Pass	PK	13.49954G	50.85	88.20	-37.35	3	Horizontal	273	1.63
6745MHz	Pass	PK	20.23588G	40.80	74.00	-33.20	3	Horizontal	126	2.75
6905MHz	Pass	AV	6.9415G	100.92	Inf	-Inf	3	Vertical	12	2.15
6905MHz	Pass	AV	7.1265G	65.73	68.20	-2.47	3	Vertical	12	2.15
6905MHz	Pass	PK	6.9385G	109.40	Inf	-Inf	3	Vertical	12	2.15
6905MHz	Pass	PK	7.2065G	74.88	88.20	-13.32	3	Vertical	12	2.15
6905MHz	Pass	AV	6.8715G	99.65	Inf	-Inf	3	Horizontal	309	1.94
6905MHz	Pass	AV	7.1305G	62.88	68.20	-5.32	3	Horizontal	309	1.94
6905MHz	Pass	PK	6.9385G	108.69	Inf	-Inf	3	Horizontal	309	1.94
6905MHz	Pass	PK	7.1295G	72.44	88.20	-15.76	3	Horizontal	309	1.94
6905MHz	Pass	AV	13.70472G	42.13	68.20	-26.07	3	Vertical	326	1.34
6905MHz	Pass	AV	20.71406G	31.48	54.00	-22.52	3	Vertical	174	2.37
6905MHz	Pass	PK	13.86184G	52.00	88.20	-36.20	3	Vertical	326	1.34
6905MHz	Pass	PK	20.71542G	41.47	74.00	-32.53	3	Vertical	174	2.37
6905MHz	Pass	AV	13.69704G	41.94	68.20	-26.26	3	Horizontal	236	2.69
6905MHz	Pass	AV	20.71474G	31.92	54.00	-22.08	3	Horizontal	210	1.15
6905MHz	Pass	PK	13.76488G	53.11	88.20	-35.09	3	Horizontal	236	2.69
6905MHz	Pass	PK	20.71428G	42.36	74.00	-31.64	3	Horizontal	210	1.15


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.923G	46.74	68.20	-21.46	-4.46	3	Vertical	22	1.50	51.20	34.60	5.11	44.17
AV	5.968G	98.60	Inf	-Inf	-4.49	3	Vertical	22	1.50	103.09	34.60	5.09	44.18
PK	5.9221G	61.70	88.20	-26.50	-4.46	3	Vertical	22	1.50	66.16	34.60	5.11	44.17
PK	5.9725G	110.55	Inf	-Inf	-4.49	3	Vertical	22	1.50	115.04	34.60	5.09	44.18

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	44.88	68.20	-23.32	-4.46	3	Horizontal	11	1.50	49.34	34.60	5.11	44.17
AV	5.9773G	96.15	Inf	-Inf	-4.50	3	Horizontal	11	1.50	100.65	34.60	5.08	44.18
PK	5.9209G	57.86	88.20	-30.34	-4.46	3	Horizontal	11	1.50	62.32	34.60	5.11	44.17
PK	5.9773G	107.54	Inf	-Inf	-4.50	3	Horizontal	11	1.50	112.04	34.60	5.08	44.18


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.39	68.20	-13.81	-4.46	3	Vertical	339	1.50	58.85	34.60	5.11	44.17
AV	5.9955G	98.67	Inf	-Inf	-4.51	3	Vertical	339	1.50	103.18	34.60	5.07	44.18
PK	5.925G	69.09	88.20	-19.11	-4.46	3	Vertical	339	1.50	73.55	34.60	5.11	44.17
PK	5.975G	110.66	Inf	-Inf	-4.50	3	Vertical	339	1.50	115.16	34.60	5.08	44.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	50.36	68.20	-17.84	-4.46	3	Horizontal	12	1.50	54.82	34.60	5.11	44.17
AV	6.002G	96.35	Inf	-Inf	-4.52	3	Horizontal	12	1.50	100.87	34.59	5.07	44.18
PK	5.917G	66.69	88.20	-21.51	-4.45	3	Horizontal	12	1.50	71.14	34.60	5.12	44.17
PK	6.022G	108.09	Inf	-Inf	-4.58	3	Horizontal	12	1.50	112.67	34.51	5.09	44.18


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	62.32	68.20	-5.88	-4.46	3	Vertical	20	1.50	66.78	34.60	5.11	44.17
AV	6.043G	99.45	Inf	-Inf	-4.65	3	Vertical	20	1.50	104.10	34.43	5.10	44.18
PK	5.9225G	75.16	88.20	-13.04	-4.46	3	Vertical	20	1.50	79.62	34.60	5.11	44.17
PK	6.003G	111.14	Inf	-Inf	-4.52	3	Vertical	20	1.50	115.66	34.59	5.07	44.18

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	59.27	68.20	-8.93	-4.46	3	Horizontal	310	1.50	63.73	34.60	5.11	44.17
AV	6.004G	97.46	Inf	-Inf	-4.53	3	Horizontal	310	1.50	101.99	34.58	5.07	44.18
PK	5.922G	70.82	88.20	-17.38	-4.46	3	Horizontal	310	1.50	75.28	34.60	5.11	44.17
PK	6.0085G	108.30	Inf	-Inf	-4.53	3	Horizontal	310	1.50	112.83	34.57	5.08	44.18


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1105G	96.84	Inf	-Inf	-1.58	3	Vertical	165	1.58	98.42	36.64	5.81	44.03
AV	7.1255G	67.75	68.20	-0.45	-1.51	3	Vertical	165	1.58	69.26	36.70	5.81	44.02
PK	7.1105G	102.55	Inf	-Inf	-1.58	3	Vertical	165	1.58	104.13	36.64	5.81	44.03
PK	7.1255G	78.48	88.20	-9.72	-1.51	3	Vertical	165	1.58	79.99	36.70	5.81	44.02

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1135G	94.79	Inf	-Inf	-1.57	3	Horizontal	324	1.19	96.36	36.65	5.81	44.03
AV	7.1255G	68.00	68.20	-0.20	-1.51	3	Horizontal	324	1.19	69.51	36.70	5.81	44.02
PK	7.1135G	100.93	Inf	-Inf	-1.57	3	Horizontal	324	1.19	102.50	36.65	5.81	44.03
PK	7.1255G	78.10	88.20	-10.10	-1.51	3	Horizontal	324	1.19	79.61	36.70	5.81	44.02


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0322G	98.22	Inf	-Inf	-2.01	3	Vertical	7	1.95	100.23	36.29	5.78	44.08
AV	7.1267G	47.22	68.20	-20.98	-1.50	3	Vertical	7	1.95	48.72	36.71	5.81	44.02
PK	7.007G	110.18	Inf	-Inf	-2.19	3	Vertical	7	1.95	112.37	36.14	5.77	44.10
PK	7.1324G	59.74	88.20	-28.46	-1.47	3	Vertical	7	1.95	61.21	36.73	5.82	44.02

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0133G	96.10	Inf	-Inf	-2.14	3	Horizontal	307	1.43	98.24	36.18	5.77	44.09
AV	7.1255G	46.67	68.20	-21.53	-1.51	3	Horizontal	307	1.43	48.18	36.70	5.81	44.02
PK	7.0184G	108.17	Inf	-Inf	-2.10	3	Horizontal	307	1.43	110.27	36.21	5.78	44.09
PK	7.1261G	60.50	88.20	-27.70	-1.51	3	Horizontal	307	1.43	62.01	36.70	5.81	44.02


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.96G	99.66	Inf	-Inf	-2.26	3	Vertical	167	1.50	101.92	36.10	5.74	44.10
AV	7.1255G	59.77	68.20	-8.43	-1.51	3	Vertical	167	1.50	61.28	36.70	5.81	44.02
PK	7.005G	110.77	Inf	-Inf	-2.20	3	Vertical	167	1.50	112.97	36.13	5.77	44.10
PK	7.1505G	70.87	88.20	-17.33	-1.38	3	Vertical	167	1.50	72.25	36.80	5.82	44.00

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9265G	99.31	Inf	-Inf	-2.23	3	Horizontal	307	2.09	101.54	36.15	5.72	44.10
AV	7.127G	56.04	68.20	-12.16	-1.50	3	Horizontal	307	2.09	57.54	36.71	5.81	44.02
PK	6.927G	110.36	Inf	-Inf	-2.23	3	Horizontal	307	2.09	112.59	36.15	5.72	44.10
PK	7.1285G	68.03	88.20	-20.17	-1.50	3	Horizontal	307	2.09	69.53	36.71	5.81	44.02


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	11.9703G	39.23	54.00	-14.77	3	Horizontal	357	1.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	Pass	AV	12.05137G	40.79	54.00	-13.21	3	Horizontal	175	1.11
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	12.21076G	42.64	54.00	-11.36	3	Vertical	31	1.92
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	Pass	AV	7.276G	53.79	54.00	-0.21	3	Vertical	5	2.18
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	7.1663G	50.65	68.20	-17.55	3	Horizontal	308	1.46
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	7.1455G	53.04	68.20	-15.16	3	Vertical	168	1.03

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	48.24	68.20	-19.96	3	Vertical	337	1.50
5985MHz	Pass	AV	6.015G	97.60	Inf	-Inf	3	Vertical	337	1.50
5985MHz	Pass	PK	5.9235G	64.01	88.20	-24.19	3	Vertical	337	1.50
5985MHz	Pass	PK	6.015G	111.20	Inf	-Inf	3	Vertical	337	1.50
5985MHz	Pass	AV	5.9135G	47.85	68.20	-20.35	3	Horizontal	306	2.67
5985MHz	Pass	AV	6.014G	96.13	Inf	-Inf	3	Horizontal	306	2.67
5985MHz	Pass	PK	5.9125G	61.88	88.20	-26.32	3	Horizontal	306	2.67
5985MHz	Pass	PK	6.014G	107.53	Inf	-Inf	3	Horizontal	306	2.67
5985MHz	Pass	AV	11.97198G	38.99	54.00	-15.01	3	Vertical	50	2.84
5985MHz	Pass	PK	11.97159G	51.49	74.00	-22.51	3	Vertical	50	2.84
5985MHz	Pass	AV	11.9703G	39.23	54.00	-14.77	3	Horizontal	357	1.56
5985MHz	Pass	PK	11.96971G	52.04	74.00	-21.96	3	Horizontal	357	1.56
7025MHz	Pass	AV	7.0103G	97.86	Inf	-Inf	3	Vertical	169	1.01
7025MHz	Pass	AV	7.1255G	50.57	68.20	-17.63	3	Vertical	169	1.01
7025MHz	Pass	PK	7.0553G	109.58	Inf	-Inf	3	Vertical	169	1.01
7025MHz	Pass	PK	7.1576G	63.14	88.20	-25.06	3	Vertical	169	1.01
7025MHz	Pass	AV	7.0133G	96.39	Inf	-Inf	3	Horizontal	308	1.46
7025MHz	Pass	AV	7.1663G	50.65	68.20	-17.55	3	Horizontal	308	1.46
7025MHz	Pass	PK	7.0133G	107.96	Inf	-Inf	3	Horizontal	308	1.46
7025MHz	Pass	PK	7.1603G	63.57	88.20	-24.63	3	Horizontal	308	1.46
7025MHz	Pass	AV	14.0556G	40.28	68.20	-27.92	3	Vertical	184	1.53
7025MHz	Pass	PK	14.08472G	52.12	88.20	-36.08	3	Vertical	184	1.53
7025MHz	Pass	AV	14.08072G	40.26	68.20	-27.94	3	Horizontal	157	1.09
7025MHz	Pass	PK	14.03712G	53.16	88.20	-35.04	3	Horizontal	157	1.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	49.28	68.20	-18.92	3	Vertical	159	1.50
6025MHz	Pass	AV	6.1025G	98.67	Inf	-Inf	3	Vertical	159	1.50
6025MHz	Pass	PK	5.921G	66.65	88.20	-21.55	3	Vertical	159	1.50
6025MHz	Pass	PK	6.0425G	110.50	Inf	-Inf	3	Vertical	159	1.50
6025MHz	Pass	AV	5.9235G	50.38	68.20	-17.82	3	Horizontal	306	2.09
6025MHz	Pass	AV	6.044G	96.89	Inf	-Inf	3	Horizontal	306	2.09
6025MHz	Pass	PK	5.9215G	67.41	88.20	-20.79	3	Horizontal	306	2.09
6025MHz	Pass	PK	6.099G	108.82	Inf	-Inf	3	Horizontal	306	2.09
6025MHz	Pass	AV	12.04913G	40.51	54.00	-13.49	3	Vertical	87	1.22
6025MHz	Pass	PK	12.04935G	52.36	74.00	-21.64	3	Vertical	87	1.22
6025MHz	Pass	AV	12.05137G	40.79	54.00	-13.21	3	Horizontal	175	1.11
6025MHz	Pass	PK	12.05248G	52.41	74.00	-21.59	3	Horizontal	175	1.11
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	49.20	68.20	-19.00	3	Vertical	162	1.50
6025MHz	Pass	AV	6.088G	99.19	Inf	-Inf	3	Vertical	162	1.50
6025MHz	Pass	PK	5.917G	64.66	88.20	-23.54	3	Vertical	162	1.50
6025MHz	Pass	PK	6.098G	110.55	Inf	-Inf	3	Vertical	162	1.50
6025MHz	Pass	AV	5.9235G	50.53	68.20	-17.67	3	Horizontal	309	2.42
6025MHz	Pass	AV	5.999G	96.56	Inf	-Inf	3	Horizontal	309	2.42
6025MHz	Pass	PK	5.9135G	68.38	88.20	-19.82	3	Horizontal	309	2.42
6025MHz	Pass	PK	5.994G	107.97	Inf	-Inf	3	Horizontal	309	2.42
6025MHz	Pass	AV	12.05068G	40.75	54.00	-13.25	3	Vertical	70	2.81
6025MHz	Pass	PK	12.04781G	52.58	74.00	-21.42	3	Vertical	70	2.81
6025MHz	Pass	AV	12.05194G	40.41	54.00	-13.59	3	Horizontal	55	1.50
6025MHz	Pass	PK	12.048G	52.80	74.00	-21.20	3	Horizontal	55	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	7.0105G	97.90	Inf	-Inf	3	Vertical	168	1.00
6985MHz	Pass	AV	7.143G	52.87	68.20	-15.33	3	Vertical	168	1.00
6985MHz	Pass	PK	6.98G	109.31	Inf	-Inf	3	Vertical	168	1.00
6985MHz	Pass	PK	7.14G	64.78	88.20	-23.42	3	Vertical	168	1.00
6985MHz	Pass	AV	7.01G	96.29	Inf	-Inf	3	Horizontal	308	1.50
6985MHz	Pass	AV	7.1585G	52.40	68.20	-15.80	3	Horizontal	308	1.50
6985MHz	Pass	PK	7G	108.21	Inf	-Inf	3	Horizontal	308	1.50
6985MHz	Pass	PK	7.132G	64.80	88.20	-23.40	3	Horizontal	308	1.50
6985MHz	Pass	AV	14.04424G	41.21	68.20	-26.99	3	Vertical	191	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.91256G	52.47	88.20	-35.73	3	Vertical	191	1.50
6985MHz	Pass	AV	13.90888G	41.39	68.20	-26.81	3	Horizontal	69	1.50
6985MHz	Pass	PK	14.0316G	53.22	88.20	-34.98	3	Horizontal	69	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	7.01G	97.94	Inf	-Inf	3	Vertical	168	1.03
6985MHz	Pass	AV	7.1455G	53.04	68.20	-15.16	3	Vertical	168	1.03
6985MHz	Pass	PK	6.91G	109.51	Inf	-Inf	3	Vertical	168	1.03
6985MHz	Pass	PK	7.127G	65.43	88.20	-22.77	3	Vertical	168	1.03
6985MHz	Pass	AV	7.0085G	96.22	Inf	-Inf	3	Horizontal	309	1.50
6985MHz	Pass	AV	7.1385G	52.26	68.20	-15.94	3	Horizontal	309	1.50
6985MHz	Pass	PK	7.0035G	107.18	Inf	-Inf	3	Horizontal	309	1.50
6985MHz	Pass	PK	7.167G	64.08	88.20	-24.12	3	Horizontal	309	1.50
6985MHz	Pass	AV	13.91528G	41.44	68.20	-26.76	3	Vertical	28	1.50
6985MHz	Pass	PK	13.99352G	53.04	88.20	-35.16	3	Vertical	28	1.50
6985MHz	Pass	AV	13.90776G	41.68	68.20	-26.52	3	Horizontal	160	2.09
6985MHz	Pass	PK	13.9876G	52.42	88.20	-35.78	3	Horizontal	160	2.09
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	56.57	68.20	-11.63	3	Vertical	160	1.50
6105MHz	Pass	AV	6.203G	99.48	Inf	-Inf	3	Vertical	160	1.50
6105MHz	Pass	PK	5.915G	68.51	88.20	-19.69	3	Vertical	160	1.50
6105MHz	Pass	PK	6.138G	110.54	Inf	-Inf	3	Vertical	160	1.50
6105MHz	Pass	AV	5.923G	53.02	68.20	-15.18	3	Horizontal	149	3.00
6105MHz	Pass	AV	6.197G	97.03	Inf	-Inf	3	Horizontal	149	3.00
6105MHz	Pass	PK	5.917G	63.78	88.20	-24.42	3	Horizontal	149	3.00
6105MHz	Pass	PK	6.188G	109.13	Inf	-Inf	3	Horizontal	149	3.00
6105MHz	Pass	AV	12.20774G	41.47	54.00	-12.53	3	Vertical	248	3.00
6105MHz	Pass	PK	12.20898G	53.00	74.00	-21.00	3	Vertical	248	3.00
6105MHz	Pass	AV	12.21233G	41.69	54.00	-12.31	3	Horizontal	254	1.50
6105MHz	Pass	PK	12.2092G	52.83	74.00	-21.17	3	Horizontal	254	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	54.85	68.20	-13.35	3	Vertical	162	1.50
6105MHz	Pass	AV	6.138G	99.44	Inf	-Inf	3	Vertical	162	1.50
6105MHz	Pass	PK	5.917G	67.88	88.20	-20.32	3	Vertical	162	1.50
6105MHz	Pass	PK	6.143G	110.39	Inf	-Inf	3	Vertical	162	1.50
6105MHz	Pass	AV	5.921G	53.62	68.20	-14.58	3	Horizontal	349	2.66
6105MHz	Pass	AV	6.051G	97.79	Inf	-Inf	3	Horizontal	349	2.66
6105MHz	Pass	PK	5.921G	69.14	88.20	-19.06	3	Horizontal	349	2.66
6105MHz	Pass	PK	6.091G	108.68	Inf	-Inf	3	Horizontal	349	2.66
6105MHz	Pass	AV	12.21076G	42.64	54.00	-11.36	3	Vertical	31	1.92
6105MHz	Pass	PK	12.21155G	53.02	74.00	-20.98	3	Vertical	31	1.92
6105MHz	Pass	AV	12.21222G	41.86	54.00	-12.14	3	Horizontal	159	1.50
6105MHz	Pass	PK	12.21154G	52.64	74.00	-21.36	3	Horizontal	159	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	52.52	68.20	-15.68	3	Vertical	161	1.50
6105MHz	Pass	AV	6.073G	98.97	Inf	-Inf	3	Vertical	161	1.50
6105MHz	Pass	PK	5.921G	66.54	88.20	-21.66	3	Vertical	161	1.50
6105MHz	Pass	PK	6.093G	110.79	Inf	-Inf	3	Vertical	161	1.50
6105MHz	Pass	AV	5.924G	50.65	68.20	-17.55	3	Horizontal	153	1.50
6105MHz	Pass	AV	6.159G	95.54	Inf	-Inf	3	Horizontal	153	1.50
6105MHz	Pass	PK	5.921G	66.75	88.20	-21.45	3	Horizontal	153	1.50
6105MHz	Pass	PK	6.154G	107.06	Inf	-Inf	3	Horizontal	153	1.50
6105MHz	Pass	AV	12.20842G	40.71	54.00	-13.29	3	Vertical	351	1.30
6105MHz	Pass	PK	12.2115G	53.19	74.00	-20.81	3	Vertical	351	1.30
6105MHz	Pass	AV	12.21091G	40.53	54.00	-13.47	3	Horizontal	149	1.50
6105MHz	Pass	PK	12.21077G	52.43	74.00	-21.57	3	Horizontal	149	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	7.008G	96.12	Inf	-Inf	3	Vertical	5	2.18
6905MHz	Pass	AV	7.276G	53.79	54.00	-0.21	3	Vertical	5	2.18
6905MHz	Pass	PK	6.987G	107.27	Inf	-Inf	3	Vertical	5	2.18
6905MHz	Pass	PK	7.322G	63.90	74.00	-10.10	3	Vertical	5	2.18
6905MHz	Pass	AV	6.939G	94.08	Inf	-Inf	3	Horizontal	314	2.40
6905MHz	Pass	AV	7.253G	53.63	54.00	-0.37	3	Horizontal	314	2.40

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	7.037G	105.09	Inf	-Inf	3	Horizontal	314	2.40
6905MHz	Pass	PK	7.262G	63.98	74.00	-10.02	3	Horizontal	314	2.40
6905MHz	Pass	AV	13.80946G	41.76	68.20	-26.44	3	Vertical	178	1.54
6905MHz	Pass	PK	13.81038G	54.29	88.20	-33.91	3	Vertical	178	1.54
6905MHz	Pass	AV	13.80875G	42.02	68.20	-26.18	3	Horizontal	7	1.50
6905MHz	Pass	PK	13.80843G	53.35	88.20	-34.85	3	Horizontal	7	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	7.005G	94.97	Inf	-Inf	3	Vertical	167	1.50
6905MHz	Pass	AV	7.291G	53.59	54.00	-0.41	3	Vertical	167	1.50
6905MHz	Pass	PK	7.045G	104.91	Inf	-Inf	3	Vertical	167	1.50
6905MHz	Pass	PK	7.255G	64.40	74.00	-9.60	3	Vertical	167	1.50
6905MHz	Pass	AV	7.012G	93.28	Inf	-Inf	3	Horizontal	313	2.33
6905MHz	Pass	AV	7.274G	52.94	54.00	-1.06	3	Horizontal	313	2.33
6905MHz	Pass	PK	7.041G	103.79	Inf	-Inf	3	Horizontal	313	2.33
6905MHz	Pass	PK	7.273G	64.10	74.00	-9.90	3	Horizontal	313	2.33
6905MHz	Pass	AV	13.80858G	41.56	68.20	-26.64	3	Vertical	205	1.49
6905MHz	Pass	PK	13.808G	53.19	88.20	-35.01	3	Vertical	205	1.49
6905MHz	Pass	AV	13.80959G	41.79	68.20	-26.41	3	Horizontal	132	1.50
6905MHz	Pass	PK	13.81024G	53.14	88.20	-35.06	3	Horizontal	132	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	7.001G	97.04	Inf	-Inf	3	Vertical	169	1.50
6905MHz	Pass	AV	7.252G	52.12	54.00	-1.88	3	Vertical	169	1.50
6905MHz	Pass	PK	6.976G	108.31	Inf	-Inf	3	Vertical	169	1.50
6905MHz	Pass	PK	7.251G	63.73	74.00	-10.27	3	Vertical	169	1.50
6905MHz	Pass	AV	7.012G	96.13	Inf	-Inf	3	Horizontal	308	2.07
6905MHz	Pass	AV	7.253G	52.18	54.00	-1.82	3	Horizontal	308	2.07
6905MHz	Pass	PK	6.982G	107.65	Inf	-Inf	3	Horizontal	308	2.07
6905MHz	Pass	PK	7.261G	63.57	74.00	-10.43	3	Horizontal	308	2.07
6905MHz	Pass	AV	13.80887G	41.05	68.20	-27.15	3	Vertical	96	1.50
6905MHz	Pass	PK	13.80806G	53.15	88.20	-35.05	3	Vertical	96	1.50
6905MHz	Pass	AV	13.80758G	40.92	68.20	-27.28	3	Horizontal	209	1.50
6905MHz	Pass	PK	13.80976G	53.33	88.20	-34.87	3	Horizontal	209	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.923G	54.85	68.20	-13.35	3.96	3	Vertical	162	1.50	50.89	34.45	6.70	37.19				
AV	6.138G	99.44	Inf	-Inf	3.71	3	Vertical	162	1.50	95.73	34.45	6.41	37.15				
PK	5.917G	67.88	88.20	-20.32	4.01	3	Vertical	162	1.50	63.87	34.47	6.73	37.19				
PK	6.143G	110.39	Inf	-Inf	3.74	3	Vertical	162	1.50	106.65	34.47	6.42	37.15				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.921G	53.62	68.20	-14.58	3.98	3	Horizontal	349	2.66	49.64	34.46	6.71	37.19			
AV	6.051G	97.79	Inf	-Inf	3.60	3	Horizontal	349	2.66	94.19	34.40	6.36	37.16			
PK	5.921G	69.14	88.20	-19.06	3.98	3	Horizontal	349	2.66	65.16	34.46	6.71	37.19			
PK	6.091G	108.68	Inf	-Inf	3.55	3	Horizontal	349	2.66	105.13	34.32	6.38	37.15			


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	17.86597G	39.00	54.00	-15.00	3	Horizontal	197	2.24
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	17.89546G	38.58	54.00	-15.42	3	Vertical	66	1.07
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.925G	56.38	68.20	-11.82	3	Vertical	21	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.04839G	38.57	54.00	-15.43	3	Horizontal	302	2.39
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.923G	53.61	68.20	-14.59	3	Vertical	346	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	19.42575G	29.53	54.00	-24.47	3	Horizontal	95	1.37
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	19.33594G	28.75	54.00	-25.25	3	Vertical	150	2.89
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	19.63548G	29.17	54.00	-24.83	3	Vertical	344	2.23
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.00903G	39.31	68.20	-28.89	3	Vertical	153	2.27
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	19.75488G	28.77	54.00	-25.23	3	Vertical	258	1.66
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.3846G	38.61	54.00	-15.39	3	Horizontal	31	1.13
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.36787G	39.23	54.00	-14.77	3	Vertical	15	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	13.2506G	53.32	74.00	-20.68	3	Vertical	58	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33137G	39.12	54.00	-14.88	3	Horizontal	242	1.50
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	66.79	68.20	-1.41	3	Vertical	19	1.62
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Vertical	264	2.30
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1252G	51.99	68.20	-16.21	3	Vertical	15	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	48.51	68.20	-19.69	3	Vertical	14	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.125G	57.03	68.20	-11.17	3	Vertical	9	1.05

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	45.90	68.20	-22.30	3	Vertical	0	1.86
5955MHz	Pass	AV	5.9466G	98.21	Inf	-Inf	3	Vertical	0	1.86
5955MHz	Pass	PK	5.9136G	58.67	88.20	-29.53	3	Vertical	0	1.86
5955MHz	Pass	PK	5.9472G	111.36	Inf	-Inf	3	Vertical	0	1.86
5955MHz	Pass	AV	5.9244G	45.68	68.20	-22.52	3	Horizontal	148	1.50
5955MHz	Pass	AV	5.9634G	98.47	Inf	-Inf	3	Horizontal	148	1.50
5955MHz	Pass	PK	5.9088G	57.79	88.20	-30.41	3	Horizontal	148	1.50
5955MHz	Pass	PK	5.9637G	110.78	Inf	-Inf	3	Horizontal	148	1.50
5955MHz	Pass	AV	11.9094G	36.80	54.00	-17.20	3	Vertical	334	2.10
5955MHz	Pass	AV	17.8651G	38.74	54.00	-15.26	3	Vertical	184	2.25
5955MHz	Pass	PK	11.91024G	49.09	74.00	-24.91	3	Vertical	334	2.10
5955MHz	Pass	PK	17.86422G	51.22	74.00	-22.78	3	Vertical	184	2.25
5955MHz	Pass	AV	11.9018G	36.88	54.00	-17.12	3	Horizontal	76	1.59
5955MHz	Pass	AV	17.86597G	39.00	54.00	-15.00	3	Horizontal	197	2.24
5955MHz	Pass	PK	11.90268G	49.52	74.00	-24.48	3	Horizontal	76	1.59
5955MHz	Pass	PK	17.86593G	50.46	74.00	-23.54	3	Horizontal	197	2.24
6195MHz	Pass	AV	12.38996G	37.16	54.00	-16.84	3	Vertical	152	1.27
6195MHz	Pass	AV	18.58486G	28.72	54.00	-25.28	3	Vertical	320	1.33
6195MHz	Pass	PK	12.38984G	50.62	74.00	-23.38	3	Vertical	152	1.27
6195MHz	Pass	PK	18.58591G	40.94	74.00	-33.06	3	Vertical	320	1.33
6195MHz	Pass	AV	12.38992G	37.41	54.00	-16.59	3	Horizontal	46	1.76
6195MHz	Pass	AV	18.58538G	28.69	54.00	-25.31	3	Horizontal	357	1.51
6195MHz	Pass	PK	12.38252G	48.97	74.00	-25.03	3	Horizontal	46	1.76
6195MHz	Pass	PK	18.58599G	40.63	74.00	-33.37	3	Horizontal	357	1.51
6415MHz	Pass	AV	12.82914G	38.48	68.20	-29.72	3	Vertical	339	1.30
6415MHz	Pass	AV	19.24539G	29.58	54.00	-24.42	3	Vertical	257	2.93
6415MHz	Pass	PK	12.83001G	51.55	88.20	-36.65	3	Vertical	339	1.30
6415MHz	Pass	PK	19.24446G	42.68	74.00	-31.32	3	Vertical	257	2.93
6415MHz	Pass	AV	12.83904G	38.61	68.20	-29.59	3	Horizontal	85	1.92
6415MHz	Pass	AV	19.24518G	29.62	54.00	-24.38	3	Horizontal	132	2.14
6415MHz	Pass	PK	12.82208G	51.32	88.20	-36.88	3	Horizontal	85	1.92
6415MHz	Pass	PK	19.24424G	42.83	74.00	-31.17	3	Horizontal	132	2.14
6435MHz	Pass	AV	12.87236G	39.27	68.20	-28.93	3	Vertical	272	1.07
6435MHz	Pass	PK	12.86818G	53.13	88.20	-35.07	3	Vertical	272	1.07
6435MHz	Pass	AV	12.8721G	39.19	68.20	-29.01	3	Horizontal	188	1.50
6435MHz	Pass	PK	12.87147G	53.30	88.20	-34.90	3	Horizontal	188	1.50
6475MHz	Pass	AV	12.95054G	38.80	68.20	-29.40	3	Vertical	146	1.59
6475MHz	Pass	AV	19.42592G	29.48	54.00	-24.52	3	Vertical	318	1.28
6475MHz	Pass	PK	12.95057G	51.58	88.20	-36.62	3	Vertical	146	1.59
6475MHz	Pass	PK	19.42521G	41.39	74.00	-32.61	3	Vertical	318	1.28
6475MHz	Pass	AV	12.95088G	39.03	68.20	-29.17	3	Horizontal	155	1.09
6475MHz	Pass	AV	19.42575G	29.53	54.00	-24.47	3	Horizontal	95	1.37
6475MHz	Pass	PK	12.95584G	51.35	88.20	-36.85	3	Horizontal	155	1.09
6475MHz	Pass	PK	19.42426G	41.98	74.00	-32.02	3	Horizontal	95	1.37
6515MHz	Pass	AV	13.03001G	39.15	68.20	-29.05	3	Vertical	335	1.33
6515MHz	Pass	PK	13.03056G	53.04	88.20	-35.16	3	Vertical	335	1.33
6515MHz	Pass	AV	13.0319G	39.14	68.20	-29.06	3	Horizontal	203	3.00
6515MHz	Pass	PK	13.02911G	53.30	88.20	-34.90	3	Horizontal	203	3.00
6535MHz	Pass	AV	13.06934G	37.49	68.20	-30.71	3	Vertical	65	1.31
6535MHz	Pass	AV	19.6045G	28.75	54.00	-25.25	3	Vertical	101	2.62
6535MHz	Pass	PK	13.06996G	49.99	88.20	-38.21	3	Vertical	65	1.31
6535MHz	Pass	PK	19.6049G	41.60	74.00	-32.40	3	Vertical	101	2.62
6535MHz	Pass	AV	13.06336G	37.66	68.20	-30.54	3	Horizontal	192	1.55
6535MHz	Pass	AV	19.60519G	28.75	54.00	-25.25	3	Horizontal	337	2.83
6535MHz	Pass	PK	13.0764G	50.13	88.20	-38.07	3	Horizontal	192	1.55
6535MHz	Pass	PK	19.60448G	40.95	74.00	-33.05	3	Horizontal	337	2.83
6695MHz	Pass	AV	13.3903G	38.53	54.00	-15.47	3	Vertical	286	1.61
6695MHz	Pass	AV	20.08585G	28.97	54.00	-25.03	3	Vertical	99	1.25
6695MHz	Pass	PK	13.38919G	50.74	74.00	-23.26	3	Vertical	286	1.61
6695MHz	Pass	PK	20.08458G	40.97	74.00	-33.03	3	Vertical	99	1.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	AV	13.3846G	38.61	54.00	-15.39	3	Horizontal	31	1.13
6695MHz	Pass	AV	20.08461G	29.10	54.00	-24.90	3	Horizontal	294	2.72
6695MHz	Pass	PK	13.3908G	50.79	74.00	-23.21	3	Horizontal	31	1.13
6695MHz	Pass	PK	20.08514G	40.62	74.00	-33.38	3	Horizontal	294	2.72
6875MHz	Pass	AV	13.74912G	38.65	68.20	-29.55	3	Vertical	153	1.10
6875MHz	Pass	AV	20.6251G	29.61	54.00	-24.39	3	Vertical	112	1.70
6875MHz	Pass	PK	13.74967G	51.14	88.20	-37.06	3	Vertical	153	1.10
6875MHz	Pass	PK	20.62528G	41.87	74.00	-32.13	3	Vertical	112	1.70
6875MHz	Pass	AV	13.74524G	39.05	68.20	-29.15	3	Horizontal	323	2.58
6875MHz	Pass	AV	20.62592G	29.50	54.00	-24.50	3	Horizontal	81	1.78
6875MHz	Pass	PK	13.75148G	51.30	88.20	-36.90	3	Horizontal	323	2.58
6875MHz	Pass	PK	20.62442G	42.01	74.00	-31.99	3	Horizontal	81	1.78
6895MHz	Pass	AV	13.79077G	38.65	68.20	-29.55	3	Vertical	258	2.77
6895MHz	Pass	AV	20.685G	29.56	54.00	-24.44	3	Vertical	206	1.72
6895MHz	Pass	PK	13.79041G	52.11	88.20	-36.09	3	Vertical	258	2.77
6895MHz	Pass	PK	20.68494G	42.06	74.00	-31.94	3	Vertical	206	1.72
6895MHz	Pass	AV	13.79524G	38.91	68.20	-29.29	3	Horizontal	94	2.01
6895MHz	Pass	AV	20.68555G	29.40	54.00	-24.60	3	Horizontal	56	1.61
6895MHz	Pass	PK	13.78584G	51.08	88.20	-37.12	3	Horizontal	94	2.01
6895MHz	Pass	PK	20.68502G	41.82	74.00	-32.18	3	Horizontal	56	1.61
6995MHz	Pass	AV	13.99171G	39.09	68.20	-29.11	3	Vertical	292	1.22
6995MHz	Pass	PK	13.99245G	53.20	88.20	-35.00	3	Vertical	292	1.22
6995MHz	Pass	AV	13.99184G	38.99	68.20	-29.21	3	Horizontal	168	1.94
6995MHz	Pass	PK	13.98818G	53.68	88.20	-34.52	3	Horizontal	168	1.94
7095MHz	Pass	AV	7.1037G	98.07	Inf	-Inf	3	Vertical	12	1.50
7095MHz	Pass	AV	7.1259G	45.45	68.20	-22.75	3	Vertical	12	1.50
7095MHz	Pass	PK	7.0998G	110.58	Inf	-Inf	3	Vertical	12	1.50
7095MHz	Pass	PK	7.2327G	58.38	88.20	-29.82	3	Vertical	12	1.50
7095MHz	Pass	AV	7.1043G	95.88	Inf	-Inf	3	Horizontal	278	1.50
7095MHz	Pass	AV	7.2429G	45.45	68.20	-22.75	3	Horizontal	278	1.50
7095MHz	Pass	PK	7.104G	107.99	Inf	-Inf	3	Horizontal	278	1.50
7095MHz	Pass	PK	7.137G	58.97	88.20	-29.23	3	Horizontal	278	1.50
7095MHz	Pass	AV	14.19028G	38.85	68.20	-29.35	3	Vertical	188	1.70
7095MHz	Pass	AV	21.28496G	29.42	54.00	-24.58	3	Vertical	6	2.21
7095MHz	Pass	PK	14.18908G	50.57	88.20	-37.63	3	Vertical	188	1.70
7095MHz	Pass	PK	21.28526G	41.64	74.00	-32.36	3	Vertical	6	2.21
7095MHz	Pass	AV	14.1834G	39.31	68.20	-28.89	3	Horizontal	52	1.36
7095MHz	Pass	AV	21.28512G	29.59	54.00	-24.41	3	Horizontal	107	2.41
7095MHz	Pass	PK	14.18068G	50.67	88.20	-37.53	3	Horizontal	52	1.36
7095MHz	Pass	PK	21.28491G	41.12	74.00	-32.88	3	Horizontal	107	2.41
7115MHz	Pass	AV	7.1065G	94.14	Inf	-Inf	3	Vertical	264	2.30
7115MHz	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Vertical	264	2.30
7115MHz	Pass	PK	7.1115G	100.79	Inf	-Inf	3	Vertical	264	2.30
7115MHz	Pass	PK	7.1255G	78.28	88.20	-9.92	3	Vertical	264	2.30
7115MHz	Pass	AV	7.1085G	95.55	Inf	-Inf	3	Horizontal	331	1.50
7115MHz	Pass	AV	7.1255G	64.01	68.20	-4.19	3	Horizontal	331	1.50
7115MHz	Pass	PK	7.1065G	102.03	Inf	-Inf	3	Horizontal	331	1.50
7115MHz	Pass	PK	7.1255G	74.15	88.20	-14.05	3	Horizontal	331	1.50
7115MHz	Pass	AV	14.22933G	39.06	68.20	-29.14	3	Vertical	190	1.79
7115MHz	Pass	AV	21.34552G	29.76	54.00	-24.24	3	Vertical	265	1.46
7115MHz	Pass	PK	14.22908G	52.11	88.20	-36.09	3	Vertical	190	1.79
7115MHz	Pass	PK	21.3448G	41.40	74.00	-32.60	3	Vertical	265	1.46
7115MHz	Pass	AV	14.22332G	39.53	68.20	-28.67	3	Horizontal	210	2.12
7115MHz	Pass	AV	21.34482G	29.48	54.00	-24.52	3	Horizontal	41	1.72
7115MHz	Pass	PK	14.23964G	52.08	88.20	-36.12	3	Horizontal	210	2.12
7115MHz	Pass	PK	21.34579G	42.62	74.00	-31.38	3	Horizontal	41	1.72
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	47.93	68.20	-20.27	3	Vertical	6	1.50
5965MHz	Pass	AV	5.9824G	96.07	Inf	-Inf	3	Vertical	6	1.50
5965MHz	Pass	PK	5.9236G	62.60	88.20	-25.60	3	Vertical	6	1.50
5965MHz	Pass	PK	5.98G	109.37	Inf	-Inf	3	Vertical	6	1.50
5965MHz	Pass	AV	5.9239G	43.62	68.20	-24.58	3	Horizontal	337	2.06

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	AV	5.9713G	96.61	Inf	-Inf	3	Horizontal	337	2.06
5965MHz	Pass	PK	5.9218G	58.63	88.20	-29.57	3	Horizontal	337	2.06
5965MHz	Pass	PK	5.9752G	109.97	Inf	-Inf	3	Horizontal	337	2.06
5965MHz	Pass	AV	11.93084G	36.42	54.00	-17.58	3	Vertical	236	2.54
5965MHz	Pass	AV	17.89546G	38.58	54.00	-15.42	3	Vertical	66	1.07
5965MHz	Pass	PK	11.93042G	49.94	74.00	-24.06	3	Vertical	236	2.54
5965MHz	Pass	PK	17.89506G	51.49	74.00	-22.51	3	Vertical	66	1.07
5965MHz	Pass	AV	11.94G	36.49	54.00	-17.51	3	Horizontal	15	1.30
5965MHz	Pass	AV	17.89484G	38.50	54.00	-15.50	3	Horizontal	319	1.64
5965MHz	Pass	PK	11.93316G	48.89	74.00	-25.11	3	Horizontal	15	1.30
5965MHz	Pass	PK	17.89549G	51.68	74.00	-22.32	3	Horizontal	319	1.64
6205MHz	Pass	AV	12.41041G	36.18	54.00	-17.82	3	Vertical	337	1.81
6205MHz	Pass	AV	18.61574G	27.97	54.00	-26.03	3	Vertical	258	1.83
6205MHz	Pass	PK	12.40995G	50.21	74.00	-23.79	3	Vertical	337	1.81
6205MHz	Pass	PK	18.61445G	40.84	74.00	-33.16	3	Vertical	258	1.83
6205MHz	Pass	AV	12.40108G	36.38	54.00	-17.62	3	Horizontal	88	2.98
6205MHz	Pass	AV	18.61564G	28.00	54.00	-26.00	3	Horizontal	70	1.02
6205MHz	Pass	PK	12.41864G	49.43	74.00	-24.57	3	Horizontal	88	2.98
6205MHz	Pass	PK	18.61438G	40.70	74.00	-33.30	3	Horizontal	70	1.02
6405MHz	Pass	AV	12.80925G	37.50	68.20	-30.70	3	Vertical	140	2.06
6405MHz	Pass	AV	19.21536G	28.62	54.00	-25.38	3	Vertical	30	1.07
6405MHz	Pass	PK	12.80916G	49.97	88.20	-38.23	3	Vertical	140	2.06
6405MHz	Pass	PK	19.21404G	41.95	74.00	-32.05	3	Vertical	30	1.07
6405MHz	Pass	AV	12.8098G	37.57	68.20	-30.63	3	Horizontal	300	1.41
6405MHz	Pass	AV	19.21584G	28.62	54.00	-25.38	3	Horizontal	51	2.82
6405MHz	Pass	PK	12.81972G	50.34	88.20	-37.86	3	Horizontal	300	1.41
6405MHz	Pass	PK	19.21465G	41.63	74.00	-32.37	3	Horizontal	51	2.82
6445MHz	Pass	AV	12.89005G	37.70	68.20	-30.50	3	Vertical	226	1.55
6445MHz	Pass	AV	19.33594G	28.75	54.00	-25.25	3	Vertical	150	2.89
6445MHz	Pass	PK	12.89009G	50.57	88.20	-37.63	3	Vertical	226	1.55
6445MHz	Pass	PK	19.33575G	41.96	74.00	-32.04	3	Vertical	150	2.89
6445MHz	Pass	AV	12.8996G	37.87	68.20	-30.33	3	Horizontal	175	2.34
6445MHz	Pass	AV	19.33512G	28.73	54.00	-25.27	3	Horizontal	5	1.03
6445MHz	Pass	PK	12.89644G	50.38	88.20	-37.82	3	Horizontal	175	2.34
6445MHz	Pass	PK	19.33518G	41.73	74.00	-32.27	3	Horizontal	5	1.03
6485MHz	Pass	AV	12.96759G	39.89	68.20	-28.31	3	Vertical	252	3.00
6485MHz	Pass	PK	12.97218G	53.00	88.20	-35.20	3	Vertical	252	3.00
6485MHz	Pass	AV	12.97028G	39.85	68.20	-28.35	3	Horizontal	360	2.83
6485MHz	Pass	PK	12.9708G	53.85	88.20	-34.35	3	Horizontal	360	2.83
6525MHz	Pass	AV	13.04949G	37.51	68.20	-30.69	3	Vertical	0	1.96
6525MHz	Pass	AV	19.57504G	28.51	54.00	-25.49	3	Vertical	6	2.85
6525MHz	Pass	PK	13.04924G	50.47	88.20	-37.73	3	Vertical	0	1.96
6525MHz	Pass	PK	19.5753G	40.84	74.00	-33.16	3	Vertical	6	2.85
6525MHz	Pass	AV	13.04784G	37.56	68.20	-30.64	3	Horizontal	233	2.17
6525MHz	Pass	AV	19.57406G	28.52	54.00	-25.48	3	Horizontal	105	2.12
6525MHz	Pass	PK	13.04704G	50.53	88.20	-37.67	3	Horizontal	233	2.17
6525MHz	Pass	PK	19.57493G	41.32	74.00	-32.68	3	Horizontal	105	2.12
6565MHz	Pass	AV	13.12948G	37.38	68.20	-30.82	3	Vertical	38	2.31
6565MHz	Pass	AV	19.69419G	28.49	54.00	-25.51	3	Vertical	277	1.15
6565MHz	Pass	PK	13.13038G	50.32	88.20	-37.88	3	Vertical	38	2.31
6565MHz	Pass	PK	19.6948G	40.82	74.00	-33.18	3	Vertical	277	1.15
6565MHz	Pass	AV	13.12992G	37.41	68.20	-30.79	3	Horizontal	198	1.03
6565MHz	Pass	AV	19.69451G	28.49	54.00	-25.51	3	Horizontal	70	1.11
6565MHz	Pass	PK	13.13508G	50.39	88.20	-37.81	3	Horizontal	198	1.03
6565MHz	Pass	PK	19.69582G	40.96	74.00	-33.04	3	Horizontal	70	1.11
6685MHz	Pass	AV	13.36787G	39.23	54.00	-14.77	3	Vertical	15	1.50
6685MHz	Pass	PK	13.3691G	52.80	74.00	-21.20	3	Vertical	15	1.50
6685MHz	Pass	AV	13.36833G	39.13	54.00	-14.87	3	Horizontal	18	1.50
6685MHz	Pass	PK	13.37026G	52.71	74.00	-21.29	3	Horizontal	18	1.50
6885MHz	Pass	AV	13.76881G	39.50	68.20	-28.70	3	Vertical	295	1.50
6885MHz	Pass	PK	13.77015G	53.24	88.20	-34.96	3	Vertical	295	1.50
6885MHz	Pass	AV	13.76903G	39.64	68.20	-28.56	3	Horizontal	73	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6885MHz	Pass	PK	13.76819G	53.45	88.20	-34.75	3	Horizontal	73	1.50
6925MHz	Pass	AV	13.84953G	38.35	68.20	-29.85	3	Vertical	353	2.14
6925MHz	Pass	AV	20.77514G	29.30	54.00	-24.70	3	Vertical	178	1.10
6925MHz	Pass	PK	13.85082G	51.62	88.20	-36.58	3	Vertical	353	2.14
6925MHz	Pass	PK	20.77495G	42.64	74.00	-31.36	3	Vertical	178	1.10
6925MHz	Pass	AV	13.85732G	38.52	68.20	-29.68	3	Horizontal	341	1.23
6925MHz	Pass	AV	20.77547G	29.35	54.00	-24.65	3	Horizontal	276	2.48
6925MHz	Pass	PK	13.84948G	50.77	88.20	-37.43	3	Horizontal	341	1.23
6925MHz	Pass	PK	20.77591G	42.14	74.00	-31.86	3	Horizontal	276	2.48
7005MHz	Pass	AV	14.01099G	38.06	68.20	-30.14	3	Vertical	126	1.43
7005MHz	Pass	AV	21.01584G	29.29	54.00	-24.71	3	Vertical	22	1.37
7005MHz	Pass	PK	14.00993G	50.28	88.20	-37.92	3	Vertical	126	1.43
7005MHz	Pass	PK	21.01589G	41.61	74.00	-32.39	3	Vertical	22	1.37
7005MHz	Pass	AV	14.01672G	38.51	68.20	-29.69	3	Horizontal	203	2.76
7005MHz	Pass	AV	21.01534G	29.36	54.00	-24.64	3	Horizontal	272	1.24
7005MHz	Pass	PK	14.01508G	49.90	88.20	-38.30	3	Horizontal	203	2.76
7005MHz	Pass	PK	21.0142G	42.40	74.00	-31.60	3	Horizontal	272	1.24
7085MHz	Pass	AV	7.0985G	97.77	Inf	-Inf	3	Vertical	15	1.50
7085MHz	Pass	AV	7.1252G	51.99	68.20	-16.21	3	Vertical	15	1.50
7085MHz	Pass	PK	7.0931G	111.17	Inf	-Inf	3	Vertical	15	1.50
7085MHz	Pass	PK	7.1273G	66.35	88.20	-21.85	3	Vertical	15	1.50
7085MHz	Pass	AV	7.0898G	96.94	Inf	-Inf	3	Horizontal	325	1.50
7085MHz	Pass	AV	7.2314G	48.80	68.20	-19.40	3	Horizontal	325	1.50
7085MHz	Pass	PK	7.0859G	110.40	Inf	-Inf	3	Horizontal	325	1.50
7085MHz	Pass	PK	7.199G	62.27	88.20	-25.93	3	Horizontal	325	1.50
7085MHz	Pass	AV	14.17048G	38.68	68.20	-29.52	3	Vertical	357	1.76
7085MHz	Pass	AV	21.25596G	29.29	54.00	-24.71	3	Vertical	1	1.70
7085MHz	Pass	PK	14.17026G	52.37	88.20	-35.83	3	Vertical	357	1.76
7085MHz	Pass	PK	21.25565G	42.90	74.00	-31.10	3	Vertical	1	1.70
7085MHz	Pass	AV	14.17904G	38.89	68.20	-29.31	3	Horizontal	181	2.07
7085MHz	Pass	AV	21.2551G	29.26	54.00	-24.74	3	Horizontal	27	1.78
7085MHz	Pass	PK	14.17032G	52.59	88.20	-35.61	3	Horizontal	181	2.07
7085MHz	Pass	PK	21.25438G	43.39	74.00	-30.61	3	Horizontal	27	1.78
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	56.38	68.20	-11.82	3	Vertical	21	1.50
5985MHz	Pass	AV	5.9945G	96.30	Inf	-Inf	3	Vertical	21	1.50
5985MHz	Pass	PK	5.921G	73.84	88.20	-14.36	3	Vertical	21	1.50
5985MHz	Pass	PK	5.998G	109.43	Inf	-Inf	3	Vertical	21	1.50
5985MHz	Pass	AV	5.92G	47.10	68.20	-21.10	3	Horizontal	156	1.16
5985MHz	Pass	AV	6.017G	99.92	Inf	-Inf	3	Horizontal	156	1.16
5985MHz	Pass	PK	5.914G	64.82	88.20	-23.38	3	Horizontal	156	1.16
5985MHz	Pass	PK	6.014G	111.74	Inf	-Inf	3	Horizontal	156	1.16
5985MHz	Pass	AV	11.97017G	36.40	54.00	-17.60	3	Vertical	205	1.88
5985MHz	Pass	AV	17.95486G	38.11	54.00	-15.89	3	Vertical	300	1.70
5985MHz	Pass	PK	11.97014G	49.08	74.00	-24.92	3	Vertical	205	1.88
5985MHz	Pass	PK	17.95509G	50.60	74.00	-23.40	3	Vertical	300	1.70
5985MHz	Pass	AV	11.9792G	36.85	54.00	-17.15	3	Horizontal	82	2.20
5985MHz	Pass	AV	17.95543G	38.07	54.00	-15.93	3	Horizontal	305	2.43
5985MHz	Pass	PK	11.97244G	48.88	74.00	-25.12	3	Horizontal	82	2.20
5985MHz	Pass	PK	17.95581G	50.31	74.00	-23.69	3	Horizontal	305	2.43
6225MHz	Pass	AV	12.44986G	36.68	54.00	-17.32	3	Vertical	229	1.97
6225MHz	Pass	AV	18.67473G	28.63	54.00	-25.37	3	Vertical	66	1.67
6225MHz	Pass	PK	12.44965G	48.58	74.00	-25.42	3	Vertical	229	1.97
6225MHz	Pass	PK	18.67563G	40.81	74.00	-33.19	3	Vertical	66	1.67
6225MHz	Pass	AV	12.45208G	36.65	54.00	-17.35	3	Horizontal	277	1.74
6225MHz	Pass	AV	18.67523G	28.75	54.00	-25.25	3	Horizontal	99	1.04
6225MHz	Pass	PK	12.44632G	49.14	74.00	-24.86	3	Horizontal	277	1.74
6225MHz	Pass	PK	18.67484G	41.14	74.00	-32.86	3	Horizontal	99	1.04
6385MHz	Pass	AV	12.77001G	37.49	68.20	-30.71	3	Vertical	203	2.52
6385MHz	Pass	AV	19.15497G	28.61	54.00	-25.39	3	Vertical	181	2.36
6385MHz	Pass	PK	12.77089G	50.80	88.20	-37.40	3	Vertical	203	2.52
6385MHz	Pass	PK	19.1549G	41.12	74.00	-32.88	3	Vertical	181	2.36

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6385MHz	Pass	AV	12.77712G	37.70	68.20	-30.50	3	Horizontal	166	1.91
6385MHz	Pass	AV	19.15522G	28.49	54.00	-25.51	3	Horizontal	260	2.45
6385MHz	Pass	PK	12.7762G	49.86	88.20	-38.34	3	Horizontal	166	1.91
6385MHz	Pass	PK	19.15579G	41.36	74.00	-32.64	3	Horizontal	260	2.45
6465MHz	Pass	AV	12.92858G	39.59	68.20	-28.61	3	Vertical	120	2.29
6465MHz	Pass	PK	12.93101G	53.67	88.20	-34.53	3	Vertical	120	2.29
6465MHz	Pass	AV	12.93081G	39.57	68.20	-28.63	3	Horizontal	289	1.50
6465MHz	Pass	PK	12.92908G	53.65	88.20	-34.55	3	Horizontal	289	1.50
6545MHz	Pass	AV	13.09016G	37.71	68.20	-30.49	3	Vertical	332	1.83
6545MHz	Pass	AV	19.63548G	29.17	54.00	-24.83	3	Vertical	344	2.23
6545MHz	Pass	PK	13.08926G	50.84	88.20	-37.36	3	Vertical	332	1.83
6545MHz	Pass	PK	19.63421G	41.12	74.00	-32.88	3	Vertical	344	2.23
6545MHz	Pass	AV	13.09852G	37.95	68.20	-30.25	3	Horizontal	323	1.98
6545MHz	Pass	AV	19.63572G	29.08	54.00	-24.92	3	Horizontal	74	1.59
6545MHz	Pass	PK	13.09692G	50.64	88.20	-37.56	3	Horizontal	323	1.98
6545MHz	Pass	PK	19.63594G	41.83	74.00	-32.17	3	Horizontal	74	1.59
6625MHz	Pass	AV	13.24837G	38.99	68.20	-29.21	3	Vertical	58	1.50
6625MHz	Pass	PK	13.2506G	53.32	74.00	-20.68	3	Vertical	58	1.50
6625MHz	Pass	AV	13.24963G	39.07	68.20	-29.13	3	Horizontal	309	1.61
6625MHz	Pass	PK	13.24821G	52.70	88.20	-35.50	3	Horizontal	309	1.61
6705MHz	Pass	AV	13.40832G	38.89	68.20	-29.31	3	Vertical	341	1.47
6705MHz	Pass	PK	13.41192G	52.81	88.20	-35.39	3	Vertical	341	1.47
6705MHz	Pass	AV	13.4091G	38.85	68.20	-29.35	3	Horizontal	87	1.50
6705MHz	Pass	PK	13.40862G	52.81	88.20	-35.39	3	Horizontal	87	1.50
6785MHz	Pass	AV	13.56969G	39.23	68.20	-28.97	3	Vertical	336	1.50
6785MHz	Pass	PK	13.5691G	53.25	88.20	-34.95	3	Vertical	336	1.50
6785MHz	Pass	AV	13.56987G	39.28	68.20	-28.92	3	Horizontal	360	1.06
6785MHz	Pass	PK	13.57094G	53.31	88.20	-34.89	3	Horizontal	360	1.06
6865MHz	Pass	AV	13.72891G	39.24	68.20	-28.96	3	Vertical	100	1.50
6865MHz	Pass	PK	13.72811G	52.85	88.20	-35.35	3	Vertical	100	1.50
6865MHz	Pass	AV	13.72802G	39.21	68.20	-28.99	3	Horizontal	311	1.50
6865MHz	Pass	PK	13.73037G	53.35	88.20	-34.85	3	Horizontal	311	1.50
6945MHz	Pass	AV	13.89033G	38.44	68.20	-29.76	3	Vertical	182	1.15
6945MHz	Pass	AV	20.83456G	28.89	54.00	-25.11	3	Vertical	147	1.14
6945MHz	Pass	PK	13.8897G	50.96	88.20	-37.24	3	Vertical	182	1.15
6945MHz	Pass	PK	20.8356G	41.27	74.00	-32.73	3	Vertical	147	1.14
6945MHz	Pass	AV	13.88952G	38.44	68.20	-29.76	3	Horizontal	257	2.36
6945MHz	Pass	AV	20.83594G	28.95	54.00	-25.05	3	Horizontal	16	1.35
6945MHz	Pass	PK	13.88352G	50.47	88.20	-37.73	3	Horizontal	257	2.36
6945MHz	Pass	PK	20.8351G	41.96	74.00	-32.04	3	Horizontal	16	1.35
7025MHz	Pass	AV	7.0109G	97.25	Inf	-Inf	3	Vertical	14	1.50
7025MHz	Pass	AV	7.1255G	48.51	68.20	-19.69	3	Vertical	14	1.50
7025MHz	Pass	PK	6.9917G	110.84	Inf	-Inf	3	Vertical	14	1.50
7025MHz	Pass	PK	7.1681G	61.80	88.20	-26.40	3	Vertical	14	1.50
7025MHz	Pass	AV	7.013G	96.13	Inf	-Inf	3	Horizontal	317	1.50
7025MHz	Pass	AV	7.1708G	48.27	68.20	-19.93	3	Horizontal	317	1.50
7025MHz	Pass	PK	7.0139G	110.19	Inf	-Inf	3	Horizontal	317	1.50
7025MHz	Pass	PK	7.1438G	61.83	88.20	-26.37	3	Horizontal	317	1.50
7025MHz	Pass	AV	14.04916G	38.40	68.20	-29.80	3	Vertical	224	2.66
7025MHz	Pass	AV	21.07548G	29.41	54.00	-24.59	3	Vertical	16	2.00
7025MHz	Pass	PK	14.04969G	51.19	88.20	-37.01	3	Vertical	224	2.66
7025MHz	Pass	PK	21.075G	41.98	74.00	-32.02	3	Vertical	16	2.00
7025MHz	Pass	AV	14.04764G	38.40	68.20	-29.80	3	Horizontal	30	2.67
7025MHz	Pass	AV	21.07532G	29.41	54.00	-24.59	3	Horizontal	52	1.94
7025MHz	Pass	PK	14.04032G	50.45	88.20	-37.75	3	Horizontal	30	2.67
7025MHz	Pass	PK	21.07506G	41.67	74.00	-32.33	3	Horizontal	52	1.94
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	49.86	68.20	-18.34	3	Vertical	175	1.50
6025MHz	Pass	AV	6.057G	98.44	Inf	-Inf	3	Vertical	175	1.50
6025MHz	Pass	PK	5.915G	68.57	88.20	-19.63	3	Vertical	175	1.50
6025MHz	Pass	PK	6.057G	111.02	Inf	-Inf	3	Vertical	175	1.50
6025MHz	Pass	AV	5.921G	48.09	68.20	-20.11	3	Horizontal	322	1.50



RSE TX above 1GHz_Beamforming


Appendix D.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	6.0205G	95.40	Inf	-Inf	3	Horizontal	322	1.50
6025MHz	Pass	PK	5.921G	64.34	88.20	-23.86	3	Horizontal	322	1.50
6025MHz	Pass	PK	6.027G	109.39	Inf	-Inf	3	Horizontal	322	1.50
6025MHz	Pass	AV	12.05248G	38.43	54.00	-15.57	3	Vertical	147	1.50
6025MHz	Pass	PK	12.05231G	52.11	74.00	-21.89	3	Vertical	147	1.50
6025MHz	Pass	AV	12.04839G	38.57	54.00	-15.43	3	Horizontal	302	2.39
6025MHz	Pass	PK	12.05233G	52.44	74.00	-21.56	3	Horizontal	302	2.39
6185MHz	Pass	AV	12.368G	37.79	54.00	-16.21	3	Vertical	294	1.50
6185MHz	Pass	PK	12.36974G	51.59	74.00	-22.41	3	Vertical	294	1.50
6185MHz	Pass	AV	12.36252G	37.83	54.00	-16.17	3	Horizontal	31	1.55
6185MHz	Pass	PK	12.36088G	50.96	74.00	-23.04	3	Horizontal	31	1.55
6345MHz	Pass	AV	12.6903G	38.43	54.00	-15.57	3	Vertical	244	1.50
6345MHz	Pass	PK	12.68792G	52.52	74.00	-21.48	3	Vertical	244	1.50
6345MHz	Pass	AV	12.6888G	38.39	54.00	-15.61	3	Horizontal	313	2.75
6345MHz	Pass	PK	12.69187G	52.42	74.00	-21.58	3	Horizontal	313	2.75
6505MHz	Pass	AV	13.00903G	39.31	68.20	-28.89	3	Vertical	153	2.27
6505MHz	Pass	PK	13.01249G	53.16	88.20	-35.04	3	Vertical	153	2.27
6505MHz	Pass	AV	13.01072G	39.17	68.20	-29.03	3	Horizontal	167	1.50
6505MHz	Pass	PK	13.01115G	52.62	88.20	-35.58	3	Horizontal	167	1.50
6665MHz	Pass	AV	13.32811G	39.09	54.00	-14.91	3	Vertical	334	1.10
6665MHz	Pass	PK	13.32919G	53.25	74.00	-20.75	3	Vertical	334	1.10
6665MHz	Pass	AV	13.33137G	39.12	54.00	-14.88	3	Horizontal	242	1.50
6665MHz	Pass	PK	13.33206G	53.71	74.00	-20.29	3	Horizontal	242	1.50
6825MHz	Pass	AV	13.64982G	38.46	68.20	-29.74	3	Vertical	98	2.25
6825MHz	Pass	AV	20.47519G	29.28	54.00	-24.72	3	Vertical	168	2.01
6825MHz	Pass	PK	13.65024G	50.27	88.20	-37.93	3	Vertical	98	2.25
6825MHz	Pass	PK	20.47486G	42.32	74.00	-31.68	3	Vertical	168	2.01
6825MHz	Pass	AV	13.65488G	38.66	68.20	-29.54	3	Horizontal	66	1.00
6825MHz	Pass	AV	20.47542G	29.44	54.00	-24.56	3	Horizontal	322	2.41
6825MHz	Pass	PK	13.65068G	50.25	88.20	-37.95	3	Horizontal	66	1.00
6825MHz	Pass	PK	20.47442G	42.03	74.00	-31.97	3	Horizontal	322	2.41
6985MHz	Pass	AV	7.061G	97.61	Inf	-Inf	3	Vertical	9	1.05
6985MHz	Pass	AV	7.125G	57.03	68.20	-11.17	3	Vertical	9	1.05
6985MHz	Pass	PK	7.061G	110.85	Inf	-Inf	3	Vertical	9	1.05
6985MHz	Pass	PK	7.125G	71.11	88.20	-17.09	3	Vertical	9	1.05
6985MHz	Pass	AV	6.964G	97.25	Inf	-Inf	3	Horizontal	312	1.50
6985MHz	Pass	AV	7.2285G	49.40	68.20	-18.80	3	Horizontal	312	1.50
6985MHz	Pass	PK	6.922G	111.04	Inf	-Inf	3	Horizontal	312	1.50
6985MHz	Pass	PK	7.1665G	62.05	88.20	-26.15	3	Horizontal	312	1.50
6985MHz	Pass	AV	13.96993G	38.07	68.20	-30.13	3	Vertical	320	1.93
6985MHz	Pass	AV	20.95498G	29.17	54.00	-24.83	3	Vertical	118	2.32
6985MHz	Pass	PK	13.96949G	52.29	88.20	-35.91	3	Vertical	320	1.93
6985MHz	Pass	PK	20.95563G	41.88	74.00	-32.12	3	Vertical	118	2.32
6985MHz	Pass	AV	13.96508G	38.33	68.20	-29.87	3	Horizontal	296	1.95
6985MHz	Pass	AV	20.95591G	29.24	54.00	-24.76	3	Horizontal	48	1.84
6985MHz	Pass	PK	13.96668G	51.29	88.20	-36.91	3	Horizontal	296	1.95
6985MHz	Pass	PK	20.95546G	42.43	74.00	-31.57	3	Horizontal	48	1.84
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	53.61	68.20	-14.59	3	Vertical	346	1.50
6105MHz	Pass	AV	6.213G	98.14	Inf	-Inf	3	Vertical	346	1.50
6105MHz	Pass	PK	5.925G	69.51	88.20	-18.69	3	Vertical	346	1.50
6105MHz	Pass	PK	5.953G	115.98	Inf	-Inf	3	Vertical	346	1.50
6105MHz	Pass	AV	5.925G	49.96	68.20	-18.24	3	Horizontal	137	1.63
6105MHz	Pass	AV	6.061G	96.52	Inf	-Inf	3	Horizontal	137	1.63
6105MHz	Pass	PK	5.923G	67.25	88.20	-20.95	3	Horizontal	137	1.63
6105MHz	Pass	PK	6.069G	110.47	Inf	-Inf	3	Horizontal	137	1.63
6105MHz	Pass	AV	12.2112G	38.59	54.00	-15.41	3	Vertical	192	1.50
6105MHz	Pass	PK	12.20778G	52.39	74.00	-21.61	3	Vertical	192	1.50
6105MHz	Pass	AV	12.20959G	38.71	54.00	-15.29	3	Horizontal	61	1.50
6105MHz	Pass	PK	12.20919G	52.29	74.00	-21.71	3	Horizontal	61	1.50
6265MHz	Pass	AV	12.53145G	37.96	54.00	-16.04	3	Vertical	192	2.14
6265MHz	Pass	PK	12.52928G	51.45	74.00	-22.55	3	Vertical	192	2.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6265MHz	Pass	AV	12.53169G	37.90	54.00	-16.10	3	Horizontal	211	1.24
6265MHz	Pass	PK	12.53164G	51.74	74.00	-22.26	3	Horizontal	211	1.24
6425MHz	Pass	AV	12.85008G	38.96	68.20	-29.24	3	Vertical	163	1.50
6425MHz	Pass	PK	12.84838G	52.80	88.20	-35.40	3	Vertical	163	1.50
6425MHz	Pass	AV	12.85232G	38.96	68.20	-29.24	3	Horizontal	114	1.91
6425MHz	Pass	PK	12.8488G	53.70	88.20	-34.50	3	Horizontal	114	1.91
6585MHz	Pass	AV	13.16928G	37.33	68.20	-30.87	3	Vertical	217	1.57
6585MHz	Pass	AV	19.75488G	28.77	54.00	-25.23	3	Vertical	258	1.66
6585MHz	Pass	PK	13.16978G	50.66	88.20	-37.54	3	Vertical	217	1.57
6585MHz	Pass	PK	19.75513G	42.15	74.00	-31.85	3	Vertical	258	1.66
6585MHz	Pass	AV	13.1622G	37.64	68.20	-30.56	3	Horizontal	52	1.31
6585MHz	Pass	AV	19.75432G	28.76	54.00	-25.24	3	Horizontal	116	1.90
6585MHz	Pass	PK	13.16012G	49.50	88.20	-38.70	3	Horizontal	52	1.31
6585MHz	Pass	PK	19.7543G	41.23	74.00	-32.77	3	Horizontal	116	1.90
6745MHz	Pass	AV	13.48922G	37.93	68.20	-30.27	3	Vertical	234	1.40
6745MHz	Pass	AV	20.23513G	28.26	54.00	-25.74	3	Vertical	223	1.42
6745MHz	Pass	PK	13.49092G	51.70	88.20	-36.50	3	Vertical	234	1.40
6745MHz	Pass	PK	20.23596G	40.14	74.00	-33.86	3	Vertical	223	1.42
6745MHz	Pass	AV	13.49956G	38.07	68.20	-30.13	3	Horizontal	234	2.77
6745MHz	Pass	AV	20.23484G	28.30	54.00	-25.70	3	Horizontal	76	2.93
6745MHz	Pass	PK	13.48948G	50.22	88.20	-37.98	3	Horizontal	234	2.77
6745MHz	Pass	PK	20.23582G	41.24	74.00	-32.76	3	Horizontal	76	2.93
6905MHz	Pass	AV	6.9405G	100.96	Inf	-Inf	3	Vertical	19	1.62
6905MHz	Pass	AV	7.1255G	66.79	68.20	-1.41	3	Vertical	19	1.62
6905MHz	Pass	PK	6.9465G	108.75	Inf	-Inf	3	Vertical	19	1.62
6905MHz	Pass	PK	7.1265G	75.75	88.20	-12.45	3	Vertical	19	1.62
6905MHz	Pass	AV	6.8605G	98.93	Inf	-Inf	3	Horizontal	130	1.50
6905MHz	Pass	AV	7.1275G	53.98	68.20	-14.22	3	Horizontal	130	1.50
6905MHz	Pass	PK	6.8725G	106.44	Inf	-Inf	3	Horizontal	130	1.50
6905MHz	Pass	PK	7.2385G	64.53	88.20	-23.67	3	Horizontal	130	1.50
6905MHz	Pass	AV	13.80921G	38.40	68.20	-29.80	3	Vertical	126	1.19
6905MHz	Pass	AV	20.71571G	29.14	54.00	-24.86	3	Vertical	164	1.75
6905MHz	Pass	PK	13.81044G	51.86	88.20	-36.34	3	Vertical	126	1.19
6905MHz	Pass	PK	20.71478G	42.46	74.00	-31.54	3	Vertical	164	1.75
6905MHz	Pass	AV	13.80964G	38.46	68.20	-29.74	3	Horizontal	192	2.94
6905MHz	Pass	AV	20.71441G	29.19	54.00	-24.81	3	Horizontal	74	2.72
6905MHz	Pass	PK	13.80868G	51.91	88.20	-36.29	3	Horizontal	192	2.94
6905MHz	Pass	PK	20.7151G	43.14	74.00	-30.86	3	Horizontal	74	2.72


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	47.93	68.20	-20.27	-4.57	3	Vertical	6	1.50	52.50	34.60	5.11	44.28
AV	5.9824G	96.07	Inf	-Inf	-4.62	3	Vertical	6	1.50	100.69	34.60	5.08	44.30
PK	5.9236G	62.60	88.20	-25.60	-4.57	3	Vertical	6	1.50	67.17	34.60	5.11	44.28
PK	5.98G	109.37	Inf	-Inf	-4.62	3	Vertical	6	1.50	113.99	34.60	5.08	44.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	43.62	68.20	-24.58	-4.57	3	Horizontal	337	2.06	48.19	34.60	5.11	44.28
AV	5.9713G	96.61	Inf	-Inf	-4.60	3	Horizontal	337	2.06	101.21	34.60	5.09	44.29
PK	5.9218G	58.63	88.20	-29.57	-4.57	3	Horizontal	337	2.06	63.20	34.60	5.11	44.28
PK	5.9752G	109.97	Inf	-Inf	-4.61	3	Horizontal	337	2.06	114.58	34.60	5.08	44.29

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX

