



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.57	54.00	-7.43	2.46	3	Vertical	5	2.11	44.11	33.10	6.70	37.34
AV	5.457G	52.40	54.00	-1.60	2.44	3	Vertical	5	2.11	49.96	33.04	6.76	37.36
AV	5.542G	102.72	Inf	-Inf	2.71	3	Vertical	5	2.11	100.01	33.22	6.84	37.35
PK	5.342G	58.27	68.20	-9.93	2.46	3	Vertical	5	2.11	55.81	33.10	6.70	37.34
PK	5.457G	64.38	74.00	-9.62	2.44	3	Vertical	5	2.11	61.94	33.04	6.76	37.36
PK	5.467G	64.59	68.20	-3.61	2.51	3	Vertical	5	2.11	62.08	33.10	6.77	37.36
PK	5.517G	115.15	Inf	-Inf	2.73	3	Vertical	5	2.11	112.42	33.27	6.82	37.36
PK	5.757G	60.58	68.20	-7.62	3.98	3	Vertical	5	2.11	56.60	34.03	7.21	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.33	54.00	-7.67	2.46	3	Horizontal	260	2.45	43.87	33.10	6.70	37.34
AV	5.453G	53.89	54.00	-0.11	2.41	3	Horizontal	260	2.45	51.48	33.02	6.75	37.36
AV	5.543G	102.68	Inf	-Inf	2.70	3	Horizontal	260	2.45	99.98	33.21	6.84	37.35
PK	5.337G	58.44	68.20	-9.76	2.47	3	Horizontal	260	2.45	55.97	33.10	6.70	37.33
PK	5.434G	66.21	74.00	-7.79	2.37	3	Horizontal	260	2.45	63.84	33.00	6.73	37.36
PK	5.47G	65.15	68.20	-3.05	2.53	3	Horizontal	260	2.45	62.62	33.12	6.77	37.36
PK	5.543G	114.94	Inf	-Inf	2.70	3	Horizontal	260	2.45	112.24	33.21	6.84	37.35
PK	5.772G	60.28	68.20	-7.92	4.07	3	Horizontal	260	2.45	56.21	34.09	7.24	37.26


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.68	54.00	-8.32	2.40	3	Vertical	221	1.50	43.28	33.01	6.75	37.36
AV	5.7522G	112.21	Inf	-Inf	3.95	3	Vertical	221	1.50	108.26	34.01	7.20	37.26
PK	5.6502G	61.18	68.35	-7.17	3.09	3	Vertical	221	1.50	58.09	33.40	7.00	37.31
PK	5.7522G	121.86	Inf	-Inf	3.95	3	Vertical	221	1.50	117.91	34.01	7.20	37.26
PK	5.943G	58.72	68.20	-9.48	3.83	3	Vertical	221	1.50	54.89	34.41	6.60	37.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	46.97	54.00	-7.03	2.42	3	Horizontal	257	2.23	44.55	33.03	6.75	37.36
AV	5.7498G	114.81	Inf	-Inf	3.92	3	Horizontal	257	2.23	110.89	34.00	7.19	37.27
PK	5.6502G	66.57	68.35	-1.78	3.09	3	Horizontal	257	2.23	63.48	33.40	7.00	37.31
PK	5.7498G	125.41	Inf	-Inf	3.92	3	Horizontal	257	2.23	121.49	34.00	7.19	37.27
PK	6.0294G	58.87	68.20	-9.33	3.59	3	Horizontal	257	2.23	55.28	34.40	6.35	37.16


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	46.82	54.00	-7.18	2.39	3	Vertical	7	3.00	44.43	33.00	6.75	37.36
AV	5.7474G	113.57	Inf	-Inf	3.91	3	Vertical	7	3.00	109.66	33.99	7.19	37.27
PK	5.6418G	66.94	68.20	-1.26	3.04	3	Vertical	7	3.00	63.90	33.37	6.98	37.31
PK	5.7522G	125.80	Inf	-Inf	3.95	3	Vertical	7	3.00	121.85	34.01	7.20	37.26
PK	5.9802G	59.41	68.20	-8.79	3.66	3	Vertical	7	3.00	55.75	34.40	6.43	37.17

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	47.25	54.00	-6.75	2.39	3	Horizontal	260	2.32	44.86	33.00	6.75	37.36
AV	5.7378G	113.98	Inf	-Inf	3.85	3	Horizontal	260	2.32	110.13	33.95	7.17	37.27
PK	5.6526G	67.90	70.12	-2.22	3.11	3	Horizontal	260	2.32	64.79	33.42	7.00	37.31
PK	5.7426G	125.25	Inf	-Inf	3.88	3	Horizontal	260	2.32	121.37	33.97	7.18	37.27
PK	5.9298G	59.04	68.20	-9.16	3.92	3	Horizontal	260	2.32	55.12	34.44	6.67	37.19


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	103.72	Inf	-Inf	4.17	3	Vertical	221	1.50	99.55	34.15	7.27	37.25
PK	5.649G	63.58	68.20	-4.62	3.09	3	Vertical	221	1.50	60.49	33.40	7.00	37.31
PK	5.793G	114.29	Inf	-Inf	4.20	3	Vertical	221	1.50	110.09	34.17	7.28	37.25
PK	5.9346G	59.73	68.20	-8.47	3.88	3	Vertical	221	1.50	55.85	34.43	6.64	37.19

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	105.63	Inf	-Inf	4.14	3	Horizontal	258	2.28	101.49	34.13	7.26	37.25
PK	5.6526G	69.67	70.12	-0.45	3.11	3	Horizontal	258	2.28	66.56	33.42	7.00	37.31
PK	5.7738G	116.77	Inf	-Inf	4.08	3	Horizontal	258	2.28	112.69	34.10	7.24	37.26
PK	6.0558G	59.57	68.20	-8.63	3.59	3	Horizontal	258	2.28	55.98	34.39	6.36	37.16


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.125G	72.47	74.00	-1.53	3	Vertical	356	2.24
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	Pass	PK	5.3664G	73.68	74.00	-0.32	3	Vertical	0	2.16
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.355G	47.91	54.00	-6.09	3	Vertical	0	2.58
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.461G	67.10	68.20	-1.10	3	Vertical	0	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	Pass	PK	5.744G	64.09	68.20	-4.11	3	Horizontal	260	2.32
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.649G	67.62	68.20	-0.58	3	Vertical	217	1.50

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	50.94	54.00	-3.06	3	Vertical	356	2.24
5210MHz	Pass	AV	5.201G	102.06	Inf	-Inf	3	Vertical	356	2.24
5210MHz	Pass	AV	5.353G	47.35	54.00	-6.65	3	Vertical	356	2.24
5210MHz	Pass	PK	5.125G	72.47	74.00	-1.53	3	Vertical	356	2.24
5210MHz	Pass	PK	5.196G	114.03	Inf	-Inf	3	Vertical	356	2.24
5210MHz	Pass	PK	5.353G	61.87	74.00	-12.13	3	Vertical	356	2.24
5210MHz	Pass	AV	5.135G	50.30	54.00	-3.70	3	Horizontal	81	2.52
5210MHz	Pass	AV	5.198G	100.39	Inf	-Inf	3	Horizontal	81	2.52
5210MHz	Pass	AV	5.352G	46.82	54.00	-7.18	3	Horizontal	81	2.52
5210MHz	Pass	PK	5.12G	70.87	74.00	-3.13	3	Horizontal	81	2.52
5210MHz	Pass	PK	5.203G	112.55	Inf	-Inf	3	Horizontal	81	2.52
5210MHz	Pass	PK	5.355G	60.63	74.00	-13.37	3	Horizontal	81	2.52
5210MHz	Pass	PK	10.4192G	52.71	68.20	-15.49	3	Vertical	344	1.36
5210MHz	Pass	PK	10.43632G	52.47	68.20	-15.73	3	Horizontal	163	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.14G	46.75	54.00	-7.25	3	Vertical	0	2.58
5290MHz	Pass	AV	5.304G	99.96	Inf	-Inf	3	Vertical	0	2.58
5290MHz	Pass	AV	5.355G	47.91	54.00	-6.09	3	Vertical	0	2.58
5290MHz	Pass	PK	5.15G	59.57	74.00	-14.43	3	Vertical	0	2.58
5290MHz	Pass	PK	5.299G	111.82	Inf	-Inf	3	Vertical	0	2.58
5290MHz	Pass	PK	5.35G	64.43	74.00	-9.57	3	Vertical	0	2.58
5290MHz	Pass	PK	5.501G	58.92	68.20	-9.28	3	Vertical	0	2.58
5290MHz	Pass	AV	5.138G	46.36	54.00	-7.64	3	Horizontal	98	2.82
5290MHz	Pass	AV	5.266G	97.16	Inf	-Inf	3	Horizontal	98	2.82
5290MHz	Pass	AV	5.384G	46.77	54.00	-7.23	3	Horizontal	98	2.82
5290MHz	Pass	PK	5.142G	58.90	74.00	-15.10	3	Horizontal	98	2.82
5290MHz	Pass	PK	5.261G	109.40	Inf	-Inf	3	Horizontal	98	2.82
5290MHz	Pass	PK	5.359G	61.66	74.00	-12.34	3	Horizontal	98	2.82
5290MHz	Pass	PK	5.488G	58.55	68.20	-9.65	3	Horizontal	98	2.82
5290MHz	Pass	AV	10.60672G	39.15	54.00	-14.85	3	Vertical	360	1.50
5290MHz	Pass	PK	10.59744G	51.69	68.20	-16.51	3	Vertical	360	1.50
5290MHz	Pass	AV	10.61376G	39.18	54.00	-14.82	3	Horizontal	197	2.56
5290MHz	Pass	PK	10.60432G	51.31	74.00	-22.69	3	Horizontal	197	2.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	45.33	54.00	-8.67	3	Vertical	0	3.00
5530MHz	Pass	AV	5.457G	51.48	54.00	-2.52	3	Vertical	0	3.00
5530MHz	Pass	AV	5.552G	100.46	Inf	-Inf	3	Vertical	0	3.00
5530MHz	Pass	PK	5.35G	58.58	74.00	-15.42	3	Vertical	0	3.00
5530MHz	Pass	PK	5.432G	68.54	74.00	-5.46	3	Vertical	0	3.00
5530MHz	Pass	PK	5.461G	67.10	68.20	-1.10	3	Vertical	0	3.00
5530MHz	Pass	PK	5.552G	113.46	Inf	-Inf	3	Vertical	0	3.00
5530MHz	Pass	PK	5.78G	58.74	68.20	-9.46	3	Vertical	0	3.00
5530MHz	Pass	AV	5.35G	45.29	54.00	-8.71	3	Horizontal	263	2.27
5530MHz	Pass	AV	5.456G	52.45	54.00	-1.55	3	Horizontal	263	2.27
5530MHz	Pass	AV	5.518G	100.41	Inf	-Inf	3	Horizontal	263	2.27
5530MHz	Pass	PK	5.3G	57.97	68.20	-10.23	3	Horizontal	263	2.27
5530MHz	Pass	PK	5.455G	68.89	74.00	-5.11	3	Horizontal	263	2.27
5530MHz	Pass	PK	5.468G	65.50	68.20	-2.70	3	Horizontal	263	2.27
5530MHz	Pass	PK	5.513G	111.74	Inf	-Inf	3	Horizontal	263	2.27
5530MHz	Pass	PK	5.727G	59.69	68.20	-8.51	3	Horizontal	263	2.27
5530MHz	Pass	AV	11.02432G	39.62	54.00	-14.38	3	Vertical	277	1.50
5530MHz	Pass	PK	11.05696G	51.64	74.00	-22.36	3	Vertical	277	1.50
5530MHz	Pass	AV	11.03952G	39.54	54.00	-14.46	3	Horizontal	259	2.87
5530MHz	Pass	PK	11.0344G	51.32	74.00	-22.68	3	Horizontal	259	2.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.448G	45.74	54.00	-8.26	3	Vertical	0	2.95
5610MHz	Pass	AV	5.617G	100.86	Inf	-Inf	3	Vertical	0	2.95
5610MHz	Pass	PK	5.457G	60.45	74.00	-13.55	3	Vertical	0	2.95
5610MHz	Pass	PK	5.462G	59.79	68.20	-8.41	3	Vertical	0	2.95
5610MHz	Pass	PK	5.617G	113.71	Inf	-Inf	3	Vertical	0	2.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.738G	65.50	68.20	-2.70	3	Vertical	0	2.95
5610MHz	Pass	AV	5.458G	46.03	54.00	-7.97	3	Horizontal	261	2.34
5610MHz	Pass	AV	5.583G	100.49	Inf	-Inf	3	Horizontal	261	2.34
5610MHz	Pass	PK	5.427G	58.39	74.00	-15.61	3	Horizontal	261	2.34
5610MHz	Pass	PK	5.462G	58.12	68.20	-10.08	3	Horizontal	261	2.34
5610MHz	Pass	PK	5.583G	113.15	Inf	-Inf	3	Horizontal	261	2.34
5610MHz	Pass	PK	5.753G	63.63	68.20	-4.57	3	Horizontal	261	2.34
5610MHz	Pass	AV	11.236G	39.44	54.00	-14.56	3	Vertical	236	1.50
5610MHz	Pass	PK	11.24672G	52.13	74.00	-21.87	3	Vertical	236	1.50
5610MHz	Pass	AV	11.1992G	39.70	54.00	-14.30	3	Horizontal	329	2.93
5610MHz	Pass	PK	11.24144G	52.96	74.00	-21.04	3	Horizontal	329	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4068G	45.68	54.00	-8.32	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	101.89	Inf	-Inf	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	57.73	74.00	-16.27	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.15	68.20	-10.05	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	114.04	Inf	-Inf	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.23	68.20	-6.97	3	Vertical	13	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4104G	45.52	54.00	-8.48	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	101.78	Inf	-Inf	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	57.70	74.00	-16.30	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.51	68.20	-10.69	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	113.87	Inf	-Inf	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9468G	59.30	68.20	-8.90	3	Horizontal	260	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35024G	39.71	54.00	-14.29	3	Vertical	326	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40928G	52.78	74.00	-21.22	3	Vertical	326	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36048G	39.57	54.00	-14.43	3	Horizontal	73	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41536G	51.94	74.00	-22.06	3	Horizontal	73	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7642G	101.39	Inf	-Inf	3	Vertical	217	1.50
5775MHz	Pass	PK	5.649G	67.62	68.20	-0.58	3	Vertical	217	1.50
5775MHz	Pass	PK	5.7642G	112.54	Inf	-Inf	3	Vertical	217	1.50
5775MHz	Pass	PK	5.9982G	59.00	68.20	-9.20	3	Vertical	217	1.50
5775MHz	Pass	AV	5.7654G	101.18	Inf	-Inf	3	Horizontal	259	1.50
5775MHz	Pass	PK	5.6478G	65.24	68.20	-2.96	3	Horizontal	259	1.50
5775MHz	Pass	PK	5.7654G	113.00	Inf	-Inf	3	Horizontal	259	1.50
5775MHz	Pass	PK	5.9598G	59.67	68.20	-8.53	3	Horizontal	259	1.50
5775MHz	Pass	AV	11.53064G	39.37	54.00	-14.63	3	Vertical	308	1.03
5775MHz	Pass	PK	11.54632G	52.21	74.00	-21.79	3	Vertical	308	1.03
5775MHz	Pass	AV	11.5332G	39.32	54.00	-14.68	3	Horizontal	296	1.50
5775MHz	Pass	PK	11.53912G	51.77	74.00	-22.23	3	Horizontal	296	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1456G	52.47	54.00	-1.53	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1912G	99.61	Inf	-Inf	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	51.42	54.00	-2.58	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1312G	72.29	74.00	-1.71	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2764G	111.16	Inf	-Inf	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3664G	73.68	74.00	-0.32	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4708G	61.91	68.20	-6.29	3	Vertical	0	2.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	49.87	54.00	-4.13	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1888G	97.37	Inf	-Inf	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	50.20	54.00	-3.80	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1228G	68.97	74.00	-5.03	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1732G	108.78	Inf	-Inf	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3964G	67.20	74.00	-6.80	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4768G	61.63	68.20	-6.57	3	Horizontal	83	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.52528G	51.68	68.20	-16.52	3	Vertical	357	2.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4808G	51.69	68.20	-16.51	3	Horizontal	308	1.23
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	50.69	54.00	-3.31	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.274G	99.90	Inf	-Inf	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.358G	49.47	54.00	-4.53	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1288G	71.51	74.00	-2.49	3	Vertical	0	2.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.274G	112.00	Inf	-Inf	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3544G	66.85	74.00	-7.15	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4828G	60.42	68.20	-7.78	3	Vertical	0	2.75
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1336G	49.55	54.00	-4.45	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1888G	97.06	Inf	-Inf	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3616G	48.31	54.00	-5.69	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1456G	71.98	74.00	-2.02	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1936G	108.22	Inf	-Inf	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3604G	64.41	74.00	-9.59	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5476G	58.80	68.20	-9.40	3	Horizontal	86	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4952G	52.14	68.20	-16.06	3	Vertical	223	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50288G	51.10	68.20	-17.10	3	Horizontal	328	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4464G	47.75	54.00	-6.25	3	Vertical	0	3.00
5570MHz	Pass	AV	5.546G	98.43	Inf	-Inf	3	Vertical	0	3.00
5570MHz	Pass	PK	5.3276G	59.03	68.20	-9.17	3	Vertical	0	3.00
5570MHz	Pass	PK	5.4476G	60.78	74.00	-13.22	3	Vertical	0	3.00
5570MHz	Pass	PK	5.462G	62.17	68.20	-6.03	3	Vertical	0	3.00
5570MHz	Pass	PK	5.5472G	110.32	Inf	-Inf	3	Vertical	0	3.00
5570MHz	Pass	PK	5.7824G	61.07	68.20	-7.13	3	Vertical	0	3.00
5570MHz	Pass	AV	5.4524G	47.70	54.00	-6.30	3	Horizontal	258	2.44
5570MHz	Pass	AV	5.5436G	98.18	Inf	-Inf	3	Horizontal	258	2.44
5570MHz	Pass	PK	5.3444G	58.81	68.20	-9.39	3	Horizontal	258	2.44
5570MHz	Pass	PK	5.438G	62.40	74.00	-11.60	3	Horizontal	258	2.44
5570MHz	Pass	PK	5.468G	62.90	68.20	-5.30	3	Horizontal	258	2.44
5570MHz	Pass	PK	5.5076G	109.00	Inf	-Inf	3	Horizontal	258	2.44
5570MHz	Pass	PK	5.7944G	60.86	68.20	-7.34	3	Horizontal	258	2.44
5570MHz	Pass	AV	11.20464G	40.50	54.00	-13.50	3	Vertical	0	1.25
5570MHz	Pass	PK	11.16112G	51.97	74.00	-22.03	3	Vertical	0	1.25
5570MHz	Pass	AV	11.19728G	40.46	54.00	-13.54	3	Horizontal	45	2.55
5570MHz	Pass	PK	11.07088G	51.53	74.00	-22.47	3	Horizontal	45	2.55
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	47.47	54.00	-6.53	3	Vertical	349	1.00
5570MHz	Pass	AV	5.6324G	97.74	Inf	-Inf	3	Vertical	349	1.00
5570MHz	Pass	PK	5.3276G	58.49	68.20	-9.71	3	Vertical	349	1.00
5570MHz	Pass	PK	5.4524G	61.48	74.00	-12.52	3	Vertical	349	1.00
5570MHz	Pass	PK	5.4644G	60.90	68.20	-7.30	3	Vertical	349	1.00
5570MHz	Pass	PK	5.6276G	109.32	Inf	-Inf	3	Vertical	349	1.00
5570MHz	Pass	PK	5.7296G	59.94	68.20	-8.26	3	Vertical	349	1.00
5570MHz	Pass	AV	5.4548G	48.50	54.00	-5.50	3	Horizontal	260	2.32
5570MHz	Pass	AV	5.5484G	98.60	Inf	-Inf	3	Horizontal	260	2.32
5570MHz	Pass	PK	5.3432G	59.65	68.20	-8.55	3	Horizontal	260	2.32
5570MHz	Pass	PK	5.4524G	64.19	74.00	-9.81	3	Horizontal	260	2.32
5570MHz	Pass	PK	5.4608G	62.33	68.20	-5.87	3	Horizontal	260	2.32
5570MHz	Pass	PK	5.6336G	109.78	Inf	-Inf	3	Horizontal	260	2.32
5570MHz	Pass	PK	5.744G	64.09	68.20	-4.11	3	Horizontal	260	2.32
5570MHz	Pass	AV	11.19888G	40.51	54.00	-13.49	3	Vertical	50	1.39
5570MHz	Pass	PK	11.13072G	51.19	74.00	-22.81	3	Vertical	50	1.39
5570MHz	Pass	AV	11.15728G	40.51	54.00	-13.49	3	Horizontal	18	1.50
5570MHz	Pass	PK	11.09008G	51.58	74.00	-22.42	3	Horizontal	18	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.145G	50.94	54.00	-3.06	2.84	3	Vertical	356	2.24	48.10	33.47	6.66	37.29
AV	5.201G	102.06	Inf	-Inf	2.71	3	Vertical	356	2.24	99.35	33.30	6.71	37.30
AV	5.353G	47.35	54.00	-6.65	2.45	3	Vertical	356	2.24	44.90	33.09	6.70	37.34
PK	5.125G	72.47	74.00	-1.53	2.70	3	Vertical	356	2.24	69.77	33.35	6.64	37.29
PK	5.196G	114.03	Inf	-Inf	2.73	3	Vertical	356	2.24	111.30	33.32	6.71	37.30
PK	5.353G	61.87	74.00	-12.13	2.45	3	Vertical	356	2.24	59.42	33.09	6.70	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.135G	50.30	54.00	-3.70	2.77	3	Horizontal	81	2.52	47.53	33.41	6.65	37.29
AV	5.198G	100.39	Inf	-Inf	2.72	3	Horizontal	81	2.52	97.67	33.31	6.71	37.30
AV	5.352G	46.82	54.00	-7.18	2.46	3	Horizontal	81	2.52	44.36	33.10	6.70	37.34
PK	5.12G	70.87	74.00	-3.13	2.67	3	Horizontal	81	2.52	68.20	33.32	6.64	37.29
PK	5.203G	112.55	Inf	-Inf	2.70	3	Horizontal	81	2.52	109.85	33.29	6.71	37.30
PK	5.355G	60.63	74.00	-13.37	2.45	3	Horizontal	81	2.52	58.18	33.09	6.70	37.34


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.33	54.00	-8.67	2.46	3	Vertical	0	3.00	42.87	33.10	6.70	37.34
AV	5.457G	51.48	54.00	-2.52	2.44	3	Vertical	0	3.00	49.04	33.04	6.76	37.36
AV	5.552G	100.46	Inf	-Inf	2.70	3	Vertical	0	3.00	97.76	33.20	6.85	37.35
PK	5.35G	58.58	74.00	-15.42	2.46	3	Vertical	0	3.00	56.12	33.10	6.70	37.34
PK	5.432G	68.54	74.00	-5.46	2.37	3	Vertical	0	3.00	66.17	33.00	6.73	37.36
PK	5.461G	67.10	68.20	-1.10	2.47	3	Vertical	0	3.00	64.63	33.07	6.76	37.36
PK	5.552G	113.46	Inf	-Inf	2.70	3	Vertical	0	3.00	110.76	33.20	6.85	37.35
PK	5.78G	58.74	68.20	-9.46	4.12	3	Vertical	0	3.00	54.62	34.12	7.25	37.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.29	54.00	-8.71	2.46	3	Horizontal	263	2.27	42.83	33.10	6.70	37.34
AV	5.456G	52.45	54.00	-1.55	2.44	3	Horizontal	263	2.27	50.01	33.04	6.76	37.36
AV	5.518G	100.41	Inf	-Inf	2.72	3	Horizontal	263	2.27	97.69	33.26	6.82	37.36
PK	5.3G	57.97	68.20	-10.23	2.48	3	Horizontal	263	2.27	55.49	33.10	6.71	37.33
PK	5.455G	68.89	74.00	-5.11	2.42	3	Horizontal	263	2.27	66.47	33.03	6.75	37.36
PK	5.468G	65.50	68.20	-2.70	2.52	3	Horizontal	263	2.27	62.98	33.11	6.77	37.36
PK	5.513G	111.74	Inf	-Inf	2.72	3	Horizontal	263	2.27	109.02	33.27	6.81	37.36
PK	5.727G	59.69	68.20	-8.51	3.79	3	Horizontal	263	2.27	55.90	33.91	7.15	37.27


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1468G	53.04	54.00	-0.96	3	Horizontal	101	2.41
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.142G	73.08	74.00	-0.92	3	Vertical	316	1.48
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.14G	72.32	74.00	-1.68	3	Horizontal	259	3.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.15G	72.76	74.00	-1.24	3	Vertical	3	2.35
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	10.6305G	49.40	54.00	-4.60	3	Horizontal	289	2.83
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	46.55	54.00	-7.45	3	Horizontal	90	2.49
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	46.39	54.00	-7.61	3	Horizontal	271	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7332G	66.56	68.20	-1.64	3	Vertical	319	2.74
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	67.35	68.20	-0.85	3	Horizontal	255	2.62
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.446G	48.23	54.00	-5.77	3	Horizontal	255	2.70
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	67.34	68.20	-0.86	3	Horizontal	293	2.97
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6506G	62.22	68.64	-6.42	3	Vertical	20	2.74
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6438G	67.96	68.20	-0.24	3	Vertical	218	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6382G	66.85	68.20	-1.35	3	Vertical	334	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1488G	48.74	54.00	-5.26	3	Vertical	155	3.00
5180MHz_TX	Pass	AV	5.181G	110.27	Inf	-Inf	3	Vertical	155	3.00
5180MHz_TX	Pass	PK	5.1474G	72.83	74.00	-1.17	3	Vertical	155	3.00
5180MHz_TX	Pass	PK	5.1816G	123.40	Inf	-Inf	3	Vertical	155	3.00
5180MHz_TX	Pass	AV	5.1496G	50.56	54.00	-3.44	3	Horizontal	276	2.91
5180MHz_TX	Pass	AV	5.1852G	110.95	Inf	-Inf	3	Horizontal	276	2.91
5180MHz_TX	Pass	PK	5.1408G	72.78	74.00	-1.22	3	Horizontal	276	2.91
5180MHz_TX	Pass	PK	5.1866G	123.43	Inf	-Inf	3	Horizontal	276	2.91
5180MHz_TX	Pass	PK	10.36892G	51.30	68.20	-16.90	3	Vertical	147	1.50
5180MHz_TX	Pass	PK	10.3504G	51.38	68.20	-16.82	3	Horizontal	274	2.08
5200MHz_TX	Pass	AV	5.1492G	52.69	54.00	-1.31	3	Vertical	357	2.85
5200MHz_TX	Pass	AV	5.2056G	113.64	Inf	-Inf	3	Vertical	357	2.85
5200MHz_TX	Pass	PK	5.1484G	69.68	74.00	-4.32	3	Vertical	357	2.85
5200MHz_TX	Pass	PK	5.2024G	126.26	Inf	-Inf	3	Vertical	357	2.85
5200MHz_TX	Pass	AV	5.1468G	53.04	54.00	-0.96	3	Horizontal	101	2.41
5200MHz_TX	Pass	AV	5.2072G	114.55	Inf	-Inf	3	Horizontal	101	2.41
5200MHz_TX	Pass	PK	5.144G	67.63	74.00	-6.37	3	Horizontal	101	2.41
5200MHz_TX	Pass	PK	5.208G	125.92	Inf	-Inf	3	Horizontal	101	2.41
5200MHz_TX	Pass	PK	10.39004G	51.83	68.20	-16.37	3	Vertical	288	2.68
5200MHz_TX	Pass	PK	10.3938G	51.92	68.20	-16.28	3	Horizontal	277	2.89
5240MHz_TX	Pass	AV	5.1488G	46.51	54.00	-7.49	3	Vertical	318	1.50
5240MHz_TX	Pass	AV	5.2484G	110.94	Inf	-Inf	3	Vertical	318	1.50
5240MHz_TX	Pass	AV	5.3564G	45.84	54.00	-8.16	3	Vertical	318	1.50
5240MHz_TX	Pass	PK	5.1452G	59.29	74.00	-14.71	3	Vertical	318	1.50
5240MHz_TX	Pass	PK	5.2478G	123.58	Inf	-Inf	3	Vertical	318	1.50
5240MHz_TX	Pass	PK	5.3804G	58.97	74.00	-15.03	3	Vertical	318	1.50
5240MHz_TX	Pass	AV	5.1494G	48.17	54.00	-5.83	3	Horizontal	91	2.63
5240MHz_TX	Pass	AV	5.2316G	113.24	Inf	-Inf	3	Horizontal	91	2.63
5240MHz_TX	Pass	AV	5.3558G	46.95	54.00	-7.05	3	Horizontal	91	2.63
5240MHz_TX	Pass	PK	5.15G	61.57	74.00	-12.43	3	Horizontal	91	2.63
5240MHz_TX	Pass	PK	5.2328G	124.72	Inf	-Inf	3	Horizontal	91	2.63
5240MHz_TX	Pass	PK	5.3678G	59.82	74.00	-14.18	3	Horizontal	91	2.63
5240MHz_TX	Pass	PK	10.48056G	53.03	68.20	-15.17	3	Vertical	347	1.35
5240MHz_TX	Pass	PK	10.48656G	55.42	68.20	-12.78	3	Horizontal	268	1.80
5260MHz_TX	Pass	AV	5.1448G	44.49	54.00	-9.51	3	Vertical	157	1.34
5260MHz_TX	Pass	AV	5.2672G	105.39	Inf	-Inf	3	Vertical	157	1.34
5260MHz_TX	Pass	AV	5.3566G	44.87	54.00	-9.13	3	Vertical	157	1.34
5260MHz_TX	Pass	PK	5.1478G	57.73	74.00	-16.27	3	Vertical	157	1.34
5260MHz_TX	Pass	PK	5.2684G	118.45	Inf	-Inf	3	Vertical	157	1.34
5260MHz_TX	Pass	PK	5.3656G	58.13	74.00	-15.87	3	Vertical	157	1.34
5260MHz_TX	Pass	AV	5.15G	44.64	54.00	-9.36	3	Horizontal	282	1.85
5260MHz_TX	Pass	AV	5.2516G	105.97	Inf	-Inf	3	Horizontal	282	1.85
5260MHz_TX	Pass	AV	5.3542G	44.84	54.00	-9.16	3	Horizontal	282	1.85
5260MHz_TX	Pass	PK	5.1424G	57.12	74.00	-16.88	3	Horizontal	282	1.85
5260MHz_TX	Pass	PK	5.251G	117.80	Inf	-Inf	3	Horizontal	282	1.85
5260MHz_TX	Pass	PK	5.3986G	58.86	74.00	-15.14	3	Horizontal	282	1.85
5260MHz_TX	Pass	PK	10.51916G	52.62	68.20	-15.58	3	Vertical	356	1.50
5260MHz_TX	Pass	PK	10.52936G	56.26	68.20	-11.94	3	Horizontal	267	2.10
5300MHz_TX	Pass	AV	5.2912G	108.21	Inf	-Inf	3	Vertical	353	2.75
5300MHz_TX	Pass	AV	5.3552G	46.22	54.00	-7.78	3	Vertical	353	2.75
5300MHz_TX	Pass	PK	5.2908G	119.46	Inf	-Inf	3	Vertical	353	2.75
5300MHz_TX	Pass	PK	5.3644G	59.21	74.00	-14.79	3	Vertical	353	2.75
5300MHz_TX	Pass	AV	5.308G	106.19	Inf	-Inf	3	Horizontal	97	1.50
5300MHz_TX	Pass	AV	5.3548G	45.87	54.00	-8.13	3	Horizontal	97	1.50
5300MHz_TX	Pass	PK	5.3092G	118.31	Inf	-Inf	3	Horizontal	97	1.50
5300MHz_TX	Pass	PK	5.3536G	58.58	74.00	-15.42	3	Horizontal	97	1.50
5300MHz_TX	Pass	AV	10.60484G	44.32	54.00	-9.68	3	Vertical	278	1.95
5300MHz_TX	Pass	PK	10.60564G	57.84	74.00	-16.16	3	Vertical	278	1.95
5300MHz_TX	Pass	AV	10.60536G	45.10	54.00	-8.90	3	Horizontal	292	2.99
5300MHz_TX	Pass	PK	10.60564G	58.80	74.00	-15.20	3	Horizontal	292	2.99

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	AV	5.3282G	106.48	Inf	-Inf	3	Vertical	360	2.86
5320MHz_TX	Pass	AV	5.36G	46.93	54.00	-7.07	3	Vertical	360	2.86
5320MHz_TX	Pass	PK	5.3284G	118.67	Inf	-Inf	3	Vertical	360	2.86
5320MHz_TX	Pass	PK	5.3592G	59.27	74.00	-14.73	3	Vertical	360	2.86
5320MHz_TX	Pass	AV	5.3174G	106.65	Inf	-Inf	3	Horizontal	92	1.52
5320MHz_TX	Pass	AV	5.3508G	46.04	54.00	-7.96	3	Horizontal	92	1.52
5320MHz_TX	Pass	PK	5.3172G	118.62	Inf	-Inf	3	Horizontal	92	1.52
5320MHz_TX	Pass	PK	5.361G	59.18	74.00	-14.82	3	Horizontal	92	1.52
5320MHz_TX	Pass	AV	10.6294G	46.25	54.00	-7.75	3	Vertical	278	2.24
5320MHz_TX	Pass	PK	10.6291G	59.12	74.00	-14.88	3	Vertical	278	2.24
5320MHz_TX	Pass	AV	10.6305G	49.40	54.00	-4.60	3	Horizontal	289	2.83
5320MHz_TX	Pass	PK	10.6286G	61.62	74.00	-12.38	3	Horizontal	289	2.83
5500MHz_TX	Pass	AV	5.4592G	46.76	54.00	-7.24	3	Vertical	340	1.58
5500MHz_TX	Pass	AV	5.5048G	108.15	Inf	-Inf	3	Vertical	340	1.58
5500MHz_TX	Pass	PK	5.4588G	60.16	74.00	-13.84	3	Vertical	340	1.58
5500MHz_TX	Pass	PK	5.4608G	58.48	68.20	-9.72	3	Vertical	340	1.58
5500MHz_TX	Pass	PK	5.5054G	118.95	Inf	-Inf	3	Vertical	340	1.58
5500MHz_TX	Pass	AV	5.4594G	46.34	54.00	-7.66	3	Horizontal	84	2.90
5500MHz_TX	Pass	AV	5.5054G	104.22	Inf	-Inf	3	Horizontal	84	2.90
5500MHz_TX	Pass	PK	5.4598G	59.23	74.00	-14.77	3	Horizontal	84	2.90
5500MHz_TX	Pass	PK	5.4602G	58.85	68.20	-9.35	3	Horizontal	84	2.90
5500MHz_TX	Pass	PK	5.5062G	116.76	Inf	-Inf	3	Horizontal	84	2.90
5500MHz_TX	Pass	AV	10.99672G	37.92	54.00	-16.08	3	Vertical	77	1.50
5500MHz_TX	Pass	PK	10.99632G	51.23	74.00	-22.77	3	Vertical	77	1.50
5500MHz_TX	Pass	AV	11.00016G	37.91	54.00	-16.09	3	Horizontal	183	2.02
5500MHz_TX	Pass	PK	10.99512G	51.31	74.00	-22.69	3	Horizontal	183	2.02
5580MHz_TX	Pass	AV	5.4588G	44.19	54.00	-9.81	3	Vertical	337	1.50
5580MHz_TX	Pass	AV	5.571G	103.77	Inf	-Inf	3	Vertical	337	1.50
5580MHz_TX	Pass	PK	5.4518G	57.37	74.00	-16.63	3	Vertical	337	1.50
5580MHz_TX	Pass	PK	5.4696G	57.90	68.20	-10.30	3	Vertical	337	1.50
5580MHz_TX	Pass	PK	5.571G	114.07	Inf	-Inf	3	Vertical	337	1.50
5580MHz_TX	Pass	PK	5.7258G	57.91	68.20	-10.29	3	Vertical	337	1.50
5580MHz_TX	Pass	AV	5.4486G	44.25	54.00	-9.75	3	Horizontal	83	1.50
5580MHz_TX	Pass	AV	5.5878G	106.55	Inf	-Inf	3	Horizontal	83	1.50
5580MHz_TX	Pass	PK	5.457G	57.14	74.00	-16.86	3	Horizontal	83	1.50
5580MHz_TX	Pass	PK	5.4696G	57.15	68.20	-11.05	3	Horizontal	83	1.50
5580MHz_TX	Pass	PK	5.5866G	117.48	Inf	-Inf	3	Horizontal	83	1.50
5580MHz_TX	Pass	PK	5.7282G	59.17	68.20	-9.03	3	Horizontal	83	1.50
5580MHz_TX	Pass	AV	11.1603G	38.30	54.00	-15.70	3	Vertical	229	1.50
5580MHz_TX	Pass	PK	11.15864G	52.08	74.00	-21.92	3	Vertical	229	1.50
5580MHz_TX	Pass	AV	11.16151G	38.41	54.00	-15.59	3	Horizontal	293	1.49
5580MHz_TX	Pass	PK	11.1584G	52.21	74.00	-21.79	3	Horizontal	293	1.49
5700MHz_TX	Pass	AV	5.7088G	104.54	Inf	-Inf	3	Vertical	319	2.74
5700MHz_TX	Pass	PK	5.7068G	117.30	Inf	-Inf	3	Vertical	319	2.74
5700MHz_TX	Pass	PK	5.7332G	66.56	68.20	-1.64	3	Vertical	319	2.74
5700MHz_TX	Pass	AV	5.6968G	104.88	Inf	-Inf	3	Horizontal	73	2.34
5700MHz_TX	Pass	PK	5.6908G	119.49	Inf	-Inf	3	Horizontal	73	2.34
5700MHz_TX	Pass	PK	5.7312G	64.05	68.20	-4.15	3	Horizontal	73	2.34
5700MHz_TX	Pass	AV	11.39966G	38.28	54.00	-15.72	3	Vertical	53	1.50
5700MHz_TX	Pass	PK	11.40014G	51.99	74.00	-22.01	3	Vertical	53	1.50
5700MHz_TX	Pass	AV	11.40094G	38.24	54.00	-15.76	3	Horizontal	235	1.50
5700MHz_TX	Pass	PK	11.40288G	51.65	74.00	-22.35	3	Horizontal	235	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.45G	44.45	54.00	-9.55	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.714G	107.41	Inf	-Inf	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4224G	57.83	74.00	-16.17	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	56.93	68.20	-11.27	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7164G	119.03	Inf	-Inf	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9456G	58.68	68.20	-9.52	3	Vertical	0	2.76
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4572G	44.15	54.00	-9.85	3	Horizontal	106	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7116G	102.74	Inf	-Inf	3	Horizontal	106	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4464G	57.28	74.00	-16.72	3	Horizontal	106	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	57.58	68.20	-10.62	3	Horizontal	106	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7128G	114.58	Inf	-Inf	3	Horizontal	106	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.96G	58.50	68.20	-9.70	3	Horizontal	106	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.44198G	38.35	54.00	-15.65	3	Vertical	78	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44186G	52.00	74.00	-22.00	3	Vertical	78	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.44088G	38.24	54.00	-15.76	3	Horizontal	345	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44462G	52.31	74.00	-21.69	3	Horizontal	345	1.50
5745MHz_TX	Pass	AV	5.4522G	45.41	54.00	-8.59	3	Vertical	18	2.81
5745MHz_TX	Pass	AV	5.739G	112.31	Inf	-Inf	3	Vertical	18	2.81
5745MHz_TX	Pass	PK	5.6418G	60.65	68.20	-7.55	3	Vertical	18	2.81
5745MHz_TX	Pass	PK	5.7378G	124.61	Inf	-Inf	3	Vertical	18	2.81
5745MHz_TX	Pass	PK	5.9658G	59.01	68.20	-9.19	3	Vertical	18	2.81
5745MHz_TX	Pass	AV	5.451G	44.71	54.00	-9.29	3	Horizontal	289	1.50
5745MHz_TX	Pass	AV	5.7534G	111.54	Inf	-Inf	3	Horizontal	289	1.50
5745MHz_TX	Pass	PK	5.5914G	59.36	68.20	-8.84	3	Horizontal	289	1.50
5745MHz_TX	Pass	PK	5.7522G	123.11	Inf	-Inf	3	Horizontal	289	1.50
5745MHz_TX	Pass	PK	5.973G	58.94	68.20	-9.26	3	Horizontal	289	1.50
5745MHz_TX	Pass	AV	11.49014G	38.13	54.00	-15.87	3	Vertical	307	1.50
5745MHz_TX	Pass	PK	11.486G	52.32	74.00	-21.68	3	Vertical	307	1.50
5745MHz_TX	Pass	AV	11.4852G	38.23	54.00	-15.77	3	Horizontal	65	2.74
5745MHz_TX	Pass	PK	11.4914G	53.06	74.00	-20.94	3	Horizontal	65	2.74
5785MHz_TX	Pass	AV	5.7766G	114.65	Inf	-Inf	3	Vertical	20	2.74
5785MHz_TX	Pass	PK	5.6506G	62.22	68.64	-6.42	3	Vertical	20	2.74
5785MHz_TX	Pass	PK	5.7934G	126.01	Inf	-Inf	3	Vertical	20	2.74
5785MHz_TX	Pass	PK	6.073G	59.25	68.20	-8.95	3	Vertical	20	2.74
5785MHz_TX	Pass	AV	5.791G	113.98	Inf	-Inf	3	Horizontal	264	2.85
5785MHz_TX	Pass	PK	5.6494G	60.27	68.20	-7.93	3	Horizontal	264	2.85
5785MHz_TX	Pass	PK	5.7922G	125.26	Inf	-Inf	3	Horizontal	264	2.85
5785MHz_TX	Pass	PK	5.9782G	59.04	68.20	-9.16	3	Horizontal	264	2.85
5785MHz_TX	Pass	AV	11.56938G	38.12	54.00	-15.88	3	Vertical	76	1.50
5785MHz_TX	Pass	PK	11.57104G	52.06	74.00	-21.94	3	Vertical	76	1.50
5785MHz_TX	Pass	AV	11.57008G	38.07	54.00	-15.93	3	Horizontal	141	1.50
5785MHz_TX	Pass	PK	11.56834G	52.82	74.00	-21.18	3	Horizontal	141	1.50
5825MHz_TX	Pass	AV	5.8322G	112.31	Inf	-Inf	3	Vertical	360	1.50
5825MHz_TX	Pass	PK	5.5886G	60.34	68.20	-7.86	3	Vertical	360	1.50
5825MHz_TX	Pass	PK	5.831G	124.29	Inf	-Inf	3	Vertical	360	1.50
5825MHz_TX	Pass	PK	5.9294G	59.49	68.20	-8.71	3	Vertical	360	1.50
5825MHz_TX	Pass	AV	5.8178G	109.86	Inf	-Inf	3	Horizontal	271	2.87
5825MHz_TX	Pass	PK	5.6426G	61.15	68.20	-7.05	3	Horizontal	271	2.87
5825MHz_TX	Pass	PK	5.8178G	120.24	Inf	-Inf	3	Horizontal	271	2.87
5825MHz_TX	Pass	PK	6.0602G	59.08	68.20	-9.12	3	Horizontal	271	2.87
5825MHz_TX	Pass	AV	11.65124G	37.69	54.00	-16.31	3	Vertical	48	1.50
5825MHz_TX	Pass	PK	11.64528G	51.91	74.00	-22.09	3	Vertical	48	1.50
5825MHz_TX	Pass	AV	11.65246G	37.66	54.00	-16.34	3	Horizontal	226	1.99
5825MHz_TX	Pass	PK	11.65252G	51.53	74.00	-22.47	3	Horizontal	226	1.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1496G	50.06	54.00	-3.94	3	Vertical	7	2.90
5190MHz_TX	Pass	AV	5.2076G	103.05	Inf	-Inf	3	Vertical	7	2.90
5190MHz_TX	Pass	PK	5.1476G	72.94	74.00	-1.06	3	Vertical	7	2.90
5190MHz_TX	Pass	PK	5.1852G	116.40	Inf	-Inf	3	Vertical	7	2.90
5190MHz_TX	Pass	AV	5.15G	49.59	54.00	-4.41	3	Horizontal	260	2.89
5190MHz_TX	Pass	AV	5.1892G	104.16	Inf	-Inf	3	Horizontal	260	2.89
5190MHz_TX	Pass	PK	5.1384G	71.34	74.00	-2.66	3	Horizontal	260	2.89
5190MHz_TX	Pass	PK	5.1924G	117.60	Inf	-Inf	3	Horizontal	260	2.89
5190MHz_TX	Pass	PK	10.38268G	52.30	68.20	-15.90	3	Vertical	360	2.54
5190MHz_TX	Pass	PK	10.38212G	51.73	68.20	-16.47	3	Horizontal	223	1.50
5230MHz_TX	Pass	AV	5.15G	48.59	54.00	-5.41	3	Vertical	316	1.48
5230MHz_TX	Pass	AV	5.2484G	109.83	Inf	-Inf	3	Vertical	316	1.48
5230MHz_TX	Pass	PK	5.142G	73.08	74.00	-0.92	3	Vertical	316	1.48
5230MHz_TX	Pass	PK	5.2484G	121.83	Inf	-Inf	3	Vertical	316	1.48
5230MHz_TX	Pass	AV	5.1488G	49.73	54.00	-4.27	3	Horizontal	273	2.78
5230MHz_TX	Pass	AV	5.248G	110.11	Inf	-Inf	3	Horizontal	273	2.78
5230MHz_TX	Pass	PK	5.1372G	71.08	74.00	-2.92	3	Horizontal	273	2.78

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz_TX	Pass	PK	5.248G	122.74	Inf	-Inf	3	Horizontal	273	2.78
5230MHz_TX	Pass	PK	10.45758G	51.89	68.20	-16.31	3	Vertical	231	2.10
5230MHz_TX	Pass	PK	10.4624G	53.34	68.20	-14.86	3	Horizontal	269	1.50
5270MHz_TX	Pass	AV	5.264G	100.10	Inf	-Inf	3	Vertical	0	1.50
5270MHz_TX	Pass	AV	5.3504G	45.32	54.00	-8.68	3	Vertical	0	1.50
5270MHz_TX	Pass	PK	5.2652G	112.18	Inf	-Inf	3	Vertical	0	1.50
5270MHz_TX	Pass	PK	5.3592G	58.90	74.00	-15.10	3	Vertical	0	1.50
5270MHz_TX	Pass	AV	5.2876G	98.58	Inf	-Inf	3	Horizontal	272	1.50
5270MHz_TX	Pass	AV	5.3564G	45.03	54.00	-8.97	3	Horizontal	272	1.50
5270MHz_TX	Pass	PK	5.262G	110.37	Inf	-Inf	3	Horizontal	272	1.50
5270MHz_TX	Pass	PK	5.3684G	58.58	74.00	-15.42	3	Horizontal	272	1.50
5270MHz_TX	Pass	PK	10.53922G	52.85	68.20	-15.35	3	Vertical	357	1.01
5270MHz_TX	Pass	PK	10.54004G	54.37	68.20	-13.83	3	Horizontal	280	1.64
5310MHz_TX	Pass	AV	5.3184G	98.63	Inf	-Inf	3	Vertical	360	1.29
5310MHz_TX	Pass	AV	5.3516G	45.98	54.00	-8.02	3	Vertical	360	1.29
5310MHz_TX	Pass	PK	5.3264G	111.60	Inf	-Inf	3	Vertical	360	1.29
5310MHz_TX	Pass	PK	5.3632G	59.42	74.00	-14.58	3	Vertical	360	1.29
5310MHz_TX	Pass	AV	5.3172G	103.83	Inf	-Inf	3	Horizontal	90	2.49
5310MHz_TX	Pass	AV	5.35G	46.55	54.00	-7.45	3	Horizontal	90	2.49
5310MHz_TX	Pass	PK	5.3152G	115.54	Inf	-Inf	3	Horizontal	90	2.49
5310MHz_TX	Pass	PK	5.3508G	58.77	74.00	-15.23	3	Horizontal	90	2.49
5310MHz_TX	Pass	AV	10.62016G	38.82	54.00	-15.18	3	Vertical	276	2.51
5310MHz_TX	Pass	PK	10.62074G	52.98	74.00	-21.02	3	Vertical	276	2.51
5310MHz_TX	Pass	AV	10.62018G	40.00	54.00	-14.00	3	Horizontal	263	1.60
5310MHz_TX	Pass	PK	10.61994G	57.06	74.00	-16.94	3	Horizontal	263	1.60
5510MHz_TX	Pass	AV	5.4584G	46.31	54.00	-7.69	3	Vertical	360	2.95
5510MHz_TX	Pass	AV	5.5268G	102.01	Inf	-Inf	3	Vertical	360	2.95
5510MHz_TX	Pass	PK	5.4592G	59.58	74.00	-14.42	3	Vertical	360	2.95
5510MHz_TX	Pass	PK	5.4696G	60.77	68.20	-7.43	3	Vertical	360	2.95
5510MHz_TX	Pass	PK	5.5044G	113.98	Inf	-Inf	3	Vertical	360	2.95
5510MHz_TX	Pass	AV	5.4592G	47.34	54.00	-6.66	3	Horizontal	265	2.37
5510MHz_TX	Pass	AV	5.512G	102.63	Inf	-Inf	3	Horizontal	265	2.37
5510MHz_TX	Pass	PK	5.4564G	63.20	74.00	-10.80	3	Horizontal	265	2.37
5510MHz_TX	Pass	PK	5.4632G	63.96	68.20	-4.24	3	Horizontal	265	2.37
5510MHz_TX	Pass	PK	5.512G	114.86	Inf	-Inf	3	Horizontal	265	2.37
5510MHz_TX	Pass	AV	11.02134G	37.86	54.00	-16.14	3	Vertical	329	2.05
5510MHz_TX	Pass	PK	11.02384G	51.70	74.00	-22.30	3	Vertical	329	2.05
5510MHz_TX	Pass	AV	11.01884G	37.86	54.00	-16.14	3	Horizontal	311	1.50
5510MHz_TX	Pass	PK	11.01832G	52.09	74.00	-21.91	3	Horizontal	311	1.50
5550MHz_TX	Pass	AV	5.4584G	45.37	54.00	-8.63	3	Vertical	359	3.00
5550MHz_TX	Pass	AV	5.5484G	102.18	Inf	-Inf	3	Vertical	359	3.00
5550MHz_TX	Pass	PK	5.45G	57.74	74.00	-16.26	3	Vertical	359	3.00
5550MHz_TX	Pass	PK	5.4684G	59.54	68.20	-8.66	3	Vertical	359	3.00
5550MHz_TX	Pass	PK	5.5476G	114.32	Inf	-Inf	3	Vertical	359	3.00
5550MHz_TX	Pass	AV	5.46G	45.79	54.00	-8.21	3	Horizontal	255	2.71
5550MHz_TX	Pass	AV	5.568G	103.24	Inf	-Inf	3	Horizontal	255	2.71
5550MHz_TX	Pass	PK	5.4508G	59.33	74.00	-14.67	3	Horizontal	255	2.71
5550MHz_TX	Pass	PK	5.4676G	59.29	68.20	-8.91	3	Horizontal	255	2.71
5550MHz_TX	Pass	PK	5.5684G	115.85	Inf	-Inf	3	Horizontal	255	2.71
5550MHz_TX	Pass	AV	11.1026G	37.47	54.00	-16.53	3	Vertical	236	1.50
5550MHz_TX	Pass	PK	11.10066G	51.66	74.00	-22.34	3	Vertical	236	1.50
5550MHz_TX	Pass	AV	11.10482G	37.58	54.00	-16.42	3	Horizontal	319	1.24
5550MHz_TX	Pass	PK	11.10084G	51.83	74.00	-22.17	3	Horizontal	319	1.24
5670MHz_TX	Pass	AV	5.6556G	101.52	Inf	-Inf	3	Vertical	3	3.00
5670MHz_TX	Pass	PK	5.6544G	113.92	Inf	-Inf	3	Vertical	3	3.00
5670MHz_TX	Pass	PK	5.7252G	66.10	68.20	-2.10	3	Vertical	3	3.00
5670MHz_TX	Pass	AV	5.685G	104.65	Inf	-Inf	3	Horizontal	255	2.62
5670MHz_TX	Pass	PK	5.6838G	116.11	Inf	-Inf	3	Horizontal	255	2.62
5670MHz_TX	Pass	PK	5.7252G	67.35	68.20	-0.85	3	Horizontal	255	2.62
5670MHz_TX	Pass	AV	11.33576G	37.98	54.00	-16.02	3	Vertical	77	1.50
5670MHz_TX	Pass	PK	11.3434G	52.55	74.00	-21.45	3	Vertical	77	1.50
5670MHz_TX	Pass	AV	11.33532G	38.06	54.00	-15.94	3	Horizontal	350	2.02


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz_TX	Pass	PK	11.3429G	52.08	74.00	-21.92	3	Horizontal	350	2.02
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4508G	44.28	54.00	-9.72	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.704G	103.78	Inf	-Inf	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.458G	57.81	74.00	-16.19	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4676G	57.51	68.20	-10.69	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.704G	116.85	Inf	-Inf	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8612G	59.35	68.20	-8.85	3	Vertical	14	2.73
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.452G	44.61	54.00	-9.39	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6932G	102.30	Inf	-Inf	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.458G	58.00	74.00	-16.00	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4628G	57.50	68.20	-10.70	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6968G	114.26	Inf	-Inf	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9476G	60.11	68.20	-8.09	3	Horizontal	255	2.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.41562G	37.85	54.00	-16.15	3	Vertical	80	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.4154G	52.05	74.00	-21.95	3	Vertical	80	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.41554G	37.87	54.00	-16.13	3	Horizontal	309	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.42462G	52.42	74.00	-21.58	3	Horizontal	309	1.50
5755MHz_TX	Pass	AV	5.4598G	44.65	54.00	-9.35	3	Vertical	231	1.50
5755MHz_TX	Pass	AV	5.749G	105.53	Inf	-Inf	3	Vertical	231	1.50
5755MHz_TX	Pass	PK	5.6494G	66.82	68.20	-1.38	3	Vertical	231	1.50
5755MHz_TX	Pass	PK	5.7502G	119.89	Inf	-Inf	3	Vertical	231	1.50
5755MHz_TX	Pass	PK	5.9314G	59.82	68.20	-8.38	3	Vertical	231	1.50
5755MHz_TX	Pass	AV	5.4562G	45.27	54.00	-8.73	3	Horizontal	260	2.22
5755MHz_TX	Pass	AV	5.737G	109.00	Inf	-Inf	3	Horizontal	260	2.22
5755MHz_TX	Pass	PK	5.6278G	67.34	68.20	-0.86	3	Horizontal	260	2.22
5755MHz_TX	Pass	PK	5.737G	121.48	Inf	-Inf	3	Horizontal	260	2.22
5755MHz_TX	Pass	PK	6.0334G	59.52	68.20	-8.68	3	Horizontal	260	2.22
5755MHz_TX	Pass	AV	11.50552G	37.67	54.00	-16.33	3	Vertical	13	2.53
5755MHz_TX	Pass	PK	11.5126G	52.35	74.00	-21.65	3	Vertical	13	2.53
5755MHz_TX	Pass	AV	11.50652G	37.65	54.00	-16.35	3	Horizontal	8	1.50
5755MHz_TX	Pass	PK	11.50862G	53.54	74.00	-20.46	3	Horizontal	8	1.50
5795MHz_TX	Pass	AV	5.777G	105.31	Inf	-Inf	3	Vertical	218	1.50
5795MHz_TX	Pass	PK	5.6438G	67.96	68.20	-0.24	3	Vertical	218	1.50
5795MHz_TX	Pass	PK	5.8106G	118.51	Inf	-Inf	3	Vertical	218	1.50
5795MHz_TX	Pass	PK	5.9714G	60.29	68.20	-7.91	3	Vertical	218	1.50
5795MHz_TX	Pass	AV	5.7938G	106.86	Inf	-Inf	3	Horizontal	292	1.65
5795MHz_TX	Pass	PK	5.6486G	65.49	68.20	-2.71	3	Horizontal	292	1.65
5795MHz_TX	Pass	PK	5.7758G	119.71	Inf	-Inf	3	Horizontal	292	1.65
5795MHz_TX	Pass	PK	6.005G	60.19	68.20	-8.01	3	Horizontal	292	1.65
5795MHz_TX	Pass	AV	11.58516G	37.51	54.00	-16.49	3	Vertical	196	1.78
5795MHz_TX	Pass	PK	11.58982G	51.06	74.00	-22.94	3	Vertical	196	1.78
5795MHz_TX	Pass	AV	11.585G	37.59	54.00	-16.41	3	Horizontal	207	1.05
5795MHz_TX	Pass	PK	11.58724G	51.05	74.00	-22.95	3	Horizontal	207	1.05
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	49.58	54.00	-4.42	3	Vertical	360	3.00
5210MHz_TX	Pass	AV	5.182G	100.66	Inf	-Inf	3	Vertical	360	3.00
5210MHz_TX	Pass	AV	5.355G	46.73	54.00	-7.27	3	Vertical	360	3.00
5210MHz_TX	Pass	PK	5.134G	70.66	74.00	-3.34	3	Vertical	360	3.00
5210MHz_TX	Pass	PK	5.215G	113.96	Inf	-Inf	3	Vertical	360	3.00
5210MHz_TX	Pass	PK	5.37G	60.63	74.00	-13.37	3	Vertical	360	3.00
5210MHz_TX	Pass	AV	5.15G	49.07	54.00	-4.93	3	Horizontal	259	3.00
5210MHz_TX	Pass	AV	5.201G	102.15	Inf	-Inf	3	Horizontal	259	3.00
5210MHz_TX	Pass	AV	5.35G	46.88	54.00	-7.12	3	Horizontal	259	3.00
5210MHz_TX	Pass	PK	5.14G	72.32	74.00	-1.68	3	Horizontal	259	3.00
5210MHz_TX	Pass	PK	5.202G	114.89	Inf	-Inf	3	Horizontal	259	3.00
5210MHz_TX	Pass	PK	5.373G	60.22	74.00	-13.78	3	Horizontal	259	3.00
5210MHz_TX	Pass	PK	10.42119G	52.02	68.20	-16.18	3	Vertical	277	2.17
5210MHz_TX	Pass	PK	10.41936G	51.93	68.20	-16.27	3	Horizontal	148	2.74
5290MHz_TX	Pass	AV	5.148G	45.32	54.00	-8.68	3	Vertical	0	1.50
5290MHz_TX	Pass	AV	5.285G	97.51	Inf	-Inf	3	Vertical	0	1.50
5290MHz_TX	Pass	AV	5.376G	46.38	54.00	-7.62	3	Vertical	0	1.50
5290MHz_TX	Pass	PK	5.104G	57.90	74.00	-16.10	3	Vertical	0	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz_TX	Pass	PK	5.266G	112.18	Inf	-Inf	3	Vertical	0	1.50
5290MHz_TX	Pass	PK	5.368G	62.70	74.00	-11.30	3	Vertical	0	1.50
5290MHz_TX	Pass	PK	5.468G	59.08	68.20	-9.12	3	Vertical	0	1.50
5290MHz_TX	Pass	AV	5.15G	45.15	54.00	-8.85	3	Horizontal	271	1.50
5290MHz_TX	Pass	AV	5.26G	96.84	Inf	-Inf	3	Horizontal	271	1.50
5290MHz_TX	Pass	AV	5.35G	46.39	54.00	-7.61	3	Horizontal	271	1.50
5290MHz_TX	Pass	PK	5.15G	58.11	74.00	-15.89	3	Horizontal	271	1.50
5290MHz_TX	Pass	PK	5.296G	107.82	Inf	-Inf	3	Horizontal	271	1.50
5290MHz_TX	Pass	PK	5.364G	59.31	74.00	-14.69	3	Horizontal	271	1.50
5290MHz_TX	Pass	PK	5.522G	58.26	68.20	-9.94	3	Horizontal	271	1.50
5290MHz_TX	Pass	PK	10.58209G	51.48	68.20	-16.72	3	Vertical	357	1.50
5290MHz_TX	Pass	PK	10.58092G	51.66	68.20	-16.54	3	Horizontal	235	1.50
5530MHz_TX	Pass	AV	5.35G	44.57	54.00	-9.43	3	Vertical	170	2.93
5530MHz_TX	Pass	AV	5.46G	47.17	54.00	-6.83	3	Vertical	170	2.93
5530MHz_TX	Pass	AV	5.528G	99.96	Inf	-Inf	3	Vertical	170	2.93
5530MHz_TX	Pass	PK	5.349G	57.76	68.20	-10.44	3	Vertical	170	2.93
5530MHz_TX	Pass	PK	5.434G	61.00	74.00	-13.00	3	Vertical	170	2.93
5530MHz_TX	Pass	PK	5.47G	61.60	68.20	-6.60	3	Vertical	170	2.93
5530MHz_TX	Pass	PK	5.524G	112.68	Inf	-Inf	3	Vertical	170	2.93
5530MHz_TX	Pass	PK	5.743G	58.39	68.20	-9.81	3	Vertical	170	2.93
5530MHz_TX	Pass	AV	5.35G	44.51	54.00	-9.49	3	Horizontal	255	2.70
5530MHz_TX	Pass	AV	5.446G	48.23	54.00	-5.77	3	Horizontal	255	2.70
5530MHz_TX	Pass	AV	5.548G	98.18	Inf	-Inf	3	Horizontal	255	2.70
5530MHz_TX	Pass	PK	5.312G	57.90	68.20	-10.30	3	Horizontal	255	2.70
5530MHz_TX	Pass	PK	5.439G	64.08	74.00	-9.92	3	Horizontal	255	2.70
5530MHz_TX	Pass	PK	5.463G	62.21	68.20	-5.99	3	Horizontal	255	2.70
5530MHz_TX	Pass	PK	5.549G	110.15	Inf	-Inf	3	Horizontal	255	2.70
5530MHz_TX	Pass	PK	5.769G	60.06	68.20	-8.14	3	Horizontal	255	2.70
5530MHz_TX	Pass	AV	11.05788G	38.13	54.00	-15.87	3	Vertical	0	1.50
5530MHz_TX	Pass	PK	11.05809G	51.98	74.00	-22.02	3	Vertical	0	1.50
5530MHz_TX	Pass	AV	11.06022G	38.15	54.00	-15.85	3	Horizontal	194	1.13
5530MHz_TX	Pass	PK	11.06234G	51.56	74.00	-22.44	3	Horizontal	194	1.13
5610MHz_TX	Pass	AV	5.444G	44.82	54.00	-9.18	3	Vertical	173	2.90
5610MHz_TX	Pass	AV	5.585G	99.16	Inf	-Inf	3	Vertical	173	2.90
5610MHz_TX	Pass	PK	5.454G	58.89	74.00	-15.11	3	Vertical	173	2.90
5610MHz_TX	Pass	PK	5.464G	57.32	68.20	-10.88	3	Vertical	173	2.90
5610MHz_TX	Pass	PK	5.632G	111.43	Inf	-Inf	3	Vertical	173	2.90
5610MHz_TX	Pass	PK	5.73G	59.79	68.20	-8.41	3	Vertical	173	2.90
5610MHz_TX	Pass	AV	5.449G	45.46	54.00	-8.54	3	Horizontal	261	2.27
5610MHz_TX	Pass	AV	5.586G	100.04	Inf	-Inf	3	Horizontal	261	2.27
5610MHz_TX	Pass	PK	5.458G	58.89	74.00	-15.11	3	Horizontal	261	2.27
5610MHz_TX	Pass	PK	5.468G	57.95	68.20	-10.25	3	Horizontal	261	2.27
5610MHz_TX	Pass	PK	5.641G	112.39	Inf	-Inf	3	Horizontal	261	2.27
5610MHz_TX	Pass	PK	5.822G	59.84	68.20	-8.36	3	Horizontal	261	2.27
5610MHz_TX	Pass	AV	11.21887G	38.17	54.00	-15.83	3	Vertical	163	1.26
5610MHz_TX	Pass	PK	11.22048G	51.73	74.00	-22.27	3	Vertical	163	1.26
5610MHz_TX	Pass	AV	11.21909G	38.13	54.00	-15.87	3	Horizontal	120	1.69
5610MHz_TX	Pass	PK	11.2223G	52.32	74.00	-21.68	3	Horizontal	120	1.69
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4536G	44.41	54.00	-9.59	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7056G	98.51	Inf	-Inf	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.408G	57.17	74.00	-16.83	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	57.28	68.20	-10.92	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7032G	111.21	Inf	-Inf	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8592G	59.56	68.20	-8.64	3	Vertical	360	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.456G	44.49	54.00	-9.51	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6548G	98.80	Inf	-Inf	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4548G	57.44	74.00	-16.56	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	57.58	68.20	-10.62	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6744G	111.94	Inf	-Inf	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8916G	58.92	68.20	-9.28	3	Horizontal	251	2.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.37868G	38.31	54.00	-15.69	3	Vertical	0	1.80
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.38096G	52.16	74.00	-21.84	3	Vertical	0	1.80

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.37931G	38.41	54.00	-15.59	3	Horizontal	0	1.41
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.38245G	52.64	74.00	-21.36	3	Horizontal	0	1.41
5775MHz_TX	Pass	AV	5.7438G	101.84	Inf	-Inf	3	Vertical	334	1.00
5775MHz_TX	Pass	PK	5.6382G	66.85	68.20	-1.35	3	Vertical	334	1.00
5775MHz_TX	Pass	PK	5.7462G	114.78	Inf	-Inf	3	Vertical	334	1.00
5775MHz_TX	Pass	PK	6.0462G	59.46	68.20	-8.74	3	Vertical	334	1.00
5775MHz_TX	Pass	AV	5.7462G	101.55	Inf	-Inf	3	Horizontal	256	1.50
5775MHz_TX	Pass	PK	5.637G	64.98	68.20	-3.22	3	Horizontal	256	1.50
5775MHz_TX	Pass	PK	5.7474G	116.80	Inf	-Inf	3	Horizontal	256	1.50
5775MHz_TX	Pass	PK	5.9538G	59.96	68.20	-8.24	3	Horizontal	256	1.50
5775MHz_TX	Pass	AV	11.54911G	37.98	54.00	-16.02	3	Vertical	336	2.51
5775MHz_TX	Pass	PK	11.54972G	52.01	74.00	-21.99	3	Vertical	336	2.51
5775MHz_TX	Pass	AV	11.55218G	37.89	54.00	-16.11	3	Horizontal	104	1.94
5775MHz_TX	Pass	PK	11.54867G	51.75	74.00	-22.25	3	Horizontal	104	1.94
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.15G	48.91	54.00	-5.09	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.178G	95.95	Inf	-Inf	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3532G	49.18	54.00	-4.82	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.15G	72.76	74.00	-1.24	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.1744G	116.12	Inf	-Inf	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3856G	70.81	74.00	-3.19	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4876G	64.09	68.20	-4.11	3	Vertical	3	2.35
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1468G	47.16	54.00	-6.84	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1804G	98.07	Inf	-Inf	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.364G	47.35	54.00	-6.65	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.112G	70.78	74.00	-3.22	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.1816G	112.74	Inf	-Inf	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3724G	69.90	74.00	-4.10	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4696G	63.25	68.20	-4.95	3	Horizontal	272	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	10.38336G	51.84	68.20	-16.36	3	Vertical	295	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	10.51536G	51.58	68.20	-16.62	3	Horizontal	93	1.81
5570MHz_TX	Pass	AV	5.4452G	46.12	54.00	-7.88	3	Vertical	178	1.50
5570MHz_TX	Pass	AV	5.5028G	97.00	Inf	-Inf	3	Vertical	178	1.50
5570MHz_TX	Pass	PK	5.35G	60.01	74.00	-13.99	3	Vertical	178	1.50
5570MHz_TX	Pass	PK	5.4116G	63.74	74.00	-10.26	3	Vertical	178	1.50
5570MHz_TX	Pass	PK	5.4692G	60.51	68.20	-7.69	3	Vertical	178	1.50
5570MHz_TX	Pass	PK	5.5112G	109.49	Inf	-Inf	3	Vertical	178	1.50
5570MHz_TX	Pass	PK	5.7428G	60.75	68.20	-7.45	3	Vertical	178	1.50
5570MHz_TX	Pass	AV	5.4596G	47.16	54.00	-6.84	3	Horizontal	293	2.97
5570MHz_TX	Pass	AV	5.5556G	98.92	Inf	-Inf	3	Horizontal	293	2.97
5570MHz_TX	Pass	PK	5.2892G	58.70	68.20	-9.50	3	Horizontal	293	2.97
5570MHz_TX	Pass	PK	5.45G	69.71	74.00	-4.29	3	Horizontal	293	2.97
5570MHz_TX	Pass	PK	5.4692G	67.34	68.20	-0.86	3	Horizontal	293	2.97
5570MHz_TX	Pass	PK	5.5616G	112.23	Inf	-Inf	3	Horizontal	293	2.97
5570MHz_TX	Pass	PK	5.75G	66.38	68.20	-1.82	3	Horizontal	293	2.97
5570MHz_TX	Pass	AV	11.14131G	38.25	54.00	-15.75	3	Vertical	216	1.12
5570MHz_TX	Pass	PK	11.13958G	52.65	74.00	-21.35	3	Vertical	216	1.12
5570MHz_TX	Pass	AV	11.14246G	38.31	54.00	-15.69	3	Horizontal	26	2.08
5570MHz_TX	Pass	PK	11.13755G	52.38	74.00	-21.62	3	Horizontal	26	2.08


5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.58	54.00	-4.42	2.88	3	Vertical	360	3.00	46.70	33.50	6.67	37.29
AV	5.182G	100.66	Inf	-Inf	2.76	3	Vertical	360	3.00	97.90	33.37	6.69	37.30
AV	5.355G	46.73	54.00	-7.27	2.45	3	Vertical	360	3.00	44.28	33.09	6.70	37.34
PK	5.134G	70.66	74.00	-3.34	2.76	3	Vertical	360	3.00	67.90	33.40	6.65	37.29
PK	5.215G	113.96	Inf	-Inf	2.67	3	Vertical	360	3.00	111.29	33.27	6.71	37.31
PK	5.37G	60.63	74.00	-13.37	2.42	3	Vertical	360	3.00	58.21	33.06	6.70	37.34

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.07	54.00	-4.93	2.88	3	Horizontal	259	3.00	46.19	33.50	6.67	37.29
AV	5.201G	102.15	Inf	-Inf	2.71	3	Horizontal	259	3.00	99.44	33.30	6.71	37.30
AV	5.35G	46.88	54.00	-7.12	2.46	3	Horizontal	259	3.00	44.42	33.10	6.70	37.34
PK	5.14G	72.32	74.00	-1.68	2.81	3	Horizontal	259	3.00	69.51	33.44	6.66	37.29
PK	5.202G	114.89	Inf	-Inf	2.71	3	Horizontal	259	3.00	112.18	33.30	6.71	37.30
PK	5.373G	60.22	74.00	-13.78	2.41	3	Horizontal	259	3.00	57.81	33.05	6.70	37.34


5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.57	54.00	-9.43	2.46	3	Vertical	170	2.93	42.11	33.10	6.70	37.34
AV	5.46G	47.17	54.00	-6.83	2.46	3	Vertical	170	2.93	44.71	33.06	6.76	37.36
AV	5.528G	99.96	Inf	-Inf	2.71	3	Vertical	170	2.93	97.25	33.24	6.83	37.36
PK	5.349G	57.76	68.20	-10.44	2.46	3	Vertical	170	2.93	55.30	33.10	6.70	37.34
PK	5.434G	61.00	74.00	-13.00	2.37	3	Vertical	170	2.93	58.63	33.00	6.73	37.36
PK	5.47G	61.60	68.20	-6.60	2.53	3	Vertical	170	2.93	59.07	33.12	6.77	37.36
PK	5.524G	112.68	Inf	-Inf	2.71	3	Vertical	170	2.93	109.97	33.25	6.82	37.36
PK	5.743G	58.39	68.20	-9.81	3.88	3	Vertical	170	2.93	54.51	33.97	7.18	37.27

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.51	54.00	-9.49	2.46	3	Horizontal	255	2.70	42.05	33.10	6.70	37.34
AV	5.446G	48.23	54.00	-5.77	2.39	3	Horizontal	255	2.70	45.84	33.00	6.75	37.36
AV	5.548G	98.18	Inf	-Inf	2.70	3	Horizontal	255	2.70	95.48	33.20	6.85	37.35
PK	5.312G	57.90	68.20	-10.30	2.47	3	Horizontal	255	2.70	55.43	33.10	6.70	37.33
PK	5.439G	64.08	74.00	-9.92	2.38	3	Horizontal	255	2.70	61.70	33.00	6.74	37.36
PK	5.463G	62.21	68.20	-5.99	2.48	3	Horizontal	255	2.70	59.73	33.08	6.76	37.36
PK	5.549G	110.15	Inf	-Inf	2.70	3	Horizontal	255	2.70	107.45	33.20	6.85	37.35
PK	5.769G	60.06	68.20	-8.14	4.05	3	Horizontal	255	2.70	56.01	34.08	7.23	37.26


5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	114.65	Inf	-Inf	4.10	3	Vertical	20	2.74	110.55	34.11	7.24	37.25
PK	5.6506G	62.22	68.64	-6.42	3.09	3	Vertical	20	2.74	59.13	33.40	7.00	37.31
PK	5.7934G	126.01	Inf	-Inf	4.20	3	Vertical	20	2.74	121.81	34.17	7.28	37.25
PK	6.073G	59.25	68.20	-8.95	3.56	3	Vertical	20	2.74	55.69	34.35	6.37	37.16

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	113.98	Inf	-Inf	4.18	3	Horizontal	264	2.85	109.80	34.16	7.27	37.25
PK	5.6494G	60.27	68.20	-7.93	3.09	3	Horizontal	264	2.85	57.18	33.40	7.00	37.31
PK	5.7922G	125.26	Inf	-Inf	4.19	3	Horizontal	264	2.85	121.07	34.17	7.27	37.25
PK	5.9782G	59.04	68.20	-9.16	3.66	3	Horizontal	264	2.85	55.38	34.40	6.43	37.17


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX

