




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 106.600               | 77.600                        |

## CH42 26 dB Bandwidth



Date: 11.DEC.2024 17:53:45

## 99 % Occupied Bandwidth




Date: 11.DEC.2024 17:52:53

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 18.450                | 16.500                        |
| 60      | 5300            | 25.190                | 16.600                        |
| 64      | 5320            | 23.850                | 16.500                        |

CH52




Date: 11.DEC.2024 15:44:45

CH60  
26 dB Bandwidth




Date: 11.DEC.2024 15:45:55

CH64




Date: 11.DEC.2024 15:46:47


99 % Occupied Bandwidth



Date: 11.DEC.2024 15:44:11



Date: 11.DEC.2024 15:45:24




Date: 11.DEC.2024 15:46:15

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 19.150                | 17.600                        |
| 60      | 5300            | 24.000                | 17.600                        |
| 64      | 5320            | 24.790                | 17.700                        |

CH52




Date: 11.DEC.2024 16:01:52

CH60  
26 dB Bandwidth




Date: 11.DEC.2024 16:02:41

CH64




Date: 11.DEC.2024 16:04:01


99 % Occupied Bandwidth



Date: 11.DEC.2024 16:01:18



Date: 11.DEC.2024 16:02:11




Date: 11.DEC.2024 16:03:27



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 81.400                | 75.600                        |

## CH58 26 dB Bandwidth



Date: 11.DEC.2024 16:28:47

## 99 % Occupied Bandwidth




Date: 11.DEC.2024 16:27:56

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 20.250                | 18.900                        |
| 60      | 5300            | 24.390                | 18.900                        |
| 64      | 5320            | 24.800                | 18.900                        |

CH52




Date: 11.DEC.2024 17:29:37

CH60  
26 dB Bandwidth




Date: 11.DEC.2024 17:30:29

CH64




Date: 11.DEC.2024 17:31:15


99 % Occupied Bandwidth



Date: 11.DEC.2024 17:29:04



Date: 11.DEC.2024 17:29:58




Date: 11.DEC.2024 17:30:43

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 39.400                | 37.800                        |
| 62      | 5310            | 39.590                | 38.000                        |

CH54




Date: 11.DEC.2024 17:41:21

CH62  
26 dB Bandwidth




Date: 11.DEC.2024 17:42:54

99 % Occupied Bandwidth



Date: 11.DEC.2024 17:40:33




Date: 11.DEC.2024 17:41:38



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 82.000                | 77.600                        |

### CH58 26 dB Bandwidth



Date: 11.DEC.2024 17:56:08

### 99 % Occupied Bandwidth




Date: 11.DEC.2024 17:55:22

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 50      | 5250            | 162.000               | 155.200                       |

## CH50 26 dB Bandwidth



Date: 11.DEC.2024 17:21:42

## 99 % Occupied Bandwidth




Date: 11.DEC.2024 17:20:56



|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 23.299                | 16.500                        |
| 116     | 5580            | 18.650                | 16.400                        |
| 140     | 5700            | 22.999                | 16.600                        |

CH100




Date: 11.DEC.2024 15:47:35

CH116  
26 dB Bandwidth




Date: 11.DEC.2024 15:48:22

CH140




Date: 11.DEC.2024 15:49:11


99 % Occupied Bandwidth



Date: 11.DEC.2024 15:47:00



Date: 11.DEC.2024 15:47:49




Date: 11.DEC.2024 15:48:35

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 23.790                | 17.600                        |
| 116     | 5580            | 19.150                | 17.500                        |
| 140     | 5700            | 23.590                | 17.700                        |

CH100




Date: 11.DEC.2024 16:05:08

CH116  
26 dB Bandwidth




Date: 11.DEC.2024 16:05:59

CH140




Date: 11.DEC.2024 16:06:54


99 % Occupied Bandwidth



Date: 11.DEC.2024 16:04:32



Date: 11.DEC.2024 16:05:23




Date: 11.DEC.2024 16:06:18

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 38.400                | 36.200                        |
| 110     | 5550            | 38.209                | 36.000                        |
| 134     | 5670            | 38.300                | 36.200                        |

CH102




Date: 11.DEC.2024 16:17:07

CH110  
26 dB Bandwidth




Date: 11.DEC.2024 16:18:15

CH134




Date: 11.DEC.2024 16:19:38


99 % Occupied Bandwidth



Date: 11.DEC.2024 16:16:15



Date: 11.DEC.2024 16:17:24




Date: 11.DEC.2024 16:18:48

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 86.200                | 75.600                        |
| 122     | 5610            | 80.000                | 75.200                        |

CH106




Date: 11.DEC.2024 16:29:49

CH122  
26 dB Bandwidth




Date: 11.DEC.2024 16:31:05

99 % Occupied Bandwidth



Date: 11.DEC.2024 16:29:04




Date: 11.DEC.2024 16:30:17

|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode |
|-----------|----------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 114     | 5570            | 167.600               | 155.200                       |

## CH114 26 dB Bandwidth



Date: 11.DEC.2024 17:22:49

## 99 % Occupied Bandwidth




Date: 11.DEC.2024 17:22:09



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 25.450                | 19.000                        |
| 116     | 5580            | 20.099                | 18.900                        |
| 140     | 5700            | 21.350                | 18.900                        |

CH100




Date: 11.DEC.2024 17:31:55

CH116  
26 dB Bandwidth




Date: 11.DEC.2024 17:32:41

CH140




Date: 11.DEC.2024 17:33:18


99 % Occupied Bandwidth



Date: 11.DEC.2024 17:31:27



Date: 11.DEC.2024 17:32:08




Date: 11.DEC.2024 17:32:57

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 39.508                | 38.200                        |
| 110     | 5550            | 39.400                | 37.800                        |
| 134     | 5670            | 39.500                | 38.000                        |

CH102




Date: 11.DEC.2024 17:49:36

CH110  
26 dB Bandwidth




Date: 11.DEC.2024 17:46:34

CH134




Date: 11.DEC.2024 17:47:47


99 % Occupied Bandwidth



Date: 11.DEC.2024 17:49:07



Date: 11.DEC.2024 17:45:44




Date: 11.DEC.2024 17:46:57

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 81.200                | 77.200                        |
| 122     | 5610            | 81.000                | 76.800                        |

CH106




Date: 11.DEC.2024 17:57:24

CH122  
26 dB Bandwidth




Date: 11.DEC.2024 17:58:26

99 % Occupied Bandwidth



Date: 11.DEC.2024 17:56:37




Date: 11.DEC.2024 17:57:40



|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 16.350               | 18.000                        | 0.5                             | Complies |
| 157     | 5785            | 16.350               | 18.400                        | 0.5                             | Complies |
| 165     | 5825            | 16.290               | 18.200                        | 0.5                             | Complies |

CH149




Date: 11.DEC.2024 15:50:36

CH157  
6 dB Bandwidth




Date: 11.DEC.2024 15:51:25

CH165




Date: 11.DEC.2024 15:53:28


99 % Occupied Bandwidth



Date: 11.DEC.2024 15:50:01



Date: 11.DEC.2024 15:50:50




Date: 11.DEC.2024 15:52:50

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.150               | 18.900                        | 0.5                             | Complies |
| 157     | 5785            | 17.550               | 18.400                        | 0.5                             | Complies |
| 165     | 5825            | 17.650               | 19.200                        | 0.5                             | Complies |

CH149




Date: 11.DEC.2024 16:08:19

CH157  
6 dB Bandwidth




Date: 11.DEC.2024 16:09:14

CH165




Date: 11.DEC.2024 16:10:06


99 % Occupied Bandwidth



Date: 11.DEC.2024 16:07:42



Date: 11.DEC.2024 16:08:38




Date: 11.DEC.2024 16:09:29



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 72.600               | 76.800                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 11.DEC.2024 17:20:01

## 99 % Occupied Bandwidth




Date: 11.DEC.2024 17:19:10



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 18.388               | 19.400                        | 0.5                             | Complies |
| 157     | 5785            | 18.688               | 19.600                        | 0.5                             | Complies |
| 165     | 5825            | 18.588               | 22.000                        | 0.5                             | Complies |

CH149




Date: 11.DEC.2024 17:34:47

CH157  
6 dB Bandwidth




Date: 11.DEC.2024 17:35:18

CH165




Date: 11.DEC.2024 17:36:28


99 % Occupied Bandwidth



Date: 11.DEC.2024 17:34:13



Date: 11.DEC.2024 17:35:02




Date: 11.DEC.2024 17:35:53



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 75.400               | 78.400                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 11.DEC.2024 17:59:42

## 99 % Occupied Bandwidth



Date: 11.DEC.2024 17:59:52

## **APPENDIX F - MAXIMUM OUTPUT POWER**

### Non Beamforming

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.92              | 0.12        | 22.04                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.67              | 0.12        | 22.79                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.60              | 0.12        | 22.72                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.97              | 0.12        | 22.09                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.69              | 0.12        | 22.81                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.74              | 0.12        | 22.86                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 3 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 22.10              | 0.12        | 22.22                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.77              | 0.12        | 22.89                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.73              | 0.12        | 22.85                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 4 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 22.25              | 0.12        | 22.37                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.76              | 0.12        | 22.88                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.76              | 0.12        | 22.88                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 28.20              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 28.86              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 28.84              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.63              | 0.13        | 21.76                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.24              | 0.13        | 22.37                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.31              | 0.13        | 22.44                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.71              | 0.13        | 21.84                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.22              | 0.13        | 22.35                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.14              | 0.13        | 22.27                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.69              | 0.13        | 21.82                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.23              | 0.13        | 22.36                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.14              | 0.13        | 22.27                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.80              | 0.13        | 21.93                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.40              | 0.13        | 22.53                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.21              | 0.13        | 22.34                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 27.85              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 28.42              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 28.35              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 21.16              | 0.27        | 21.43                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.58              | 0.27        | 23.85                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 21.01              | 0.27        | 21.28                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.66              | 0.27        | 23.93                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.98              | 0.27        | 21.25                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.57              | 0.27        | 23.84                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 21.10              | 0.27        | 21.37                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.44              | 0.27        | 23.71                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 27.35              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 29.85              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 19.97              | 0.50        | 20.47                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 19.61              | 0.50        | 20.11                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 19.84              | 0.50        | 20.34                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 19.76              | 0.50        | 20.26                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 26.31              | 30.00            | 1.0000         | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.33              | 0.15        | 21.48                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.06              | 0.15        | 22.21                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.13              | 0.15        | 22.28                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.48              | 0.15        | 21.63                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.06              | 0.15        | 22.21                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.90              | 0.15        | 22.05                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.26              | 0.15        | 21.41                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.08              | 0.15        | 22.23                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.00              | 0.15        | 22.15                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.42              | 0.15        | 21.57                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.52              | 0.15        | 22.67                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.56              | 0.15        | 22.71                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 27.54              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 28.35              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 28.32              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 19.82              | 0.33        | 20.15                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 22.88              | 0.33        | 23.21                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.09              | 0.33        | 20.42                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.09              | 0.33        | 23.42                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.18              | 0.33        | 20.51                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.25              | 0.33        | 23.58                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.22              | 0.33        | 20.55                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.36              | 0.33        | 23.69                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 26.43              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 29.50              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 18.98              | 0.66        | 19.64                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 18.74              | 0.66        | 19.40                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 18.97              | 0.66        | 19.63                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 18.98              | 0.66        | 19.64                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 25.60              | 30.00            | 1.0000         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.75              | 0.12        | 16.87                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.32              | 0.12        | 16.44                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.30              | 0.12        | 16.42                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.87              | 0.12        | 16.99                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.14              | 0.12        | 16.26                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.33              | 0.12        | 16.45                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 3 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.78              | 0.12        | 16.90                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.36              | 0.12        | 16.48                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.33              | 0.12        | 16.45                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 4 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.83              | 0.12        | 16.95                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.34              | 0.12        | 16.46                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.14              | 0.12        | 16.26                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 22.94              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 22.43              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 22.41              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.86              | 0.13        | 16.99                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.78              | 0.13        | 16.91                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.88              | 0.13        | 17.01                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.71              | 0.13        | 16.84                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.79              | 0.13        | 16.92                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.80              | 0.13        | 16.93                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.79              | 0.13        | 16.92                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.71              | 0.13        | 16.84                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.82              | 0.13        | 16.95                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.67              | 0.13        | 16.80                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.72              | 0.13        | 16.85                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.68              | 0.13        | 16.81                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 22.90              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 22.90              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 22.94              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.58              | 0.27        | 17.85                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.59              | 0.27        | 17.86                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.65              | 0.27        | 17.92                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.66              | 0.27        | 17.93                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.69              | 0.27        | 17.96                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.71              | 0.27        | 17.98                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.74              | 0.27        | 18.01                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.68              | 0.27        | 17.95                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 23.95              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 23.95              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.71              | 0.50        | 18.21                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.18              | 0.50        | 17.68                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.15              | 0.50        | 17.65                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.19              | 0.50        | 17.69                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 23.83              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.42              | 0.15        | 16.57                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.11              | 0.15        | 16.26                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.17              | 0.15        | 16.32                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.16              | 0.15        | 16.31                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.03              | 0.15        | 16.18                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.15              | 0.15        | 16.30                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.15              | 0.15        | 16.30                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.09              | 0.15        | 16.24                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.17              | 0.15        | 16.32                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.41              | 0.15        | 16.56                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.19              | 0.15        | 16.34                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.33              | 0.15        | 16.48                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 22.45              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 22.27              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 22.37              | 23.98            | 0.2500         | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.65              | 0.33        | 17.98                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 22.54              | 0.33        | 17.87                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.51              | 0.33        | 17.84                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.49              | 0.33        | 17.82                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.65              | 0.33        | 17.98                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.56              | 0.33        | 17.89                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.66              | 0.33        | 17.99                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.59              | 0.33        | 17.92                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 23.97              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 23.89              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.02              | 0.66        | 17.68                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.11              | 0.66        | 17.77                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 16.77              | 0.66        | 17.43                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.02              | 0.66        | 17.68                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 23.66              | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 15.64              | 0.93        | 16.57                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 16.03              | 0.93        | 16.96                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 15.66              | 0.93        | 16.59                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 15.72              | 0.93        | 16.65                            | 23.98            | 0.2500         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 22.72              | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 16.44              | 0.95        | 17.39                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 16.95              | 0.95        | 17.90                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 16.45              | 0.95        | 17.40                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 16.74              | 0.95        | 17.69                            | 23.98            | 0.2500         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Total |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 23.62              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.06              | 0.12        | 16.18                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.96              | 0.12        | 16.08                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.38              | 0.12        | 16.50                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.14              | 0.12        | 16.26                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.20              | 0.12        | 16.32                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.24              | 0.12        | 16.36                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 3 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.23              | 0.12        | 16.35                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.26              | 0.12        | 16.38                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.20              | 0.12        | 16.32                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 4 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.24              | 0.12        | 16.36                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.30              | 0.12        | 16.42                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.35              | 0.12        | 16.47                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 22.31              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 22.32              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 22.43              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.84              | 0.13        | 16.97                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.77              | 0.13        | 16.90                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.45              | 0.13        | 16.58                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.78              | 0.13        | 16.91                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.75              | 0.13        | 16.88                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.28              | 0.13        | 16.41                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.80              | 0.13        | 16.93                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.71              | 0.13        | 16.84                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.21              | 0.13        | 16.34                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.74              | 0.13        | 16.87                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.59              | 0.13        | 16.72                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.22              | 0.13        | 16.35                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 22.94              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 22.85              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 22.44              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.60              | 0.27        | 17.87                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.66              | 0.27        | 17.93                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.77              | 0.27        | 18.04                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.59              | 0.27        | 17.86                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.62              | 0.27        | 17.89                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.68              | 0.27        | 17.95                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.77              | 0.27        | 18.04                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.75              | 0.27        | 18.02                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.59              | 0.27        | 17.86                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.62              | 0.27        | 17.89                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.68              | 0.27        | 17.95                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.63              | 0.27        | 17.90                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 23.93              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 23.97              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 23.96              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 17.68              | 0.50        | 18.18                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.53              | 0.50        | 18.03                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 17.05              | 0.50        | 17.55                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.97              | 0.50        | 17.47                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 17.11              | 0.50        | 17.61                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.02              | 0.50        | 17.52                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 17.05              | 0.50        | 17.55                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.15              | 0.50        | 17.65                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 23.75              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 23.69              | 23.98            | 0.2500         | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.35              | 0.93        | 17.28                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.42              | 0.93        | 17.35                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.59              | 0.93        | 17.52                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 17.50              | 0.93        | 18.43                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 23.70              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 17.46              | 0.15        | 17.61                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.26              | 0.15        | 17.41                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.55              | 0.15        | 16.70                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.10              | 0.15        | 16.25                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.26              | 0.15        | 16.41                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.82              | 0.15        | 15.97                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.36              | 0.15        | 16.51                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.36              | 0.15        | 16.51                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.84              | 0.15        | 15.99                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.36              | 0.15        | 16.51                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.44              | 0.15        | 16.59                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.93              | 0.15        | 16.08                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 22.77              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 22.76              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 22.21              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 18.15              | 0.33        | 18.48                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 18.20              | 0.33        | 18.53                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.21              | 0.33        | 18.54                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.07              | 0.33        | 17.40                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.02              | 0.33        | 17.35                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.06              | 0.33        | 17.39                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.41              | 0.33        | 17.74                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.45              | 0.33        | 17.78                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.48              | 0.33        | 17.81                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.56              | 0.33        | 17.89                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.61              | 0.33        | 17.94                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.59              | 0.33        | 17.92                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 23.91              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 23.94              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 23.95              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 17.73              | 0.66        | 18.39                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.76              | 0.66        | 18.42                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 16.29              | 0.66        | 16.95                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.32              | 0.66        | 16.98                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 16.50              | 0.66        | 17.16                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.52              | 0.66        | 17.18                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 16.67              | 0.66        | 17.33                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.68              | 0.66        | 17.34                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 23.52              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 23.54              | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 17.80              | 0.95        | 18.75                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.64              | 0.95        | 17.59                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.50              | 0.95        | 17.45                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 16.84              | 0.95        | 17.79                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 23.95              | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.49              | 0.12        | 23.61                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.45              | 0.12        | 23.57                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.35              | 0.12        | 23.47                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.45              | 0.12        | 23.57                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.49              | 0.12        | 23.61                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.52              | 0.12        | 23.64                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 3 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.52              | 0.12        | 23.64                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.64              | 0.12        | 23.76                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.44              | 0.12        | 28.56                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 4 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.55              | 0.12        | 23.67                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.62              | 0.12        | 23.74                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.58              | 0.12        | 23.70                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 29.64              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 29.69              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 29.61              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.71              | 0.13        | 23.84                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.66              | 0.13        | 23.79                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.72              | 0.13        | 23.85                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.66              | 0.13        | 23.79                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.68              | 0.13        | 23.81                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.65              | 0.13        | 23.78                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.62              | 0.13        | 23.75                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.71              | 0.13        | 23.84                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.66              | 0.13        | 23.79                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.75              | 0.13        | 23.88                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.68              | 0.13        | 23.81                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.61              | 0.13        | 23.74                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 29.83              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 29.83              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 29.81              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.74              | 0.27        | 24.01                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.77              | 0.27        | 24.04                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.66              | 0.27        | 23.93                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.65              | 0.27        | 23.92                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.65              | 0.27        | 23.92                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.59              | 0.27        | 23.86                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.75              | 0.27        | 24.02                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.71              | 0.27        | 23.98                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 29.99              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 29.97              | 30.00            | 1.0000         | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.45              | 0.50        | 23.95                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 22.89              | 0.50        | 23.39                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 22.91              | 0.50        | 23.41                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.01              | 0.50        | 23.51                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 29.59              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.65              | 0.15        | 23.80                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.67              | 0.15        | 23.82                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 24.53              | 0.15        | 24.68                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.25              | 0.15        | 23.40                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.31              | 0.15        | 23.46                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.15              | 0.15        | 23.30                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.26              | 0.15        | 23.41                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.32              | 0.15        | 23.47                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.23              | 0.15        | 23.38                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.31              | 0.15        | 23.46                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.41              | 0.15        | 28.56                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.55              | 0.15        | 23.70                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 29.54              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 29.60              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 29.82              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.14              | 0.33        | 23.47                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.15              | 0.33        | 23.48                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 22.84              | 0.33        | 23.17                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 22.89              | 0.33        | 23.22                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.16              | 0.33        | 23.49                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.25              | 0.33        | 23.58                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.26              | 0.33        | 23.59                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.31              | 0.33        | 23.64                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 29.45              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 29.50              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 22.32              | 0.66        | 22.98                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 21.77              | 0.66        | 22.43                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 21.57              | 0.66        | 22.23                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 22.04              | 0.66        | 22.70                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 28.62              | 30.00            | 1.0000         | Complies |

Note: Output power = Measure result + Cable loss

**Preamble Puncturing:**

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 1 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.34              | 0.66        | 17.00                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.76              | 0.66        | 16.42                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 16.12              | 0.66        | 16.78                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.44              | 0.66        | 16.10                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.61              | 0.66        | 21.27                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 2 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.45              | 0.66        | 17.11                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.59              | 0.66        | 16.25                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 14.89              | 0.66        | 15.55                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.03              | 0.66        | 15.69                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.16              | 0.66        | 20.82                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 3 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.91              | 0.66        | 16.57                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.51              | 0.66        | 16.17                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 15.06              | 0.66        | 15.72                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.22              | 0.66        | 15.88                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.61              | 0.66        | 21.27                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 4 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.36              | 0.66        | 17.02                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.58              | 0.66        | 16.24                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 15.20              | 0.66        | 15.86                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.23              | 0.66        | 15.89                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.64              | 0.66        | 21.30                            | 30.00            | 1.0000         | Complies |

|           |                                                          |
|-----------|----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz x111 Mode_Total |
|-----------|----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 22.95              | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 22.29              | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 22.03              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 21.91              | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 27.19              | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz 1x11 Mode_Ant. 1 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.22              | 0.66        | 16.88                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.71              | 0.66        | 16.37                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 16.15              | 0.66        | 16.81                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.46              | 0.66        | 16.12                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.65              | 0.66        | 21.31                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz 1x11 Mode_Ant. 2 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.26              | 0.66        | 16.92                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 14.62              | 0.66        | 15.28                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 14.91              | 0.66        | 15.57                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.06              | 0.66        | 15.72                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.48              | 0.66        | 21.14                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz 1x11 Mode_Ant. 3 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.89              | 0.66        | 16.55                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.53              | 0.66        | 16.19                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 15.11              | 0.66        | 15.77                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.31              | 0.66        | 15.97                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.56              | 0.66        | 21.22                            | 30.00            | 1.0000         | Complies |

|           |                                                           |
|-----------|-----------------------------------------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Punctured by 20 MHz 1x11 Mode_Ant. 4 |
|-----------|-----------------------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.22              | 0.66        | 16.88                            | 30.00            | 1.0000         | Complies |
| 58      | 5290            | 15.49              | 0.66        | 16.15                            | 23.98            | 0.2500         | Complies |
| 106     | 5530            | 15.15              | 0.66        | 15.81                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.26              | 0.66        | 15.92                            | 23.98            | 0.2500         | Complies |
| 155     | 5775            | 20.41              | 0.66        | 21.07                            | 30.00            | 1.0000         | Complies |