Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.67	0.13	4.80	11.00	Complies
116	5580	4.78	0.13	4.91	11.00	Complies
140	5700	4.32	0.13	4.45	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.65	0.13	4.78	11.00	Complies
116	5580	4.74	0.13	4.87	11.00	Complies
140	5700	4.30	0.13	4.43	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.69	11.00	Complies
116	5580	10.72	11.00	Complies
140	5700	10.45	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.30	0.27	3.57	11.00	Complies
110	5550	3.27	0.27	3.54	11.00	Complies
134	5670	4.03	0.27	4.30	11.00	Complies

CH102



CH110



CH134

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.18	0.27	4.45	11.00	Complies
110	5550	3.23	0.27	3.50	11.00	Complies
134	5670	4.20	0.27	4.47	11.00	Complies

CH102



CH110



CH134

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.28	0.27	3.55	11.00	Complies
110	5550	3.41	0.27	3.68	11.00	Complies
134	5670	4.16	0.27	4.43	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.23	0.27	3.50	11.00	Complies
110	5550	3.32	0.27	3.59	11.00	Complies
134	5670	4.05	0.27	4.32	11.00	Complies

CH102



CH110



CH134

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.80	11.00	Complies
110	5550	9.60	11.00	Complies
134	5670	10.40	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.57	0.50	1.07	11.00	Complies
122	5610	0.27	0.50	0.77	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.63	0.50	1.13	11.00	Complies
122	5610	0.24	0.50	0.74	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.63	0.50	1.13	11.00	Complies
122	5610	-0.18	0.50	0.32	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.69	0.50	1.19	11.00	Complies
122	5610	0.00	0.50	0.50	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.15	11.00	Complies
122	5610	6.60	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.59	0.93	-1.66	11.00	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.58	0.93	-1.65	11.00	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.54	0.93	-1.61	11.00	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.46	0.93	-1.53	11.00	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	4.41	11.00	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.38	0.15	4.53	11.00	Complies
116	5580	4.68	0.15	4.83	11.00	Complies
140	5700	4.69	0.15	4.84	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.42	0.15	4.57	11.00	Complies
116	5580	4.71	0.15	4.86	11.00	Complies
140	5700	4.59	0.15	4.74	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.56	0.15	4.71	11.00	Complies
116	5580	4.32	0.15	4.47	11.00	Complies
140	5700	4.71	0.15	4.86	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.59	0.15	4.74	11.00	Complies
116	5580	4.36	0.15	4.51	11.00	Complies
140	5700	4.64	0.15	4.79	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.65	11.00	Complies
116	5580	10.69	11.00	Complies
140	5700	10.82	11.00	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.97	0.33	4.30	11.00	Complies
110	5550	4.25	0.33	4.58	11.00	Complies
134	5670	4.48	0.33	4.81	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.88	0.33	4.21	11.00	Complies
110	5550	4.17	0.33	4.50	11.00	Complies
134	5670	4.58	0.33	4.91	11.00	Complies

CH102



CH110



CH134

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.79	0.33	4.12	11.00	Complies
110	5550	3.91	0.33	4.24	11.00	Complies
134	5670	3.99	0.33	4.32	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.94	0.33	4.27	11.00	Complies
110	5550	4.12	0.33	4.45	11.00	Complies
134	5670	2.89	0.33	3.22	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.24	11.00	Complies
110	5550	10.46	11.00	Complies
134	5670	10.38	11.00	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.25	0.66	0.91	11.00	Complies
122	5610	0.90	0.66	1.56	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.42	0.66	1.08	11.00	Complies
122	5610	1.03	0.66	1.69	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.37	0.66	1.03	11.00	Complies
122	5610	1.08	0.66	1.74	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.28	0.66	0.94	11.00	Complies
122	5610	1.00	0.66	1.66	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.01	11.00	Complies
122	5610	7.69	11.00	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.62	0.95	-1.67	11.00	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.49	0.95	-1.54	11.00	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.32	0.95	-1.37	11.00	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.33	0.95	-1.38	11.00	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	4.53	11.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.74	0.12	10.86	30.00	Complies
157	5785	9.79	0.12	9.91	30.00	Complies
165	5825	11.53	0.12	11.65	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.77	0.12	10.89	30.00	Complies
157	5785	9.33	0.12	9.45	30.00	Complies
165	5825	9.61	0.12	9.73	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.57	0.12	11.69	30.00	Complies
157	5785	9.83	0.12	9.95	30.00	Complies
165	5825	8.99	0.12	9.11	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.12	0.12	11.24	30.00	Complies
157	5785	9.94	0.12	10.06	30.00	Complies
165	5825	9.61	0.12	9.73	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.20	30.00	Complies
157	5785	15.87	30.00	Complies
165	5825	16.18	30.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.82	0.13	9.95	30.00	Complies
157	5785	10.06	0.13	10.19	30.00	Complies
165	5825	11.74	0.13	11.87	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.92	0.13	10.05	30.00	Complies
157	5785	10.29	0.13	10.42	30.00	Complies
165	5825	11.66	0.13	11.79	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.06	0.13	10.19	30.00	Complies
157	5785	10.24	0.13	10.37	30.00	Complies
165	5825	10.01	0.13	10.14	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.77	0.13	9.90	30.00	Complies
157	5785	10.13	0.13	10.26	30.00	Complies
165	5825	9.85	0.13	9.98	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.04	30.00	Complies
157	5785	16.33	30.00	Complies
165	5825	17.05	30.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.91	0.27	8.18	30.00	Complies
159	5795	8.66	0.27	8.93	30.00	Complies

CH151



Date: 10.DEC.2024 19:28:23

CH159



Date: 10.DEC.2024 19:29:53

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.34	0.27	8.61	30.00	Complies
159	5795	8.86	0.27	9.13	30.00	Complies

CH151



Date: 10.DEC.2024 19:28:54

CH159



Date: 10.DEC.2024 19:30:23

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.32	0.27	8.59	30.00	Complies
159	5795	8.85	0.27	9.12	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.33	0.27	7.60	30.00	Complies
159	5795	8.74	0.27	9.01	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	14.28	30.00	Complies
159	5795	15.07	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.86	0.50	4.36	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.24	0.50	4.74	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.81	0.50	5.31	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.49	0.50	4.99	30.00	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.88	30.00	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.62	0.15	9.77	30.00	Complies
157	5785	9.49	0.15	9.64	30.00	Complies
165	5825	8.66	0.15	8.81	30.00	Complies

CH149



CH157

CH165

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.59	0.15	9.74	30.00	Complies
157	5785	9.50	0.15	9.65	30.00	Complies
165	5825	9.24	0.15	9.39	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.58	0.15	9.73	30.00	Complies
157	5785	9.22	0.15	9.37	30.00	Complies
165	5825	8.64	0.15	8.79	30.00	Complies

CH149



CH157



CH165

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.42	0.15	9.57	30.00	Complies
157	5785	9.02	0.15	9.17	30.00	Complies
165	5825	8.72	0.15	8.87	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.72	30.00	Complies
157	5785	15.48	30.00	Complies
165	5825	14.99	30.00	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.40	0.33	6.73	30.00	Complies
159	5795	7.31	0.33	7.64	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.25	0.33	6.58	30.00	Complies
159	5795	7.27	0.33	7.60	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.30	0.33	7.63	30.00	Complies
159	5795	7.05	0.33	7.38	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.27	0.33	7.60	30.00	Complies
159	5795	6.66	0.33	6.99	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.18	30.00	Complies
159	5795	13.43	30.00	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.10	0.66	4.76	30.00	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.20	0.66	4.86	30.00	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.22	0.66	4.88	30.00	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.74	0.66	4.40	30.00	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.75	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5180.0000
120	5180.0200
102	5180.0000
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8610

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0000
10	5180.0000
20	5180.0000
30	5180.0000
40	5180.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0000

Test Mode	UNII-2A

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9960
120	5259.9960
102	5259.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7605

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9960
10	5259.9960
20	5259.9960
30	5259.9964
40	5259.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7605

Test Mode	UNII-2C

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9956
120	5499.9956
102	5499.9956
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8000

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9952
10	5499.9956
20	5499.9956
30	5499.9960
40	5499.9960
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.8727

Test Mode	UNII-3

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9952
120	5744.9952
102	5744.9952
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.8355

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9952
10	5744.9952
20	5744.9952
30	5744.9952
40	5744.9952
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.8355

End of Test Report