


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	117.98	-95.06	22.92	-	-	Horizontal	NA
2	1962.00	50.57	-94.64	-44.07	-	-	Horizontal	NA
3	2961.60	45.64	-90.56	-44.92	-13.00	31.92	Horizontal	PASS
4	15072.50	34.45	-86.29	-51.84	-13.00	38.84	Horizontal	PASS
5	17349.00	33.45	-82.44	-48.99	-13.00	35.99	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	119.02	-95.06	23.96	-	-	Vertical	NA
2	2932.80	45.28	-90.46	-45.18	-13.00	32.18	Vertical	PASS
3	14089.00	35.34	-87.16	-51.82	-13.00	38.82	Vertical	PASS
4	17855.50	33.11	-82.53	-49.42	-13.00	36.42	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	114.93	-95.01	19.92	-	-	Horizontal	NA
2	2133.90	49.90	-94.69	-44.79	-	-	Horizontal	NA
3	2891.50	40.88	-90.57	-49.69	-13.00	36.69	Horizontal	PASS
4	14660.50	33.71	-85.63	-51.92	-13.00	38.92	Horizontal	PASS
5	17347.00	33.32	-82.53	-49.21	-13.00	36.21	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	120.77	-95.01	25.76	-	-	Vertical	NA
2	2923.50	40.69	-90.47	-49.78	-13.00	36.78	Vertical	PASS
3	15076.50	34.50	-86.28	-51.78	-13.00	38.78	Vertical	PASS
4	17351.50	33.13	-82.46	-49.33	-13.00	36.33	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3600.00	40.90	-107.09	-66.19	-13.00	53.19	Horizontal	PASS
2	6308.00	38.94	-98.90	-59.96	-13.00	46.96	Horizontal	PASS
3	8826.80	37.02	-93.27	-56.25	-13.00	43.25	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.80	41.40	-107.10	-65.70	-13.00	52.70	Vertical	PASS
2	6287.20	39.21	-98.99	-59.78	-13.00	46.78	Vertical	PASS
3	8896.40	36.85	-93.14	-56.29	-13.00	43.29	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	104.79	-83.04	21.75	-	-	Horizontal	NA
2	2955.90	37.40	-79.98	-42.58	-25.00	17.58	Horizontal	PASS
3	10104.00	39.46	-92.07	-52.61	-25.00	27.61	Horizontal	PASS
4	17349.50	33.11	-82.42	-49.31	-25.00	24.31	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	109.58	-83.04	26.54	-	-	Vertical	NA
2	2976.80	37.82	-79.93	-42.11	-25.00	17.11	Vertical	PASS
3	10104.00	47.65	-92.07	-44.42	-25.00	19.42	Vertical	PASS
4	12630.50	43.26	-90.18	-46.92	-25.00	21.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3179.45	42.01	-108.24	-66.23	-13.00	53.23	Horizontal	PASS
2	5811.45	39.05	-100.06	-61.01	-13.00	48.01	Horizontal	PASS
3	7925.10	37.99	-95.57	-57.58	-13.00	44.58	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3133.25	42.62	-108.46	-65.84	-13.00	52.84	Vertical	PASS
2	5543.70	39.52	-100.51	-60.99	-13.00	47.99	Vertical	PASS
3	7902.35	37.97	-95.68	-57.71	-13.00	44.71	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4796.57	40.41	-102.91	-62.50	-13.00	49.50	Horizontal	PASS
2	5540.20	40.51	-100.55	-60.04	-13.00	47.04	Horizontal	PASS
3	7923.70	38.30	-95.58	-57.28	-13.00	44.28	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4785.37	40.71	-102.97	-62.26	-13.00	49.26	Vertical	PASS
2	5510.80	41.11	-100.91	-59.80	-13.00	46.80	Vertical	PASS
3	7968.97	38.98	-95.50	-56.52	-13.00	43.52	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3294.40	42.79	-108.21	-65.42	-13.00	52.42	Horizontal	PASS
2	6328.80	39.27	-99.01	-59.74	-13.00	46.74	Horizontal	PASS
3	8890.40	37.23	-93.12	-55.89	-13.00	42.89	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3597.20	41.74	-107.13	-65.39	-13.00	52.39	Vertical	PASS
2	5664.00	39.51	-100.55	-61.04	-13.00	48.04	Vertical	PASS
3	8902.40	37.55	-93.21	-55.66	-13.00	42.66	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4794.70	39.49	-102.92	-63.43	-13.00	50.43	Horizontal	PASS
2	6303.20	39.56	-98.87	-59.31	-13.00	46.31	Horizontal	PASS
3	7890.80	37.70	-95.71	-58.01	-13.00	45.01	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4798.55	39.76	-102.90	-63.14	-13.00	50.14	Vertical	PASS
2	6306.35	38.93	-98.88	-59.95	-13.00	46.95	Vertical	PASS
3	7895.00	37.96	-95.70	-57.74	-13.00	44.74	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	108.14	-84.97	23.17	-	-	Horizontal	NA
2	2979.40	45.99	-79.97	-33.98	-13.00	20.98	Horizontal	PASS
3	15077.50	34.59	-86.28	-51.69	-13.00	38.69	Horizontal	PASS
4	17350.50	33.07	-82.42	-49.35	-13.00	36.35	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	109.41	-84.97	24.44	-	-	Vertical	NA
2	2985.40	46.15	-80.07	-33.92	-13.00	20.92	Vertical	PASS
3	15069.00	35.01	-86.31	-51.30	-13.00	38.30	Vertical	PASS
4	17351.50	33.23	-82.46	-49.23	-13.00	36.23	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4801.20	39.77	-102.90	-63.13	-13.00	50.13	Horizontal	PASS
2	7022.80	38.39	-97.35	-58.96	-13.00	45.96	Horizontal	PASS
3	8895.60	37.49	-93.15	-55.66	-13.00	42.66	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4799.20	39.57	-102.89	-63.32	-13.00	50.32	Vertical	PASS
2	6974.00	38.62	-97.55	-58.93	-13.00	45.93	Vertical	PASS
3	8904.80	37.49	-93.26	-55.77	-13.00	42.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4789.20	39.73	-102.95	-63.22	-13.00	50.22	Horizontal	PASS
2	7301.60	37.38	-95.91	-58.53	-13.00	45.53	Horizontal	PASS
3	8901.60	37.20	-93.20	-56.00	-13.00	43.00	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.00	44.78	-111.38	-66.60	-13.00	53.60	Vertical	PASS
2	7278.40	37.78	-96.33	-58.55	-13.00	45.55	Vertical	PASS
3	8898.80	36.94	-93.16	-56.22	-13.00	43.22	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	111.45	-94.19	17.26	-	-	Horizontal	NA
2	2355.20	49.60	-93.81	-44.21	-	-	Horizontal	NA
3	2896.40	41.07	-90.54	-49.47	-40.00	9.47	Horizontal	PASS
4	15084.00	34.32	-86.25	-51.93	-40.00	11.93	Horizontal	PASS
5	17351.00	33.54	-82.44	-48.90	-40.00	8.90	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	116.50	-94.19	22.31	-	-	Vertical	NA
2	2893.50	41.34	-90.55	-49.21	-40.00	9.21	Vertical	PASS
3	9222.50	39.86	-92.57	-52.71	-40.00	12.71	Vertical	PASS
4	17367.50	34.56	-83.08	-48.52	-40.00	8.52	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	104.00	-82.41	21.59	-	-	Horizontal	NA
2	2948.90	37.27	-80.02	-42.75	-25.00	17.75	Horizontal	PASS
3	13825.50	34.89	-86.92	-52.03	-25.00	27.03	Horizontal	PASS
4	17361.50	33.56	-82.85	-49.29	-25.00	24.29	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	109.60	-82.41	27.19	-	-	Vertical	NA
2	2967.30	37.12	-79.93	-42.81	-25.00	17.81	Vertical	PASS
3	10344.50	44.19	-91.52	-47.33	-25.00	22.33	Vertical	PASS
4	17348.50	33.49	-82.47	-48.98	-25.00	23.98	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	110.94	-82.40	28.54	-	-	Vertical	NA
2	2985.70	37.83	-80.08	-42.25	-25.00	17.25	Vertical	PASS
3	10336.50	45.78	-91.51	-45.73	-25.00	20.73	Vertical	PASS
4	17344.00	33.72	-82.68	-48.96	-25.00	23.96	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2583.90	104.42	-82.40	22.02	-	-	Horizontal	NA
2	2962.80	37.29	-79.95	-42.66	-25.00	17.66	Horizontal	PASS
3	10336.50	38.48	-91.51	-53.03	-25.00	28.03	Horizontal	PASS
4	17351.50	33.30	-82.46	-49.16	-25.00	24.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	104.01	-88.93	15.08	-	-	Horizontal	NA
2	6326.20	41.22	-80.18	-38.96	-13.00	25.96	Horizontal	PASS
3	14669.22	34.17	-85.84	-51.67	-13.00	38.67	Horizontal	PASS
4	17856.25	32.51	-81.35	-48.84	-13.00	35.84	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	107.71	-88.93	18.78	-	-	Vertical	NA
2	6130.40	41.66	-80.79	-39.13	-13.00	26.13	Vertical	PASS
3	15248.82	33.93	-85.35	-51.42	-13.00	38.42	Vertical	PASS
4	17874.65	32.70	-81.59	-48.89	-13.00	35.89	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.30	103.64	-88.82	14.82	-	-	Horizontal	NA
2	6363.60	41.01	-80.02	-39.01	-13.00	26.01	Horizontal	PASS
3	14632.03	34.01	-85.85	-51.84	-13.00	38.84	Horizontal	PASS
4	17370.95	34.28	-83.09	-48.81	-13.00	35.81	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.03	107.72	-88.83	18.89	-	-	Vertical	NA
2	6386.15	41.17	-80.26	-39.09	-13.00	26.09	Vertical	PASS
3	10698.27	39.67	-91.69	-52.02	-13.00	39.02	Vertical	PASS
4	17859.32	32.91	-81.39	-48.48	-13.00	35.48	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	103.80	-88.55	15.25	-	-	Horizontal	NA
2	6347.65	40.86	-79.90	-39.04	-13.00	26.04	Horizontal	PASS
3	15071.33	34.85	-86.12	-51.27	-13.00	38.27	Horizontal	PASS
4	17863.53	32.65	-81.44	-48.79	-13.00	35.79	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	109.93	-88.55	21.38	-	-	Vertical	NA
2	6097.13	41.91	-80.74	-38.83	-13.00	25.83	Vertical	PASS
3	14662.32	34.39	-85.67	-51.28	-13.00	38.28	Vertical	PASS
4	17989.65	33.06	-81.62	-48.56	-13.00	35.56	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	102.46	-88.64	13.82	-	-	Horizontal	NA
2	6361.68	32.09	-79.99	-47.90	-40.00	7.90	Horizontal	PASS
3	15241.15	34.17	-85.61	-51.44	-40.00	11.44	Horizontal	PASS
4	17983.90	32.70	-81.70	-49.00	-40.00	9.00	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	109.55	-88.64	20.91	-	-	Vertical	NA
2	6352.60	32.29	-79.90	-47.61	-40.00	7.61	Vertical	PASS
3	10848.15	38.68	-91.44	-52.76	-40.00	12.76	Vertical	PASS
4	17981.98	32.82	-81.73	-48.91	-40.00	8.91	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	113.62	-94.91	18.71	-	-	Horizontal	NA
2	2143.40	51.02	-94.67	-43.65	-	-	Horizontal	NA
3	2979.90	41.54	-90.74	-49.20	-13.00	36.20	Horizontal	PASS
4	14361.50	34.39	-86.15	-51.76	-13.00	38.76	Horizontal	PASS
5	17346.00	33.89	-82.58	-48.69	-13.00	35.69	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	121.20	-94.91	26.29	-	-	Vertical	NA
2	2999.30	41.62	-90.93	-49.31	-13.00	36.31	Vertical	PASS
3	14832.00	35.12	-86.82	-51.70	-13.00	38.70	Vertical	PASS
4	17830.00	33.60	-82.75	-49.15	-13.00	36.15	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4800.30	39.26	-102.89	-63.63	-13.00	50.63	Horizontal	PASS
2	6827.85	38.71	-97.88	-59.17	-13.00	46.17	Horizontal	PASS
3	7987.40	37.82	-95.55	-57.73	-13.00	44.73	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2437.10	45.68	-111.40	-65.72	-13.00	52.72	Vertical	PASS
2	6295.85	38.96	-98.89	-59.93	-13.00	46.93	Vertical	PASS
3	7954.50	37.49	-95.47	-57.98	-13.00	44.98	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE CA	Band:	Band 2C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	108.24	-84.95	23.29	-	-	Horizontal	NA
2	2971.20	36.59	-79.92	-43.33	-13.00	30.33	Horizontal	PASS
3	15078.00	34.63	-86.27	-51.64	-13.00	38.64	Horizontal	PASS
4	17352.00	33.03	-82.48	-49.45	-13.00	36.45	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 2C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	109.62	-84.95	24.67	-	-	Vertical	NA
2	2941.00	36.41	-80.12	-43.71	-13.00	30.71	Vertical	PASS
3	14665.50	33.97	-85.77	-51.80	-13.00	38.80	Vertical	PASS
4	17344.50	33.88	-82.66	-48.78	-13.00	35.78	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 5B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4793.60	39.52	-102.92	-63.40	-13.00	50.40	Horizontal	PASS
2	7009.60	38.73	-97.26	-58.53	-13.00	45.53	Horizontal	PASS
3	8838.00	37.24	-93.08	-55.84	-13.00	42.84	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 5B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5640.40	39.30	-100.64	-61.34	-13.00	48.34	Vertical	PASS
2	6993.60	38.31	-97.28	-58.97	-13.00	45.97	Vertical	PASS
3	8880.40	37.11	-93.06	-55.95	-13.00	42.95	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2533.90	99.65	-82.90	16.75	-	-	Horizontal	NA
2	2978.30	38.10	-79.96	-41.86	-25.00	16.86	Horizontal	PASS
3	10136.00	41.37	-92.04	-50.67	-25.00	25.67	Horizontal	PASS
4	17345.00	33.42	-82.62	-49.20	-25.00	24.20	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 7C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.00	109.57	-82.90	26.67	-	-	Vertical	NA
2	2999.00	37.73	-80.30	-42.57	-25.00	17.57	Vertical	PASS
3	10136.00	46.31	-92.04	-45.73	-25.00	20.73	Vertical	PASS
4	12670.00	43.40	-89.85	-46.45	-25.00	21.45	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 12B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4773.70	39.43	-103.03	-63.60	-13.00	50.60	Horizontal	PASS
2	5642.05	40.07	-100.65	-60.58	-13.00	47.58	Horizontal	PASS
3	7915.65	37.95	-95.62	-57.67	-13.00	44.67	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 12B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4791.55	39.30	-102.93	-63.63	-13.00	50.63	Vertical	PASS
2	5566.80	39.03	-100.47	-61.44	-13.00	48.44	Vertical	PASS
3	7962.55	37.69	-95.49	-57.80	-13.00	44.80	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 41C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.10	108.67	-82.42	26.25	-	-	Horizontal	NA
2	2987.00	37.47	-80.10	-42.63	-25.00	17.63	Horizontal	PASS
3	10372.50	40.51	-91.64	-51.13	-25.00	26.13	Horizontal	PASS
4	17342.50	33.78	-82.75	-48.97	-25.00	23.97	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 41C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.00	110.23	-82.42	27.81	-	-	Vertical	NA
2	2982.90	37.41	-80.03	-42.62	-25.00	17.62	Vertical	PASS
3	10368.00	42.04	-91.62	-49.58	-25.00	24.58	Vertical	PASS
4	17349.00	33.44	-82.44	-49.00	-25.00	24.00	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 48C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	107.43	-88.61	18.82	-	-	Horizontal	NA
2	6319.88	32.60	-80.26	-47.66	-40.00	7.66	Horizontal	PASS
3	10871.92	39.48	-91.03	-51.55	-40.00	11.55	Horizontal	PASS
4	17839.00	32.76	-81.74	-48.98	-40.00	8.98	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 48C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	108.26	-88.61	19.65	-	-	Vertical	NA
2	6116.38	32.82	-80.75	-47.93	-40.00	7.93	Vertical	PASS
3	13697.85	34.40	-85.85	-51.45	-40.00	11.45	Vertical	PASS
4	17846.67	32.49	-81.42	-48.93	-40.00	8.93	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 66B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.60	103.33	-85.03	18.30	-	-	Horizontal	NA
2	2933.40	37.51	-80.21	-42.70	-13.00	29.70	Horizontal	PASS
3	7012.00	40.61	-97.12	-56.51	-13.00	43.51	Horizontal	PASS
4	17834.50	38.86	-82.69	-43.83	-13.00	30.83	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 66B
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.60	111.31	-85.03	26.28	-	-	Vertical	NA
2	2995.90	38.65	-80.25	-41.60	-13.00	28.60	Vertical	PASS
3	15098.00	37.65	-86.21	-48.56	-13.00	35.56	Vertical	PASS
4	17816.50	39.12	-82.95	-43.83	-13.00	30.83	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 66C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.90	103.01	-85.04	17.97	-	-	Horizontal	NA
2	2943.30	37.35	-80.09	-42.74	-13.00	29.74	Horizontal	PASS
3	15251.50	37.40	-85.93	-48.53	-13.00	35.53	Horizontal	PASS
4	17830.00	38.92	-82.75	-43.83	-13.00	30.83	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 66C
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.90	111.49	-85.04	26.45	-	-	Vertical	NA
2	2996.70	37.78	-80.26	-42.48	-13.00	29.48	Vertical	PASS
3	15066.00	38.17	-86.32	-48.15	-13.00	35.15	Vertical	PASS
4	17822.00	39.07	-82.87	-43.80	-13.00	30.80	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 4
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	98.21	-79.95	18.26	-	-	Horizontal	NA
2	1871.00	98.90	-79.70	19.20	-	-	Horizontal	NA
3	2985.60	36.33	-75.10	-38.77	-13.00	25.77	Horizontal	PASS
4	13822.00	34.81	-86.98	-52.17	-13.00	39.17	Horizontal	PASS
5	17361.00	33.63	-82.83	-49.20	-13.00	36.20	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 4
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	102.51	-79.95	22.56	-	-	Vertical	NA
2	1871.00	101.01	-79.70	21.31	-	-	Vertical	NA
3	2968.40	36.19	-74.87	-38.68	-13.00	25.68	Vertical	PASS
4	15232.50	34.53	-86.32	-51.79	-13.00	38.79	Vertical	PASS
5	17346.50	33.49	-82.56	-49.07	-13.00	36.07	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 2+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	100.05	-79.70	20.35	-	-	Horizontal	NA
2	2525.80	92.74	-77.88	14.86	-	-	Horizontal	NA
3	2953.90	37.36	-74.89	-37.53	-25.00	12.53	Horizontal	PASS
4	14650.00	33.66	-85.34	-51.68	-25.00	26.68	Horizontal	PASS
5	17349.50	33.50	-82.42	-48.92	-25.00	23.92	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	101.30	-79.70	21.60	-	-	Vertical	NA
2	2526.10	100.94	-77.87	23.07	-	-	Vertical	NA
3	2977.70	37.25	-74.92	-37.67	-25.00	12.67	Vertical	PASS
4	10104.50	44.27	-92.07	-47.80	-25.00	22.80	Vertical	PASS
5	17348.00	33.33	-82.49	-49.16	-25.00	24.16	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	95.30	-95.06	0.24	-	-	Horizontal	NA
2	1997.65	36.35	-95.00	-58.65	-40.00	18.65	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	109.08	-94.19	14.89	-	-	Horizontal	NA
2	2353.00	55.41	-93.81	-38.40	-	-	Horizontal	NA
3	2975.80	39.39	-90.70	-51.31	-40.00	11.31	Horizontal	PASS
4	14085.00	35.22	-87.17	-51.95	-40.00	11.95	Horizontal	PASS
5	17345.50	33.82	-82.60	-48.78	-40.00	8.78	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	95.50	-95.06	0.44	-	-	Vertical	NA
2	1951.55	36.90	-94.53	-57.63	-40.00	17.63	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.70	112.41	-94.19	18.22	-	-	Vertical	NA
2	2356.90	41.12	-93.82	-52.70	-	-	Vertical	NA
3	2967.90	39.10	-90.62	-51.52	-40.00	11.52	Vertical	PASS
4	15077.00	34.62	-86.28	-51.66	-40.00	11.66	Vertical	PASS
5	17347.00	33.17	-82.53	-49.36	-40.00	9.36	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	94.50	-79.78	14.72	-	-	Horizontal	NA
2	1871.00	96.66	-79.70	16.96	-	-	Horizontal	NA
3	2971.40	36.19	-74.87	-38.68	-13.00	25.68	Horizontal	PASS
4	14666.00	34.50	-85.78	-51.28	-13.00	38.28	Horizontal	PASS
5	17347.00	33.13	-82.53	-49.40	-13.00	36.40	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 2+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	101.68	-79.78	21.90	-	-	Vertical	NA
2	1871.00	100.09	-79.70	20.39	-	-	Vertical	NA
3	2973.60	36.21	-74.86	-38.65	-13.00	25.65	Vertical	PASS
4	15066.50	34.86	-86.31	-51.45	-13.00	38.45	Vertical	PASS
5	17353.50	33.63	-82.54	-48.91	-13.00	35.91	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 4+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	96.82	-79.95	16.87	-	-	Horizontal	NA
2	2526.20	91.97	-77.87	14.10	-	-	Horizontal	NA
3	2973.40	37.70	-74.86	-37.16	-25.00	12.16	Horizontal	PASS
4	15235.00	34.54	-86.26	-51.72	-25.00	26.72	Horizontal	PASS
5	17359.50	33.95	-82.77	-48.82	-25.00	23.82	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 4+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.97	-79.95	24.02	-	-	Vertical	NA
2	2526.20	100.48	-77.87	22.61	-	-	Vertical	NA
3	2970.90	37.23	-74.87	-37.64	-25.00	12.64	Vertical	PASS
4	10104.50	45.12	-92.07	-46.95	-25.00	21.95	Vertical	PASS
5	12631.00	39.77	-90.17	-50.40	-25.00	25.40	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	93.65	-95.01	-1.36	-	-	Horizontal	NA
2	1938.80	35.14	-94.60	-59.46	-40.00	19.46	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2137.10	56.00	-94.68	-38.68	-	-	Horizontal	NA
2	2305.60	109.22	-94.19	15.03	-	-	Horizontal	NA
3	2352.90	55.28	-93.81	-38.53	-	-	Horizontal	NA
4	2876.00	39.34	-90.67	-51.33	-40.00	11.33	Horizontal	PASS
5	14614.50	34.28	-86.18	-51.90	-40.00	11.90	Horizontal	PASS
6	17343.50	33.31	-82.70	-49.39	-40.00	9.39	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.70	97.05	-95.01	2.04	-	-	Vertical	NA
2	1964.40	35.43	-94.66	-59.23	-40.00	19.23	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2126.50	41.63	-94.70	-53.07	-	-	Vertical	NA
2	2305.60	113.65	-94.19	19.46	-	-	Vertical	NA
3	2357.70	41.35	-93.81	-52.46	-	-	Vertical	NA
4	2942.70	39.05	-90.45	-51.40	-40.00	11.40	Vertical	PASS
5	13848.50	34.78	-86.55	-51.77	-40.00	11.77	Vertical	PASS
6	17370.50	34.06	-83.20	-49.14	-40.00	9.14	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	96.63	-79.86	16.77	-	-	Horizontal	NA
2	2141.60	43.33	-79.26	-35.93	-	-	Horizontal	NA
3	2526.30	92.70	-77.87	14.83	-	-	Horizontal	NA
4	2998.70	37.95	-75.40	-37.45	-25.00	12.45	Horizontal	PASS
5	14664.00	33.97	-85.73	-51.76	-25.00	26.76	Horizontal	PASS
6	17352.00	33.28	-82.48	-49.20	-25.00	24.20	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 7+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	101.74	-79.86	21.88	-	-	Vertical	NA
2	2526.10	99.73	-77.87	21.86	-	-	Vertical	NA
3	2988.00	37.66	-75.16	-37.50	-25.00	12.50	Vertical	PASS
4	10104.50	42.98	-92.07	-49.09	-25.00	24.09	Vertical	PASS
5	12630.50	40.43	-90.18	-49.75	-25.00	24.75	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 25
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.40	99.08	-79.71	19.37	-	-	Horizontal	NA
2	2526.10	92.58	-77.87	14.71	-	-	Horizontal	NA
3	2973.50	37.15	-74.86	-37.71	-25.00	12.71	Horizontal	PASS
4	14661.00	34.24	-85.64	-51.40	-25.00	26.40	Horizontal	PASS
5	17349.50	33.32	-82.42	-49.10	-25.00	24.10	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 7+Band 25
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.50	102.12	-79.71	22.41	-	-	Vertical	NA
2	2526.00	100.80	-77.87	22.93	-	-	Vertical	NA
3	2928.20	37.64	-75.15	-37.51	-25.00	12.51	Vertical	PASS
4	10104.00	44.46	-92.07	-47.61	-25.00	22.61	Vertical	PASS
5	12630.50	41.05	-90.18	-49.13	-25.00	24.13	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 25+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	97.13	-79.78	17.35	-	-	Horizontal	NA
2	1873.60	98.39	-79.71	18.68	-	-	Horizontal	NA
3	2985.60	36.11	-75.10	-38.99	-13.00	25.99	Horizontal	PASS
4	14654.00	33.93	-85.45	-51.52	-13.00	38.52	Horizontal	PASS
5	17361.00	33.26	-82.83	-49.57	-13.00	36.57	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 25+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	101.45	-79.78	21.67	-	-	Vertical	NA
2	1873.60	100.56	-79.71	20.85	-	-	Vertical	NA
3	2950.00	36.05	-74.90	-38.85	-13.00	25.85	Vertical	PASS
4	15246.50	34.32	-86.00	-51.68	-13.00	38.68	Vertical	PASS
5	17355.00	33.47	-82.59	-49.12	-13.00	36.12	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	91.39	-94.83	-3.44	-	-	Horizontal	NA
2	1950.00	35.11	-94.51	-59.40	-40.00	19.40	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2159.90	55.97	-94.64	-38.67	-	-	Horizontal	NA
2	2305.60	107.47	-94.19	13.28	-	-	Horizontal	NA
3	2352.40	54.87	-93.82	-38.95	-	-	Horizontal	NA
4	2899.30	35.75	-90.51	-54.76	-40.00	14.76	Horizontal	PASS
5	14819.50	34.95	-86.43	-51.48	-40.00	11.48	Horizontal	PASS
6	17341.00	33.42	-82.81	-49.39	-40.00	9.39	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	96.02	-94.83	1.19	-	-	Vertical	NA
2	1953.60	35.03	-94.54	-59.51	-40.00	19.51	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2158.60	42.57	-94.64	-52.07	-	-	Vertical	NA
2	2305.70	111.78	-94.19	17.59	-	-	Vertical	NA
3	2356.00	39.74	-93.82	-54.08	-	-	Vertical	NA
4	2927.60	35.82	-90.47	-54.65	-40.00	14.65	Vertical	PASS
5	14329.00	34.58	-86.43	-51.85	-40.00	11.85	Vertical	PASS
6	17348.50	33.43	-82.47	-49.04	-40.00	9.04	Vertical	PASS

~The End~