


Project Information			
Mode:	LTE CA	Band:	Band 4+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	96.82	-79.95	16.87	-	-	Horizontal	NA
2	2526.20	91.97	-77.87	14.10	-	-	Horizontal	NA
3	2973.40	37.70	-74.86	-37.16	-25.00	12.16	Horizontal	PASS
4	15235.00	34.54	-86.26	-51.72	-25.00	26.72	Horizontal	PASS
5	17359.50	33.95	-82.77	-48.82	-25.00	23.82	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.97	-79.95	24.02	-	-	Vertical	NA
2	2526.20	100.48	-77.87	22.61	-	-	Vertical	NA
3	2970.90	37.23	-74.87	-37.64	-25.00	12.64	Vertical	PASS
4	10104.50	45.12	-92.07	-46.95	-25.00	21.95	Vertical	PASS
5	12631.00	39.77	-90.17	-50.40	-25.00	25.40	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	93.65	-95.01	-1.36	-	-	Horizontal	NA
2	1938.80	35.14	-94.60	-59.46	-40.00	19.46	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2137.10	56.00	-94.68	-38.68	-	-	Horizontal	NA
2	2305.60	109.22	-94.19	15.03	-	-	Horizontal	NA
3	2352.90	55.28	-93.81	-38.53	-	-	Horizontal	NA
4	2876.00	39.34	-90.67	-51.33	-40.00	11.33	Horizontal	PASS
5	14614.50	34.28	-86.18	-51.90	-40.00	11.90	Horizontal	PASS
6	17343.50	33.31	-82.70	-49.39	-40.00	9.39	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.70	97.05	-95.01	2.04	-	-	Vertical	NA
2	1964.40	35.43	-94.66	-59.23	-40.00	19.23	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2126.50	41.63	-94.70	-53.07	-	-	Vertical	NA
2	2305.60	113.65	-94.19	19.46	-	-	Vertical	NA
3	2357.70	41.35	-93.81	-52.46	-	-	Vertical	NA
4	2942.70	39.05	-90.45	-51.40	-40.00	11.40	Vertical	PASS
5	13848.50	34.78	-86.55	-51.77	-40.00	11.77	Vertical	PASS
6	17370.50	34.06	-83.20	-49.14	-40.00	9.14	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	96.63	-79.86	16.77	-	-	Horizontal	NA
2	2141.60	43.33	-79.26	-35.93	-	-	Horizontal	NA
3	2526.30	92.70	-77.87	14.83	-	-	Horizontal	NA
4	2998.70	37.95	-75.40	-37.45	-25.00	12.45	Horizontal	PASS
5	14664.00	33.97	-85.73	-51.76	-25.00	26.76	Horizontal	PASS
6	17352.00	33.28	-82.48	-49.20	-25.00	24.20	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	101.74	-79.86	21.88	-	-	Vertical	NA
2	2526.10	99.73	-77.87	21.86	-	-	Vertical	NA
3	2988.00	37.66	-75.16	-37.50	-25.00	12.50	Vertical	PASS
4	10104.50	42.98	-92.07	-49.09	-25.00	24.09	Vertical	PASS
5	12630.50	40.43	-90.18	-49.75	-25.00	24.75	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 25
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.40	99.08	-79.71	19.37	-	-	Horizontal	NA
2	2526.10	92.58	-77.87	14.71	-	-	Horizontal	NA
3	2973.50	37.15	-74.86	-37.71	-25.00	12.71	Horizontal	PASS
4	14661.00	34.24	-85.64	-51.40	-25.00	26.40	Horizontal	PASS
5	17349.50	33.32	-82.42	-49.10	-25.00	24.10	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 25
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.50	102.12	-79.71	22.41	-	-	Vertical	NA
2	2526.00	100.80	-77.87	22.93	-	-	Vertical	NA
3	2928.20	37.64	-75.15	-37.51	-25.00	12.51	Vertical	PASS
4	10104.00	44.46	-92.07	-47.61	-25.00	22.61	Vertical	PASS
5	12630.50	41.05	-90.18	-49.13	-25.00	24.13	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 25+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	97.13	-79.78	17.35	-	-	Horizontal	NA
2	1873.60	98.39	-79.71	18.68	-	-	Horizontal	NA
3	2985.60	36.11	-75.10	-38.99	-13.00	25.99	Horizontal	PASS
4	14654.00	33.93	-85.45	-51.52	-13.00	38.52	Horizontal	PASS
5	17361.00	33.26	-82.83	-49.57	-13.00	36.57	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 25+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	101.45	-79.78	21.67	-	-	Vertical	NA
2	1873.60	100.56	-79.71	20.85	-	-	Vertical	NA
3	2950.00	36.05	-74.90	-38.85	-13.00	25.85	Vertical	PASS
4	15246.50	34.32	-86.00	-51.68	-13.00	38.68	Vertical	PASS
5	17355.00	33.47	-82.59	-49.12	-13.00	36.12	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	91.39	-94.83	-3.44	-	-	Horizontal	NA
2	1950.00	35.11	-94.51	-59.40	-40.00	19.40	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2159.90	55.97	-94.64	-38.67	-	-	Horizontal	NA
2	2305.60	107.47	-94.19	13.28	-	-	Horizontal	NA
3	2352.40	54.87	-93.82	-38.95	-	-	Horizontal	NA
4	2899.30	35.75	-90.51	-54.76	-40.00	14.76	Horizontal	PASS
5	14819.50	34.95	-86.43	-51.48	-40.00	11.48	Horizontal	PASS
6	17341.00	33.42	-82.81	-49.39	-40.00	9.39	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	96.02	-94.83	1.19	-	-	Vertical	NA
2	1953.60	35.03	-94.54	-59.51	-40.00	19.51	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 30+Band 66
Bandwidth:	10MHz+20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2158.60	42.57	-94.64	-52.07	-	-	Vertical	NA
2	2305.70	111.78	-94.19	17.59	-	-	Vertical	NA
3	2356.00	39.74	-93.82	-54.08	-	-	Vertical	NA
4	2927.60	35.82	-90.47	-54.65	-40.00	14.65	Vertical	PASS
5	14329.00	34.58	-86.43	-51.85	-40.00	11.85	Vertical	PASS
6	17348.50	33.43	-82.47	-49.04	-40.00	9.04	Vertical	PASS

Test on the worst case:**For LTE:**

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1875.60	119.26	-95.04	24.22	-	-	Horizontal	NA
2	1961.20	53.05	-94.62	-41.57	-	-	Horizontal	NA
3	6276.50	38.07	-99.16	-61.09	-13.00	48.09	Horizontal	PASS
4	13685.50	31.95	-87.60	-55.65	-13.00	42.65	Horizontal	PASS
5	17350.00	28.09	-82.40	-54.31	-13.00	41.31	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1728.00	112.79	-94.97	17.82	-	-	Horizontal	NA
2	2133.80	53.42	-94.69	-41.27	-	-	Horizontal	NA
3	6342.00	38.89	-98.75	-59.86	-13.00	46.86	Horizontal	PASS
4	15246.50	37.39	-86.00	-48.61	-13.00	35.61	Horizontal	PASS
5	17362.00	38.24	-82.87	-44.63	-13.00	31.63	Horizontal	PASS

Project Information

Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1393.60	43.70	-114.30	-70.60	-13.00	57.60	Horizontal	PASS
2	3107.60	41.39	-108.60	-67.21	-13.00	54.21	Horizontal	PASS
3	7406.80	37.73	-96.57	-58.84	-13.00	45.84	Horizontal	PASS

Project Information			
	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.30	103.67	-77.87	25.80	-	-	Vertical	NA
2	2984.50	32.50	-75.08	-42.58	-25.00	17.58	Vertical	PASS
3	10104.00	50.18	-92.07	-41.89	-25.00	16.89	Vertical	PASS
4	12630.00	43.32	-90.19	-46.87	-25.00	21.87	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3041.90	42.68	-108.84	-66.16	-13.00	53.16	Horizontal	PASS
2	6274.50	40.38	-99.11	-58.73	-13.00	45.73	Horizontal	PASS
3	7939.10	39.74	-95.51	-55.77	-13.00	42.77	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6302.03	39.56	-98.86	-59.30	-	-	Vertical	NA
2	6857.60	39.72	-97.71	-57.99	-	-	Vertical	NA
3	7899.20	38.69	-95.69	-57.00	-	-	Vertical	NA

Project Information

Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5133.03	40.03	-101.93	-61.90	-13.00	48.90	Vertical	PASS
2	6836.37	38.49	-97.81	-59.32	-13.00	46.32	Vertical	PASS
3	7894.53	38.08	-95.70	-57.62	-13.00	44.62	Vertical	PASS

Project Information

Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5689.30	39.44	-100.33	-60.89	-13.00	47.89	Vertical	PASS
2	7295.57	37.53	-95.97	-58.44	-13.00	45.44	Vertical	PASS
3	7982.73	38.51	-95.53	-57.02	-13.00	44.02	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5554.90	40.30	-100.44	-60.14	-13.00	47.14	Vertical	PASS
2	7256.95	39.67	-96.78	-57.11	-13.00	44.11	Vertical	PASS
3	7910.40	39.21	-95.64	-56.43	-13.00	43.43	Vertical	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	118.06	-95.04	23.02	-	-	Vertical	NA
2	1964.00	47.54	-94.66	-47.12	-	-	Vertical	NA
3	2948.60	39.97	-90.44	-50.47	-13.00	37.47	Vertical	PASS
4	15076.50	37.17	-86.28	-49.11	-13.00	36.11	Vertical	PASS
5	17918.00	38.95	-83.07	-44.12	-13.00	31.12	Vertical	PASS

Project Information

Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3603.60	41.43	-107.10	-65.67	-13.00	52.67	Vertical	PASS
2	7398.80	37.29	-96.51	-59.22	-13.00	46.22	Vertical	PASS
3	8929.20	37.08	-93.71	-56.63	-13.00	43.63	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3052.00	42.21	-108.79	-66.58	-13.00	53.58	Horizontal	PASS
2	7404.00	37.09	-96.54	-59.45	-13.00	46.45	Horizontal	PASS
3	8999.60	36.96	-93.47	-56.51	-13.00	43.51	Horizontal	PASS

Project Information

Mode:	LTE	Band:	30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	107.12	-83.72	23.40	-	-	Vertical	NA
2	2983.50	31.17	-80.04	-48.87	-40.00	8.87	Vertical	PASS
3	9222.50	47.13	-92.57	-45.44	-40.00	5.44	Vertical	PASS
4	11528.00	39.35	-90.49	-51.14	-40.00	11.14	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	119.64	-94.91	24.73	-	-	Vertical	NA
2	2145.20	44.43	-94.67	-50.24	-	-	Vertical	NA
3	2910.00	39.35	-90.50	-51.15	-13.00	38.15	Vertical	PASS
4	12792.50	38.22	-89.36	-51.14	-13.00	38.14	Vertical	PASS
5	17994.00	38.56	-82.51	-43.95	-13.00	30.95	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1541.10	43.72	-114.08	-70.36	-13.00	57.36	Horizontal	PASS
2	3034.20	42.45	-108.89	-66.44	-13.00	53.44	Horizontal	PASS
3	7305.25	39.00	-95.97	-56.97	-13.00	43.97	Horizontal	PASS

Project Information

Mode:	LTE	Band:	42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6341.60	32.01	-79.97	-47.96	-40.00	7.96	Vertical	PASS
2	7132.14	52.18	-97.68	-45.50	-40.00	5.50	Vertical	PASS
3	10698.02	42.66	-91.68	-49.02	-40.00	9.02	Vertical	PASS

Project Information

Mode:	LTE	Band:	42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3516.25	113.48	-88.91	24.57	-	-	Vertical	NA
2	6357.83	32.00	-79.96	-47.96	-30.00	17.96	Vertical	PASS
3	7032.07	49.43	-96.86	-47.43	-30.00	17.43	Vertical	PASS
4	10548.00	40.67	-91.56	-50.89	-30.00	20.89	Vertical	PASS

Project Information

Mode:	LTE	Band:	43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	112.10	-88.55	23.55	-	-	Vertical	NA
2	6332.80	32.34	-80.09	-47.75	-40.00	7.75	Vertical	PASS
3	7282.03	46.08	-96.25	-50.17	-40.00	10.17	Vertical	PASS
4	10922.66	38.19	-90.32	-52.13	-40.00	12.13	Vertical	PASS

Project Information

Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2583.90	94.60	-77.24	17.36	-	-	Horizontal	NA
2	2880.10	33.24	-75.52	-42.28	-25.00	17.28	Horizontal	PASS
3	15076.50	37.27	-86.28	-49.01	-25.00	24.01	Horizontal	PASS
4	17868.00	38.17	-82.67	-44.50	-25.00	19.50	Horizontal	PASS

Project Information

Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	113.06	-88.64	24.42	-	-	Vertical	NA
2	6129.03	32.90	-80.79	-47.89	-40.00	7.89	Vertical	PASS
3	7232.19	43.58	-95.97	-52.39	-40.00	12.39	Vertical	PASS
4	17878.48	32.31	-81.64	-49.33	-40.00	9.33	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE CA	Band:	2C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	99.54	-79.70	19.84	-	-	Horizontal	NA
2	2927.20	30.36	-75.17	-44.81	-13.00	31.81	Horizontal	PASS
3	9142.50	35.32	-92.21	-56.89	-13.00	43.89	Horizontal	PASS
4	17351.00	28.52	-82.44	-53.92	-13.00	40.92	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	5B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5442.40	38.88	-101.55	-62.67	-13.00	49.67	Horizontal	PASS
2	7392.40	37.88	-96.54	-58.66	-13.00	45.66	Horizontal	PASS
3	8852.00	36.58	-92.89	-56.31	-13.00	43.31	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	7C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2534.00	102.43	-77.72	24.71	-	-	Vertical	NA
2	10136.00	46.16	-92.04	-45.88	-25.00	20.88	Vertical	PASS
3	12670.00	40.82	-89.85	-49.03	-25.00	24.03	Vertical	PASS
4	17341.00	38.36	-82.81	-44.45	-25.00	19.45	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	12B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6301.60	38.26	-98.86	-60.60	-13.00	47.60	Horizontal	PASS
2	7396.00	37.73	-96.52	-58.79	-13.00	45.79	Horizontal	PASS
3	8114.80	37.37	-95.15	-57.78	-13.00	44.78	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	66B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.60	102.65	-79.68	22.97	-	-	Vertical	NA
2	2975.40	39.19	-74.87	-35.68	-13.00	22.68	Vertical	PASS
3	5265.00	42.15	-101.94	-59.79	-13.00	46.79	Vertical	PASS
4	17538.00	38.94	-83.77	-44.83	-13.00	31.83	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	66C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.00	103.20	-79.69	23.51	-	-	Vertical	NA
2	2984.40	39.16	-75.07	-35.91	-13.00	22.91	Vertical	PASS
3	8908.50	37.77	-93.53	-55.76	-13.00	42.76	Vertical	PASS
4	17879.50	38.69	-82.81	-44.12	-13.00	31.12	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	41C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.00	103.20	-77.22	25.98	-	-	Vertical	NA
2	2991.00	37.22	-75.22	-38.00	-25.00	13.00	Vertical	PASS
3	10372.00	43.09	-91.64	-48.55	-25.00	23.55	Vertical	PASS
4	17892.50	38.86	-82.96	-44.10	-25.00	19.10	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	108.26	-88.61	19.65	-	-	Horizontal	NA
2	6351.23	31.87	-79.88	-48.01	-40.00	8.01	Horizontal	PASS
3	11382.68	35.82	-89.99	-54.17	-40.00	14.17	Horizontal	PASS
4	17359.05	33.87	-83.05	-49.18	-40.00	9.18	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	Band 2+Band 4
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	102.42	-79.95	22.47	-	-	Vertical	NA
2	1871.00	99.86	-79.70	20.16	-	-	Vertical	NA
3	2974.00	39.35	-74.86	-35.51	-13.00	22.51	Vertical	PASS
4	7987.00	38.05	-95.39	-57.34	-13.00	44.34	Vertical	PASS
5	17871.00	38.47	-82.71	-44.24	-13.00	31.24	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 2+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	101.62	-79.70	21.92	-	-	Vertical	NA
2	2526.00	99.94	-77.87	22.07	-	-	Vertical	NA
3	10104.50	49.64	-92.07	-42.43	-25.00	17.43	Vertical	PASS
4	12630.50	41.89	-90.18	-48.29	-25.00	23.29	Vertical	PASS
5	17884.00	38.45	-82.86	-44.41	-25.00	19.41	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 2+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	100.86	-79.78	21.08	-	-	Vertical	NA
2	1871.00	100.15	-79.70	20.45	-	-	Vertical	NA
3	2974.00	39.24	-74.86	-35.62	-13.00	22.62	Vertical	PASS
4	10547.00	37.43	-91.60	-54.17	-13.00	41.17	Vertical	PASS
5	17337.50	38.30	-82.97	-44.67	-13.00	31.67	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 25+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	101.11	-79.78	21.33	-	-	Vertical	NA
2	1873.60	99.89	-79.71	20.18	-	-	Vertical	NA
3	2984.20	39.32	-75.07	-35.75	-13.00	22.75	Vertical	PASS
4	9481.00	38.54	-92.95	-54.41	-13.00	41.41	Vertical	PASS
5	17918.00	39.02	-83.07	-44.05	-13.00	31.05	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 66
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	101.88	-79.78	22.10	-	-	Vertical	NA
2	2526.20	99.64	-77.87	21.77	-	-	Vertical	NA
3	2987.00	37.09	-75.13	-38.04	-25.00	13.04	Vertical	PASS
4	10104.00	46.92	-92.07	-45.15	-25.00	20.15	Vertical	PASS
5	12630.00	39.47	-90.19	-50.72	-25.00	25.72	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 7+Band 25
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	101.85	-79.71	22.14	-	-	Vertical	NA
2	2526.20	100.25	-77.87	22.38	-	-	Vertical	NA
3	2970.40	36.94	-74.87	-37.93	-25.00	12.93	Vertical	PASS
4	10104.50	46.68	-92.07	-45.39	-25.00	20.39	Vertical	PASS
5	12630.50	41.77	-90.18	-48.41	-25.00	23.41	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 7
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	103.89	-79.95	23.94	-	-	Vertical	NA
2	2526.20	99.86	-77.87	21.99	-	-	Vertical	NA
3	2990.70	36.99	-75.22	-38.23	-25.00	13.23	Vertical	PASS
4	10104.50	45.83	-92.07	-46.24	-25.00	21.24	Vertical	PASS
5	12630.50	42.14	-90.18	-48.04	-25.00	23.04	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 2+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.65	106.51	-83.72	22.79	-	-	Vertical	NA
2	4611.00	41.66	-103.83	-62.17	-40.00	22.17	Vertical	PASS
3	9222.00	44.78	-92.57	-47.79	-40.00	7.79	Vertical	PASS
4	11528.00	38.19	-90.49	-52.30	-40.00	12.30	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	Band 4+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2131.05	40.45	-84.50	-44.05	-	-	Vertical	NA
2	2305.55	106.08	-83.72	22.36	-	-	Vertical	NA
3	2352.55	40.27	-83.67	-43.40	-	-	Vertical	NA
4	2969.00	32.64	-79.93	-47.29	-40.00	7.29	Vertical	PASS
5	9222.50	47.56	-92.57	-45.01	-40.00	5.01	Vertical	PASS
6	17345.00	32.71	-82.62	-49.91	-40.00	9.91	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	Band 66+Band 30
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	9222.00	40.54	-92.57	-52.03	-40.00	12.03	Vertical	PASS
2	15071.50	34.75	-86.30	-51.55	-40.00	11.55	Vertical	PASS
3	17350.00	32.54	-82.40	-49.86	-40.00	9.86	Vertical	PASS

~The End~