


Appendix-C Field Strength of Spurious Radiation-NR

For NR SA:

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4841.20	39.99	-103.47	-63.48	-13.00	50.48	Horizontal	PASS
2	6998.00	38.40	-97.21	-58.81	-13.00	45.81	Horizontal	PASS
3	8888.40	36.82	-93.11	-56.29	-13.00	43.29	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4797.60	39.09	-102.90	-63.81	-13.00	50.81	Vertical	PASS
2	7003.60	37.92	-97.21	-59.29	-13.00	46.29	Vertical	PASS
3	8886.00	37.38	-93.09	-55.71	-13.00	42.71	Vertical	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.70	100.28	-83.08	17.20	-	-	Horizontal	NA
2	2984.90	37.19	-80.07	-42.88	-25.00	17.88	Horizontal	PASS
3	10062.50	38.20	-91.65	-53.45	-25.00	28.45	Horizontal	PASS
4	17347.00	33.22	-82.53	-49.31	-25.00	24.31	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.60	108.16	-83.08	25.08	-	-	Vertical	NA
2	2567.50	46.28	-82.45	-36.17	-	-	Vertical	NA
3	2921.80	37.77	-80.35	-42.58	-25.00	17.58	Vertical	PASS
4	10062.50	45.18	-91.65	-46.47	-25.00	21.47	Vertical	PASS
5	12578.00	41.67	-90.68	-49.01	-25.00	24.01	Vertical	PASS

Project Information			
Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4794.70	39.40	-102.92	-63.52	-13.00	50.52	Horizontal	PASS
2	6058.90	39.49	-99.50	-60.01	-13.00	47.01	Horizontal	PASS
3	7899.55	37.86	-95.69	-57.83	-13.00	44.83	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4788.05	39.85	-102.95	-63.10	-13.00	50.10	Vertical	PASS
2	5811.45	39.53	-100.06	-60.53	-13.00	47.53	Vertical	PASS
3	7951.70	37.70	-95.47	-57.77	-13.00	44.77	Vertical	PASS

Project Information			
Mode:	SA	Band:	n13
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4795.17	39.92	-102.92	-63.00	-13.00	50.00	Horizontal	PASS
2	6468.40	39.65	-98.95	-59.30	-13.00	46.30	Horizontal	PASS
3	7945.63	38.73	-95.48	-56.75	-13.00	43.75	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n13
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4795.87	40.57	-102.91	-62.34	-13.00	49.34	Vertical	PASS
2	6112.33	40.37	-99.85	-59.48	-13.00	46.48	Vertical	PASS
3	7947.97	38.78	-95.47	-56.69	-13.00	43.69	Vertical	PASS

Project Information			
Mode:	SA	Band:	n14
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4594.80	39.39	-103.96	-64.57	-13.00	51.57	Horizontal	PASS
2	6996.80	38.38	-97.24	-58.86	-13.00	45.86	Horizontal	PASS
3	8868.40	37.13	-92.99	-55.86	-13.00	42.86	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n14
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4601.20	39.85	-103.93	-64.08	-13.00	51.08	Vertical	PASS
2	6966.40	38.43	-97.66	-59.23	-13.00	46.23	Vertical	PASS
3	8908.00	37.55	-93.32	-55.77	-13.00	42.77	Vertical	PASS

Project Information			
Mode:	SA	Band:	n26 (814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2419.20	46.39	-111.81	-65.42	-13.00	52.42	Horizontal	PASS
2	6827.20	38.82	-97.88	-59.06	-13.00	46.06	Horizontal	PASS
3	8888.40	37.12	-93.11	-55.99	-13.00	42.99	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n26 (814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2419.20	43.94	-111.81	-67.87	-13.00	54.87	Vertical	PASS
2	6860.40	38.31	-97.70	-59.39	-13.00	46.39	Vertical	PASS
3	8910.40	37.21	-93.36	-56.15	-13.00	43.15	Vertical	PASS

Project Information			
Mode:	SA	Band:	n26 (824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4798.80	38.82	-102.90	-64.08	-13.00	51.08	Horizontal	PASS
2	6292.80	38.89	-98.92	-60.03	-13.00	47.03	Horizontal	PASS
3	8832.00	37.50	-93.18	-55.68	-13.00	42.68	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n26 (824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4799.60	39.58	-102.89	-63.31	-13.00	50.31	Vertical	PASS
2	6295.20	39.13	-98.90	-59.77	-13.00	46.77	Vertical	PASS
3	8877.60	37.27	-93.04	-55.77	-13.00	42.77	Vertical	PASS

Project Information			
Mode:	SA	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	110.58	-94.19	16.39	-	-	Horizontal	NA
2	2352.60	57.71	-93.81	-36.10	-	-	Horizontal	NA
3	2913.60	35.93	-90.49	-54.56	-40.00	14.56	Horizontal	PASS
4	14085.00	34.93	-87.17	-52.24	-40.00	12.24	Horizontal	PASS
5	17355.00	32.73	-82.59	-49.86	-40.00	9.86	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	114.78	-94.19	20.59	-	-	Vertical	NA
2	2352.60	47.29	-93.81	-46.52	-	-	Vertical	NA
3	2912.80	36.04	-90.49	-54.45	-40.00	14.45	Vertical	PASS
4	9221.50	38.92	-92.57	-53.65	-40.00	13.65	Vertical	PASS
5	17342.50	33.53	-82.75	-49.22	-40.00	9.22	Vertical	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.10	101.39	-82.38	19.01	-	-	Horizontal	NA
2	2981.70	37.52	-80.01	-42.49	-25.00	17.49	Horizontal	PASS
3	14639.00	33.89	-85.60	-51.71	-25.00	26.71	Horizontal	PASS
4	17337.00	34.38	-82.99	-48.61	-25.00	23.61	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.10	107.07	-82.38	24.69	-	-	Vertical	NA
2	2982.80	37.50	-80.03	-42.53	-25.00	17.53	Vertical	PASS
3	10304.00	42.18	-91.45	-49.27	-25.00	24.27	Vertical	PASS
4	12880.50	37.35	-89.84	-52.49	-25.00	27.49	Vertical	PASS

For NR MIMO:

Project Information			
Mode:	NR MIMO	Band:	n2
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	108.75	-84.97	23.78	-	-	Horizontal	NA
2	2956.40	36.14	-79.98	-43.84	-13.00	30.84	Horizontal	PASS
3	15238.50	34.28	-86.18	-51.90	-13.00	38.90	Horizontal	PASS
4	17350.00	33.71	-82.40	-48.69	-13.00	35.69	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n2
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	109.27	-84.97	24.30	-	-	Vertical	NA
2	2984.00	36.29	-80.05	-43.76	-13.00	30.76	Vertical	PASS
3	14669.00	34.42	-85.86	-51.44	-13.00	38.44	Vertical	PASS
4	17349.50	33.55	-82.42	-48.87	-13.00	35.87	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	108.39	-84.97	23.42	-	-	Horizontal	NA
2	2982.60	36.07	-80.03	-43.96	-13.00	30.96	Horizontal	PASS
3	14364.50	34.57	-86.21	-51.64	-13.00	38.64	Horizontal	PASS
4	17349.00	33.16	-82.44	-49.28	-13.00	36.28	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	108.72	-84.97	23.75	-	-	Vertical	NA
2	2967.40	36.10	-79.93	-43.83	-13.00	30.83	Vertical	PASS
3	14668.00	34.41	-85.84	-51.43	-13.00	38.43	Vertical	PASS
4	17357.00	33.25	-82.67	-49.42	-13.00	36.42	Vertical	PASS

Project Information

Mode:	NR MIMO	Band:	n48
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.18	97.26	-88.67	8.59	-	-	Horizontal	NA
2	6327.03	32.55	-80.16	-47.61	-40.00	7.61	Horizontal	PASS
3	15241.92	34.18	-85.58	-51.40	-40.00	11.40	Horizontal	PASS
4	17995.78	33.08	-81.53	-48.45	-40.00	8.45	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n48
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	106.17	-88.67	17.50	-	-	Vertical	NA
2	6339.13	32.60	-80.01	-47.41	-40.00	7.41	Vertical	PASS
3	14661.17	34.19	-85.64	-51.45	-40.00	11.45	Vertical	PASS
4	17850.50	33.26	-81.28	-48.02	-40.00	8.02	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	101.36	-85.19	16.17	-	-	Horizontal	NA
2	2140.80	41.63	-84.59	-42.96	-	-	Horizontal	NA
3	2989.00	36.32	-80.14	-43.82	-13.00	30.82	Horizontal	PASS
4	14661.00	34.53	-85.64	-51.11	-13.00	38.11	Horizontal	PASS
5	17354.50	33.39	-82.58	-49.19	-13.00	36.19	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	111.06	-85.19	25.87	-	-	Vertical	NA
2	2143.40	40.32	-84.62	-44.30	-	-	Vertical	NA
3	2983.00	36.26	-80.03	-43.77	-13.00	30.77	Vertical	PASS
4	15066.00	34.46	-86.32	-51.86	-13.00	38.86	Vertical	PASS
5	17349.00	33.63	-82.44	-48.81	-13.00	35.81	Vertical	PASS

Project Information

Mode:	NR MIMO	Band:	n70
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	100.91	-85.41	15.50	-	-	Horizontal	NA
2	1997.20	45.93	-84.93	-39.00	-	-	Horizontal	NA
3	2974.80	35.92	-79.90	-43.98	-13.00	30.98	Horizontal	PASS
4	15078.00	34.17	-86.27	-52.10	-13.00	39.10	Horizontal	PASS
5	17346.00	33.67	-82.58	-48.91	-13.00	35.91	Horizontal	PASS

Project Information

Mode:	NR MIMO	Band:	n70
Bandwidth:	15MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	108.44	-85.41	23.03	-	-	Vertical	NA
2	1997.00	44.44	-84.93	-40.49	-	-	Vertical	NA
3	2975.00	35.96	-79.90	-43.94	-13.00	30.94	Vertical	PASS
4	15071.50	34.83	-86.30	-51.47	-13.00	38.47	Vertical	PASS
5	17349.50	33.29	-82.42	-49.13	-13.00	36.13	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4754.45	42.97	-103.13	-60.16	-13.00	47.16	Horizontal	PASS
2	6367.60	42.77	-99.28	-56.51	-13.00	43.51	Horizontal	PASS
3	7928.25	43.23	-95.56	-52.33	-13.00	39.33	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4799.60	42.23	-102.89	-60.66	-13.00	47.66	Vertical	PASS
2	6284.65	43.04	-99.01	-55.97	-13.00	42.97	Vertical	PASS
3	7920.20	42.11	-95.60	-53.49	-13.00	40.49	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n41(2496-2690MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.70	97.79	-82.73	15.06	-	-	Horizontal	NA
2	2982.30	33.28	-80.02	-46.74	-25.00	21.74	Horizontal	PASS
3	13852.00	34.34	-86.56	-52.22	-25.00	27.22	Horizontal	PASS
4	17346.50	33.14	-82.56	-49.42	-25.00	24.42	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n41(2496-2690MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	107.17	-82.72	24.45	-	-	Vertical	NA
2	2958.50	33.39	-79.97	-46.58	-25.00	21.58	Vertical	PASS
3	10176.00	42.85	-91.86	-49.01	-25.00	24.01	Vertical	PASS
4	17364.00	33.94	-82.95	-49.01	-25.00	24.01	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	95.72	-78.42	17.30	-	-	Horizontal	NA
2	6364.43	32.49	-69.93	-37.44	-13.00	24.44	Horizontal	PASS
3	15240.77	34.25	-85.62	-51.37	-13.00	38.37	Horizontal	PASS
4	17984.67	32.99	-81.69	-48.70	-13.00	35.70	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	100.96	-78.42	22.54	-	-	Vertical	NA
2	6175.23	32.34	-69.73	-37.39	-13.00	24.39	Vertical	PASS
3	15248.05	33.94	-85.38	-51.44	-13.00	38.44	Vertical	PASS
4	17845.52	33.06	-81.46	-48.40	-13.00	35.40	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	93.77	-77.73	16.04	-	-	Horizontal	NA
2	6271.48	32.96	-70.26	-37.30	-13.00	24.30	Horizontal	PASS
3	13679.45	34.61	-85.99	-51.38	-13.00	38.38	Horizontal	PASS
4	17993.87	32.91	-81.55	-48.64	-13.00	35.64	Horizontal	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	101.71	-77.73	23.98	-	-	Vertical	NA
2	6182.38	32.54	-69.96	-37.42	-13.00	24.42	Vertical	PASS
3	13699.00	34.24	-85.85	-51.61	-13.00	38.61	Vertical	PASS
4	17983.90	33.05	-81.70	-48.65	-13.00	35.65	Vertical	PASS

For END C:

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_66A_n7A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	97.26	-79.78	17.48	-	-	Horizontal	NA
2	2515.60	94.85	-77.93	16.92	-	-	Horizontal	NA
3	2957.30	36.94	-74.89	-37.95	-25.00	12.95	Horizontal	PASS
4	15067.50	34.46	-86.31	-51.85	-25.00	26.85	Horizontal	PASS
5	17344.50	33.71	-82.66	-48.95	-25.00	23.95	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_66A_n7A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	102.22	-79.78	22.44	-	-	Vertical	NA
2	2515.60	100.51	-77.93	22.58	-	-	Vertical	NA
3	2959.00	37.40	-74.89	-37.49	-25.00	12.49	Vertical	PASS
4	10062.50	43.50	-91.65	-48.15	-25.00	23.15	Vertical	PASS
5	12578.50	38.44	-90.68	-52.24	-25.00	27.24	Vertical	PASS

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_2A_n7A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	101.21	-79.70	21.51	-	-	Horizontal	NA
2	2515.60	95.06	-77.93	17.13	-	-	Horizontal	NA
3	2971.00	36.93	-74.87	-37.94	-25.00	12.94	Horizontal	PASS
4	14358.50	34.64	-86.09	-51.45	-25.00	26.45	Horizontal	PASS
5	17361.50	33.28	-82.85	-49.57	-25.00	24.57	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_2A_n7A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	100.51	-79.70	20.81	-	-	Vertical	NA
2	2515.60	100.84	-77.93	22.91	-	-	Vertical	NA
3	2984.60	37.59	-75.08	-37.49	-25.00	12.49	Vertical	PASS
4	10062.50	43.12	-91.65	-48.53	-25.00	23.53	Vertical	PASS
5	12578.00	42.40	-90.68	-48.28	-25.00	23.28	Vertical	PASS

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_4A_n38A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	96.18	-79.95	16.23	-	-	Horizontal	NA
2	2576.10	89.17	-77.26	11.91	-	-	Horizontal	NA
3	2947.70	37.25	-74.92	-37.67	-25.00	12.67	Horizontal	PASS
4	14623.00	34.07	-85.98	-51.91	-25.00	26.91	Horizontal	PASS
5	17352.50	33.41	-82.50	-49.09	-25.00	24.09	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	20MHz+40MHz
Bandwidth:	DC_4A_n38A	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.12	-79.95	23.17	-	-	Vertical	NA
2	2576.10	91.35	-77.26	14.09	-	-	Vertical	NA
3	2961.90	37.33	-74.88	-37.55	-25.00	12.55	Vertical	PASS
4	15241.50	34.28	-86.11	-51.83	-25.00	26.83	Vertical	PASS
5	17350.00	33.14	-82.40	-49.26	-25.00	24.26	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n25A_n38A
Bandwidth:	40MHz+40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	102.86	-79.66	23.20	-	-	Horizontal	NA
2	2576.00	96.22	-77.26	18.96	-	-	Horizontal	NA
3	2970.40	37.38	-74.87	-37.49	-25.00	12.49	Horizontal	PASS
4	14633.50	34.14	-85.73	-51.59	-25.00	26.59	Horizontal	PASS
5	17355.00	33.34	-82.59	-49.25	-25.00	24.25	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n38A
Bandwidth:	40MHz+40MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	101.96	-79.66	22.30	-	-	Vertical	NA
2	2576.10	98.57	-77.26	21.31	-	-	Vertical	NA
3	2982.80	37.49	-75.04	-37.55	-25.00	12.55	Vertical	PASS
4	14632.00	34.08	-85.76	-51.68	-25.00	26.68	Vertical	PASS
5	17365.00	33.75	-82.98	-49.23	-25.00	24.23	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	103.59	-88.75	14.84	-	-	Horizontal	NA
2	6370.15	31.66	-80.70	-49.04	-40.00	9.04	Horizontal	PASS
3	15093.85	36.13	-86.21	-50.08	-40.00	10.08	Horizontal	PASS
4	17843.21	35.44	-81.56	-46.12	-40.00	6.12	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	107.78	-88.75	19.03	-	-	Vertical	NA
2	6901.75	44.20	-96.97	-52.77	-40.00	12.77	Vertical	PASS
3	9221.76	39.67	-92.44	-52.77	-40.00	12.77	Vertical	PASS
4	17858.93	34.96	-81.38	-46.42	-40.00	6.42	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	109.02	-88.11	20.91	-	-	Horizontal	NA
2	6298.58	31.61	-80.78	-49.17	-40.00	9.17	Horizontal	PASS
3	15081.59	37.37	-86.16	-48.79	-40.00	8.79	Horizontal	PASS
4	17850.11	35.04	-81.27	-46.23	-40.00	6.23	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
SN:	C7X2QQ002A	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	108.04	-88.11	19.93	-	-	Vertical	NA
2	7581.80	45.29	-96.15	-50.86	-40.00	10.86	Vertical	PASS
3	9221.37	38.60	-92.44	-53.84	-40.00	13.84	Vertical	PASS
4	17988.88	35.38	-81.63	-46.25	-40.00	6.25	Vertical	PASS

Test on the worst case:**For NR SA:**


Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4797.60	38.37	-102.90	-64.53	-13.00	51.53	Vertical	PASS
2	7964.40	37.23	-95.49	-58.26	-13.00	45.26	Vertical	PASS
3	8888.40	36.78	-93.11	-56.33	-13.00	43.33	Vertical	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.60	102.65	-77.93	24.72	-	-	Vertical	NA
2	2973.30	32.50	-74.86	-42.36	-25.00	17.36	Vertical	PASS
3	10062.50	48.69	-91.65	-42.96	-25.00	17.96	Vertical	PASS
4	12578.00	43.77	-90.68	-46.91	-25.00	21.91	Vertical	PASS

Project Information			
Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4896.20	40.17	-103.08	-62.91	-13.00	49.91	Vertical	PASS
2	6896.80	40.10	-97.64	-57.54	-13.00	44.54	Vertical	PASS
3	7916.70	39.65	-95.62	-55.97	-13.00	42.97	Vertical	PASS

Project Information

Mode:	SA	Band:	n13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5722.20	39.06	-100.23	-61.17	-13.00	48.17	Vertical	PASS
2	6449.27	39.11	-99.05	-59.94	-13.00	46.94	Vertical	PASS
3	7303.73	38.04	-95.94	-57.90	-13.00	44.90	Vertical	PASS

Project Information			
Mode:	SA	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5261.37	40.41	-101.82	-61.41	-13.00	48.41	Vertical	PASS
2	7030.03	39.39	-97.41	-58.02	-13.00	45.02	Vertical	PASS
3	7974.80	38.13	-95.52	-57.39	-13.00	44.39	Vertical	PASS

Project Information			
Mode:	SA	Band:	n26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5134.80	39.11	-101.93	-62.82	-13.00	49.82	Horizontal	PASS
2	7288.40	36.82	-96.12	-59.30	-13.00	46.30	Horizontal	PASS
3	8938.00	37.16	-93.87	-56.71	-13.00	43.71	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n26(824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6296.80	37.90	-98.88	-60.98	-13.00	47.98	Horizontal	PASS
2	8136.00	36.87	-94.98	-58.11	-13.00	45.11	Horizontal	PASS
3	8886.80	36.57	-93.09	-56.52	-13.00	43.52	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	107.81	-83.72	24.09	-	-	Vertical	NA
2	2974.80	30.90	-79.90	-49.00	-40.00	9.00	Vertical	PASS
3	9221.50	45.39	-92.57	-47.18	-40.00	7.18	Vertical	PASS
4	11527.00	38.60	-90.50	-51.90	-40.00	11.90	Vertical	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.00	101.36	-77.26	24.10	-	-	Vertical	NA
2	2972.00	32.67	-74.86	-42.19	-25.00	17.19	Vertical	PASS
3	10304.00	43.44	-91.45	-48.01	-25.00	23.01	Vertical	PASS
4	17343.50	38.91	-82.70	-43.79	-25.00	18.79	Vertical	PASS

For NR MIMO:

Project Information			
Mode:	NR MIMO	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	108.69	-84.97	23.72	-	-	Vertical	NA
2	2954.60	36.53	-79.99	-43.46	-13.00	30.46	Vertical	PASS
3	14629.50	30.76	-85.82	-55.06	-13.00	42.06	Vertical	PASS
4	17334.00	29.20	-83.14	-53.94	-13.00	40.94	Vertical	PASS

Project Information

Mode:	NR MIMO	Band:	n2
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	102.74	-79.66	23.08	-	-	Vertical	NA
2	2787.60	30.84	-75.92	-45.08	-13.00	32.08	Vertical	PASS
3	15247.50	30.42	-85.97	-55.55	-13.00	42.55	Vertical	PASS
4	17349.00	28.73	-82.44	-53.71	-13.00	40.71	Vertical	PASS

Project Information

Mode:	NR MIMO	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	103.53	-79.95	23.58	-	-	Vertical	NA
2	2156.20	34.91	-79.27	-44.36	-	-	Vertical	NA
3	2946.40	29.82	-74.94	-45.12	-13.00	32.12	Vertical	PASS
4	13816.00	31.24	-87.07	-55.83	-13.00	42.83	Vertical	PASS
5	17359.00	28.54	-82.75	-54.21	-13.00	41.21	Vertical	PASS

Project Information

Mode:	NR MIMO	Band:	n70
Bandwidth:	15MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.60	103.10	-80.04	23.06	-	-	Vertical	NA
2	1998.80	38.55	-79.64	-41.09	-	-	Vertical	NA
3	2968.40	29.85	-74.87	-45.02	-13.00	32.02	Vertical	PASS
4	15072.50	30.58	-86.29	-55.71	-13.00	42.71	Vertical	PASS
5	17357.50	29.01	-82.69	-53.68	-13.00	40.68	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4796.45	39.93	-102.91	-62.98	-13.00	49.98	Horizontal	PASS
2	6286.40	39.84	-98.99	-59.15	-13.00	46.15	Horizontal	PASS
3	7936.65	39.36	-95.52	-56.16	-13.00	43.16	Horizontal	PASS

Project Information

Mode:	NR MIMO	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	101.63	-77.52	24.11	-	-	Vertical	NA
2	2928.80	27.20	-75.14	-47.94	-25.00	22.94	Vertical	PASS
3	10176.00	43.23	-91.86	-48.63	-25.00	23.63	Vertical	PASS
4	17837.50	38.50	-82.64	-44.14	-25.00	19.14	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	113.00	-88.97	24.03	-	-	Vertical	NA
2	6339.95	41.38	-80.00	-38.62	-13.00	25.62	Vertical	PASS
3	6902.12	40.27	-96.98	-56.71	-13.00	43.71	Vertical	PASS
4	17855.87	32.54	-81.35	-48.81	-13.00	35.81	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6097.13	41.70	-80.74	-39.04	-13.00	26.04	Vertical	PASS
2	7582.15	38.82	-96.15	-57.33	-13.00	44.33	Vertical	PASS
3	17341.05	33.74	-83.31	-49.57	-13.00	36.57	Vertical	PASS

Project Information			
Mode:	NR MIMO	Band:	n48
Bandwidth:	40MHz	Channel:	Mid
IMEI:	353652770103860	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	109.91	-88.67	21.24	-	-	Vertical	NA
2	6341.88	31.98	-79.97	-47.99	-40.00	7.99	Vertical	PASS
3	13697.32	33.63	-85.86	-52.23	-40.00	12.23	Vertical	PASS
4	17884.23	32.59	-81.71	-49.12	-40.00	9.12	Vertical	PASS

For END C:

Project Information			
Mode:	NSA	Band:	DC_66A_n7A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	104.38	-79.78	24.60	-	-	Vertical	NA
2	2515.50	93.65	-77.93	15.72	-	-	Vertical	NA
3	2974.10	37.14	-74.86	-37.72	-25.00	12.72	Vertical	PASS
4	7246.50	38.47	-96.80	-58.33	-25.00	33.33	Vertical	PASS
5	17349.00	38.15	-82.44	-44.29	-25.00	19.29	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n7A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.10	104.32	-79.70	24.62	-	-	Vertical	NA
2	2515.60	94.00	-77.93	16.07	-	-	Vertical	NA
3	2968.50	37.24	-74.87	-37.63	-25.00	12.63	Vertical	PASS
4	7300.00	38.68	-96.45	-57.77	-25.00	32.77	Vertical	PASS
5	17835.00	38.73	-82.68	-43.95	-25.00	18.95	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_4A_n38A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.70	104.19	-79.95	24.24	-	-	Vertical	NA
2	2576.00	93.29	-77.26	16.03	-	-	Vertical	NA
3	2970.60	36.63	-74.87	-38.24	-25.00	13.24	Vertical	PASS
4	7907.50	37.84	-95.47	-57.63	-25.00	32.63	Vertical	PASS
5	17867.00	38.56	-82.66	-44.10	-25.00	19.10	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n25A_n38A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	101.25	-79.66	21.59	-	-	Horizontal	NA
2	2576.00	93.22	-77.26	15.96	-	-	Horizontal	NA
3	2955.40	37.01	-74.89	-37.88	-25.00	12.88	Horizontal	PASS
4	15057.00	38.02	-86.35	-48.33	-25.00	23.33	Horizontal	PASS
5	17822.50	38.62	-82.86	-44.24	-25.00	19.24	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10+100Mz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.15	109.50	-88.75	20.75	-	-	Vertical	NA
2	6408.65	32.47	-80.79	-48.32	-40.00	8.32	Vertical	PASS
3	6901.75	50.65	-96.97	-46.32	-40.00	6.32	Vertical	PASS
4	9248.21	40.24	-92.48	-52.24	-40.00	12.24	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10+100Mz	Channel:	Mid
IMEI:	353652770103803	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.83	109.33	-88.11	21.22	-	-	Vertical	NA
2	6407.78	32.34	-80.79	-48.45	-40.00	8.45	Vertical	PASS
3	7581.80	50.15	-96.15	-46.00	-40.00	6.00	Vertical	PASS
4	9230.19	39.17	-92.45	-53.28	-40.00	13.28	Vertical	PASS

~The End~