






Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temp	Deviation (Hz)	Deviation (ppm)	Verdict
N2	15	40	DFT-PI2BPSK	M	Outer_Full	VL	NT	2.500000	0.001330	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	VN	NT	-1.900000	-0.001011	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	VH	NT	-5.700000	-0.003032	PASS
N2	15	40	CP-QPSK	M	Outer_Full	VL	NT	3.200000	0.001702	PASS
N2	15	40	CP-QPSK	M	Outer_Full	VN	NT	4.800000	0.002553	PASS
N2	15	40	CP-QPSK	M	Outer_Full	VH	NT	5.200000	0.002766	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temp	Deviation (Hz)	Deviation (ppm)	Verdict
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-30	-1.300000	-0.000691	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-20	-5.100000	-0.002713	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-10	-2.500000	-0.001330	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	0	-5.000000	-0.002660	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	10	2.000000	0.001064	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	20	-3.700000	-0.001968	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	30	-3.400000	-0.001809	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	40	3.600000	0.001915	PASS
N2	15	40	DFT-PI2BPSK	M	Outer_Full	NV	50	3.300000	0.001755	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	-30	8.400000	0.004468	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	-20	6.600000	0.003511	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	-10	6.900000	0.003670	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	0	4.400000	0.002340	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	10	5.300000	0.002819	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	20	2.400000	0.001277	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	30	4.200000	0.002234	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	40	5.000000	0.002660	PASS
N2	15	40	CP-QPSK	M	Outer_Full	NV	50	6.900000	0.003670	PASS

~The End~