



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.01699G	-5.94	6.1637G	-55.97	-45.94	-10.03	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	6.08978G	-2.94	6.2872G	-49.17	-42.94	-6.23	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	6.1166G	-1.67	6.611G	-49.99	-41.67	-8.32	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	6.75504G	-0.90	6.4974G	-39.18	-34.31	-4.87	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.99761G	-6.05	6.8974G	-54.41	-46.02	-8.39	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.90942G	-3.65	6.7262G	-49.12	-43.65	-5.47	4

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01079G	-5.89	6.1743G	-60.01	-45.89	-14.12	1
5985MHz	Pass	6.01959G	-6.29	6.177G	-60.14	-46.29	-13.85	2
5985MHz	Pass	6.01089G	-6.28	6.1698G	-59.51	-46.28	-13.23	3
5985MHz	Pass	6.01699G	-5.94	6.1637G	-55.97	-45.94	-10.03	4
7025MHz	Pass	6.98971G	-5.66	6.8961G	-57.00	-44.81	-12.19	1
7025MHz	Pass	7.04929G	-6.00	6.8463G	-60.19	-46.00	-14.19	2
7025MHz	Pass	6.99411G	-6.02	6.8351G	-56.60	-46.02	-10.58	3
7025MHz	Pass	6.99761G	-6.05	6.8974G	-54.41	-46.02	-8.39	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09018G	-2.55	6.2992G	-52.68	-42.55	-10.13	1
6025MHz	Pass	6.06839G	-2.53	6.2882G	-52.39	-42.53	-9.86	2
6025MHz	Pass	6.06939G	-2.72	6.2578G	-49.38	-39.96	-9.42	3
6025MHz	Pass	6.08978G	-2.94	6.2872G	-49.17	-42.94	-6.23	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92981G	-1.38	6.7134G	-50.88	-41.38	-9.50	1
6985MHz	Pass	7.0012G	-2.27	7.2502G	-52.15	-42.27	-9.88	2
6985MHz	Pass	7.00739G	-2.84	6.7152G	-51.71	-42.84	-8.87	3
6985MHz	Pass	6.90942G	-3.65	6.7262G	-49.12	-43.65	-5.47	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1206G	-1.44	6.6114G	-52.52	-41.44	-11.08	1
6105MHz	Pass	6.17378G	-1.25	6.6022G	-50.96	-41.25	-9.71	2
6105MHz	Pass	6.0878G	-1.67	6.6026G	-53.40	-41.67	-11.73	3
6105MHz	Pass	6.1166G	-1.67	6.611G	-49.99	-41.67	-8.32	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.78783G	-0.65	7.2998G	-38.38	-32.98	-5.40	1
6905MHz	Pass	7.05296G	-0.81	7.3254G	-42.78	-35.38	-7.40	2
6905MHz	Pass	7.04776G	-1.30	6.4994G	-40.54	-34.56	-5.98	3
6905MHz	Pass	6.75504G	-0.90	6.4974G	-39.18	-34.31	-4.87	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

30/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01079G	-5.89	6.1743G	-60.01	-45.89	-14.12	1
6.01959G	-6.29	6.177G	-60.14	-46.29	-13.85	2
6.01089G	-6.28	6.1698G	-59.51	-46.28	-13.23	3
6.01699G	-5.94	6.1637G	-55.97	-45.94	-10.03	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

MASK

6025MHz_TX

30/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09018G	-2.55	6.2992G	-52.68	-42.55	-10.13	1
6.06839G	-2.53	6.2882G	-52.39	-42.53	-9.86	2
6.06939G	-2.72	6.2578G	-49.38	-39.96	-9.42	3
6.08978G	-2.94	6.2872G	-49.17	-42.94	-6.23	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

30/03/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1206G	-1.44	6.6114G	-52.52	-41.44	-11.08	1
6.17378G	-1.25	6.6022G	-50.96	-41.25	-9.71	2
6.0878G	-1.67	6.6026G	-53.40	-41.67	-11.73	3
6.1166G	-1.67	6.611G	-49.99	-41.67	-8.32	4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6905MHz_TX

30/03/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78783G	-0.65	7.2998G	-38.38	-32.98	-5.40	1
7.05296G	-0.81	7.3254G	-42.78	-35.38	-7.40	2
7.04776G	-1.30	6.4994G	-40.54	-34.56	-5.98	3
6.75504G	-0.90	6.4974G	-39.18	-34.31	-4.87	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU_3_4TX

MASK

7025MHz_TX

30/03/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

30/03/2025



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	11.96996G	47.30	54.00	-6.70	3	Horizontal	46	2.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	12.04996G	47.06	54.00	-6.94	3	Horizontal	45	2.57
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	12.20994G	48.61	54.00	-5.39	3	Horizontal	45	2.44
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	AV	7.259G	51.10	54.00	-2.90	3	Vertical	322	1.48
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	7.1624G	51.72	68.20	-16.48	3	Horizontal	347	1.42
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	7.19G	52.00	68.20	-16.20	3	Vertical	294	1.73

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.828G	47.82	68.20	-20.38	3	Vertical	27	1.49
5985MHz	Pass	AV	6.019G	86.59	Inf	-Inf	3	Vertical	27	1.49
5985MHz	Pass	PK	5.888G	59.47	88.20	-28.73	3	Vertical	27	1.49
5985MHz	Pass	PK	5.959G	96.44	Inf	-Inf	3	Vertical	27	1.49
5985MHz	Pass	AV	5.828G	47.85	68.20	-20.35	3	Horizontal	29	2.22
5985MHz	Pass	AV	6.016G	88.30	Inf	-Inf	3	Horizontal	29	2.22
5985MHz	Pass	PK	5.841G	59.52	88.20	-28.68	3	Horizontal	29	2.22
5985MHz	Pass	PK	6.016G	100.03	Inf	-Inf	3	Horizontal	29	2.22
5985MHz	Pass	AV	11.96986G	42.59	54.00	-11.41	3	Vertical	172	1.50
5985MHz	Pass	PK	11.96942G	55.99	74.00	-18.01	3	Vertical	172	1.50
5985MHz	Pass	AV	11.96996G	47.30	54.00	-6.70	3	Horizontal	46	2.56
5985MHz	Pass	PK	11.96982G	56.67	74.00	-17.33	3	Horizontal	46	2.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9974G	91.80	Inf	-Inf	3	Vertical	313	1.62
7025MHz	Pass	AV	7.1732G	51.70	68.20	-16.50	3	Vertical	313	1.62
7025MHz	Pass	PK	6.9962G	103.46	Inf	-Inf	3	Vertical	313	1.62
7025MHz	Pass	PK	7.1582G	63.65	88.20	-24.55	3	Vertical	313	1.62
7025MHz	Pass	AV	7.0022G	90.55	Inf	-Inf	3	Horizontal	347	1.42
7025MHz	Pass	AV	7.1624G	51.72	68.20	-16.48	3	Horizontal	347	1.42
7025MHz	Pass	PK	7.0016G	103.51	Inf	-Inf	3	Horizontal	347	1.42
7025MHz	Pass	PK	7.1744G	64.53	88.20	-23.67	3	Horizontal	347	1.42
7025MHz	Pass	AV	14.04864G	49.05	68.20	-19.15	3	Vertical	315	2.78
7025MHz	Pass	PK	14.05486G	62.29	88.20	-25.91	3	Vertical	315	2.78
7025MHz	Pass	AV	14.05332G	49.12	68.20	-19.08	3	Horizontal	109	1.50
7025MHz	Pass	PK	14.0487G	62.05	88.20	-26.15	3	Horizontal	109	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9G	47.90	68.20	-20.30	3	Vertical	28	1.63
6025MHz	Pass	AV	6.099G	88.54	Inf	-Inf	3	Vertical	28	1.63
6025MHz	Pass	PK	5.851G	61.70	88.20	-26.50	3	Vertical	28	1.63
6025MHz	Pass	PK	6.097G	100.19	Inf	-Inf	3	Vertical	28	1.63
6025MHz	Pass	AV	5.798G	47.98	68.20	-20.22	3	Horizontal	41	2.20
6025MHz	Pass	AV	6.096G	90.60	Inf	-Inf	3	Horizontal	41	2.20
6025MHz	Pass	PK	5.899G	60.74	88.20	-27.46	3	Horizontal	41	2.20
6025MHz	Pass	PK	6.057G	101.35	Inf	-Inf	3	Horizontal	41	2.20
6025MHz	Pass	AV	12.04998G	42.99	54.00	-11.01	3	Vertical	172	1.51
6025MHz	Pass	PK	12.04952G	56.16	74.00	-17.84	3	Vertical	172	1.51
6025MHz	Pass	AV	12.04996G	47.06	54.00	-6.94	3	Horizontal	45	2.57
6025MHz	Pass	PK	12.05022G	57.00	74.00	-17.00	3	Horizontal	45	2.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.942G	92.33	Inf	-Inf	3	Vertical	294	1.73
6985MHz	Pass	AV	7.19G	52.00	68.20	-16.20	3	Vertical	294	1.73
6985MHz	Pass	PK	7.061G	103.93	Inf	-Inf	3	Vertical	294	1.73
6985MHz	Pass	PK	7.182G	64.22	88.20	-23.98	3	Vertical	294	1.73
6985MHz	Pass	AV	6.922G	91.73	Inf	-Inf	3	Horizontal	347	1.48
6985MHz	Pass	AV	7.202G	51.82	68.20	-16.38	3	Horizontal	347	1.48
6985MHz	Pass	PK	6.922G	103.29	Inf	-Inf	3	Horizontal	347	1.48
6985MHz	Pass	PK	7.167G	64.07	88.20	-24.13	3	Horizontal	347	1.48
6985MHz	Pass	AV	13.96924G	49.08	68.20	-19.12	3	Vertical	126	1.97
6985MHz	Pass	PK	13.97154G	62.28	88.20	-25.92	3	Vertical	126	1.97
6985MHz	Pass	AV	13.96666G	49.29	68.20	-18.91	3	Horizontal	284	2.10
6985MHz	Pass	PK	13.97016G	62.03	88.20	-26.17	3	Horizontal	284	2.10
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.905G	47.83	68.20	-20.37	3	Vertical	21	1.49
6105MHz	Pass	AV	6.097G	87.10	Inf	-Inf	3	Vertical	21	1.49
6105MHz	Pass	PK	5.897G	60.68	88.20	-27.52	3	Vertical	21	1.49
6105MHz	Pass	PK	6.099G	98.24	Inf	-Inf	3	Vertical	21	1.49
6105MHz	Pass	AV	5.903G	47.92	68.20	-20.28	3	Horizontal	41	2.18
6105MHz	Pass	AV	6.095G	88.60	Inf	-Inf	3	Horizontal	41	2.18
6105MHz	Pass	PK	5.923G	62.15	88.20	-26.05	3	Horizontal	41	2.18
6105MHz	Pass	PK	6.095G	101.45	Inf	-Inf	3	Horizontal	41	2.18



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21014G	44.03	54.00	-9.97	3	Vertical	161	2.00
6105MHz	Pass	PK	12.21162G	56.93	74.00	-17.07	3	Vertical	161	2.00
6105MHz	Pass	AV	12.20994G	48.61	54.00	-5.39	3	Horizontal	45	2.44
6105MHz	Pass	PK	12.20996G	58.50	74.00	-15.50	3	Horizontal	45	2.44
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz Straddle 6.525-6.875GHz	Pass	AV	6.777G	88.47	Inf	-Inf	3	Vertical	322	1.48
6905MHz Straddle 6.525-6.875GHz	Pass	AV	7.259G	51.10	54.00	-2.90	3	Vertical	322	1.48
6905MHz Straddle 6.525-6.875GHz	Pass	PK	6.757G	99.72	Inf	-Inf	3	Vertical	322	1.48
6905MHz Straddle 6.525-6.875GHz	Pass	PK	7.255G	63.30	74.00	-10.70	3	Vertical	322	1.48
6905MHz Straddle 6.525-6.875GHz	Pass	AV	6.821G	88.62	Inf	-Inf	3	Horizontal	356	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	7.255G	50.79	54.00	-3.21	3	Horizontal	356	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	6.821G	100.44	Inf	-Inf	3	Horizontal	356	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	7.325G	62.73	74.00	-11.27	3	Horizontal	356	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	13.94888G	48.81	68.20	-19.39	3	Vertical	186	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	13.8932G	61.71	88.20	-26.49	3	Vertical	186	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	13.95464G	48.74	68.20	-19.46	3	Horizontal	304	2.33
6905MHz Straddle 6.525-6.875GHz	Pass	PK	13.8484G	61.75	88.20	-26.45	3	Horizontal	304	2.33


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9G	47.90	68.20	-20.30	8.65	3	Vertical	28	1.63	39.25	34.20	8.60	34.15
AV	6.099G	88.54	Inf	-Inf	8.66	3	Vertical	28	1.63	79.88	34.10	8.80	34.24
PK	5.851G	61.70	88.20	-26.50	8.54	3	Vertical	28	1.63	53.16	34.10	8.57	34.13
PK	6.097G	100.19	Inf	-Inf	8.66	3	Vertical	28	1.63	91.53	34.10	8.80	34.24

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.798G	47.98	68.20	-20.22	8.33	3	Horizontal	41	2.20	39.65	33.89	8.55	34.11
AV	6.096G	90.60	Inf	-Inf	8.66	3	Horizontal	41	2.20	81.94	34.10	8.80	34.24
PK	5.899G	60.74	88.20	-27.46	8.64	3	Horizontal	41	2.20	52.10	34.20	8.59	34.15
PK	6.057G	101.35	Inf	-Inf	8.61	3	Horizontal	41	2.20	92.74	34.10	8.73	34.22


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.83	68.20	-20.37	8.64	3	Vertical	21	1.49	39.19	34.19	8.60	34.15
AV	6.097G	87.10	Inf	-Inf	8.66	3	Vertical	21	1.49	78.44	34.10	8.80	34.24
PK	5.897G	60.68	88.20	-27.52	8.63	3	Vertical	21	1.49	52.05	34.19	8.59	34.15
PK	6.099G	98.24	Inf	-Inf	8.66	3	Vertical	21	1.49	89.58	34.10	8.80	34.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.903G	47.92	68.20	-20.28	8.64	3	Horizontal	41	2.18	39.28	34.19	8.60	34.15
AV	6.095G	88.60	Inf	-Inf	8.66	3	Horizontal	41	2.18	79.94	34.10	8.80	34.24
PK	5.923G	62.15	88.20	-26.05	8.60	3	Horizontal	41	2.18	53.55	34.15	8.61	34.16
PK	6.095G	101.45	Inf	-Inf	8.66	3	Horizontal	41	2.18	92.79	34.10	8.80	34.24


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6905MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9974G	91.80	Inf	-Inf	10.76	3	Vertical	313	1.62	81.04	35.90	9.34	34.48
AV	7.1732G	51.70	68.20	-16.50	11.94	3	Vertical	313	1.62	39.76	36.79	9.53	34.38
PK	6.9962G	103.46	Inf	-Inf	10.76	3	Vertical	313	1.62	92.70	35.90	9.34	34.48
PK	7.1582G	63.65	88.20	-24.55	11.85	3	Vertical	313	1.62	51.80	36.73	9.51	34.39

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0022G	90.55	Inf	-Inf	10.77	3	Horizontal	347	1.42	79.78	35.91	9.34	34.48
AV	7.1624G	51.72	68.20	-16.48	11.89	3	Horizontal	347	1.42	39.83	36.75	9.52	34.38
PK	7.0016G	103.51	Inf	-Inf	10.77	3	Horizontal	347	1.42	92.74	35.91	9.34	34.48
PK	7.1744G	64.53	88.20	-23.67	11.95	3	Horizontal	347	1.42	52.58	36.80	9.53	34.38


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.942G	92.33	Inf	-Inf	10.76	3	Vertical	294	1.73	81.57	35.90	9.33	34.47
AV	7.19G	52.00	68.20	-16.20	12.04	3	Vertical	294	1.73	39.96	36.86	9.55	34.37
PK	7.061G	103.93	Inf	-Inf	11.14	3	Vertical	294	1.73	92.79	36.17	9.41	34.44
PK	7.182G	64.22	88.20	-23.98	12.00	3	Vertical	294	1.73	52.22	36.83	9.54	34.37

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.922G	91.73	Inf	-Inf	10.76	3	Horizontal	347	1.48	80.97	35.90	9.33	34.47
AV	7.202G	51.82	68.20	-16.38	12.10	3	Horizontal	347	1.48	39.72	36.90	9.56	34.36
PK	6.922G	103.29	Inf	-Inf	10.76	3	Horizontal	347	1.48	92.53	35.90	9.33	34.47
PK	7.167G	64.07	88.20	-24.13	11.91	3	Horizontal	347	1.48	52.16	36.77	9.52	34.38


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	5.997G	-5.88	6.1353G	-55.33	-45.88	-9.45	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	Pass	6.05759G	-2.95	6.2822G	-50.00	-42.95	-7.05	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	Pass	6.13019G	-1.46	6.5694G	-44.86	-38.88	-5.98	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	Pass	6.92539G	-1.01	7.2754G	-37.15	-31.73	-5.42	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	7.05539G	-4.99	6.8967G	-54.56	-44.99	-9.57	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	Pass	6.90862G	-1.93	6.7294G	-47.23	-41.93	-5.30	4

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0008G	-5.76	6.1803G	-60.27	-45.76	-14.51	1
5985MHz	Pass	6.0012G	-6.01	6.1272G	-60.42	-46.01	-14.41	2
5985MHz	Pass	5.9725G	-6.34	6.1794G	-60.06	-46.34	-13.72	3
5985MHz	Pass	5.997G	-5.88	6.1353G	-55.33	-45.88	-9.45	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99061G	-4.96	6.8353G	-57.81	-44.96	-12.85	1
7025MHz	Pass	7.05479G	-5.17	6.8924G	-59.16	-45.17	-13.99	2
7025MHz	Pass	6.99081G	-5.17	6.8349G	-56.82	-45.17	-11.65	3
7025MHz	Pass	7.05539G	-4.99	6.8967G	-54.56	-44.99	-9.57	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09258G	-2.50	6.2218G	-44.54	-34.24	-10.30	1
6025MHz	Pass	6.09018G	-2.14	6.281G	-52.41	-42.14	-10.27	2
6025MHz	Pass	6.08938G	-2.75	6.3748G	-54.13	-42.75	-11.38	3
6025MHz	Pass	6.05759G	-2.95	6.2822G	-50.00	-42.95	-7.05	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05099G	-2.88	6.2762G	-53.38	-42.29	-11.09	1
6025MHz	Pass	6.06099G	-2.82	6.3556G	-53.95	-42.82	-11.13	2
6025MHz	Pass	6.04899G	-3.36	6.3748G	-54.58	-43.36	-11.22	3
6025MHz	Pass	6.05579G	-3.21	6.3624G	-50.71	-43.21	-7.50	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.90982G	-1.08	7.1708G	-39.97	-31.13	-8.84	1
6985MHz	Pass	6.91482G	-2.15	7.2354G	-51.20	-41.63	-9.57	2
6985MHz	Pass	6.92142G	-2.33	7.1764G	-42.16	-33.59	-8.57	3
6985MHz	Pass	6.90862G	-1.93	6.7294G	-47.23	-41.93	-5.30	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91102G	-1.11	7.1726G	-39.92	-31.42	-8.50	1
6985MHz	Pass	6.93801G	-2.13	7.1736G	-42.15	-32.85	-9.30	2
6985MHz	Pass	7.00579G	-2.69	7.1718G	-42.24	-33.29	-8.95	3
6985MHz	Pass	6.93041G	-3.15	6.6896G	-49.01	-43.15	-5.86	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13099G	-0.82	6.525G	-43.72	-35.28	-8.44	1
6105MHz	Pass	6.14899G	-0.90	6.5738G	-46.84	-38.90	-7.94	2
6105MHz	Pass	6.0966G	-1.40	6.5806G	-47.23	-40.17	-7.06	3
6105MHz	Pass	6.13019G	-1.46	6.5694G	-44.86	-38.88	-5.98	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1114G	-1.07	6.6034G	-52.29	-41.07	-11.22	1
6105MHz	Pass	6.17138G	-0.99	6.6026G	-51.96	-40.99	-10.97	2
6105MHz	Pass	6.0886G	-1.71	6.6326G	-54.67	-41.71	-12.96	3
6105MHz	Pass	6.13699G	-1.59	6.617G	-50.28	-41.59	-8.69	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0998G	-1.14	6.601G	-52.37	-41.12	-11.25	1
6105MHz	Pass	6.15179G	-0.97	6.601G	-52.03	-40.95	-11.08	2
6105MHz	Pass	6.06981G	-1.79	6.605G	-54.65	-41.79	-12.86	3
6105MHz	Pass	6.1098G	-1.76	6.6226G	-51.45	-41.76	-9.69	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84901G	-0.40	6.5062G	-39.26	-33.02	-6.24	1
6905MHz	Pass	6.9166G	-0.65	7.3114G	-40.23	-34.21	-6.02	2
6905MHz	Pass	6.92619G	-1.30	7.2574G	-36.70	-30.73	-5.97	3
6905MHz	Pass	6.92939G	-0.30	6.497G	-39.47	-33.74	-5.73	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80902G	-0.13	6.4958G	-39.07	-33.50	-5.57	1
6905MHz	Pass	6.9174G	-0.62	7.285G	-37.75	-32.26	-5.49	2
6905MHz	Pass	6.92539G	-1.01	7.2754G	-37.15	-31.73	-5.42	3
6905MHz	Pass	6.9158G	-0.08	7.2794G	-36.66	-31.09	-5.57	4




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.8894G	-0.04	7.201G	-35.29	-26.19	-9.10	1
6905MHz	Pass	6.9206G	-0.56	7.2154G	-37.65	-27.60	-10.05	2
6905MHz	Pass	6.8862G	-1.24	6.3738G	-50.80	-41.24	-9.56	3
6905MHz	Pass	6.8906G	-0.31	7.207G	-36.19	-26.83	-9.36	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

MASK

5985MHz_TX

12/04/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

MASK

7025MHz_TX

12/04/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

MASK

6025MHz_TX

12/04/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09258G	-2.50	6.2218G	-44.54	-34.24	-10.30	1
6.09018G	-2.14	6.281G	-52.41	-42.14	-10.27	2
6.08938G	-2.75	6.3748G	-54.13	-42.75	-11.38	3
6.05759G	-2.95	6.2822G	-50.00	-42.95	-7.05	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6025MHz_TX

12/04/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	-2.88	6.2762G	-53.38	-42.29	-11.09	1
6.06099G	-2.82	6.3556G	-53.95	-42.82	-11.13	2
6.04899G	-3.36	6.3748G	-54.58	-43.36	-11.22	3
6.05579G	-3.21	6.3624G	-50.71	-43.21	-7.50	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4TX

MASK

6985MHz_TX

12/04/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

MASK

6985MHz_TX

12/04/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_2_4TX

MASK

6105MHz_TX

12/04/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP_4_4TX

MASK

6105MHz_TX

12/04/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_3_4TX

MASK

6105MHz_TX

12/04/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_4_4TX

MASK

6905MHz_TX

12/04/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

MASK

6905MHz_TX

12/04/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80902G	-0.13	6.4958G	-39.07	-33.50	-5.57	1
6.9174G	-0.62	7.285G	-37.75	-32.26	-5.49	2
6.92539G	-1.01	7.2754G	-37.15	-31.73	-5.42	3
6.9158G	-0.08	7.2794G	-36.66	-31.09	-5.57	4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

MASK

6905MHz_TX

12/04/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8894G	-0.04	7.201G	-35.29	-26.19	-9.10	1
6.9206G	-0.56	7.2154G	-37.65	-27.60	-10.05	2
6.8862G	-1.24	6.3738G	-50.80	-41.24	-9.56	3
6.8906G	-0.31	7.207G	-36.19	-26.83	-9.36	4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	AV	11.97G	45.01	54.00	-8.99	3	Horizontal	40	1.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	Pass	AV	12.05G	45.64	54.00	-8.36	3	Horizontal	42	1.69
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	Pass	AV	12.21G	47.23	54.00	-6.77	3	Horizontal	32	2.38
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	AV	7.1744G	51.28	68.20	-16.92	3	Vertical	294	2.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	AV	7.227G	51.51	68.20	-16.69	3	Vertical	289	2.07
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	Pass	AV	7.259G	51.89	54.00	-2.11	3	Vertical	305	1.63

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.8745G	47.23	68.20	-20.97	3	Vertical	8	2.96
5985MHz	Pass	AV	5.958G	87.91	Inf	-Inf	3	Vertical	8	2.96
5985MHz	Pass	PK	5.8835G	59.70	88.20	-28.50	3	Vertical	8	2.96
5985MHz	Pass	PK	5.959G	101.61	Inf	-Inf	3	Vertical	8	2.96
5985MHz	Pass	AV	5.827G	47.28	68.20	-20.92	3	Horizontal	27	2.40
5985MHz	Pass	AV	5.997G	88.23	Inf	-Inf	3	Horizontal	27	2.40
5985MHz	Pass	PK	5.9065G	59.31	88.20	-28.89	3	Horizontal	27	2.40
5985MHz	Pass	PK	5.997G	99.69	Inf	-Inf	3	Horizontal	27	2.40
5985MHz	Pass	AV	11.93704G	41.84	54.00	-12.16	3	Vertical	261	2.80
5985MHz	Pass	PK	11.98056G	55.43	74.00	-18.57	3	Vertical	261	2.80
5985MHz	Pass	AV	11.97G	45.01	54.00	-8.99	3	Horizontal	40	1.62
5985MHz	Pass	PK	11.96968G	55.78	74.00	-18.22	3	Horizontal	40	1.62
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0226G	93.66	Inf	-Inf	3	Vertical	294	2.60
7025MHz	Pass	AV	7.1744G	51.28	68.20	-16.92	3	Vertical	294	2.60
7025MHz	Pass	PK	7.0625G	106.16	Inf	-Inf	3	Vertical	294	2.60
7025MHz	Pass	PK	7.1657G	64.14	88.20	-24.06	3	Vertical	294	2.60
7025MHz	Pass	AV	7.0232G	92.45	Inf	-Inf	3	Horizontal	345	2.76
7025MHz	Pass	AV	7.1741G	51.12	68.20	-17.08	3	Horizontal	345	2.76
7025MHz	Pass	PK	7.0229G	103.79	Inf	-Inf	3	Horizontal	345	2.76
7025MHz	Pass	PK	7.1399G	63.95	88.20	-24.25	3	Horizontal	345	2.76
7025MHz	Pass	AV	14.02056G	48.45	68.20	-19.75	3	Vertical	283	1.50
7025MHz	Pass	PK	14.01448G	61.83	88.20	-26.37	3	Vertical	283	1.50
7025MHz	Pass	AV	14.0124G	48.45	68.20	-19.75	3	Horizontal	95	1.50
7025MHz	Pass	PK	14.0228G	62.09	88.20	-26.11	3	Horizontal	95	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9065G	47.27	68.20	-20.93	3	Vertical	22	1.61
6025MHz	Pass	AV	6.0985G	88.00	Inf	-Inf	3	Vertical	22	1.61
6025MHz	Pass	PK	5.8875G	60.03	88.20	-28.17	3	Vertical	22	1.61
6025MHz	Pass	PK	6.098G	99.67	Inf	-Inf	3	Vertical	22	1.61
6025MHz	Pass	AV	5.915G	47.30	68.20	-20.90	3	Horizontal	44	1.93
6025MHz	Pass	AV	6.096G	89.23	Inf	-Inf	3	Horizontal	44	1.93
6025MHz	Pass	PK	5.8055G	59.46	88.20	-28.74	3	Horizontal	44	1.93
6025MHz	Pass	PK	6.096G	101.52	Inf	-Inf	3	Horizontal	44	1.93
6025MHz	Pass	AV	12.03656G	42.11	54.00	-11.89	3	Vertical	38	2.93
6025MHz	Pass	PK	12.01224G	55.43	74.00	-18.57	3	Vertical	38	2.93
6025MHz	Pass	AV	12.05G	45.63	54.00	-8.37	3	Horizontal	62	1.70
6025MHz	Pass	PK	12.09096G	56.06	74.00	-17.94	3	Horizontal	62	1.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9175G	47.45	68.20	-20.75	3	Vertical	8	2.87
6025MHz	Pass	AV	5.9785G	87.33	Inf	-Inf	3	Vertical	8	2.87
6025MHz	Pass	PK	5.7815G	59.84	88.20	-28.36	3	Vertical	8	2.87
6025MHz	Pass	PK	6.058G	99.11	Inf	-Inf	3	Vertical	8	2.87
6025MHz	Pass	AV	5.8745G	47.26	68.20	-20.94	3	Horizontal	41	1.55
6025MHz	Pass	AV	6.055G	88.41	Inf	-Inf	3	Horizontal	41	1.55
6025MHz	Pass	PK	5.8635G	61.42	88.20	-26.78	3	Horizontal	41	1.55
6025MHz	Pass	PK	6.055G	100.36	Inf	-Inf	3	Horizontal	41	1.55
6025MHz	Pass	AV	12.05G	42.24	54.00	-11.76	3	Vertical	96	1.50
6025MHz	Pass	PK	12.1076G	55.31	74.00	-18.69	3	Vertical	96	1.50
6025MHz	Pass	AV	12.05G	45.64	54.00	-8.36	3	Horizontal	42	1.69
6025MHz	Pass	PK	12.05G	57.10	74.00	-16.90	3	Horizontal	42	1.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9425G	93.10	Inf	-Inf	3	Vertical	289	2.07
6985MHz	Pass	AV	7.227G	51.51	68.20	-16.69	3	Vertical	289	2.07
6985MHz	Pass	PK	6.9405G	104.52	Inf	-Inf	3	Vertical	289	2.07
6985MHz	Pass	PK	7.23G	63.60	88.20	-24.60	3	Vertical	289	2.07
6985MHz	Pass	AV	6.941G	92.19	Inf	-Inf	3	Horizontal	349	1.14
6985MHz	Pass	AV	7.1825G	51.44	68.20	-16.76	3	Horizontal	349	1.14
6985MHz	Pass	PK	6.9415G	103.95	Inf	-Inf	3	Horizontal	349	1.14
6985MHz	Pass	PK	7.216G	64.37	88.20	-23.83	3	Horizontal	349	1.14


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	13.94536G	48.69	68.20	-19.51	3	Vertical	311	1.97
6985MHz	Pass	PK	13.9404G	62.61	88.20	-25.59	3	Vertical	311	1.97
6985MHz	Pass	AV	13.9444G	48.68	68.20	-19.52	3	Horizontal	291	1.50
6985MHz	Pass	PK	13.91112G	63.08	88.20	-25.12	3	Horizontal	291	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX										
6985MHz	Pass	AV	6.9415G	92.63	Inf	-Inf	3	Vertical	299	2.50
6985MHz	Pass	AV	7.181G	51.39	68.20	-16.81	3	Vertical	299	2.50
6985MHz	Pass	PK	6.9415G	104.76	Inf	-Inf	3	Vertical	299	2.50
6985MHz	Pass	PK	7.1425G	63.72	88.20	-24.48	3	Vertical	299	2.50
6985MHz	Pass	AV	6.9415G	92.00	Inf	-Inf	3	Horizontal	347	1.58
6985MHz	Pass	AV	7.194G	51.37	68.20	-16.83	3	Horizontal	347	1.58
6985MHz	Pass	PK	6.943G	103.42	Inf	-Inf	3	Horizontal	347	1.58
6985MHz	Pass	PK	7.164G	63.39	88.20	-24.81	3	Horizontal	347	1.58
6985MHz	Pass	AV	13.94568G	48.66	68.20	-19.54	3	Vertical	77	1.00
6985MHz	Pass	PK	13.94472G	62.32	88.20	-25.88	3	Vertical	77	1.00
6985MHz	Pass	AV	13.97G	48.84	68.20	-19.36	3	Horizontal	48	1.50
6985MHz	Pass	PK	13.9448G	62.16	88.20	-26.04	3	Horizontal	48	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX										
6105MHz	Pass	AV	5.919G	49.03	68.20	-19.17	3	Vertical	309	2.80
6105MHz	Pass	AV	6.242G	91.07	Inf	-Inf	3	Vertical	309	2.80
6105MHz	Pass	PK	5.909G	60.96	88.20	-27.24	3	Vertical	309	2.80
6105MHz	Pass	PK	6.242G	102.18	Inf	-Inf	3	Vertical	309	2.80
6105MHz	Pass	AV	5.914G	48.34	68.20	-19.86	3	Horizontal	50	1.63
6105MHz	Pass	AV	6.235G	90.64	Inf	-Inf	3	Horizontal	50	1.63
6105MHz	Pass	PK	5.858G	59.30	88.20	-28.90	3	Horizontal	50	1.63
6105MHz	Pass	PK	6.236G	102.99	Inf	-Inf	3	Horizontal	50	1.63
6105MHz	Pass	AV	12.35208G	43.62	54.00	-10.38	3	Vertical	73	3.00
6105MHz	Pass	PK	12.36424G	56.59	74.00	-17.41	3	Vertical	73	3.00
6105MHz	Pass	AV	12.21G	46.69	54.00	-7.31	3	Horizontal	33	2.34
6105MHz	Pass	PK	12.21448G	56.82	74.00	-17.18	3	Horizontal	33	2.34
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX										
6105MHz	Pass	AV	5.919G	47.72	68.20	-20.48	3	Vertical	27	1.62
6105MHz	Pass	AV	6.098G	88.02	Inf	-Inf	3	Vertical	27	1.62
6105MHz	Pass	PK	5.808G	59.49	88.20	-28.71	3	Vertical	27	1.62
6105MHz	Pass	PK	6.099G	98.30	Inf	-Inf	3	Vertical	27	1.62
6105MHz	Pass	AV	5.917G	48.03	68.20	-20.17	3	Horizontal	41	2.25
6105MHz	Pass	AV	6.095G	89.16	Inf	-Inf	3	Horizontal	41	2.25
6105MHz	Pass	PK	5.913G	59.91	88.20	-28.29	3	Horizontal	41	2.25
6105MHz	Pass	PK	6.176G	99.56	Inf	-Inf	3	Horizontal	41	2.25
6105MHz	Pass	AV	12.35144G	43.65	54.00	-10.35	3	Vertical	219	2.32
6105MHz	Pass	PK	12.35464G	56.98	74.00	-17.02	3	Vertical	219	2.32
6105MHz	Pass	AV	12.21G	47.23	54.00	-6.77	3	Horizontal	32	2.38
6105MHz	Pass	PK	12.25224G	57.37	74.00	-16.63	3	Horizontal	32	2.38
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX										
6105MHz	Pass	AV	5.919G	47.90	68.20	-20.30	3	Vertical	7	2.83
6105MHz	Pass	AV	6.098G	88.71	Inf	-Inf	3	Vertical	7	2.83
6105MHz	Pass	PK	5.766G	59.07	88.20	-29.13	3	Vertical	7	2.83
6105MHz	Pass	PK	6.119G	100.25	Inf	-Inf	3	Vertical	7	2.83
6105MHz	Pass	AV	5.917G	47.70	68.20	-20.50	3	Horizontal	41	2.21
6105MHz	Pass	AV	6.096G	89.38	Inf	-Inf	3	Horizontal	41	2.21
6105MHz	Pass	PK	5.897G	60.03	88.20	-28.17	3	Horizontal	41	2.21
6105MHz	Pass	PK	6.096G	101.53	Inf	-Inf	3	Horizontal	41	2.21
6105MHz	Pass	AV	12.21888G	43.59	54.00	-10.41	3	Vertical	317	1.50
6105MHz	Pass	PK	12.20296G	57.98	74.00	-16.02	3	Vertical	317	1.50
6105MHz	Pass	AV	12.21G	46.63	54.00	-7.37	3	Horizontal	29	2.42
6105MHz	Pass	PK	12.25528G	56.44	74.00	-17.56	3	Horizontal	29	2.42
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX										
6905MHz	Pass	AV	6.7775G	96.09	Inf	-Inf	3	Vertical	328	1.49
6905MHz	Pass	AV	7.1985G	58.98	68.20	-9.22	3	Vertical	328	1.49
6905MHz	Pass	PK	6.7775G	102.78	Inf	-Inf	3	Vertical	328	1.49
6905MHz	Pass	PK	7.2185G	69.33	88.20	-18.87	3	Vertical	328	1.49
6905MHz	Pass	AV	6.8215G	95.88	Inf	-Inf	3	Horizontal	355	1.49



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.2155G	58.30	68.20	-9.90	3	Horizontal	355	1.49
6905MHz	Pass	PK	6.8205G	103.00	Inf	-Inf	3	Horizontal	355	1.49
6905MHz	Pass	PK	7.3015G	67.93	74.00	-6.07	3	Horizontal	355	1.49
6905MHz	Pass	AV	13.94568G	48.42	68.20	-19.78	3	Vertical	9	3.00
6905MHz	Pass	PK	13.96104G	62.07	88.20	-26.13	3	Vertical	9	3.00
6905MHz	Pass	AV	13.9444G	48.43	68.20	-19.77	3	Horizontal	34	1.50
6905MHz	Pass	PK	13.91064G	61.73	88.20	-26.47	3	Horizontal	34	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.7775G	96.15	Inf	-Inf	3	Vertical	321	1.50
6905MHz	Pass	AV	7.1975G	58.89	68.20	-9.31	3	Vertical	321	1.50
6905MHz	Pass	PK	6.8165G	103.21	Inf	-Inf	3	Vertical	321	1.50
6905MHz	Pass	PK	7.1975G	69.15	88.20	-19.05	3	Vertical	321	1.50
6905MHz	Pass	AV	6.8215G	95.74	Inf	-Inf	3	Horizontal	353	1.50
6905MHz	Pass	AV	7.1965G	58.04	68.20	-10.16	3	Horizontal	353	1.50
6905MHz	Pass	PK	6.8215G	102.82	Inf	-Inf	3	Horizontal	353	1.50
6905MHz	Pass	PK	7.1815G	68.03	88.20	-20.17	3	Horizontal	353	1.50
6905MHz	Pass	AV	13.94568G	48.43	68.20	-19.77	3	Vertical	161	1.56
6905MHz	Pass	PK	13.95784G	61.88	88.20	-26.32	3	Vertical	161	1.56
6905MHz	Pass	AV	13.94632G	48.42	68.20	-19.78	3	Horizontal	332	2.66
6905MHz	Pass	PK	13.96056G	61.89	88.20	-26.31	3	Horizontal	332	2.66
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.88G	92.31	Inf	-Inf	3	Vertical	305	1.63
6905MHz	Pass	AV	7.25G	51.49	54.00	-2.51	3	Vertical	305	1.63
6905MHz	Pass	AV	7.259G	51.89	54.00	-2.11	3	Vertical	305	1.63
6905MHz	Pass	PK	6.881G	103.17	Inf	-Inf	3	Vertical	305	1.63
6905MHz	Pass	PK	7.25G	61.83	74.00	-12.17	3	Vertical	305	1.63
6905MHz	Pass	PK	7.268G	63.85	74.00	-10.15	3	Vertical	305	1.63
6905MHz	Pass	AV	6.881G	92.50	Inf	-Inf	3	Horizontal	353	1.38
6905MHz	Pass	AV	7.25G	51.30	54.00	-2.70	3	Horizontal	353	1.38
6905MHz	Pass	AV	7.256G	51.67	54.00	-2.33	3	Horizontal	353	1.38
6905MHz	Pass	PK	6.881G	104.71	Inf	-Inf	3	Horizontal	353	1.38
6905MHz	Pass	PK	7.25G	62.03	74.00	-11.97	3	Horizontal	353	1.38
6905MHz	Pass	PK	7.36G	63.09	74.00	-10.91	3	Horizontal	353	1.38
6905MHz	Pass	AV	13.94376G	48.63	68.20	-19.57	3	Vertical	189	1.38
6905MHz	Pass	PK	13.89704G	62.21	88.20	-25.99	3	Vertical	189	1.38
6905MHz	Pass	AV	13.86936G	48.61	68.20	-19.59	3	Horizontal	327	1.50
6905MHz	Pass	PK	13.87784G	61.81	88.20	-26.39	3	Horizontal	327	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9175G	47.45	68.20	-20.75	8.60	3	Vertical	8	2.87	38.85	34.16	8.60	34.16
AV	5.9785G	87.33	Inf	-Inf	8.55	3	Vertical	8	2.87	78.78	34.10	8.63	34.18
PK	5.7815G	59.84	88.20	-28.36	8.26	3	Vertical	8	2.87	51.58	33.83	8.53	34.10
PK	6.058G	99.11	Inf	-Inf	8.62	3	Vertical	8	2.87	90.49	34.10	8.74	34.22

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8745G	47.26	68.20	-20.94	8.59	3	Horizontal	41	1.55	38.67	34.15	8.58	34.14
AV	6.055G	88.41	Inf	-Inf	8.61	3	Horizontal	41	1.55	79.80	34.10	8.73	34.22
PK	5.8635G	61.42	88.20	-26.78	8.58	3	Horizontal	41	1.55	52.84	34.13	8.58	34.13
PK	6.055G	100.36	Inf	-Inf	8.61	3	Horizontal	41	1.55	91.75	34.10	8.73	34.22


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	47.72	68.20	-20.48	8.60	3	Vertical	27	1.62	39.12	34.16	8.60	34.16
AV	6.098G	88.02	Inf	-Inf	8.66	3	Vertical	27	1.62	79.36	34.10	8.80	34.24
PK	5.808G	59.49	88.20	-28.71	8.37	3	Vertical	27	1.62	51.12	33.93	8.55	34.11
PK	6.099G	98.30	Inf	-Inf	8.66	3	Vertical	27	1.62	89.64	34.10	8.80	34.24

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.03	68.20	-20.17	8.61	3	Horizontal	41	2.25	39.42	34.17	8.60	34.16
AV	6.095G	89.16	Inf	-Inf	8.66	3	Horizontal	41	2.25	80.50	34.10	8.80	34.24
PK	5.913G	59.91	88.20	-28.29	8.62	3	Horizontal	41	2.25	51.29	34.17	8.60	34.15
PK	6.176G	99.56	Inf	-Inf	8.91	3	Horizontal	41	2.25	90.65	34.25	8.93	34.27


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

6105MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0226G	93.66	Inf	-Inf	10.88	3	Vertical	294	2.60	82.78	35.99	9.36	34.47
AV	7.1744G	51.28	68.20	-16.92	11.95	3	Vertical	294	2.60	39.33	36.80	9.53	34.38
PK	7.0625G	106.16	Inf	-Inf	11.14	3	Vertical	294	2.60	95.02	36.17	9.41	34.44
PK	7.1657G	64.14	88.20	-24.06	11.90	3	Vertical	294	2.60	52.24	36.76	9.52	34.38

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0232G	92.45	Inf	-Inf	10.89	3	Horizontal	345	2.76	81.56	35.99	9.37	34.47
AV	7.1741G	51.12	68.20	-17.08	11.95	3	Horizontal	345	2.76	39.17	36.80	9.53	34.38
PK	7.0229G	103.79	Inf	-Inf	10.89	3	Horizontal	345	2.76	92.90	35.99	9.37	34.47
PK	7.1399G	63.95	88.20	-24.25	11.73	3	Horizontal	345	2.76	52.22	36.64	9.49	34.40


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9425G	93.10	Inf	-Inf	10.76	3	Vertical	289	2.07	82.34	35.90	9.33	34.47
AV	7.227G	51.51	68.20	-16.69	12.17	3	Vertical	289	2.07	39.34	36.95	9.56	34.34
PK	6.9405G	104.52	Inf	-Inf	10.76	3	Vertical	289	2.07	93.76	35.90	9.33	34.47
PK	7.23G	63.60	88.20	-24.60	12.18	3	Vertical	289	2.07	51.42	36.96	9.56	34.34

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.941G	92.19	Inf	-Inf	10.76	3	Horizontal	349	1.14	81.43	35.90	9.33	34.47
AV	7.1825G	51.44	68.20	-16.76	12.00	3	Horizontal	349	1.14	39.44	36.83	9.54	34.37
PK	6.9415G	103.95	Inf	-Inf	10.76	3	Horizontal	349	1.14	93.19	35.90	9.33	34.47
PK	7.216G	64.37	88.20	-23.83	12.14	3	Horizontal	349	1.14	52.23	36.93	9.56	34.35


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

6905MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.421923G	-12.17	6.37445G	-57.34	-52.17	-5.17	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.420446G	-8.07	6.50215G	-56.00	-48.07	-7.93	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	5.9836G	-5.49	6.1128G	-50.90	-45.49	-5.41	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.0398G	-2.53	6.2892G	-44.99	-42.53	-2.46	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.56976G	-0.39	5.949G	-42.11	-38.82	-3.29	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.478699G	-11.82	6.442175G	-60.56	-51.82	-8.74	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.427704G	-6.99	6.37445G	-55.14	-46.99	-8.15	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.57119G	-4.93	6.7032G	-49.72	-44.93	-4.79	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.52799G	-1.64	6.2468G	-45.33	-41.64	-3.69	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.43144G	-2.38	6.747G	-21.70	-21.58	-0.12	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.866927G	-11.63	6.835225G	-57.28	-51.63	-5.65	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.869854G	-8.49	6.97505G	-55.75	-48.49	-7.26	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.8474G	-5.07	7.0054G	-49.03	-45.07	-3.96	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.70099G	-1.47	6.3946G	-45.41	-41.47	-3.94	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.7322G	-2.38	6.209G	-42.35	-38.72	-3.63	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.109376G	-15.87	7.08105G	-61.39	-55.87	-5.52	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.919601G	-8.24	6.98885G	-54.26	-48.24	-6.02	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.9334G	-5.43	6.7837G	-49.32	-45.43	-3.89	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	7.01399G	-1.73	6.624G	-45.98	-41.73	-4.25	4

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.947202G	-11.93	5.99235G	-61.26	-51.93	-9.33	1
5955MHz	Pass	5.963998G	-11.31	5.987025G	-61.51	-51.31	-10.20	2
5955MHz	Pass	5.948502G	-12.20	5.99065G	-61.40	-52.20	-9.20	3
5955MHz	Pass	5.946402G	-12.06	5.9883G	-61.21	-52.03	-9.18	4
6195MHz	Pass	6.204173G	-12.74	6.23915G	-61.30	-52.74	-8.56	1
6195MHz	Pass	6.203923G	-12.08	6.22685G	-61.87	-52.08	-9.79	2
6195MHz	Pass	6.186577G	-11.08	6.1607G	-62.14	-51.08	-11.06	3
6195MHz	Pass	6.186177G	-12.49	6.227025G	-61.19	-52.42	-8.77	4
6415MHz	Pass	6.422498G	-12.10	6.374425G	-60.81	-52.10	-8.71	1
6415MHz	Pass	6.423548G	-9.94	6.37215G	-61.16	-49.94	-11.22	2
6415MHz	Pass	6.421923G	-12.17	6.37445G	-57.34	-52.17	-5.17	3
6415MHz	Pass	6.406902G	-13.12	6.457575G	-60.78	-53.12	-7.66	4
6435MHz	Pass	6.441548G	-11.21	6.469125G	-60.68	-51.21	-9.47	1
6435MHz	Pass	6.441598G	-8.95	6.479475G	-60.75	-48.95	-11.80	2
6435MHz	Pass	6.441323G	-11.91	6.480575G	-61.34	-51.91	-9.43	3
6435MHz	Pass	6.426452G	-9.70	6.467725G	-60.48	-49.70	-10.78	4
6475MHz	Pass	6.470626G	-10.99	6.50625G	-60.66	-50.99	-9.67	1
6475MHz	Pass	6.482848G	-11.05	6.4412G	-60.27	-51.05	-9.22	2
6475MHz	Pass	6.466252G	-9.55	6.5074G	-59.06	-49.55	-9.51	3
6475MHz	Pass	6.478699G	-11.82	6.442175G	-60.56	-51.82	-8.74	4
6515MHz	Pass	6.510176G	-10.02	6.4828G	-60.65	-50.02	-10.63	1
6515MHz	Pass	6.505677G	-10.44	6.48235G	-60.57	-50.44	-10.13	2
6515MHz	Pass	6.505777G	-8.69	6.465775G	-60.91	-48.69	-12.22	3
6515MHz	Pass	6.517824G	-11.56	6.48035G	-60.63	-51.56	-9.07	4
6535MHz	Pass	6.533425G	-9.87	6.497375G	-60.71	-49.87	-10.84	1
6535MHz	Pass	6.529551G	-9.45	6.500425G	-60.70	-49.45	-11.25	2
6535MHz	Pass	6.544423G	-8.16	6.497675G	-60.90	-48.16	-12.74	3
6535MHz	Pass	6.541598G	-10.90	6.4977G	-60.65	-50.90	-9.75	4
6695MHz	Pass	6.688002G	-10.21	6.73275G	-61.35	-50.21	-11.14	1
6695MHz	Pass	6.702998G	-10.06	6.66045G	-61.58	-50.06	-11.52	2
6695MHz	Pass	6.687727G	-10.25	6.647725G	-61.92	-50.25	-11.67	3
6695MHz	Pass	6.703173G	-9.17	6.65095G	-60.66	-49.17	-11.49	4
6875MHz	Pass	6.881198G	-12.18	6.9097G	-60.16	-52.18	-7.98	1
6875MHz	Pass	6.867852G	-11.04	6.924975G	-60.25	-51.04	-9.21	2
6875MHz	Pass	6.866927G	-11.63	6.835225G	-57.28	-51.63	-5.65	3
6875MHz	Pass	6.866377G	-12.52	6.908375G	-59.98	-52.52	-7.46	4
6895MHz	Pass	6.897524G	-11.04	6.928475G	-59.47	-51.04	-8.43	1
6895MHz	Pass	6.886202G	-11.32	6.9424G	-60.10	-51.32	-8.78	2
6895MHz	Pass	6.901973G	-12.25	6.9387G	-60.54	-52.25	-8.29	3
6895MHz	Pass	6.886627G	-13.12	6.94G	-59.86	-53.12	-6.74	4
6995MHz	Pass	6.992776G	-12.22	6.9592G	-59.91	-52.22	-7.69	1
6995MHz	Pass	6.986327G	-11.83	6.953125G	-60.27	-51.83	-8.44	2
6995MHz	Pass	6.999624G	-12.18	6.96105G	-60.22	-52.18	-8.04	3
6995MHz	Pass	7.003698G	-12.12	6.956325G	-59.59	-52.12	-7.47	4
7095MHz	Pass	7.102798G	-12.15	7.140425G	-60.93	-52.15	-8.78	1
7095MHz	Pass	7.103473G	-11.78	7.142475G	-60.51	-51.78	-8.73	2
7095MHz	Pass	7.102498G	-11.66	7.14245G	-59.41	-51.66	-7.75	3
7095MHz	Pass	7.090076G	-12.77	7.1393G	-60.48	-52.77	-7.71	4
7115MHz	Pass	7.123123G	-14.70	7.147225G	-61.46	-54.70	-6.76	1
7115MHz	Pass	7.109376G	-15.87	7.08105G	-61.39	-55.87	-5.52	2
7115MHz	Pass	7.106452G	-15.91	7.071225G	-61.75	-55.91	-5.84	3
7115MHz	Pass	7.106752G	-15.55	7.08255G	-61.15	-55.55	-5.60	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.976097G	-8.43	6.0342G	-57.51	-48.43	-9.08	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.982346G	-8.76	6.03425G	-57.88	-48.76	-9.12	2
5965MHz	Pass	5.981846G	-8.63	6.041G	-57.99	-48.63	-9.36	3
5965MHz	Pass	5.949004G	-8.41	6.0318G	-57.51	-48.41	-9.10	4
6205MHz	Pass	6.220196G	-7.82	6.2814G	-57.38	-47.82	-9.56	1
6205MHz	Pass	6.188804G	-8.17	6.27045G	-57.55	-48.17	-9.38	2
6205MHz	Pass	6.193303G	-8.20	6.29775G	-57.11	-48.20	-8.91	3
6205MHz	Pass	6.187554G	-7.99	6.2874G	-57.14	-47.99	-9.15	4
6405MHz	Pass	6.394003G	-8.37	6.495G	-56.89	-48.37	-8.52	1
6405MHz	Pass	6.395152G	-7.57	6.5025G	-57.11	-47.57	-9.54	2
6405MHz	Pass	6.388954G	-8.35	6.50085G	-57.18	-48.35	-8.83	3
6405MHz	Pass	6.420446G	-8.07	6.50215G	-56.00	-48.07	-7.93	4
6445MHz	Pass	6.460596G	-7.71	6.50955G	-56.58	-47.71	-8.87	1
6445MHz	Pass	6.456947G	-6.74	6.35G	-57.17	-46.74	-10.43	2
6445MHz	Pass	6.427704G	-6.99	6.37445G	-55.14	-46.99	-8.15	3
6445MHz	Pass	6.459946G	-7.68	6.5081G	-56.23	-47.63	-8.60	4
6485MHz	Pass	6.500696G	-7.72	6.4233G	-56.55	-47.72	-8.83	1
6485MHz	Pass	6.502896G	-7.42	6.4195G	-56.98	-47.42	-9.56	2
6485MHz	Pass	6.501046G	-7.84	6.4212G	-57.65	-47.84	-9.81	3
6485MHz	Pass	6.477502G	-6.70	6.40995G	-56.71	-46.70	-10.01	4
6525MHz	Pass	6.534348G	-7.81	6.46225G	-56.66	-47.81	-8.85	1
6525MHz	Pass	6.542846G	-7.02	6.4516G	-57.05	-47.02	-10.03	2
6525MHz	Pass	6.52585G	-7.52	6.4588G	-57.20	-47.52	-9.68	3
6525MHz	Pass	6.542946G	-7.48	6.4528G	-56.87	-47.48	-9.39	4
6565MHz	Pass	6.556602G	-6.42	6.4875G	-56.33	-46.42	-9.91	1
6565MHz	Pass	6.560001G	-5.54	6.4993G	-56.54	-45.54	-11.00	2
6565MHz	Pass	6.573898G	-7.10	6.50615G	-53.93	-45.16	-8.77	3
6565MHz	Pass	6.582696G	-7.03	6.49955G	-56.08	-47.03	-9.05	4
6685MHz	Pass	6.669554G	-3.76	6.66255G	-36.54	-23.87	-12.67	1
6685MHz	Pass	6.677352G	-7.24	6.74885G	-56.43	-46.87	-9.56	2
6685MHz	Pass	6.671803G	-7.52	6.61985G	-56.78	-47.52	-9.26	3
6685MHz	Pass	6.667904G	-6.50	6.75705G	-57.02	-46.50	-10.52	4
6885MHz	Pass	6.868404G	-8.03	6.976G	-55.96	-48.03	-7.93	1
6885MHz	Pass	6.873603G	-7.50	6.9534G	-55.75	-47.50	-8.25	2
6885MHz	Pass	6.895247G	-7.30	6.94985G	-56.22	-47.30	-8.92	3
6885MHz	Pass	6.869854G	-8.49	6.97505G	-55.75	-48.49	-7.26	4
6925MHz	Pass	6.927699G	-7.52	7.0026G	-55.81	-47.52	-8.29	1
6925MHz	Pass	6.908704G	-7.42	6.9883G	-55.52	-47.39	-8.13	2
6925MHz	Pass	6.919601G	-8.24	6.98885G	-54.26	-48.24	-6.02	3
6925MHz	Pass	6.912903G	-9.46	6.99865G	-55.64	-49.46	-6.18	4
7005MHz	Pass	6.993603G	-7.85	6.9341G	-56.09	-47.85	-8.24	1
7005MHz	Pass	6.994103G	-8.00	6.93845G	-56.34	-48.00	-8.34	2
7005MHz	Pass	7.001651G	-8.47	6.9119G	-55.44	-48.47	-6.97	3
7005MHz	Pass	7.017147G	-7.40	6.92905G	-55.81	-47.40	-8.41	4
7085MHz	Pass	7.095847G	-7.68	6.9851G	-56.01	-47.68	-8.33	1
7085MHz	Pass	7.094098G	-7.99	6.99525G	-56.05	-47.99	-8.06	2
7085MHz	Pass	7.092798G	-7.89	6.9888G	-54.55	-47.89	-6.66	3
7085MHz	Pass	7.070504G	-7.84	6.98925G	-55.59	-47.84	-7.75	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9922G	-4.22	6.0283G	-33.77	-24.34	-9.43	1
5985MHz	Pass	6.02129G	-4.89	6.1692G	-54.03	-44.89	-9.14	2
5985MHz	Pass	6.01809G	-5.25	6.1252G	-52.87	-45.25	-7.62	3
5985MHz	Pass	5.9836G	-5.49	6.1128G	-50.90	-45.49	-5.41	4
6225MHz	Pass	6.2319G	-4.13	6.3745G	-53.65	-44.13	-9.52	1
6225MHz	Pass	6.20061G	-4.98	6.3679G	-53.73	-44.98	-8.75	2
6225MHz	Pass	6.19061G	-5.11	6.3745G	-52.08	-45.11	-6.97	3
6225MHz	Pass	6.25709G	-4.53	6.4126G	-50.45	-44.53	-5.92	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.35171G	-5.18	6.2466G	-53.96	-45.18	-8.78	1
6385MHz	Pass	6.381G	-4.61	6.2467G	-54.08	-44.61	-9.47	2
6385MHz	Pass	6.35811G	-5.26	6.2298G	-53.00	-45.26	-7.74	3
6385MHz	Pass	6.42109G	-5.24	6.5487G	-50.83	-45.24	-5.59	4
6465MHz	Pass	6.4719G	-4.31	6.3022G	-53.49	-44.31	-9.18	1
6465MHz	Pass	6.43691G	-4.30	6.3323G	-54.03	-44.30	-9.73	2
6465MHz	Pass	6.43361G	-4.64	6.2973G	-51.97	-44.64	-7.33	3
6465MHz	Pass	6.4492G	-4.00	6.6082G	-48.90	-44.00	-4.90	4
6545MHz	Pass	6.57789G	-4.65	6.3997G	-53.59	-44.65	-8.94	1
6545MHz	Pass	6.57819G	-3.90	6.3995G	-53.62	-43.90	-9.72	2
6545MHz	Pass	6.5647G	-4.71	6.3744G	-51.94	-44.71	-7.23	3
6545MHz	Pass	6.57119G	-4.93	6.7032G	-49.72	-44.93	-4.79	4
6625MHz	Pass	6.59031G	-3.51	6.4927G	-53.03	-43.51	-9.52	1
6625MHz	Pass	6.65459G	-3.13	6.4988G	-53.33	-43.13	-10.20	2
6625MHz	Pass	6.59061G	-3.65	6.4899G	-51.83	-43.65	-8.18	3
6625MHz	Pass	6.629G	-2.98	6.7805G	-48.81	-42.98	-5.83	4
6705MHz	Pass	6.68321G	-3.41	6.9008G	-52.95	-43.41	-9.54	1
6705MHz	Pass	6.66991G	-3.25	6.8655G	-53.23	-43.25	-9.98	2
6705MHz	Pass	6.67781G	-3.41	6.8355G	-51.36	-43.41	-7.95	3
6705MHz	Pass	6.7241G	-2.89	6.8778G	-47.94	-42.89	-5.05	4
6785MHz	Pass	6.82119G	-2.46	6.9549G	-52.39	-42.46	-9.93	1
6785MHz	Pass	6.82159G	-3.29	6.9794G	-52.40	-43.29	-9.11	2
6785MHz	Pass	6.82119G	-3.72	6.9298G	-51.26	-43.72	-7.54	3
6785MHz	Pass	6.7679G	-3.50	6.9264G	-48.81	-43.50	-5.31	4
6865MHz	Pass	6.83531G	-4.21	7.0088G	-52.67	-44.21	-8.46	1
6865MHz	Pass	6.8787G	-3.92	6.9944G	-52.47	-43.92	-8.55	2
6865MHz	Pass	6.90329G	-4.10	6.9997G	-51.72	-44.10	-7.62	3
6865MHz	Pass	6.8474G	-5.07	7.0054G	-49.03	-45.07	-3.96	4
6945MHz	Pass	6.91691G	-3.33	6.9873G	-33.22	-23.41	-9.81	1
6945MHz	Pass	6.91851G	-4.66	7.1382G	-53.62	-44.66	-8.96	2
6945MHz	Pass	6.97289G	-5.31	6.7985G	-51.79	-45.31	-6.48	3
6945MHz	Pass	6.9334G	-5.43	6.7837G	-49.32	-45.43	-3.89	4
7025MHz	Pass	6.98791G	-4.85	6.8928G	-52.78	-44.85	-7.93	1
7025MHz	Pass	7.04979G	-5.30	7.2067G	-53.16	-45.30	-7.86	2
7025MHz	Pass	6.99161G	-4.93	6.8352G	-51.43	-44.93	-6.50	3
7025MHz	Pass	7.021G	-4.43	6.8494G	-49.68	-44.43	-5.25	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0398G	-2.53	6.2892G	-44.99	-42.53	-2.46	1
6025MHz	Pass	6.04899G	-1.91	6.2844G	-48.81	-41.91	-6.90	2
6025MHz	Pass	6.07399G	-2.92	6.297G	-50.59	-42.92	-7.67	3
6025MHz	Pass	6.10238G	-2.07	6.4068G	-47.36	-42.07	-5.29	4
6185MHz	Pass	6.23899G	-1.62	6.4384G	-48.17	-41.62	-6.55	1
6185MHz	Pass	6.1982G	-1.85	6.4446G	-48.37	-41.85	-6.52	2
6185MHz	Pass	6.11402G	-1.75	6.449G	-49.76	-41.75	-8.01	3
6185MHz	Pass	6.23559G	-1.98	6.4624G	-46.72	-41.98	-4.74	4
6345MHz	Pass	6.3508G	-1.98	6.0936G	-49.42	-41.98	-7.44	1
6345MHz	Pass	6.36999G	-1.55	6.6044G	-49.69	-41.55	-8.14	2
6345MHz	Pass	6.3382G	-2.86	6.0658G	-49.58	-42.86	-6.72	3
6345MHz	Pass	6.41138G	-2.33	6.083G	-47.53	-42.33	-5.20	4
6505MHz	Pass	6.42862G	2.73	6.7702G	-46.87	-37.27	-9.60	1
6505MHz	Pass	6.5206G	-1.28	6.753G	-48.25	-40.69	-7.56	2
6505MHz	Pass	6.45221G	-1.70	6.235G	-48.75	-41.70	-7.05	3
6505MHz	Pass	6.52799G	-1.64	6.2468G	-45.33	-41.64	-3.69	4
6665MHz	Pass	6.58762G	-0.09	6.3884G	-47.79	-40.09	-7.70	1
6665MHz	Pass	6.60382G	-1.81	6.9422G	-48.90	-41.81	-7.09	2
6665MHz	Pass	6.6564G	-2.15	6.375G	-48.78	-42.15	-6.63	3


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.70099G	-1.47	6.3946G	-45.41	-41.47	-3.94	4
6825MHz	Pass	6.77241G	-1.23	7.1188G	-48.22	-41.23	-6.99	1
6825MHz	Pass	6.87599G	-1.01	7.087G	-48.87	-41.01	-7.86	2
6825MHz	Pass	6.831G	-2.10	6.5552G	-48.75	-42.10	-6.65	3
6825MHz	Pass	6.76262G	-0.85	6.448G	-45.16	-40.85	-4.31	4
6985MHz	Pass	6.96321G	-0.95	6.7364G	-48.34	-40.54	-7.80	1
6985MHz	Pass	6.91722G	-2.36	7.2434G	-48.36	-42.36	-6.00	2
6985MHz	Pass	6.972G	-2.13	6.711G	-49.14	-42.13	-7.01	3
6985MHz	Pass	7.01399G	-1.73	6.624G	-45.98	-41.73	-4.25	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1178G	-2.24	6.5774G	-44.41	-40.69	-3.72	1
6105MHz	Pass	6.16538G	-1.75	6.6058G	-49.38	-41.75	-7.63	2
6105MHz	Pass	6.05741G	-2.30	6.8982G	-49.70	-42.30	-7.40	3
6105MHz	Pass	6.20138G	-3.17	6.6778G	-48.38	-43.17	-5.21	4
6265MHz	Pass	6.15303G	-2.48	6.9902G	-48.58	-42.48	-6.10	1
6265MHz	Pass	6.18062G	-3.10	6.9914G	-48.84	-43.10	-5.74	2
6265MHz	Pass	6.19942G	-2.99	6.9898G	-48.48	-42.99	-5.49	3
6265MHz	Pass	6.24301G	-3.29	6.7958G	-48.25	-43.29	-4.96	4
6425MHz	Pass	6.56976G	-0.39	5.949G	-42.11	-38.82	-3.29	1
6425MHz	Pass	6.51138G	-0.87	6.9462G	-48.21	-40.87	-7.34	2
6425MHz	Pass	6.46859G	-1.37	6.9886G	-48.23	-41.37	-6.86	3
6425MHz	Pass	6.55057G	-1.53	6.9626G	-47.68	-41.53	-6.15	4
6585MHz	Pass	6.43144G	-2.38	6.747G	-21.70	-21.58	-0.12	1
6585MHz	Pass	6.68937G	-1.00	6.747G	-20.41	-20.20	-0.21	2
6585MHz	Pass	6.581G	-1.72	6.0902G	-48.72	-41.72	-7.00	3
6585MHz	Pass	6.5754G	-0.32	7.1754G	-49.00	-40.32	-8.68	4
6745MHz	Pass	6.7322G	-2.38	6.209G	-42.35	-38.72	-3.63	1
6745MHz	Pass	6.67862G	-1.31	7.257G	-49.17	-41.31	-7.86	2
6745MHz	Pass	6.62383G	-2.33	6.247G	-48.61	-42.33	-6.28	3
6745MHz	Pass	6.67102G	-2.11	6.2418G	-48.55	-42.11	-6.44	4
6905MHz	Pass	6.9014G	-3.60	7.6578G	-50.61	-43.60	-7.01	1
6905MHz	Pass	7.04736G	-3.68	7.4126G	-49.47	-43.68	-5.79	2
6905MHz	Pass	6.84462G	-4.67	7.4954G	-49.33	-44.67	-4.66	3
6905MHz	Pass	6.83422G	-3.42	7.473G	-48.94	-43.42	-5.52	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

29/03/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

29/03/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

29/03/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

29/03/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

22/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

29/03/2025



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

29/03/2025

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.460596G	-7.71	6.50955G	-56.58	-47.71	-8.87	1
6.456947G	-6.74	6.35G	-57.17	-46.74	-10.43	2
6.427704G	-6.99	6.37445G	-55.14	-46.99	-8.15	3
6.459946G	-7.68	6.5081G	-56.23	-47.63	-8.60	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

29/03/2025

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57789G	-4.65	6.3997G	-53.59	-44.65	-8.94	1
6.57819G	-3.90	6.3995G	-53.62	-43.90	-9.72	2
6.5647G	-4.71	6.3744G	-51.94	-44.71	-7.23	3
6.57119G	-4.93	6.7032G	-49.72	-44.93	-4.79	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

29/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42862G	2.73	6.7702G	-46.87	-37.27	-9.60	1
6.5206G	-1.28	6.753G	-48.25	-40.69	-7.56	2
6.45221G	-1.70	6.235G	-48.75	-41.70	-7.05	3
6.52799G	-1.64	6.2468G	-45.33	-41.64	-3.69	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

22/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43144G	-2.38	6.747G	-21.70	-21.58	-0.12	1
6.68937G	-1.00	6.747G	-20.41	-20.20	-0.21	2
6.581G	-1.72	6.0902G	-48.72	-41.72	-7.00	3
6.5754G	-0.32	7.1754G	-49.00	-40.32	-8.68	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

29/03/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

29/03/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

29/03/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

29/03/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

22/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

06/03/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

29/03/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.927699G	-7.52	7.0026G	-55.81	-47.52	-8.29	1
6.908704G	-7.42	6.9883G	-55.52	-47.39	-8.13	2
6.919601G	-8.24	6.98885G	-54.26	-48.24	-6.02	3
6.912903G	-9.46	6.99865G	-55.64	-49.46	-6.18	4


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

29/03/2025

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91691G	-3.33	6.9873G	-33.22	-23.41	-9.81	1
6.91851G	-4.66	7.1382G	-53.62	-44.66	-8.96	2
6.97289G	-5.31	6.7985G	-51.79	-45.31	-6.48	3
6.9334G	-5.43	6.7837G	-49.32	-45.43	-3.89	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

29/03/2025



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.39012G	44.62	54.00	-9.38	3	Horizontal	68	1.67
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.40992G	44.93	54.00	-9.07	3	Horizontal	69	1.59
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.45012G	45.41	54.00	-8.59	3	Horizontal	68	1.70
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.69008G	44.99	54.00	-9.01	3	Horizontal	73	1.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	12.21004G	44.79	54.00	-9.21	3	Horizontal	64	1.68
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.95006G	45.93	68.20	-22.27	3	Horizontal	58	1.58
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.89008G	45.97	68.20	-22.23	3	Horizontal	70	1.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.93008G	46.01	68.20	-22.19	3	Horizontal	145	1.59
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.01004G	45.80	68.20	-22.40	3	Horizontal	57	1.66
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	13.1698G	45.64	68.20	-22.56	3	Horizontal	59	1.60
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38994G	46.94	54.00	-7.06	3	Horizontal	146	1.49
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37008G	46.99	54.00	-7.01	3	Horizontal	144	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25004G	47.00	54.00	-7.00	3	Horizontal	62	1.62
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.32996G	46.37	54.00	-7.63	3	Horizontal	111	1.62
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2045G	57.64	68.20	-10.56	3	Horizontal	187	2.47
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.74	68.20	-0.46	3	Horizontal	17	1.48
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	14.00992G	52.21	68.20	-15.99	3	Horizontal	148	1.55
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	14.05G	52.12	68.20	-16.08	3	Horizontal	148	1.45
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.135G	52.41	68.20	-15.79	3	Horizontal	11	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8062G	47.55	68.20	-20.65	3	Vertical	304	2.24
5955MHz	Pass	AV	5.9508G	87.83	Inf	-Inf	3	Vertical	304	2.24
5955MHz	Pass	PK	5.892G	60.23	88.20	-27.97	3	Vertical	304	2.24
5955MHz	Pass	PK	5.9514G	100.03	Inf	-Inf	3	Vertical	304	2.24
5955MHz	Pass	AV	5.8092G	47.52	68.20	-20.68	3	Horizontal	179	1.04
5955MHz	Pass	AV	5.9532G	84.76	Inf	-Inf	3	Horizontal	179	1.04
5955MHz	Pass	PK	5.8326G	60.47	88.20	-27.73	3	Horizontal	179	1.04
5955MHz	Pass	PK	5.9526G	100.19	Inf	-Inf	3	Horizontal	179	1.04
5955MHz	Pass	AV	11.86136G	43.13	54.00	-10.87	3	Vertical	246	1.50
5955MHz	Pass	PK	11.86064G	56.51	74.00	-17.49	3	Vertical	246	1.50
5955MHz	Pass	AV	11.91G	44.32	54.00	-9.68	3	Horizontal	88	1.59
5955MHz	Pass	PK	11.91224G	55.91	74.00	-18.09	3	Horizontal	88	1.59
6195MHz	Pass	AV	12.39224G	44.61	54.00	-9.39	3	Vertical	142	1.06
6195MHz	Pass	PK	12.42072G	58.13	74.00	-15.87	3	Vertical	142	1.06
6195MHz	Pass	AV	12.39012G	44.62	54.00	-9.38	3	Horizontal	68	1.67
6195MHz	Pass	PK	12.39408G	57.19	74.00	-16.81	3	Horizontal	68	1.67
6415MHz	Pass	AV	12.8396G	45.45	68.20	-22.75	3	Vertical	219	2.97
6415MHz	Pass	PK	12.82694G	58.50	88.20	-29.70	3	Vertical	219	2.97
6415MHz	Pass	AV	12.83G	45.70	68.20	-22.50	3	Horizontal	151	1.54
6415MHz	Pass	PK	12.84248G	58.73	88.20	-29.47	3	Horizontal	151	1.54
6435MHz	Pass	AV	12.8697G	45.68	68.20	-22.52	3	Vertical	31	1.50
6435MHz	Pass	PK	12.87066G	59.63	88.20	-28.57	3	Vertical	31	1.50
6435MHz	Pass	AV	12.86988G	45.91	68.20	-22.29	3	Horizontal	75	1.56
6435MHz	Pass	PK	12.87846G	59.16	88.20	-29.04	3	Horizontal	75	1.56
6475MHz	Pass	AV	12.95282G	45.35	68.20	-22.85	3	Vertical	96	1.50
6475MHz	Pass	PK	12.95594G	58.82	88.20	-29.38	3	Vertical	96	1.50
6475MHz	Pass	AV	12.95006G	45.93	68.20	-22.27	3	Horizontal	58	1.58
6475MHz	Pass	PK	12.96458G	58.98	88.20	-29.22	3	Horizontal	58	1.58
6515MHz	Pass	AV	13.0162G	44.82	68.20	-23.38	3	Vertical	330	1.50
6515MHz	Pass	PK	13.02292G	58.13	88.20	-30.07	3	Vertical	330	1.50
6515MHz	Pass	AV	13.03G	45.49	68.20	-22.71	3	Horizontal	59	1.63
6515MHz	Pass	PK	13.03564G	58.43	88.20	-29.77	3	Horizontal	59	1.63
6535MHz	Pass	AV	13.05686G	44.42	68.20	-23.78	3	Vertical	331	1.50
6535MHz	Pass	PK	13.06454G	57.75	88.20	-30.45	3	Vertical	331	1.50
6535MHz	Pass	AV	13.06988G	45.28	68.20	-22.92	3	Horizontal	62	1.60
6535MHz	Pass	PK	13.06976G	57.78	88.20	-30.42	3	Horizontal	62	1.60
6695MHz	Pass	AV	13.3753G	45.92	54.00	-8.08	3	Vertical	98	1.95
6695MHz	Pass	PK	13.39426G	59.72	74.00	-14.28	3	Vertical	98	1.95
6695MHz	Pass	AV	13.38994G	46.94	54.00	-7.06	3	Horizontal	146	1.49
6695MHz	Pass	PK	13.38988G	59.84	74.00	-14.16	3	Horizontal	146	1.49
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75372G	48.30	68.20	-19.90	3	Vertical	219	3.00
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75216G	61.81	88.20	-26.39	3	Vertical	219	3.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74994G	49.35	68.20	-18.85	3	Horizontal	148	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75006G	61.44	88.20	-26.76	3	Horizontal	148	1.50
6895MHz	Pass	AV	13.80374G	48.54	68.20	-19.66	3	Vertical	295	1.50
6895MHz	Pass	PK	13.80008G	62.38	88.20	-25.82	3	Vertical	295	1.50
6895MHz	Pass	AV	13.78988G	49.68	68.20	-18.52	3	Horizontal	148	1.43
6895MHz	Pass	PK	13.80248G	62.01	88.20	-26.19	3	Horizontal	148	1.43
6995MHz	Pass	AV	13.9846G	49.24	68.20	-18.96	3	Vertical	36	1.50
6995MHz	Pass	PK	13.9987G	62.63	88.20	-25.57	3	Vertical	36	1.50
6995MHz	Pass	AV	13.99024G	49.30	68.20	-18.90	3	Horizontal	216	2.65
6995MHz	Pass	PK	13.99378G	63.30	88.20	-24.90	3	Horizontal	216	2.65
7095MHz	Pass	AV	7.086G	92.79	Inf	-Inf	3	Vertical	357	2.01
7095MHz	Pass	AV	7.2126G	51.63	68.20	-16.57	3	Vertical	357	2.01
7095MHz	Pass	PK	7.0878G	105.72	Inf	-Inf	3	Vertical	357	2.01
7095MHz	Pass	PK	7.197G	64.23	88.20	-23.97	3	Vertical	357	2.01
7095MHz	Pass	AV	7.0974G	84.33	Inf	-Inf	3	Horizontal	20	1.50
7095MHz	Pass	AV	7.185G	51.52	68.20	-16.68	3	Horizontal	20	1.50
7095MHz	Pass	PK	7.0968G	100.43	Inf	-Inf	3	Horizontal	20	1.50
7095MHz	Pass	PK	7.2168G	65.29	88.20	-22.91	3	Horizontal	20	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.1783G	47.85	68.20	-20.35	3	Vertical	106	1.50
7095MHz	Pass	PK	14.20224G	61.24	88.20	-26.96	3	Vertical	106	1.50
7095MHz	Pass	AV	14.19G	51.51	68.20	-16.69	3	Horizontal	153	1.30
7095MHz	Pass	PK	14.18994G	62.71	88.20	-25.49	3	Horizontal	153	1.30
7115MHz	Pass	AV	7.1235G	88.09	Inf	-Inf	3	Vertical	232	2.01
7115MHz	Pass	AV	7.1255G	62.73	68.20	-5.47	3	Vertical	232	2.01
7115MHz	Pass	PK	7.1235G	94.30	Inf	-Inf	3	Vertical	232	2.01
7115MHz	Pass	PK	7.1255G	73.77	88.20	-14.43	3	Vertical	232	2.01
7115MHz	Pass	AV	7.1235G	93.94	Inf	-Inf	3	Horizontal	17	1.48
7115MHz	Pass	AV	7.1255G	67.74	68.20	-0.46	3	Horizontal	17	1.48
7115MHz	Pass	PK	7.1235G	100.52	Inf	-Inf	3	Horizontal	17	1.48
7115MHz	Pass	PK	7.1255G	79.24	88.20	-8.96	3	Horizontal	17	1.48
7115MHz	Pass	AV	14.215G	47.50	68.20	-20.70	3	Vertical	65	1.50
7115MHz	Pass	PK	14.224G	60.96	88.20	-27.24	3	Vertical	65	1.50
7115MHz	Pass	AV	14.22988G	51.20	68.20	-17.00	3	Horizontal	152	1.50
7115MHz	Pass	PK	14.23036G	61.11	88.20	-27.09	3	Horizontal	152	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8276G	47.19	68.20	-21.01	3	Vertical	302	2.24
5965MHz	Pass	AV	5.9506G	86.42	Inf	-Inf	3	Vertical	302	2.24
5965MHz	Pass	PK	5.8684G	60.04	88.20	-28.16	3	Vertical	302	2.24
5965MHz	Pass	PK	5.9494G	99.12	Inf	-Inf	3	Vertical	302	2.24
5965MHz	Pass	AV	5.827G	47.20	68.20	-21.00	3	Horizontal	3	1.50
5965MHz	Pass	AV	5.9836G	83.40	Inf	-Inf	3	Horizontal	3	1.50
5965MHz	Pass	PK	5.8258G	59.70	88.20	-28.50	3	Horizontal	3	1.50
5965MHz	Pass	PK	5.968G	96.03	Inf	-Inf	3	Horizontal	3	1.50
5965MHz	Pass	AV	11.93G	42.82	54.00	-11.18	3	Vertical	0	2.82
5965MHz	Pass	PK	11.91088G	56.49	74.00	-17.51	3	Vertical	0	2.82
5965MHz	Pass	AV	11.93G	44.20	54.00	-9.80	3	Horizontal	76	1.68
5965MHz	Pass	PK	11.91368G	55.84	74.00	-18.16	3	Horizontal	76	1.68
6205MHz	Pass	AV	12.42416G	44.13	54.00	-9.87	3	Vertical	278	1.50
6205MHz	Pass	PK	12.39872G	58.10	74.00	-15.90	3	Vertical	278	1.50
6205MHz	Pass	AV	12.40992G	44.93	54.00	-9.07	3	Horizontal	69	1.59
6205MHz	Pass	PK	12.40984G	57.63	74.00	-16.37	3	Horizontal	69	1.59
6405MHz	Pass	AV	12.82936G	45.61	68.20	-22.59	3	Vertical	217	1.50
6405MHz	Pass	PK	12.81952G	59.02	88.20	-29.18	3	Vertical	217	1.50
6405MHz	Pass	AV	12.82168G	45.61	68.20	-22.59	3	Horizontal	187	1.50
6405MHz	Pass	PK	12.82872G	58.64	88.20	-29.56	3	Horizontal	187	1.50
6445MHz	Pass	AV	12.87024G	45.79	68.20	-22.41	3	Vertical	31	1.04
6445MHz	Pass	PK	12.8832G	59.18	88.20	-29.02	3	Vertical	31	1.04
6445MHz	Pass	AV	12.89008G	45.97	68.20	-22.23	3	Horizontal	70	1.00
6445MHz	Pass	PK	12.8996G	59.20	88.20	-29.00	3	Horizontal	70	1.00
6485MHz	Pass	AV	12.96056G	45.65	68.20	-22.55	3	Vertical	163	1.50
6485MHz	Pass	PK	12.9608G	59.34	88.20	-28.86	3	Vertical	163	1.50
6485MHz	Pass	AV	12.96984G	45.86	68.20	-22.34	3	Horizontal	61	1.50
6485MHz	Pass	PK	12.95328G	59.11	88.20	-29.09	3	Horizontal	61	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0344G	45.10	68.20	-23.10	3	Vertical	188	2.26
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03304G	58.16	88.20	-30.04	3	Vertical	188	2.26
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05G	45.83	68.20	-22.37	3	Horizontal	61	1.66
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03672G	58.63	88.20	-29.57	3	Horizontal	61	1.66
6565MHz	Pass	AV	13.12592G	44.53	68.20	-23.67	3	Vertical	218	1.50
6565MHz	Pass	PK	13.12296G	57.66	88.20	-30.54	3	Vertical	218	1.50
6565MHz	Pass	AV	13.13008G	44.90	68.20	-23.30	3	Horizontal	91	1.50
6565MHz	Pass	PK	13.13G	58.42	88.20	-29.78	3	Horizontal	91	1.50
6685MHz	Pass	AV	13.37352G	46.06	54.00	-7.94	3	Vertical	176	1.50
6685MHz	Pass	PK	13.36728G	59.73	74.00	-14.27	3	Vertical	176	1.50
6685MHz	Pass	AV	13.37008G	46.99	54.00	-7.01	3	Horizontal	144	1.50
6685MHz	Pass	PK	13.35592G	59.87	74.00	-14.13	3	Horizontal	144	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7884G	48.38	68.20	-19.82	3	Vertical	121	1.00
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77008G	62.08	88.20	-26.12	3	Vertical	121	1.00
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77G	49.50	68.20	-18.70	3	Horizontal	149	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.782G	61.90	88.20	-26.30	3	Horizontal	149	1.50
6925MHz	Pass	AV	13.84992G	49.15	68.20	-19.05	3	Vertical	116	1.13


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84152G	62.27	88.20	-25.93	3	Vertical	116	1.13
6925MHz	Pass	AV	13.85G	50.61	68.20	-17.59	3	Horizontal	145	1.49
6925MHz	Pass	PK	13.85368G	63.90	88.20	-24.30	3	Horizontal	145	1.49
7005MHz	Pass	AV	14.0108G	49.45	68.20	-18.75	3	Vertical	156	1.50
7005MHz	Pass	PK	14.0264G	62.52	88.20	-25.68	3	Vertical	156	1.50
7005MHz	Pass	AV	14.00992G	52.21	68.20	-15.99	3	Horizontal	148	1.55
7005MHz	Pass	PK	14.00592G	63.27	88.20	-24.93	3	Horizontal	148	1.55
7085MHz	Pass	AV	7.0736G	94.80	Inf	-Inf	3	Vertical	0	1.44
7085MHz	Pass	AV	7.2284G	51.37	68.20	-16.83	3	Vertical	0	1.44
7085MHz	Pass	PK	7.0724G	106.39	Inf	-Inf	3	Vertical	0	1.44
7085MHz	Pass	PK	7.1288G	66.08	88.20	-22.12	3	Vertical	0	1.44
7085MHz	Pass	AV	7.0706G	88.67	Inf	-Inf	3	Horizontal	3	1.31
7085MHz	Pass	AV	7.2296G	51.35	68.20	-16.85	3	Horizontal	3	1.31
7085MHz	Pass	PK	7.1G	100.43	Inf	-Inf	3	Horizontal	3	1.31
7085MHz	Pass	PK	7.1252G	65.22	88.20	-22.98	3	Horizontal	3	1.31
7085MHz	Pass	AV	14.15456G	48.32	68.20	-19.88	3	Vertical	339	1.50
7085MHz	Pass	PK	14.18952G	62.42	88.20	-25.78	3	Vertical	339	1.50
7085MHz	Pass	AV	14.16992G	51.09	68.20	-17.11	3	Horizontal	150	1.50
7085MHz	Pass	PK	14.17G	62.17	88.20	-26.03	3	Horizontal	150	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.781G	47.31	68.20	-20.89	3	Vertical	303	2.23
5985MHz	Pass	AV	5.951G	87.33	Inf	-Inf	3	Vertical	303	2.23
5985MHz	Pass	PK	5.878G	59.80	88.20	-28.40	3	Vertical	303	2.23
5985MHz	Pass	PK	5.951G	98.73	Inf	-Inf	3	Vertical	303	2.23
5985MHz	Pass	AV	5.785G	47.34	68.20	-20.86	3	Horizontal	18	1.00
5985MHz	Pass	AV	5.999G	85.02	Inf	-Inf	3	Horizontal	18	1.00
5985MHz	Pass	PK	5.776G	60.49	88.20	-27.71	3	Horizontal	18	1.00
5985MHz	Pass	PK	6.022G	96.09	Inf	-Inf	3	Horizontal	18	1.00
5985MHz	Pass	AV	11.94024G	43.08	54.00	-10.92	3	Vertical	194	1.50
5985MHz	Pass	PK	11.94392G	56.46	74.00	-17.54	3	Vertical	194	1.50
5985MHz	Pass	AV	11.97G	44.75	54.00	-9.25	3	Horizontal	88	1.76
5985MHz	Pass	PK	11.96808G	57.25	74.00	-16.75	3	Horizontal	88	1.76
6225MHz	Pass	AV	12.4532G	44.01	54.00	-9.99	3	Vertical	42	1.21
6225MHz	Pass	PK	12.44676G	57.16	74.00	-16.84	3	Vertical	42	1.21
6225MHz	Pass	AV	12.45012G	45.41	54.00	-8.59	3	Horizontal	68	1.70
6225MHz	Pass	PK	12.45004G	57.84	74.00	-16.16	3	Horizontal	68	1.70
6385MHz	Pass	AV	12.76976G	45.14	68.20	-23.06	3	Vertical	35	1.50
6385MHz	Pass	PK	12.77324G	59.05	88.20	-29.15	3	Vertical	35	1.50
6385MHz	Pass	AV	12.76996G	45.67	68.20	-22.53	3	Horizontal	74	1.00
6385MHz	Pass	PK	12.77632G	58.89	88.20	-29.31	3	Horizontal	74	1.00
6465MHz	Pass	AV	12.93524G	45.53	68.20	-22.67	3	Vertical	74	2.89
6465MHz	Pass	PK	12.9336G	59.72	88.20	-28.48	3	Vertical	74	2.89
6465MHz	Pass	AV	12.93008G	46.01	68.20	-22.19	3	Horizontal	145	1.59
6465MHz	Pass	PK	12.93556G	59.25	88.20	-28.95	3	Horizontal	145	1.59
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08G	44.88	68.20	-23.32	3	Vertical	327	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09228G	58.23	88.20	-29.97	3	Vertical	327	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09004G	45.48	68.20	-22.72	3	Horizontal	129	1.55
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08388G	58.77	88.20	-29.43	3	Horizontal	129	1.55
6625MHz	Pass	AV	13.25848G	45.29	54.00	-8.71	3	Vertical	161	2.20
6625MHz	Pass	PK	13.24876G	59.30	88.20	-28.90	3	Vertical	161	2.20
6625MHz	Pass	AV	13.25004G	47.00	54.00	-7.00	3	Horizontal	62	1.62
6625MHz	Pass	PK	13.2512G	59.16	74.00	-14.84	3	Horizontal	62	1.62
6705MHz	Pass	AV	13.41596G	46.03	68.20	-22.17	3	Vertical	211	1.50
6705MHz	Pass	PK	13.411G	59.35	88.20	-28.85	3	Vertical	211	1.50
6705MHz	Pass	AV	13.41004G	47.81	68.20	-20.39	3	Horizontal	64	1.02
6705MHz	Pass	PK	13.40984G	59.83	88.20	-28.37	3	Horizontal	64	1.02
6785MHz	Pass	AV	13.562G	45.43	68.20	-22.77	3	Vertical	158	2.04
6785MHz	Pass	PK	13.5764G	59.19	88.20	-29.01	3	Vertical	158	2.04
6785MHz	Pass	AV	13.56996G	46.74	68.20	-21.46	3	Horizontal	146	1.64
6785MHz	Pass	PK	13.5738G	59.50	88.20	-28.70	3	Horizontal	146	1.64
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7378G	48.09	68.20	-20.11	3	Vertical	27	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73216G	61.91	88.20	-26.29	3	Vertical	27	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72988G	49.17	68.20	-19.03	3	Horizontal	145	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72932G	61.80	88.20	-26.40	3	Horizontal	145	1.50
6945MHz	Pass	AV	13.89668G	49.13	68.20	-19.07	3	Vertical	303	2.48
6945MHz	Pass	PK	13.8844G	62.80	88.20	-25.40	3	Vertical	303	2.48
6945MHz	Pass	AV	13.88992G	50.94	68.20	-17.26	3	Horizontal	149	1.49
6945MHz	Pass	PK	13.88992G	63.12	88.20	-25.08	3	Horizontal	149	1.49
7025MHz	Pass	AV	7.046G	91.33	Inf	-Inf	3	Vertical	9	1.46
7025MHz	Pass	AV	7.151G	51.35	68.20	-16.85	3	Vertical	9	1.46
7025MHz	Pass	PK	7.0448G	103.56	Inf	-Inf	3	Vertical	9	1.46
7025MHz	Pass	PK	7.1546G	63.15	88.20	-25.05	3	Vertical	9	1.46
7025MHz	Pass	AV	6.9866G	87.73	Inf	-Inf	3	Horizontal	343	2.68
7025MHz	Pass	AV	7.1744G	51.37	68.20	-16.83	3	Horizontal	343	2.68
7025MHz	Pass	PK	6.9914G	99.51	Inf	-Inf	3	Horizontal	343	2.68
7025MHz	Pass	PK	7.163G	63.33	88.20	-24.87	3	Horizontal	343	2.68
7025MHz	Pass	AV	14.05G	49.29	68.20	-18.91	3	Vertical	79	1.50
7025MHz	Pass	PK	14.04996G	62.30	88.20	-25.90	3	Vertical	79	1.50
7025MHz	Pass	AV	14.05G	52.12	68.20	-16.08	3	Horizontal	148	1.45
7025MHz	Pass	PK	14.04984G	63.04	88.20	-25.16	3	Horizontal	148	1.45
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.884G	47.64	68.20	-20.56	3	Vertical	14	1.50
6025MHz	Pass	AV	6.021G	85.36	Inf	-Inf	3	Vertical	14	1.50
6025MHz	Pass	PK	5.799G	60.18	88.20	-28.02	3	Vertical	14	1.50
6025MHz	Pass	PK	6.021G	96.98	Inf	-Inf	3	Vertical	14	1.50
6025MHz	Pass	AV	5.902G	48.21	68.20	-19.99	3	Horizontal	353	1.21
6025MHz	Pass	AV	6.084G	84.98	Inf	-Inf	3	Horizontal	353	1.21
6025MHz	Pass	PK	5.842G	60.05	88.20	-28.15	3	Horizontal	353	1.21
6025MHz	Pass	PK	6.047G	97.45	Inf	-Inf	3	Horizontal	353	1.21
6025MHz	Pass	AV	12.04624G	42.74	54.00	-11.26	3	Vertical	174	1.50
6025MHz	Pass	PK	12.04964G	56.25	74.00	-17.75	3	Vertical	174	1.50
6025MHz	Pass	AV	12.04992G	44.51	54.00	-9.49	3	Horizontal	87	1.66
6025MHz	Pass	PK	12.0508G	56.59	74.00	-17.41	3	Horizontal	87	1.66
6185MHz	Pass	AV	12.36032G	44.17	54.00	-9.83	3	Vertical	314	1.72
6185MHz	Pass	PK	12.36828G	58.17	74.00	-15.83	3	Vertical	314	1.72
6185MHz	Pass	AV	12.37G	44.73	54.00	-9.27	3	Horizontal	63	1.49
6185MHz	Pass	PK	12.37528G	58.34	74.00	-15.66	3	Horizontal	63	1.49
6345MHz	Pass	AV	12.69828G	44.30	54.00	-9.70	3	Vertical	291	1.50
6345MHz	Pass	PK	12.69716G	58.32	74.00	-15.68	3	Vertical	291	1.50
6345MHz	Pass	AV	12.69008G	44.99	54.00	-9.01	3	Horizontal	73	1.00
6345MHz	Pass	PK	12.69704G	57.98	74.00	-16.02	3	Horizontal	73	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00384G	45.54	68.20	-22.66	3	Vertical	134	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00876G	59.31	88.20	-28.89	3	Vertical	134	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01004G	45.80	68.20	-22.40	3	Horizontal	57	1.66
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00632G	58.23	88.20	-29.97	3	Horizontal	57	1.66
6665MHz	Pass	AV	13.33512G	45.50	54.00	-8.50	3	Vertical	296	2.10
6665MHz	Pass	PK	13.33916G	59.35	74.00	-14.65	3	Vertical	296	2.10
6665MHz	Pass	AV	13.32996G	46.37	54.00	-7.63	3	Horizontal	111	1.62
6665MHz	Pass	PK	13.33176G	58.83	74.00	-15.17	3	Horizontal	111	1.62
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6412G	47.95	68.20	-20.25	3	Vertical	332	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.641G	62.03	88.20	-26.17	3	Vertical	332	1.00
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65008G	48.59	68.20	-19.61	3	Horizontal	143	1.56
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65172G	61.36	88.20	-26.84	3	Horizontal	143	1.56
6985MHz	Pass	AV	6.983G	92.01	Inf	-Inf	3	Vertical	15	1.41
6985MHz	Pass	AV	7.227G	52.04	68.20	-16.16	3	Vertical	15	1.41
6985MHz	Pass	PK	6.984G	102.84	Inf	-Inf	3	Vertical	15	1.41
6985MHz	Pass	PK	7.232G	64.75	88.20	-23.45	3	Vertical	15	1.41
6985MHz	Pass	AV	6.98G	89.72	Inf	-Inf	3	Horizontal	11	1.50
6985MHz	Pass	AV	7.135G	52.41	68.20	-15.79	3	Horizontal	11	1.50
6985MHz	Pass	PK	6.982G	101.50	Inf	-Inf	3	Horizontal	11	1.50
6985MHz	Pass	PK	7.184G	64.11	88.20	-24.09	3	Horizontal	11	1.50
6985MHz	Pass	AV	13.96428G	49.34	68.20	-18.86	3	Vertical	281	1.50
6985MHz	Pass	PK	13.97472G	62.86	88.20	-25.34	3	Vertical	281	1.50
6985MHz	Pass	AV	13.97G	51.78	68.20	-16.42	3	Horizontal	147	1.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.97G	63.58	88.20	-24.62	3	Horizontal	147	1.49
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.59	68.20	-18.61	3	Vertical	60	2.97
6105MHz	Pass	AV	6.235G	91.00	Inf	-Inf	3	Vertical	60	2.97
6105MHz	Pass	PK	5.925G	61.93	88.20	-26.27	3	Vertical	60	2.97
6105MHz	Pass	PK	6.233G	102.49	Inf	-Inf	3	Vertical	60	2.97
6105MHz	Pass	AV	5.893G	52.64	68.20	-15.56	3	Horizontal	360	1.50
6105MHz	Pass	AV	6.043G	84.72	Inf	-Inf	3	Horizontal	360	1.50
6105MHz	Pass	PK	5.909G	67.96	88.20	-20.24	3	Horizontal	360	1.50
6105MHz	Pass	PK	6.111G	97.73	Inf	-Inf	3	Horizontal	360	1.50
6105MHz	Pass	AV	12.21124G	43.63	54.00	-10.37	3	Vertical	346	1.50
6105MHz	Pass	PK	12.21448G	58.03	74.00	-15.97	3	Vertical	346	1.50
6105MHz	Pass	AV	12.21004G	44.79	54.00	-9.21	3	Horizontal	64	1.68
6105MHz	Pass	PK	12.2004G	57.29	74.00	-16.71	3	Horizontal	64	1.68
6265MHz	Pass	AV	12.59768G	44.25	54.00	-9.75	3	Vertical	213	1.34
6265MHz	Pass	PK	12.41912G	57.88	74.00	-16.12	3	Vertical	213	1.34
6265MHz	Pass	AV	12.494G	44.15	54.00	-9.85	3	Horizontal	235	2.94
6265MHz	Pass	PK	12.64856G	58.03	74.00	-15.97	3	Horizontal	235	2.94
6425MHz Straddle 5.925-6.425GHz	Pass	AV	12.8416G	45.42	68.20	-22.78	3	Vertical	168	1.50
6425MHz Straddle 5.925-6.425GHz	Pass	PK	12.85568G	59.85	88.20	-28.35	3	Vertical	168	1.50
6425MHz Straddle 5.925-6.425GHz	Pass	AV	12.84036G	45.40	68.20	-22.80	3	Horizontal	342	1.50
6425MHz Straddle 5.925-6.425GHz	Pass	PK	12.84004G	59.51	88.20	-28.69	3	Horizontal	342	1.50
6585MHz Straddle 6.425-6.525GHz	Pass	AV	13.17124G	44.47	68.20	-23.73	3	Vertical	16	1.50
6585MHz Straddle 6.425-6.525GHz	Pass	PK	13.1698G	57.82	88.20	-30.38	3	Vertical	16	1.50
6585MHz Straddle 6.425-6.525GHz	Pass	AV	13.1698G	45.64	68.20	-22.56	3	Horizontal	59	1.60
6585MHz Straddle 6.425-6.525GHz	Pass	PK	13.17356G	59.02	88.20	-29.18	3	Horizontal	59	1.60
6745MHz Straddle 6.525-6.875GHz	Pass	AV	13.48028G	45.73	68.20	-22.47	3	Vertical	122	1.44
6745MHz Straddle 6.525-6.875GHz	Pass	PK	13.48256G	60.36	88.20	-27.84	3	Vertical	122	1.44
6745MHz Straddle 6.525-6.875GHz	Pass	AV	13.48088G	45.81	68.20	-22.39	3	Horizontal	307	1.38
6745MHz Straddle 6.525-6.875GHz	Pass	PK	13.4926G	59.68	88.20	-28.52	3	Horizontal	307	1.38
6905MHz Straddle 6.525-6.875GHz	Pass	AV	6.8595G	94.20	Inf	-Inf	3	Vertical	7	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	7.1745G	57.58	68.20	-10.62	3	Vertical	7	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	6.8595G	102.74	Inf	-Inf	3	Vertical	7	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	7.2215G	68.33	88.20	-19.87	3	Vertical	7	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	6.8795G	87.87	Inf	-Inf	3	Horizontal	187	2.47
6905MHz Straddle 6.525-6.875GHz	Pass	AV	7.2045G	57.64	68.20	-10.56	3	Horizontal	187	2.47
6905MHz Straddle 6.525-6.875GHz	Pass	PK	7.0475G	105.55	Inf	-Inf	3	Horizontal	187	2.47
6905MHz Straddle 6.525-6.875GHz	Pass	PK	7.2205G	72.46	88.20	-15.74	3	Horizontal	187	2.47
6905MHz Straddle 6.525-6.875GHz	Pass	AV	13.81708G	48.70	68.20	-19.50	3	Vertical	3	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	PK	13.80836G	62.49	88.20	-25.71	3	Vertical	3	1.50
6905MHz Straddle 6.525-6.875GHz	Pass	AV	13.80992G	50.21	68.20	-17.99	3	Horizontal	149	1.49
6905MHz Straddle 6.525-6.875GHz	Pass	PK	13.80988G	62.34	88.20	-25.86	3	Horizontal	149	1.49


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
2.87	2.7	1.65	3.04

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70.26	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.26	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-74.26	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.26	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-76.26	OFF	10	100	90	Pass
				Center	6105	-62.26	OFF	10	100	90	Pass
				High edge	6260	-73.26	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-74.26	OFF	10	100	90	Pass
				Center	6425	-63.26	OFF	10	100	90	Pass
				High edge	6580	-70.26	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-82.26	OFF	10	100	90	Pass
				Center	6585	-72.26	OFF	10	100	90	Pass
				High edge	6740	-80.26	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-79.26	OFF	10	100	90	Pass
				Center	6905	-75.26	OFF	10	100	90	Pass
				High edge	7060	-75.26	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-63.00	2.87	-65.87	≤ -62
						Minimal	-64.00	2.87	-66.87	≤ -62
						ON	-65.00	2.87	-67.87	≤ -62
6	101	20	6455	Center	6455	OFF	-62.00	2.70	-64.70	≤ -62
						Minimal	-63.00	2.70	-65.70	≤ -62
						ON	-64.00	2.70	-66.70	≤ -62
7	149	20	6695	Center	6695	OFF	-63.00	1.65	-64.65	≤ -62
						Minimal	-64.00	1.65	-65.65	≤ -62
						ON	-65.00	1.65	-66.65	≤ -62
8	213	20	7015	Center	7015	OFF	-67.00	3.04	-70.04	≤ -62
						Minimal	-68.00	3.04	-71.04	≤ -62
						ON	-69.00	3.04	-72.04	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-60.50	2.87	-63.37	≤ -62
						Minimal	-61.50	2.87	-64.37	≤ -62
						ON	-62.50	2.87	-65.37	≤ -62
				Center	6105	OFF	-61.00	2.87	-63.87	≤ -62
						Minimal	-62.00	2.87	-64.87	≤ -62
						ON	-63.00	2.87	-65.87	≤ -62
				High edge	6260	OFF	-60.50	2.87	-63.37	≤ -62
						Minimal	-61.50	2.87	-64.37	≤ -62
						ON	-62.50	2.87	-65.37	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-66.00	2.70	-68.70	≤ -62
						Minimal	-67.00	2.70	-69.70	≤ -62
						ON	-68.00	2.70	-70.70	≤ -62
				Center	6425	OFF	-64.00	2.70	-66.70	≤ -62
						Minimal	-65.00	2.70	-67.70	≤ -62
						ON	-66.00	2.70	-68.70	≤ -62
				High edge	6580	OFF	-63.00	2.70	-65.70	≤ -62
						Minimal	-64.00	2.70	-66.70	≤ -62
						ON	-65.00	2.70	-67.70	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-66.00	1.65	-67.65	≤ -62
						Minimal	-67.00	1.65	-68.65	≤ -62
						ON	-68.00	1.65	-69.65	≤ -62
				Center	6585	OFF	-64.00	1.65	-65.65	≤ -62
						Minimal	-65.00	1.65	-66.65	≤ -62
						ON	-66.00	1.65	-67.65	≤ -62
				High edge	6740	OFF	-63.00	1.65	-64.65	≤ -62
						Minimal	-64.00	1.65	-65.65	≤ -62
						ON	-65.00	1.65	-66.65	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-60.50	3.04	-63.54	≤ -62
						Minimal	-61.50	3.04	-64.54	≤ -62
						ON	-62.50	3.04	-65.54	≤ -62
				Center	6905	OFF	-62.00	3.04	-65.04	≤ -62
						Minimal	-63.00	3.04	-66.04	≤ -62
						ON	-64.00	3.04	-67.04	≤ -62
				High edge	7060	OFF	-60.50	3.04	-63.54	≤ -62
						Minimal	-61.50	3.04	-64.54	≤ -62
						ON	-62.50	3.04	-65.54	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




15/03/2025
Sample Time
25us
All TX Time
95.775ms
All TX Sample
3831
Duty Cycle
0.957511
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




15/03/2025
Sample Time
25us
All TX Time
96.15ms
All TX Sample
3846
Duty Cycle
0.96126
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




15/03/2025	
Sample Time	
25us	
All TX Time	
95.65ms	
All TX Sample	
3826	
Duty Cycle	
0.956261	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




15/03/2025	
Sample Time	
25us	
All TX Time	
94.125ms	
All TX Sample	
3765	
Duty Cycle	
0.941015	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

77.1ms

All TX Sample

3084

Duty Cycle

0.770807

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

69.625ms

All TX Sample

2785

Duty Cycle

0.696076

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

69.6ms

All TX Sample

2784

Duty Cycle

0.695826

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

61.1ms

All TX Sample

2444

Duty Cycle

0.610847

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

62.825ms

All TX Sample

2513

Duty Cycle

0.628093

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

66.95ms

All TX Sample

2678

Duty Cycle

0.669333

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

63.85ms

All TX Sample

2554

Duty Cycle

0.63834

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

67.625ms

All TX Sample

2705

Duty Cycle

0.676081

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

65.875ms

All TX Sample

2635

Duty Cycle

0.658585

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

65.925ms

All TX Sample

2637

Duty Cycle

0.659085

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

63.25ms

All TX Sample

2530

Duty Cycle

0.632342

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



15/03/2025

Sample Time

25us

All TX Time

66.525ms

All TX Sample

2661

Duty Cycle

0.665084


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 15.MAR.2025 01:42:34


Frequency (MHz): 7015 MHz



Date: 15.MAR.2025 01:43:12


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 15.MAR.2025 02:07:51

Frequency (MHz): 6105 MHz




Date: 15.MAR.2025 02:08:30

Frequency (MHz): 6260 MHz




Date: 15.MAR.2025 02:08:57

Frequency (MHz): 6270 MHz




Date: 15.MAR.2025 02:09:30

Frequency (MHz): 6425 MHz




Date: 15.MAR.2025 02:10:10

Frequency (MHz): 6430 MHz




Date: 15.MAR.2025 02:11:20

Frequency (MHz): 6580 MHz




Date: 15.MAR.2025 02:10:46

Frequency (MHz): 6585 MHz




Date: 15.MAR.2025 02:11:55

Frequency (MHz): 6740 MHz




Date: 15.MAR.2025 02:12:35

Frequency (MHz): 6750 MHz




Date: 15.MAR.2025 02:13:24

Frequency (MHz): 6905 MHz




Date: 15.MAR.2025 02:13:57

Frequency (MHz): 7060 MHz




Date: 15.MAR.2025 02:14:32

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -63 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -65 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -60.5dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -61.5dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -62.5dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6105 MHz (Threshold Level: -62dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -63dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -60.5dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -61.5dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -62.5dBm)

Time Analysis




3. Frequency Domain

Bandwidth 320MHz: Reduce Bandwidth - 5950MHz




Date: 15.MAR.2025 03:34:18

Bandwidth 320MHz: Reduce Bandwidth - 6270MHz



Date: 15.MAR.2025 03:37:26

Bandwidth 320MHz: Test CH 31 ; Traffic 6105 MHz



Date: 15.MAR.2025 03:32:47




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.54G	51.02	54.00	-2.98	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.904G	34.26	54.00	-19.74	3	Vertical	35	1.58	-
Mode 1	Pass	AV	10.36G	44.12	68.20	-24.08	3	Vertical	49	1.50	-
Mode 1	Pass	AV	12.85G	46.31	68.20	-21.89	3	Vertical	44	2.93	-
Mode 1	Pass	AV	15.54G	45.76	54.00	-8.24	3	Vertical	11	2.04	-
Mode 1	Pass	PK	4.904G	48.21	74.00	-25.79	3	Vertical	35	1.58	-
Mode 1	Pass	PK	10.36G	57.67	88.20	-30.53	3	Vertical	49	1.50	-
Mode 1	Pass	PK	12.85G	60.10	88.20	-28.10	3	Vertical	44	2.93	-
Mode 1	Pass	PK	15.54G	59.67	74.00	-14.33	3	Vertical	11	2.04	-
Mode 1	Pass	AV	4.904G	34.18	54.00	-19.82	3	Horizontal	18	1.74	-
Mode 1	Pass	AV	10.36G	44.70	68.20	-23.50	3	Horizontal	175	1.87	-
Mode 1	Pass	AV	12.85G	47.83	68.20	-20.37	3	Horizontal	46	1.67	-
Mode 1	Pass	AV	15.54G	51.02	54.00	-2.98	3	Horizontal	336	1.50	-
Mode 1	Pass	PK	4.904G	47.36	74.00	-26.64	3	Horizontal	18	1.74	-
Mode 1	Pass	PK	10.36G	58.49	88.20	-29.71	3	Horizontal	175	1.87	-
Mode 1	Pass	PK	12.85G	60.43	88.20	-27.77	3	Horizontal	46	1.67	-
Mode 1	Pass	PK	15.54G	65.29	74.00	-8.71	3	Horizontal	336	1.50	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

