


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	53.54	54.00	-0.46	7.27	3	Vertical	133	1.90	46.27	33.19	8.08	34.00
AV	5.2076G	103.03	Inf	-Inf	7.20	3	Vertical	133	1.90	95.83	33.08	8.12	34.00
AV	5.3888G	48.26	54.00	-5.74	7.06	3	Vertical	133	1.90	41.20	32.82	8.23	33.99
PK	5.1464G	67.53	74.00	-6.47	7.27	3	Vertical	133	1.90	60.26	33.19	8.08	34.00
PK	5.2076G	114.39	Inf	-Inf	7.20	3	Vertical	133	1.90	107.19	33.08	8.12	34.00
PK	5.35G	59.98	74.00	-14.02	7.12	3	Vertical	133	1.90	52.86	32.90	8.21	33.99
PK	5.486G	60.53	68.20	-7.67	7.25	3	Vertical	133	1.90	53.28	32.94	8.29	33.98

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.28	54.00	-2.72	7.28	3	Horizontal	184	1.65	44.00	33.20	8.08	34.00
AV	5.2304G	100.19	Inf	-Inf	7.18	3	Horizontal	184	1.65	93.01	33.04	8.14	34.00
AV	5.3936G	47.47	54.00	-6.53	7.06	3	Horizontal	184	1.65	40.41	32.81	8.24	33.99
PK	5.1272G	62.87	74.00	-11.13	7.18	3	Horizontal	184	1.65	55.69	33.11	8.07	34.00
PK	5.2088G	112.22	Inf	-Inf	7.21	3	Horizontal	184	1.65	105.01	33.08	8.13	34.00
PK	5.3588G	59.38	74.00	-14.62	7.11	3	Horizontal	184	1.65	52.27	32.88	8.22	33.99
PK	5.4944G	60.04	68.20	-8.16	7.29	3	Horizontal	184	1.65	52.75	32.98	8.29	33.98


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.318G	107.80	Inf	-Inf	7.10	3	Vertical	133	1.69	100.70	32.90	8.19	33.99
AV	5.3578G	53.21	54.00	-0.79	7.10	3	Vertical	133	1.69	46.11	32.88	8.21	33.99
PK	5.3182G	120.68	Inf	-Inf	7.10	3	Vertical	133	1.69	113.58	32.90	8.19	33.99
PK	5.357G	71.45	74.00	-2.55	7.11	3	Vertical	133	1.69	64.34	32.89	8.21	33.99

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3232G	106.85	Inf	-Inf	7.10	3	Horizontal	13	1.81	99.75	32.90	8.19	33.99
AV	5.3626G	53.36	54.00	-0.64	7.10	3	Horizontal	13	1.81	46.26	32.87	8.22	33.99
PK	5.324G	119.75	Inf	-Inf	7.10	3	Horizontal	13	1.81	112.65	32.90	8.19	33.99
PK	5.364G	71.77	74.00	-2.23	7.10	3	Horizontal	13	1.81	64.67	32.87	8.22	33.99


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	103.52	Inf	-Inf	7.09	3	Vertical	92	1.49	96.43	32.90	8.18	33.99
AV	5.35G	52.01	54.00	-1.99	7.12	3	Vertical	92	1.49	44.89	32.90	8.21	33.99
PK	5.3184G	115.63	Inf	-Inf	7.10	3	Vertical	92	1.49	108.53	32.90	8.19	33.99
PK	5.3508G	71.31	74.00	-2.69	7.12	3	Vertical	92	1.49	64.19	32.90	8.21	33.99

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	103.74	Inf	-Inf	7.10	3	Horizontal	16	1.99	96.64	32.91	8.18	33.99
AV	5.35G	53.28	54.00	-0.72	7.12	3	Horizontal	16	1.99	46.16	32.90	8.21	33.99
PK	5.294G	116.41	Inf	-Inf	7.10	3	Horizontal	16	1.99	109.31	32.91	8.18	33.99
PK	5.354G	73.78	74.00	-0.22	7.11	3	Horizontal	16	1.99	66.67	32.89	8.21	33.99


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	48.80	54.00	-5.20	7.26	3	Vertical	123	1.78	41.54	33.18	8.08	34.00
AV	5.266G	101.94	Inf	-Inf	7.14	3	Vertical	123	1.78	94.80	32.97	8.16	33.99
AV	5.367G	51.04	54.00	-2.96	7.10	3	Vertical	123	1.78	43.94	32.87	8.22	33.99
PK	5.149G	60.38	74.00	-13.62	7.28	3	Vertical	123	1.78	53.10	33.20	8.08	34.00
PK	5.307G	113.61	Inf	-Inf	7.09	3	Vertical	123	1.78	106.52	32.90	8.18	33.99
PK	5.366G	62.81	74.00	-11.19	7.10	3	Vertical	123	1.78	55.71	32.87	8.22	33.99
PK	5.48G	60.32	68.20	-7.88	7.22	3	Vertical	123	1.78	53.10	32.92	8.28	33.98

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.04	54.00	-5.96	7.28	3	Horizontal	185	1.50	40.76	33.20	8.08	34.00
AV	5.27G	99.96	Inf	-Inf	7.13	3	Horizontal	185	1.50	92.83	32.96	8.16	33.99
AV	5.35G	50.27	54.00	-3.73	7.12	3	Horizontal	185	1.50	43.15	32.90	8.21	33.99
PK	5.15G	60.02	74.00	-13.98	7.28	3	Horizontal	185	1.50	52.74	33.20	8.08	34.00
PK	5.271G	112.09	Inf	-Inf	7.13	3	Horizontal	185	1.50	104.96	32.96	8.16	33.99
PK	5.352G	62.56	74.00	-11.44	7.12	3	Horizontal	185	1.50	55.44	32.90	8.21	33.99
PK	5.461G	59.98	68.20	-8.22	7.13	3	Horizontal	185	1.50	52.85	32.84	8.27	33.98


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1252G	53.98	54.00	-0.02	7.17	3	Vertical	131	1.90	46.81	33.10	8.07	34.00
AV	5.2068G	99.96	Inf	-Inf	7.21	3	Vertical	131	1.90	92.75	33.09	8.12	34.00
AV	5.37G	53.37	54.00	-0.63	7.09	3	Vertical	131	1.90	46.28	32.86	8.22	33.99
PK	5.1252G	65.21	74.00	-8.79	7.17	3	Vertical	131	1.90	58.04	33.10	8.07	34.00
PK	5.1876G	110.53	Inf	-Inf	7.23	3	Vertical	131	1.90	103.30	33.12	8.11	34.00
PK	5.37G	65.49	74.00	-8.51	7.09	3	Vertical	131	1.90	58.40	32.86	8.22	33.99
PK	5.49G	60.51	68.20	-7.69	7.27	3	Vertical	131	1.90	53.24	32.96	8.29	33.98

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1084G	52.48	54.00	-1.52	7.09	3	Horizontal	190	1.49	45.39	33.03	8.06	34.00
AV	5.2692G	96.75	Inf	-Inf	7.13	3	Horizontal	190	1.49	89.62	32.96	8.16	33.99
AV	5.35G	52.54	54.00	-1.46	7.12	3	Horizontal	190	1.49	45.42	32.90	8.21	33.99
PK	5.1276G	64.56	74.00	-9.44	7.18	3	Horizontal	190	1.49	57.38	33.11	8.07	34.00
PK	5.2692G	107.04	Inf	-Inf	7.13	3	Horizontal	190	1.49	99.91	32.96	8.16	33.99
PK	5.3724G	62.98	74.00	-11.02	7.09	3	Horizontal	190	1.49	55.89	32.86	8.22	33.99
PK	5.7228G	60.16	68.20	-8.04	8.05	3	Horizontal	190	1.49	52.11	33.65	8.47	34.07


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	47.02	54.00	-6.98	7.26	3	Vertical	131	1.50	39.76	33.18	8.08	34.00
AV	5.426G	53.48	54.00	-0.52	7.07	3	Vertical	131	1.50	46.41	32.80	8.25	33.98
AV	5.5076G	98.52	Inf	-Inf	7.30	3	Vertical	131	1.50	91.22	32.98	8.30	33.98
PK	5.3468G	60.06	68.20	-8.14	7.12	3	Vertical	131	1.50	52.94	32.90	8.21	33.99
PK	5.4332G	67.12	74.00	-6.88	7.08	3	Vertical	131	1.50	60.04	32.80	8.26	33.98
PK	5.4692G	63.83	68.20	-4.37	7.18	3	Vertical	131	1.50	56.65	32.88	8.28	33.98
PK	5.5676G	110.89	Inf	-Inf	7.22	3	Vertical	131	1.50	103.67	32.90	8.33	34.01
PK	5.75G	62.82	68.20	-5.38	8.12	3	Vertical	131	1.50	54.70	33.70	8.50	34.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.08	54.00	-6.92	7.28	3	Horizontal	356	1.41	39.80	33.20	8.08	34.00
AV	5.4284G	52.26	54.00	-1.74	7.08	3	Horizontal	356	1.41	45.18	32.80	8.26	33.98
AV	5.5076G	96.39	Inf	-Inf	7.30	3	Horizontal	356	1.41	89.09	32.98	8.30	33.98
PK	5.3492G	61.09	68.20	-7.11	7.12	3	Horizontal	356	1.41	53.97	32.90	8.21	33.99
PK	5.4476G	65.32	74.00	-8.68	7.09	3	Horizontal	356	1.41	58.23	32.80	8.27	33.98
PK	5.4692G	63.85	68.20	-4.35	7.18	3	Horizontal	356	1.41	56.67	32.88	8.28	33.98
PK	5.5076G	107.47	Inf	-Inf	7.30	3	Horizontal	356	1.41	100.17	32.98	8.30	33.98
PK	5.7572G	62.23	68.20	-5.97	8.15	3	Horizontal	356	1.41	54.08	33.73	8.51	34.09


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.8178G	108.58	Inf	-Inf	8.42	3	Vertical	8	1.51	100.16	33.97	8.56	34.11				
PK	5.525G	61.61	68.20	-6.59	7.27	3	Vertical	8	1.51	54.34	32.95	8.31	33.99				
PK	5.8178G	116.92	Inf	-Inf	8.42	3	Vertical	8	1.51	108.50	33.97	8.56	34.11				
PK	6.0014G	62.76	68.20	-5.44	8.55	3	Vertical	8	1.51	54.21	34.10	8.64	34.19				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.831G	109.09	Inf	-Inf	8.46	3	Horizontal	303	2.86	100.63	34.02	8.56	34.12			
PK	5.6234G	61.87	68.20	-6.33	7.38	3	Horizontal	303	2.86	54.49	33.04	8.37	34.03			
PK	5.831G	117.92	Inf	-Inf	8.46	3	Horizontal	303	2.86	109.46	34.02	8.56	34.12			
PK	5.9582G	63.06	68.20	-5.14	8.55	3	Horizontal	303	2.86	54.51	34.10	8.62	34.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.64994G	45.49	54.00	-8.51	16.29	3	Vertical	271	1.50	29.20	38.50	11.90	34.11
PK	11.6497G	57.47	74.00	-16.53	16.29	3	Vertical	271	1.50	41.18	38.50	11.90	34.11
PK	17.48424G	60.01	68.20	-8.19	19.79	3	Vertical	357	2.17	40.22	38.47	14.87	33.55
PK	23.30018G	43.74	68.20	-24.46	-4.96	3	Vertical	86	1.61	48.70	39.80	17.50	52.72

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.64994G	52.96	54.00	-1.04	16.29	3	Horizontal	151	1.50	36.67	38.50	11.90	34.11
PK	11.65006G	62.60	74.00	-11.40	16.29	3	Horizontal	151	1.50	46.31	38.50	11.90	34.11
PK	17.47566G	61.01	68.20	-7.19	19.77	3	Horizontal	168	1.70	41.24	38.45	14.87	33.55
PK	23.30018G	49.06	68.20	-19.14	-4.96	3	Horizontal	47	1.55	54.02	39.80	17.50	52.72

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	108.84	Inf	-Inf	8.42	3	Vertical	2	2.67	100.42	33.97	8.56	34.11
PK	5.525G	62.90	68.20	-5.30	7.27	3	Vertical	2	2.67	55.63	32.95	8.31	33.99
PK	5.8154G	119.62	Inf	-Inf	8.41	3	Vertical	2	2.67	111.21	33.96	8.56	34.11
PK	6.029G	63.21	68.20	-4.99	8.59	3	Vertical	2	2.67	54.62	34.10	8.69	34.20

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8154G	107.35	Inf	-Inf	8.41	3	Horizontal	341	1.75	98.94	33.96	8.56	34.11
PK	5.525G	62.68	68.20	-5.52	7.27	3	Horizontal	341	1.75	55.41	32.95	8.31	33.99
PK	5.8166G	117.75	Inf	-Inf	8.42	3	Horizontal	341	1.75	109.33	33.97	8.56	34.11
PK	5.9702G	62.49	68.20	-5.71	8.55	3	Horizontal	341	1.75	53.94	34.10	8.63	34.18


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	107.43	Inf	-Inf	8.31	3	Vertical	125	1.08	99.12	33.87	8.54	34.10
PK	5.6306G	62.23	68.20	-5.97	7.43	3	Vertical	125	1.08	54.80	33.08	8.38	34.03
PK	5.7914G	118.12	Inf	-Inf	8.31	3	Vertical	125	1.08	109.81	33.87	8.54	34.10
PK	5.945G	63.90	68.20	-4.30	8.56	3	Vertical	125	1.08	55.34	34.11	8.62	34.17

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	106.14	Inf	-Inf	8.24	3	Horizontal	3	1.50	97.90	33.81	8.53	34.10
PK	5.5034G	63.13	68.20	-5.07	7.31	3	Horizontal	3	1.50	55.82	32.99	8.30	33.98
PK	5.777G	116.32	Inf	-Inf	8.24	3	Horizontal	3	1.50	108.08	33.81	8.53	34.10
PK	6.023G	62.75	68.20	-5.45	8.58	3	Horizontal	3	1.50	54.17	34.10	8.68	34.20


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7714G	103.07	Inf	-Inf	8.22	3	Vertical	133	2.22	94.85	33.79	8.52	34.09
PK	5.5914G	61.06	68.20	-7.14	7.23	3	Vertical	133	2.22	53.83	32.90	8.35	34.02
PK	5.7498G	114.14	Inf	-Inf	8.12	3	Vertical	133	2.22	106.02	33.70	8.50	34.08
PK	5.9646G	60.43	68.20	-7.77	8.54	3	Vertical	133	2.22	51.89	34.10	8.62	34.18

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.757G	101.71	Inf	-Inf	8.15	3	Horizontal	4	1.65	93.56	33.73	8.51	34.09
PK	5.5926G	61.45	68.20	-6.75	7.23	3	Horizontal	4	1.65	54.22	32.90	8.35	34.02
PK	5.757G	112.87	Inf	-Inf	8.15	3	Horizontal	4	1.65	104.72	33.73	8.51	34.09
PK	6.0246G	60.60	68.20	-7.60	8.58	3	Horizontal	4	1.65	52.02	34.10	8.68	34.20


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	5.12G	49.36	54.00	-4.64	3	Vertical	5	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	PK	5.4036G	73.47	74.00	-0.53	3	Vertical	113	1.84
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	11.38004G	46.14	54.00	-7.86	3	Horizontal	41	1.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	PK	5.7284G	67.12	68.20	-1.08	3	Vertical	152	1.49
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6334G	60.87	68.20	-7.33	3	Vertical	131	1.56


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.12G	49.36	54.00	-4.64	3	Vertical	5	1.50
5210MHz	Pass	AV	5.181G	96.06	Inf	-Inf	3	Vertical	5	1.50
5210MHz	Pass	AV	5.399G	45.89	54.00	-8.11	3	Vertical	5	1.50
5210MHz	Pass	PK	5.121G	62.30	74.00	-11.70	3	Vertical	5	1.50
5210MHz	Pass	PK	5.181G	110.95	Inf	-Inf	3	Vertical	5	1.50
5210MHz	Pass	PK	5.355G	58.47	74.00	-15.53	3	Vertical	5	1.50
5210MHz	Pass	AV	5.126G	48.31	54.00	-5.69	3	Horizontal	0	1.18
5210MHz	Pass	AV	5.187G	96.54	Inf	-Inf	3	Horizontal	0	1.18
5210MHz	Pass	AV	5.399G	46.54	54.00	-7.46	3	Horizontal	0	1.18
5210MHz	Pass	PK	5.124G	61.66	74.00	-12.34	3	Horizontal	0	1.18
5210MHz	Pass	PK	5.188G	109.79	Inf	-Inf	3	Horizontal	0	1.18
5210MHz	Pass	PK	5.398G	58.74	74.00	-15.26	3	Horizontal	0	1.18
5210MHz	Pass	PK	10.41988G	55.58	68.20	-12.62	3	Vertical	279	1.50
5210MHz	Pass	PK	10.4197G	55.06	68.20	-13.14	3	Horizontal	40	1.56
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4164G	44.95	54.00	-9.05	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	96.79	Inf	-Inf	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3912G	57.20	74.00	-16.80	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.71	68.20	-11.49	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	110.38	Inf	-Inf	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	59.23	68.20	-8.97	3	Vertical	123	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4032G	45.27	54.00	-8.73	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	93.79	Inf	-Inf	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	57.86	74.00	-16.14	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.25	68.20	-10.95	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	107.23	Inf	-Inf	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	59.76	68.20	-8.44	3	Horizontal	14	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38008G	43.50	54.00	-10.50	3	Vertical	146	2.15
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3827G	56.14	74.00	-17.86	3	Vertical	146	2.15
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38004G	46.14	54.00	-7.86	3	Horizontal	41	1.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38008G	57.31	74.00	-16.69	3	Horizontal	41	1.69
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7546G	100.56	Inf	-Inf	3	Vertical	131	1.56
5775MHz	Pass	PK	5.6334G	60.87	68.20	-7.33	3	Vertical	131	1.56
5775MHz	Pass	PK	5.7546G	112.48	Inf	-Inf	3	Vertical	131	1.56
5775MHz	Pass	PK	5.9502G	55.78	68.20	-12.42	3	Vertical	131	1.56
5775MHz	Pass	AV	5.7582G	99.99	Inf	-Inf	3	Horizontal	7	1.68
5775MHz	Pass	PK	5.6358G	60.47	68.20	-7.73	3	Horizontal	7	1.68
5775MHz	Pass	PK	5.739G	112.79	Inf	-Inf	3	Horizontal	7	1.68
5775MHz	Pass	PK	5.9394G	55.31	68.20	-12.89	3	Horizontal	7	1.68
5775MHz	Pass	AV	11.55016G	41.67	54.00	-12.33	3	Vertical	150	2.39
5775MHz	Pass	PK	11.54872G	54.01	74.00	-19.99	3	Vertical	150	2.39
5775MHz	Pass	AV	11.55G	43.99	54.00	-10.01	3	Horizontal	43	1.49
5775MHz	Pass	PK	11.55016G	55.50	74.00	-18.50	3	Horizontal	43	1.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1444G	49.14	54.00	-4.86	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2032G	90.96	Inf	-Inf	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3652G	47.96	54.00	-6.04	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	70.32	74.00	-3.68	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2056G	107.96	Inf	-Inf	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4036G	73.47	74.00	-0.53	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4876G	65.69	68.20	-2.51	3	Vertical	113	1.84
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0868G	48.07	54.00	-5.93	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1864G	89.23	Inf	-Inf	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	47.99	54.00	-6.01	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1276G	68.94	74.00	-5.06	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2068G	105.70	Inf	-Inf	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4084G	72.00	74.00	-2.00	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4888G	64.88	68.20	-3.32	3	Horizontal	359	1.18
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50112G	54.66	68.20	-13.54	3	Vertical	110	2.64

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3888G	48.66	54.00	-5.34	3	Vertical	152	1.49
5570MHz	Pass	AV	5.5088G	89.07	Inf	-Inf	3	Vertical	152	1.49
5570MHz	Pass	PK	5.312G	61.67	68.20	-6.53	3	Vertical	152	1.49
5570MHz	Pass	PK	5.4524G	65.61	74.00	-8.39	3	Vertical	152	1.49
5570MHz	Pass	PK	5.4668G	62.66	68.20	-5.54	3	Vertical	152	1.49
5570MHz	Pass	PK	5.5076G	106.76	Inf	-Inf	3	Vertical	152	1.49
5570MHz	Pass	PK	5.7284G	67.12	68.20	-1.08	3	Vertical	152	1.49
5570MHz	Pass	AV	5.3864G	48.29	54.00	-5.71	3	Horizontal	355	1.50
5570MHz	Pass	AV	5.5076G	87.97	Inf	-Inf	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.3084G	61.97	68.20	-6.23	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.426G	62.50	74.00	-11.50	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.462G	59.32	68.20	-8.88	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.5088G	104.09	Inf	-Inf	3	Horizontal	355	1.50
5570MHz	Pass	PK	5.7272G	61.46	68.20	-6.74	3	Horizontal	355	1.50
5570MHz	Pass	AV	11.14008G	41.54	54.00	-12.46	3	Vertical	48	1.62
5570MHz	Pass	PK	11.1426G	54.92	74.00	-19.08	3	Vertical	48	1.62
5570MHz	Pass	AV	11.14008G	44.58	54.00	-9.42	3	Horizontal	40	1.60
5570MHz	Pass	PK	11.13984G	55.48	74.00	-18.52	3	Horizontal	40	1.60

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	49.36	54.00	-4.64	7.14	3	Vertical	5	1.50	42.22	33.08	8.06	34.00
AV	5.181G	96.06	Inf	-Inf	7.25	3	Vertical	5	1.50	88.81	33.14	8.11	34.00
AV	5.399G	45.89	54.00	-8.11	7.05	3	Vertical	5	1.50	38.84	32.80	8.24	33.99
PK	5.121G	62.30	74.00	-11.70	7.14	3	Vertical	5	1.50	55.16	33.08	8.06	34.00
PK	5.181G	110.95	Inf	-Inf	7.25	3	Vertical	5	1.50	103.70	33.14	8.11	34.00
PK	5.355G	58.47	74.00	-15.53	7.11	3	Vertical	5	1.50	51.36	32.89	8.21	33.99

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.126G	48.31	54.00	-5.69	7.17	3	Horizontal	0	1.18	41.14	33.10	8.07	34.00
AV	5.187G	96.54	Inf	-Inf	7.24	3	Horizontal	0	1.18	89.30	33.13	8.11	34.00
AV	5.399G	46.54	54.00	-7.46	7.05	3	Horizontal	0	1.18	39.49	32.80	8.24	33.99
PK	5.124G	61.66	74.00	-12.34	7.17	3	Horizontal	0	1.18	54.49	33.10	8.07	34.00
PK	5.188G	109.79	Inf	-Inf	7.23	3	Horizontal	0	1.18	102.56	33.12	8.11	34.00
PK	5.398G	58.74	74.00	-15.26	7.05	3	Horizontal	0	1.18	51.69	32.80	8.24	33.99


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	49.14	54.00	-4.86	7.26	3	Vertical	113	1.84	41.88	33.18	8.08	34.00
AV	5.2032G	90.96	Inf	-Inf	7.21	3	Vertical	113	1.84	83.75	33.09	8.12	34.00
AV	5.3652G	47.96	54.00	-6.04	7.10	3	Vertical	113	1.84	40.86	32.87	8.22	33.99
PK	5.1432G	70.32	74.00	-3.68	7.25	3	Vertical	113	1.84	63.07	33.17	8.08	34.00
PK	5.2056G	107.96	Inf	-Inf	7.21	3	Vertical	113	1.84	100.75	33.09	8.12	34.00
PK	5.4036G	73.47	74.00	-0.53	7.05	3	Vertical	113	1.84	66.42	32.80	8.24	33.99
PK	5.4876G	65.69	68.20	-2.51	7.26	3	Vertical	113	1.84	58.43	32.95	8.29	33.98

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0868G	48.07	54.00	-5.93	7.07	3	Horizontal	359	1.18	41.00	33.03	8.04	34.00
AV	5.1864G	89.23	Inf	-Inf	7.24	3	Horizontal	359	1.18	81.99	33.13	8.11	34.00
AV	5.35G	47.99	54.00	-6.01	7.12	3	Horizontal	359	1.18	40.87	32.90	8.21	33.99
PK	5.1276G	68.94	74.00	-5.06	7.18	3	Horizontal	359	1.18	61.76	33.11	8.07	34.00
PK	5.2068G	105.70	Inf	-Inf	7.21	3	Horizontal	359	1.18	98.49	33.09	8.12	34.00
PK	5.4084G	72.00	74.00	-2.00	7.05	3	Horizontal	359	1.18	64.95	32.80	8.24	33.99
PK	5.4888G	64.88	68.20	-3.32	7.27	3	Horizontal	359	1.18	57.61	32.96	8.29	33.98


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3888G	48.66	54.00	-5.34	7.06	3	Vertical	152	1.49	41.60	32.82	8.23	33.99
AV	5.5088G	89.07	Inf	-Inf	7.30	3	Vertical	152	1.49	81.77	32.98	8.30	33.98
PK	5.312G	61.67	68.20	-6.53	7.10	3	Vertical	152	1.49	54.57	32.90	8.19	33.99
PK	5.4524G	65.61	74.00	-8.39	7.10	3	Vertical	152	1.49	58.51	32.81	8.27	33.98
PK	5.4668G	62.66	68.20	-5.54	7.17	3	Vertical	152	1.49	55.49	32.87	8.28	33.98
PK	5.5076G	106.76	Inf	-Inf	7.30	3	Vertical	152	1.49	99.46	32.98	8.30	33.98
PK	5.7284G	67.12	68.20	-1.08	8.06	3	Vertical	152	1.49	59.06	33.66	8.48	34.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3864G	48.29	54.00	-5.71	7.07	3	Horizontal	355	1.50	41.22	32.83	8.23	33.99
AV	5.5076G	87.97	Inf	-Inf	7.30	3	Horizontal	355	1.50	80.67	32.98	8.30	33.98
PK	5.3084G	61.97	68.20	-6.23	7.10	3	Horizontal	355	1.50	54.87	32.90	8.19	33.99
PK	5.426G	62.50	74.00	-11.50	7.07	3	Horizontal	355	1.50	55.43	32.80	8.25	33.98
PK	5.462G	59.32	68.20	-8.88	7.14	3	Horizontal	355	1.50	52.18	32.85	8.27	33.98
PK	5.5088G	104.09	Inf	-Inf	7.30	3	Horizontal	355	1.50	96.79	32.98	8.30	33.98
PK	5.7272G	61.46	68.20	-6.74	8.05	3	Horizontal	355	1.50	53.41	33.65	8.48	34.08


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7546G	100.56	Inf	-Inf	8.13	3	Vertical	131	1.56	92.43	33.72	8.50	34.09
PK	5.6334G	60.87	68.20	-7.33	7.44	3	Vertical	131	1.56	53.43	33.10	8.38	34.04
PK	5.7546G	112.48	Inf	-Inf	8.13	3	Vertical	131	1.56	104.35	33.72	8.50	34.09
PK	5.9502G	55.78	68.20	-12.42	8.55	3	Vertical	131	1.56	47.23	34.10	8.62	34.17

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7582G	99.99	Inf	-Inf	8.15	3	Horizontal	7	1.68	91.84	33.73	8.51	34.09
PK	5.6358G	60.47	68.20	-7.73	7.46	3	Horizontal	7	1.68	53.01	33.11	8.39	34.04
PK	5.739G	112.79	Inf	-Inf	8.09	3	Horizontal	7	1.68	104.70	33.68	8.49	34.08
PK	5.9394G	55.31	68.20	-12.89	8.57	3	Horizontal	7	1.68	46.74	34.12	8.61	34.16


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	AV	15.5712G	48.09	54.00	-5.91	3	Vertical	121	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	PK	5.3676G	72.08	74.00	-1.92	3	Vertical	149	1.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	PK	5.14584G	72.57	74.00	-1.43	3	Vertical	145	1.92
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	AV	15.92448G	47.95	54.00	-6.05	3	Horizontal	59	1.10
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	PK	16.64856G	61.66	68.20	-6.54	3	Vertical	61	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	PK	16.78992G	62.32	68.20	-5.88	3	Vertical	137	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	PK	17.04408G	62.71	68.20	-5.49	3	Vertical	15	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	Pass	PK	5.726G	65.97	68.20	-2.23	3	Vertical	148	1.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	PK	5.7848G	65.13	68.20	-3.07	3	Horizontal	319	2.90
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	PK	5.6502G	66.41	68.35	-1.94	3	Vertical	124	1.71

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.97	54.00	-6.03	3	Vertical	148	1.76
5210MHz	Pass	AV	5.189G	97.96	Inf	-Inf	3	Vertical	148	1.76
5210MHz	Pass	AV	5.351G	44.32	54.00	-9.68	3	Vertical	148	1.76
5210MHz	Pass	PK	5.15G	67.07	74.00	-6.93	3	Vertical	148	1.76
5210MHz	Pass	PK	5.189G	110.29	Inf	-Inf	3	Vertical	148	1.76
5210MHz	Pass	PK	5.351G	61.02	74.00	-12.98	3	Vertical	148	1.76
5210MHz	Pass	AV	5.15G	46.08	54.00	-7.92	3	Horizontal	231	1.50
5210MHz	Pass	AV	5.192G	94.05	Inf	-Inf	3	Horizontal	231	1.50
5210MHz	Pass	AV	5.393G	43.55	54.00	-10.45	3	Horizontal	231	1.50
5210MHz	Pass	PK	5.125G	61.88	74.00	-12.12	3	Horizontal	231	1.50
5210MHz	Pass	PK	5.239G	106.66	Inf	-Inf	3	Horizontal	231	1.50
5210MHz	Pass	PK	5.454G	56.06	74.00	-17.94	3	Horizontal	231	1.50
5210MHz	Pass	AV	15.5712G	48.09	54.00	-5.91	3	Vertical	121	1.50
5210MHz	Pass	PK	10.44496G	55.22	68.20	-12.98	3	Vertical	290	2.89
5210MHz	Pass	PK	15.5952G	61.94	74.00	-12.06	3	Vertical	121	1.50
5210MHz	Pass	AV	15.57144G	48.05	54.00	-5.95	3	Horizontal	307	2.76
5210MHz	Pass	PK	10.3708G	54.73	68.20	-13.47	3	Horizontal	157	1.01
5210MHz	Pass	PK	15.59856G	61.70	74.00	-12.30	3	Horizontal	307	2.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.134G	44.05	54.00	-9.95	3	Vertical	124	1.86
5290MHz	Pass	AV	5.307G	98.96	Inf	-Inf	3	Vertical	124	1.86
5290MHz	Pass	AV	5.35G	44.96	54.00	-9.04	3	Vertical	124	1.86
5290MHz	Pass	PK	5.148G	56.65	74.00	-17.35	3	Vertical	124	1.86
5290MHz	Pass	PK	5.286G	111.02	Inf	-Inf	3	Vertical	124	1.86
5290MHz	Pass	PK	5.368G	59.00	74.00	-15.00	3	Vertical	124	1.86
5290MHz	Pass	PK	5.482G	56.27	68.20	-11.93	3	Vertical	124	1.86
5290MHz	Pass	AV	5.144G	43.69	54.00	-10.31	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.272G	96.71	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.352G	44.28	54.00	-9.72	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.071G	56.43	74.00	-17.57	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.312G	108.22	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.351G	59.49	74.00	-14.51	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.51G	55.97	68.20	-12.23	3	Horizontal	18	1.50
5290MHz	Pass	AV	10.63016G	41.82	54.00	-12.18	3	Vertical	32	2.67
5290MHz	Pass	AV	15.92208G	47.94	54.00	-6.06	3	Vertical	234	2.07
5290MHz	Pass	PK	10.63808G	55.23	74.00	-18.77	3	Vertical	32	2.67
5290MHz	Pass	PK	15.89112G	61.29	74.00	-12.71	3	Vertical	234	2.07
5290MHz	Pass	AV	15.92448G	47.95	54.00	-6.05	3	Horizontal	59	1.10
5290MHz	Pass	PK	10.62104G	55.28	74.00	-18.72	3	Horizontal	154	1.58
5290MHz	Pass	PK	15.92904G	61.39	74.00	-12.61	3	Horizontal	59	1.10
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	43.24	54.00	-10.76	3	Vertical	150	1.50
5530MHz	Pass	AV	5.45G	43.99	54.00	-10.01	3	Vertical	150	1.50
5530MHz	Pass	AV	5.509G	94.60	Inf	-Inf	3	Vertical	150	1.50
5530MHz	Pass	PK	5.295G	56.30	68.20	-11.90	3	Vertical	150	1.50
5530MHz	Pass	PK	5.456G	56.97	74.00	-17.03	3	Vertical	150	1.50
5530MHz	Pass	PK	5.469G	56.92	68.20	-11.28	3	Vertical	150	1.50
5530MHz	Pass	PK	5.508G	107.28	Inf	-Inf	3	Vertical	150	1.50
5530MHz	Pass	PK	5.742G	58.18	68.20	-10.02	3	Vertical	150	1.50
5530MHz	Pass	AV	5.35G	43.16	54.00	-10.84	3	Horizontal	9	1.57
5530MHz	Pass	AV	5.452G	44.08	54.00	-9.92	3	Horizontal	9	1.57
5530MHz	Pass	AV	5.511G	95.64	Inf	-Inf	3	Horizontal	9	1.57
5530MHz	Pass	PK	5.292G	57.50	68.20	-10.70	3	Horizontal	9	1.57
5530MHz	Pass	PK	5.456G	57.20	74.00	-16.80	3	Horizontal	9	1.57
5530MHz	Pass	PK	5.47G	57.20	68.20	-11.00	3	Horizontal	9	1.57
5530MHz	Pass	PK	5.513G	108.03	Inf	-Inf	3	Horizontal	9	1.57
5530MHz	Pass	PK	5.731G	57.51	68.20	-10.69	3	Horizontal	9	1.57
5530MHz	Pass	AV	11.0984G	41.49	54.00	-12.51	3	Vertical	319	2.58
5530MHz	Pass	PK	11.10848G	55.26	74.00	-18.74	3	Vertical	319	2.58
5530MHz	Pass	PK	16.64856G	61.66	68.20	-6.54	3	Vertical	61	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	11.06G	45.21	54.00	-8.79	3	Horizontal	47	1.62
5530MHz	Pass	PK	11.06G	55.87	74.00	-18.13	3	Horizontal	47	1.62
5530MHz	Pass	PK	16.55952G	61.18	68.20	-7.02	3	Horizontal	278	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.429G	43.58	54.00	-10.42	3	Vertical	142	1.65
5610MHz	Pass	AV	5.589G	95.96	Inf	-Inf	3	Vertical	142	1.65
5610MHz	Pass	PK	5.395G	57.71	74.00	-16.29	3	Vertical	142	1.65
5610MHz	Pass	PK	5.464G	57.00	68.20	-11.20	3	Vertical	142	1.65
5610MHz	Pass	PK	5.629G	108.58	Inf	-Inf	3	Vertical	142	1.65
5610MHz	Pass	PK	5.77G	58.49	68.20	-9.71	3	Vertical	142	1.65
5610MHz	Pass	AV	5.434G	43.77	54.00	-10.23	3	Horizontal	322	1.74
5610MHz	Pass	AV	5.614G	95.70	Inf	-Inf	3	Horizontal	322	1.74
5610MHz	Pass	PK	5.432G	56.14	74.00	-17.86	3	Horizontal	322	1.74
5610MHz	Pass	PK	5.461G	55.47	68.20	-12.73	3	Horizontal	322	1.74
5610MHz	Pass	PK	5.586G	108.19	Inf	-Inf	3	Horizontal	322	1.74
5610MHz	Pass	PK	5.777G	58.33	68.20	-9.87	3	Horizontal	322	1.74
5610MHz	Pass	AV	11.27856G	42.28	54.00	-11.72	3	Vertical	319	1.68
5610MHz	Pass	PK	11.24136G	55.77	74.00	-18.23	3	Vertical	319	1.68
5610MHz	Pass	PK	16.78992G	62.32	68.20	-5.88	3	Vertical	137	1.50
5610MHz	Pass	AV	11.22G	44.91	54.00	-9.09	3	Horizontal	148	1.72
5610MHz	Pass	PK	11.27952G	56.27	74.00	-17.73	3	Horizontal	148	1.72
5610MHz	Pass	PK	16.78272G	61.26	68.20	-6.94	3	Horizontal	327	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3948G	44.43	54.00	-9.57	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	100.29	Inf	-Inf	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.396G	57.87	74.00	-16.13	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.34	68.20	-11.86	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	111.85	Inf	-Inf	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	57.55	68.20	-10.65	3	Vertical	124	1.74
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3936G	43.91	54.00	-10.09	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.708G	93.51	Inf	-Inf	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3924G	57.61	74.00	-16.39	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.96	68.20	-10.24	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	105.86	Inf	-Inf	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	57.69	68.20	-10.51	3	Horizontal	173	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35312G	42.67	54.00	-11.33	3	Vertical	151	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41744G	56.20	74.00	-17.80	3	Vertical	151	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04408G	62.71	68.20	-5.49	3	Vertical	15	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	44.88	54.00	-9.12	3	Horizontal	52	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	56.63	74.00	-17.37	3	Horizontal	52	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.02848G	62.33	68.20	-5.87	3	Horizontal	20	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7534G	102.75	Inf	-Inf	3	Vertical	124	1.71
5775MHz	Pass	PK	5.6502G	66.41	68.35	-1.94	3	Vertical	124	1.71
5775MHz	Pass	PK	5.7522G	114.71	Inf	-Inf	3	Vertical	124	1.71
5775MHz	Pass	PK	5.9466G	56.61	68.20	-11.59	3	Vertical	124	1.71
5775MHz	Pass	AV	5.781G	100.40	Inf	-Inf	3	Horizontal	137	1.73
5775MHz	Pass	PK	5.661G	71.18	76.34	-5.16	3	Horizontal	137	1.73
5775MHz	Pass	PK	5.7414G	111.95	Inf	-Inf	3	Horizontal	137	1.73
5775MHz	Pass	PK	5.961G	57.48	68.20	-10.72	3	Horizontal	137	1.73
5775MHz	Pass	AV	11.51592G	42.39	54.00	-11.61	3	Vertical	154	1.07
5775MHz	Pass	PK	11.55048G	56.02	74.00	-17.98	3	Vertical	154	1.07
5775MHz	Pass	PK	17.2794G	62.53	68.20	-5.67	3	Vertical	49	1.76
5775MHz	Pass	AV	11.55G	45.80	54.00	-8.20	3	Horizontal	59	1.49
5775MHz	Pass	PK	11.55G	56.63	74.00	-17.37	3	Horizontal	59	1.49
5775MHz	Pass	PK	17.277G	62.71	68.20	-5.49	3	Horizontal	313	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	46.69	54.00	-7.31	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2248G	92.52	Inf	-Inf	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	45.98	54.00	-8.02	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14416G	66.07	74.00	-7.93	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.22816G	104.75	Inf	-Inf	3	Vertical	149	1.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3676G	72.08	74.00	-1.92	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46672G	66.08	68.20	-2.12	3	Vertical	149	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	45.56	54.00	-8.44	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2164G	88.86	Inf	-Inf	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3592G	44.19	54.00	-9.81	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.12568G	60.74	74.00	-13.26	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.29704G	101.54	Inf	-Inf	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4012G	62.97	74.00	-11.03	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.502G	58.30	68.20	-9.90	3	Horizontal	230	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.62G	41.11	54.00	-12.89	3	Vertical	40	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.63G	46.94	54.00	-7.06	3	Vertical	89	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.58064G	54.85	68.20	-13.35	3	Vertical	40	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.63432G	60.81	74.00	-13.19	3	Vertical	89	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.63G	46.87	54.00	-7.13	3	Horizontal	314	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.59504G	54.65	68.20	-13.55	3	Horizontal	44	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.63288G	60.72	74.00	-13.28	3	Horizontal	314	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.08872G	48.68	54.00	-5.32	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.22816G	94.38	Inf	-Inf	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.36928G	47.39	54.00	-6.61	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14584G	72.57	74.00	-1.43	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.22984G	106.24	Inf	-Inf	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.40624G	71.56	74.00	-2.44	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46504G	66.01	68.20	-2.19	3	Vertical	145	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.10888G	48.50	54.00	-5.50	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.19288G	94.99	Inf	-Inf	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35416G	47.51	54.00	-6.49	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.13072G	69.07	74.00	-4.93	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2332G	107.50	Inf	-Inf	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.39784G	67.10	74.00	-6.90	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46504G	61.48	68.20	-6.72	3	Horizontal	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.61856G	41.41	54.00	-12.59	3	Vertical	231	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.63048G	47.10	54.00	-6.90	3	Vertical	96	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.3968G	54.04	68.20	-14.16	3	Vertical	231	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.63288G	60.41	74.00	-13.59	3	Vertical	96	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.63288G	47.06	54.00	-6.94	3	Horizontal	168	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.57872G	54.03	68.20	-14.17	3	Horizontal	45	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.73944G	60.16	74.00	-13.84	3	Horizontal	168	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.408G	47.33	54.00	-6.67	3	Vertical	148	1.49
5570MHz	Pass	AV	5.5676G	92.35	Inf	-Inf	3	Vertical	148	1.49
5570MHz	Pass	PK	5.35G	58.02	74.00	-15.98	3	Vertical	148	1.49
5570MHz	Pass	PK	5.4356G	61.29	74.00	-12.71	3	Vertical	148	1.49
5570MHz	Pass	PK	5.468G	58.74	68.20	-9.46	3	Vertical	148	1.49
5570MHz	Pass	PK	5.5688G	104.95	Inf	-Inf	3	Vertical	148	1.49
5570MHz	Pass	PK	5.726G	65.97	68.20	-2.23	3	Vertical	148	1.49
5570MHz	Pass	AV	5.3972G	48.26	54.00	-5.74	3	Horizontal	320	2.91
5570MHz	Pass	AV	5.564G	90.63	Inf	-Inf	3	Horizontal	320	2.91
5570MHz	Pass	PK	5.294G	58.98	68.20	-9.22	3	Horizontal	320	2.91
5570MHz	Pass	PK	5.4464G	64.15	74.00	-9.85	3	Horizontal	320	2.91
5570MHz	Pass	PK	5.462G	61.02	68.20	-7.18	3	Horizontal	320	2.91
5570MHz	Pass	PK	5.6048G	102.87	Inf	-Inf	3	Horizontal	320	2.91
5570MHz	Pass	PK	5.7272G	65.53	68.20	-2.67	3	Horizontal	320	2.91
5570MHz	Pass	AV	11.2576G	41.47	54.00	-12.53	3	Vertical	94	1.00
5570MHz	Pass	PK	11.25568G	55.47	74.00	-18.53	3	Vertical	94	1.00
5570MHz	Pass	PK	16.62792G	60.70	68.20	-7.50	3	Vertical	349	1.50
5570MHz	Pass	AV	11.14G	43.19	54.00	-10.81	3	Horizontal	49	1.57
5570MHz	Pass	PK	11.23696G	54.72	74.00	-19.28	3	Horizontal	49	1.57
5570MHz	Pass	PK	16.73784G	60.83	68.20	-7.37	3	Horizontal	107	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3888G	48.09	54.00	-5.91	3	Vertical	150	1.54
5570MHz	Pass	AV	5.5088G	91.86	Inf	-Inf	3	Vertical	150	1.54

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.348G	61.53	68.20	-6.67	3	Vertical	150	1.54
5570MHz	Pass	PK	5.4368G	63.04	74.00	-10.96	3	Vertical	150	1.54
5570MHz	Pass	PK	5.4668G	58.59	68.20	-9.61	3	Vertical	150	1.54
5570MHz	Pass	PK	5.5088G	104.47	Inf	-Inf	3	Vertical	150	1.54
5570MHz	Pass	PK	5.7476G	63.58	68.20	-4.62	3	Vertical	150	1.54
5570MHz	Pass	AV	5.378G	49.83	54.00	-4.17	3	Horizontal	319	2.90
5570MHz	Pass	AV	5.5844G	90.96	Inf	-Inf	3	Horizontal	319	2.90
5570MHz	Pass	PK	5.3444G	61.77	68.20	-6.43	3	Horizontal	319	2.90
5570MHz	Pass	PK	5.4464G	66.89	74.00	-7.11	3	Horizontal	319	2.90
5570MHz	Pass	PK	5.4632G	63.02	68.20	-5.18	3	Horizontal	319	2.90
5570MHz	Pass	PK	5.6432G	103.92	Inf	-Inf	3	Horizontal	319	2.90
5570MHz	Pass	PK	5.7848G	65.13	68.20	-3.07	3	Horizontal	319	2.90
5570MHz	Pass	AV	11.25904G	41.37	54.00	-12.63	3	Vertical	214	1.50
5570MHz	Pass	PK	11.18368G	55.18	74.00	-18.82	3	Vertical	214	1.50
5570MHz	Pass	PK	16.75272G	60.99	68.20	-7.21	3	Vertical	96	1.50
5570MHz	Pass	AV	11.14G	44.44	54.00	-9.56	3	Horizontal	41	1.50
5570MHz	Pass	PK	11.22976G	54.64	74.00	-19.36	3	Horizontal	41	1.50
5570MHz	Pass	PK	16.6668G	60.41	68.20	-7.79	3	Horizontal	147	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.97	54.00	-6.03	7.28	3	Vertical	148	1.76	40.69	33.20	8.08	34.00
AV	5.189G	97.96	Inf	-Inf	7.23	3	Vertical	148	1.76	90.73	33.12	8.11	34.00
AV	5.351G	44.32	54.00	-9.68	7.12	3	Vertical	148	1.76	37.20	32.90	8.21	33.99
PK	5.15G	67.07	74.00	-6.93	7.28	3	Vertical	148	1.76	59.79	33.20	8.08	34.00
PK	5.189G	110.29	Inf	-Inf	7.23	3	Vertical	148	1.76	103.06	33.12	8.11	34.00
PK	5.351G	61.02	74.00	-12.98	7.12	3	Vertical	148	1.76	53.90	32.90	8.21	33.99

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.08	54.00	-7.92	7.28	3	Horizontal	231	1.50	38.80	33.20	8.08	34.00
AV	5.192G	94.05	Inf	-Inf	7.23	3	Horizontal	231	1.50	86.82	33.12	8.11	34.00
AV	5.393G	43.55	54.00	-10.45	7.06	3	Horizontal	231	1.50	36.49	32.81	8.24	33.99
PK	5.125G	61.88	74.00	-12.12	7.17	3	Horizontal	231	1.50	54.71	33.10	8.07	34.00
PK	5.239G	106.66	Inf	-Inf	7.16	3	Horizontal	231	1.50	99.50	33.02	8.14	34.00
PK	5.454G	56.06	74.00	-17.94	7.11	3	Horizontal	231	1.50	48.95	32.82	8.27	33.98


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.24	54.00	-10.76	7.12	3	Vertical	150	1.50	36.12	32.90	8.21	33.99
AV	5.45G	43.99	54.00	-10.01	7.09	3	Vertical	150	1.50	36.90	32.80	8.27	33.98
AV	5.509G	94.60	Inf	-Inf	7.30	3	Vertical	150	1.50	87.30	32.98	8.30	33.98
PK	5.295G	56.30	68.20	-11.90	7.10	3	Vertical	150	1.50	49.20	32.91	8.18	33.99
PK	5.456G	56.97	74.00	-17.03	7.11	3	Vertical	150	1.50	49.86	32.82	8.27	33.98
PK	5.469G	56.92	68.20	-11.28	7.18	3	Vertical	150	1.50	49.74	32.88	8.28	33.98
PK	5.508G	107.28	Inf	-Inf	7.30	3	Vertical	150	1.50	99.98	32.98	8.30	33.98
PK	5.742G	58.18	68.20	-10.02	8.09	3	Vertical	150	1.50	50.09	33.68	8.49	34.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.16	54.00	-10.84	7.12	3	Horizontal	9	1.57	36.04	32.90	8.21	33.99
AV	5.452G	44.08	54.00	-9.92	7.10	3	Horizontal	9	1.57	36.98	32.81	8.27	33.98
AV	5.511G	95.64	Inf	-Inf	7.30	3	Horizontal	9	1.57	88.34	32.98	8.30	33.98
PK	5.292G	57.50	68.20	-10.70	7.11	3	Horizontal	9	1.57	50.39	32.92	8.18	33.99
PK	5.456G	57.20	74.00	-16.80	7.11	3	Horizontal	9	1.57	50.09	32.82	8.27	33.98
PK	5.47G	57.20	68.20	-11.00	7.18	3	Horizontal	9	1.57	50.02	32.88	8.28	33.98
PK	5.513G	108.03	Inf	-Inf	7.28	3	Horizontal	9	1.57	100.75	32.97	8.30	33.99
PK	5.731G	57.51	68.20	-10.69	8.06	3	Horizontal	9	1.57	49.45	33.66	8.48	34.08


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_4_TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.429G	43.58	54.00	-10.42	7.08	3	Vertical	142	1.65	36.50	32.80	8.26	33.98
AV	5.589G	95.96	Inf	-Inf	7.22	3	Vertical	142	1.65	88.74	32.90	8.34	34.02
PK	5.395G	57.71	74.00	-16.29	7.06	3	Vertical	142	1.65	50.65	32.81	8.24	33.99
PK	5.464G	57.00	68.20	-11.20	7.16	3	Vertical	142	1.65	49.84	32.86	8.28	33.98
PK	5.629G	108.58	Inf	-Inf	7.42	3	Vertical	142	1.65	101.16	33.07	8.38	34.03
PK	5.77G	58.49	68.20	-9.71	8.21	3	Vertical	142	1.65	50.28	33.78	8.52	34.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	43.77	54.00	-10.23	7.08	3	Horizontal	322	1.74	36.69	32.80	8.26	33.98
AV	5.614G	95.70	Inf	-Inf	7.31	3	Horizontal	322	1.74	88.39	32.98	8.36	34.03
PK	5.432G	56.14	74.00	-17.86	7.08	3	Horizontal	322	1.74	49.06	32.80	8.26	33.98
PK	5.461G	55.47	68.20	-12.73	7.13	3	Horizontal	322	1.74	48.34	32.84	8.27	33.98
PK	5.586G	108.19	Inf	-Inf	7.22	3	Horizontal	322	1.74	100.97	32.90	8.34	34.02
PK	5.777G	58.33	68.20	-9.87	8.24	3	Horizontal	322	1.74	50.09	33.81	8.53	34.10


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3948G	44.43	54.00	-9.57	7.06	3	Vertical	124	1.74	37.37	32.81	8.24	33.99
AV	5.7284G	100.29	Inf	-Inf	8.06	3	Vertical	124	1.74	92.23	33.66	8.48	34.08
PK	5.396G	57.87	74.00	-16.13	7.06	3	Vertical	124	1.74	50.81	32.81	8.24	33.99
PK	5.4668G	56.34	68.20	-11.86	7.17	3	Vertical	124	1.74	49.17	32.87	8.28	33.98
PK	5.7284G	111.85	Inf	-Inf	8.06	3	Vertical	124	1.74	103.79	33.66	8.48	34.08
PK	5.8544G	57.55	68.20	-10.65	8.55	3	Vertical	124	1.74	49.00	34.11	8.57	34.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3936G	43.91	54.00	-10.09	7.06	3	Horizontal	173	1.50	36.85	32.81	8.24	33.99
AV	5.708G	93.51	Inf	-Inf	8.01	3	Horizontal	173	1.50	85.50	33.62	8.46	34.07
PK	5.3924G	57.61	74.00	-16.39	7.07	3	Horizontal	173	1.50	50.54	32.82	8.24	33.99
PK	5.4692G	57.96	68.20	-10.24	7.18	3	Horizontal	173	1.50	50.78	32.88	8.28	33.98
PK	5.7176G	105.86	Inf	-Inf	8.04	3	Horizontal	173	1.50	97.82	33.64	8.47	34.07
PK	5.8748G	57.69	68.20	-10.51	8.59	3	Horizontal	173	1.50	49.10	34.15	8.58	34.14


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1474G	47.01	54.00	-6.99	3	Vertical	125	1.76
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.148G	46.94	54.00	-7.06	3	Vertical	128	1.66
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.133G	71.87	74.00	-2.13	3	Horizontal	2	1.28
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3502G	71.27	74.00	-2.73	3	Horizontal	182	2.24
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.352G	69.77	74.00	-4.23	3	Vertical	128	1.81
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.354G	67.94	74.00	-6.06	3	Vertical	141	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3844G	71.96	74.00	-2.04	3	Vertical	125	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.15992G	52.68	54.00	-1.32	3	Horizontal	156	1.49
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.41984G	52.69	54.00	-1.31	3	Horizontal	149	1.58
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.22G	52.15	54.00	-1.85	3	Horizontal	155	1.48
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	11.13994G	51.86	54.00	-2.14	3	Horizontal	156	1.45
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.65G	53.50	54.00	-0.50	3	Horizontal	150	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.58992G	53.25	54.00	-0.75	3	Horizontal	148	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.55G	53.41	54.00	-0.59	3	Horizontal	149	1.52

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1 ₁ (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1474G	47.01	54.00	-6.99	3	Vertical	125	1.76
5180MHz	Pass	AV	5.1714G	104.25	Inf	-Inf	3	Vertical	125	1.76
5180MHz	Pass	PK	5.1496G	63.58	74.00	-10.42	3	Vertical	125	1.76
5180MHz	Pass	PK	5.1734G	116.19	Inf	-Inf	3	Vertical	125	1.76
5180MHz	Pass	AV	5.1464G	46.67	54.00	-7.33	3	Horizontal	16	1.94
5180MHz	Pass	AV	5.1878G	105.98	Inf	-Inf	3	Horizontal	16	1.94
5180MHz	Pass	PK	5.1466G	59.15	74.00	-14.85	3	Horizontal	16	1.94
5180MHz	Pass	PK	5.1876G	118.47	Inf	-Inf	3	Horizontal	16	1.94
5180MHz	Pass	AV	20.7201G	27.16	54.00	-26.84	3	Vertical	151	1.50
5180MHz	Pass	PK	10.35642G	57.80	68.20	-10.40	3	Vertical	118	1.46
5180MHz	Pass	PK	20.72018G	38.43	74.00	-35.57	3	Vertical	151	1.50
5180MHz	Pass	AV	20.72002G	26.14	54.00	-27.86	3	Horizontal	26	1.51
5180MHz	Pass	PK	10.3579G	58.16	68.20	-10.04	3	Horizontal	163	1.50
5180MHz	Pass	PK	20.71672G	37.46	74.00	-36.54	3	Horizontal	26	1.51
5200MHz	Pass	AV	5.1488G	46.44	54.00	-7.56	3	Vertical	87	1.50
5200MHz	Pass	AV	5.1912G	105.14	Inf	-Inf	3	Vertical	87	1.50
5200MHz	Pass	PK	5.15G	59.29	74.00	-14.71	3	Vertical	87	1.50
5200MHz	Pass	PK	5.1908G	117.80	Inf	-Inf	3	Vertical	87	1.50
5200MHz	Pass	AV	5.15G	46.50	54.00	-7.50	3	Horizontal	7	1.48
5200MHz	Pass	AV	5.1916G	106.35	Inf	-Inf	3	Horizontal	7	1.48
5200MHz	Pass	PK	5.1432G	58.72	74.00	-15.28	3	Horizontal	7	1.48
5200MHz	Pass	PK	5.1924G	118.84	Inf	-Inf	3	Horizontal	7	1.48
5200MHz	Pass	AV	20.79976G	25.73	54.00	-28.27	3	Vertical	197	1.50
5200MHz	Pass	PK	10.40056G	57.67	68.20	-10.53	3	Vertical	299	2.49
5200MHz	Pass	PK	20.8056G	38.10	74.00	-35.90	3	Vertical	197	1.50
5200MHz	Pass	AV	20.79988G	28.46	54.00	-25.54	3	Horizontal	170	1.54
5200MHz	Pass	PK	10.4G	57.99	68.20	-10.21	3	Horizontal	147	1.50
5200MHz	Pass	PK	20.79972G	38.42	74.00	-35.58	3	Horizontal	170	1.54
5240MHz	Pass	AV	5.1428G	46.09	54.00	-7.91	3	Vertical	122	2.13
5240MHz	Pass	AV	5.231G	106.99	Inf	-Inf	3	Vertical	122	2.13
5240MHz	Pass	AV	5.3834G	45.74	54.00	-8.26	3	Vertical	122	2.13
5240MHz	Pass	PK	5.1356G	57.52	74.00	-16.48	3	Vertical	122	2.13
5240MHz	Pass	PK	5.2322G	118.72	Inf	-Inf	3	Vertical	122	2.13
5240MHz	Pass	PK	5.369G	57.90	74.00	-16.10	3	Vertical	122	2.13
5240MHz	Pass	AV	5.147G	45.91	54.00	-8.09	3	Horizontal	122	2.13
5240MHz	Pass	AV	5.2436G	97.38	Inf	-Inf	3	Horizontal	122	2.13
5240MHz	Pass	AV	5.3672G	45.57	54.00	-8.43	3	Horizontal	122	2.13
5240MHz	Pass	PK	5.1332G	57.97	74.00	-16.03	3	Horizontal	122	2.13
5240MHz	Pass	PK	5.2328G	109.25	Inf	-Inf	3	Horizontal	122	2.13
5240MHz	Pass	PK	5.3528G	57.89	74.00	-16.11	3	Horizontal	122	2.13
5240MHz	Pass	AV	20.95988G	28.69	54.00	-25.31	3	Vertical	99	1.68
5240MHz	Pass	PK	10.48756G	57.39	68.20	-10.81	3	Vertical	266	1.50
5240MHz	Pass	PK	20.95976G	41.15	74.00	-32.85	3	Vertical	99	1.68
5240MHz	Pass	AV	20.9598G	33.25	54.00	-20.75	3	Horizontal	144	1.63
5240MHz	Pass	PK	10.48032G	58.93	68.20	-9.27	3	Horizontal	161	1.39
5240MHz	Pass	PK	20.96G	42.30	74.00	-31.70	3	Horizontal	144	1.63
5260MHz	Pass	AV	5.1148G	47.45	54.00	-6.55	3	Vertical	360	1.50
5260MHz	Pass	AV	5.269G	102.74	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	AV	5.4046G	46.87	54.00	-7.13	3	Vertical	360	1.50
5260MHz	Pass	PK	5.1142G	58.95	74.00	-15.05	3	Vertical	360	1.50
5260MHz	Pass	PK	5.269G	114.10	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	PK	5.4046G	59.02	74.00	-14.98	3	Vertical	360	1.50
5260MHz	Pass	AV	5.1352G	45.88	54.00	-8.12	3	Horizontal	179	1.51
5260MHz	Pass	AV	5.251G	102.20	Inf	-Inf	3	Horizontal	179	1.51
5260MHz	Pass	AV	5.4046G	45.90	54.00	-8.10	3	Horizontal	179	1.51
5260MHz	Pass	PK	5.1328G	58.19	74.00	-15.81	3	Horizontal	179	1.51
5260MHz	Pass	PK	5.251G	113.87	Inf	-Inf	3	Horizontal	179	1.51
5260MHz	Pass	PK	5.3836G	58.61	74.00	-15.39	3	Horizontal	179	1.51
5260MHz	Pass	AV	21.03988G	29.30	54.00	-24.70	3	Vertical	148	1.52
5260MHz	Pass	PK	10.52408G	57.35	68.20	-10.85	3	Vertical	272	1.47

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	21.03992G	40.41	74.00	-33.59	3	Vertical	148	1.52
5260MHz	Pass	AV	21.03988G	32.62	54.00	-21.38	3	Horizontal	151	1.66
5260MHz	Pass	PK	10.51996G	58.03	68.20	-10.17	3	Horizontal	159	1.38
5260MHz	Pass	PK	21.03976G	41.66	74.00	-32.34	3	Horizontal	151	1.66
5300MHz	Pass	AV	5.3088G	103.81	Inf	-Inf	3	Vertical	315	1.50
5300MHz	Pass	AV	5.3612G	45.82	54.00	-8.18	3	Vertical	315	1.50
5300MHz	Pass	PK	5.3088G	115.02	Inf	-Inf	3	Vertical	315	1.50
5300MHz	Pass	PK	5.3508G	61.25	74.00	-12.75	3	Vertical	315	1.50
5300MHz	Pass	AV	5.2956G	102.70	Inf	-Inf	3	Horizontal	17	1.64
5300MHz	Pass	AV	5.3508G	45.74	54.00	-8.26	3	Horizontal	17	1.64
5300MHz	Pass	PK	5.2916G	114.77	Inf	-Inf	3	Horizontal	17	1.64
5300MHz	Pass	PK	5.3532G	58.20	74.00	-15.80	3	Horizontal	17	1.64
5300MHz	Pass	AV	21.20016G	25.87	54.00	-28.13	3	Vertical	149	1.48
5300MHz	Pass	PK	10.60516G	57.66	74.00	-16.34	3	Vertical	146	1.06
5300MHz	Pass	PK	21.19032G	39.11	74.00	-34.89	3	Vertical	149	1.48
5300MHz	Pass	AV	21.19988G	28.80	54.00	-25.20	3	Horizontal	156	1.64
5300MHz	Pass	PK	10.59992G	58.36	68.20	-9.84	3	Horizontal	159	1.37
5300MHz	Pass	PK	21.20016G	39.52	74.00	-34.48	3	Horizontal	156	1.64
5320MHz	Pass	AV	5.3288G	103.30	Inf	-Inf	3	Vertical	11	1.50
5320MHz	Pass	AV	5.361G	45.82	54.00	-8.18	3	Vertical	11	1.50
5320MHz	Pass	PK	5.3274G	114.75	Inf	-Inf	3	Vertical	11	1.50
5320MHz	Pass	PK	5.3544G	64.42	74.00	-9.58	3	Vertical	11	1.50
5320MHz	Pass	AV	5.311G	103.57	Inf	-Inf	3	Horizontal	182	2.24
5320MHz	Pass	AV	5.362G	46.18	54.00	-7.82	3	Horizontal	182	2.24
5320MHz	Pass	PK	5.3116G	115.23	Inf	-Inf	3	Horizontal	182	2.24
5320MHz	Pass	PK	5.3502G	71.27	74.00	-2.73	3	Horizontal	182	2.24
5320MHz	Pass	AV	10.64892G	44.76	54.00	-9.24	3	Vertical	349	1.50
5320MHz	Pass	AV	21.28336G	25.11	54.00	-28.89	3	Vertical	149	2.36
5320MHz	Pass	PK	10.64164G	57.60	74.00	-16.40	3	Vertical	349	1.50
5320MHz	Pass	PK	21.27752G	38.79	74.00	-35.21	3	Vertical	149	2.36
5320MHz	Pass	AV	10.6476G	44.75	54.00	-9.25	3	Horizontal	149	1.12
5320MHz	Pass	AV	21.27988G	25.07	54.00	-28.93	3	Horizontal	14	1.53
5320MHz	Pass	PK	10.63548G	57.27	74.00	-16.73	3	Horizontal	149	1.12
5320MHz	Pass	PK	21.28552G	38.96	74.00	-35.04	3	Horizontal	14	1.53
5500MHz	Pass	AV	5.4572G	46.07	54.00	-7.93	3	Vertical	139	1.50
5500MHz	Pass	AV	5.5086G	101.63	Inf	-Inf	3	Vertical	139	1.50
5500MHz	Pass	PK	5.456G	58.34	74.00	-15.66	3	Vertical	139	1.50
5500MHz	Pass	PK	5.4688G	63.14	68.20	-5.06	3	Vertical	139	1.50
5500MHz	Pass	PK	5.5072G	114.00	Inf	-Inf	3	Vertical	139	1.50
5500MHz	Pass	AV	5.4588G	46.01	54.00	-7.99	3	Horizontal	335	2.82
5500MHz	Pass	AV	5.509G	102.20	Inf	-Inf	3	Horizontal	335	2.82
5500MHz	Pass	PK	5.46G	63.59	74.00	-10.41	3	Horizontal	335	2.82
5500MHz	Pass	PK	5.464G	63.01	68.20	-5.19	3	Horizontal	335	2.82
5500MHz	Pass	PK	5.5086G	114.27	Inf	-Inf	3	Horizontal	335	2.82
5500MHz	Pass	AV	10.99988G	44.60	54.00	-9.40	3	Vertical	149	2.76
5500MHz	Pass	PK	11.00408G	56.22	74.00	-17.78	3	Vertical	149	2.76
5500MHz	Pass	PK	22.00216G	38.87	68.20	-29.33	3	Vertical	92	1.61
5500MHz	Pass	AV	10.99996G	51.38	54.00	-2.62	3	Horizontal	156	1.50
5500MHz	Pass	PK	11.00004G	58.79	74.00	-15.21	3	Horizontal	156	1.50
5500MHz	Pass	PK	21.99996G	40.05	68.20	-28.15	3	Horizontal	158	1.58
5580MHz	Pass	AV	5.4324G	47.40	54.00	-6.60	3	Vertical	360	1.49
5580MHz	Pass	AV	5.583G	102.06	Inf	-Inf	3	Vertical	360	1.49
5580MHz	Pass	PK	5.4318G	59.45	74.00	-14.55	3	Vertical	360	1.49
5580MHz	Pass	PK	5.4654G	57.37	68.20	-10.83	3	Vertical	360	1.49
5580MHz	Pass	PK	5.5824G	113.92	Inf	-Inf	3	Vertical	360	1.49
5580MHz	Pass	PK	5.7282G	59.87	68.20	-8.33	3	Vertical	360	1.49
5580MHz	Pass	AV	5.457G	45.53	54.00	-8.47	3	Horizontal	191	2.75
5580MHz	Pass	AV	5.571G	103.72	Inf	-Inf	3	Horizontal	191	2.75
5580MHz	Pass	PK	5.4366G	57.34	74.00	-16.66	3	Horizontal	191	2.75
5580MHz	Pass	PK	5.4666G	57.08	68.20	-11.12	3	Horizontal	191	2.75
5580MHz	Pass	PK	5.571G	115.73	Inf	-Inf	3	Horizontal	191	2.75
5580MHz	Pass	PK	5.7282G	59.00	68.20	-9.20	3	Horizontal	191	2.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.15988G	45.62	54.00	-8.38	3	Vertical	32	1.48
5580MHz	Pass	AV	22.31994G	30.61	54.00	-23.39	3	Vertical	91	1.61
5580MHz	Pass	PK	11.15152G	57.57	74.00	-16.43	3	Vertical	32	1.48
5580MHz	Pass	PK	22.31994G	39.39	74.00	-34.61	3	Vertical	91	1.61
5580MHz	Pass	AV	11.15992G	52.68	54.00	-1.32	3	Horizontal	156	1.49
5580MHz	Pass	AV	22.3199G	28.41	54.00	-25.59	3	Horizontal	146	1.56
5580MHz	Pass	PK	11.16008G	59.69	74.00	-14.31	3	Horizontal	156	1.49
5580MHz	Pass	PK	22.32008G	37.98	74.00	-36.02	3	Horizontal	146	1.56
5700MHz	Pass	AV	5.7078G	102.22	Inf	-Inf	3	Vertical	92	1.81
5700MHz	Pass	PK	5.7068G	114.02	Inf	-Inf	3	Vertical	92	1.81
5700MHz	Pass	PK	5.73G	65.69	68.20	-2.51	3	Vertical	92	1.81
5700MHz	Pass	AV	5.7078G	101.47	Inf	-Inf	3	Horizontal	204	1.48
5700MHz	Pass	PK	5.7078G	114.11	Inf	-Inf	3	Horizontal	204	1.48
5700MHz	Pass	PK	5.7852G	59.36	68.20	-8.84	3	Horizontal	204	1.48
5700MHz	Pass	AV	11.39992G	45.31	54.00	-8.69	3	Vertical	40	1.53
5700MHz	Pass	AV	22.79996G	25.89	54.00	-28.11	3	Vertical	60	1.61
5700MHz	Pass	PK	11.407G	57.39	74.00	-16.61	3	Vertical	40	1.53
5700MHz	Pass	PK	22.80016G	36.79	74.00	-37.21	3	Vertical	60	1.61
5700MHz	Pass	AV	11.39992G	52.56	54.00	-1.44	3	Horizontal	150	1.50
5700MHz	Pass	AV	22.79988G	31.02	54.00	-22.98	3	Horizontal	40	1.53
5700MHz	Pass	PK	11.3998G	59.59	74.00	-14.41	3	Horizontal	150	1.50
5700MHz	Pass	PK	22.79988G	38.51	74.00	-35.49	3	Horizontal	40	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.75	54.00	-6.25	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7296G	101.09	Inf	-Inf	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.42G	58.96	74.00	-15.04	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.62	68.20	-11.58	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	112.62	Inf	-Inf	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	59.21	68.20	-8.99	3	Vertical	330	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.55	54.00	-8.45	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	101.77	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	57.46	74.00	-16.54	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.36	68.20	-10.84	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	113.02	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	59.88	68.20	-8.32	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43992G	44.59	54.00	-9.41	3	Vertical	38	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87992G	27.34	54.00	-26.66	3	Vertical	113	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43652G	56.38	74.00	-17.62	3	Vertical	38	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87992G	37.17	74.00	-36.83	3	Vertical	113	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43996G	52.43	54.00	-1.57	3	Horizontal	149	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87994G	29.12	54.00	-24.88	3	Horizontal	39	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44004G	59.32	74.00	-14.68	3	Horizontal	149	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87996G	38.16	74.00	-35.84	3	Horizontal	39	1.54
5745MHz	Pass	AV	5.445G	45.64	54.00	-8.36	3	Vertical	283	1.91
5745MHz	Pass	AV	5.7354G	101.75	Inf	-Inf	3	Vertical	283	1.91
5745MHz	Pass	PK	5.5854G	59.77	68.20	-8.43	3	Vertical	283	1.91
5745MHz	Pass	PK	5.7354G	112.21	Inf	-Inf	3	Vertical	283	1.91
5745MHz	Pass	PK	6.0138G	58.58	68.20	-9.62	3	Vertical	283	1.91
5745MHz	Pass	AV	5.445G	46.02	54.00	-7.98	3	Horizontal	181	1.96
5745MHz	Pass	AV	5.7354G	104.90	Inf	-Inf	3	Horizontal	181	1.96
5745MHz	Pass	PK	5.5818G	58.17	68.20	-10.03	3	Horizontal	181	1.96
5745MHz	Pass	PK	5.7366G	115.68	Inf	-Inf	3	Horizontal	181	1.96
5745MHz	Pass	PK	6.021G	58.54	68.20	-9.66	3	Horizontal	181	1.96
5745MHz	Pass	AV	11.48992G	43.84	54.00	-10.16	3	Vertical	212	1.50
5745MHz	Pass	AV	22.97994G	25.89	54.00	-28.11	3	Vertical	98	1.53
5745MHz	Pass	PK	11.48092G	56.77	74.00	-17.23	3	Vertical	212	1.50
5745MHz	Pass	PK	22.9802G	36.95	74.00	-37.05	3	Vertical	98	1.53
5745MHz	Pass	AV	11.48996G	51.92	54.00	-2.08	3	Horizontal	149	1.49
5745MHz	Pass	AV	22.97992G	30.01	54.00	-23.99	3	Horizontal	39	1.54
5745MHz	Pass	PK	11.49004G	59.07	74.00	-14.93	3	Horizontal	149	1.49
5745MHz	Pass	PK	22.97988G	38.88	74.00	-35.12	3	Horizontal	39	1.54
5785MHz	Pass	AV	5.7946G	102.65	Inf	-Inf	3	Vertical	58	2.29
5785MHz	Pass	PK	5.6254G	58.31	68.20	-9.89	3	Vertical	58	2.29

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.7826G	112.81	Inf	-Inf	3	Vertical	58	2.29
5785MHz	Pass	PK	6.0754G	58.76	68.20	-9.44	3	Vertical	58	2.29
5785MHz	Pass	AV	5.7766G	104.63	Inf	-Inf	3	Horizontal	198	2.96
5785MHz	Pass	PK	5.6278G	57.60	68.20	-10.60	3	Horizontal	198	2.96
5785MHz	Pass	PK	5.7766G	114.17	Inf	-Inf	3	Horizontal	198	2.96
5785MHz	Pass	PK	6.0646G	58.54	68.20	-9.66	3	Horizontal	198	2.96
5785MHz	Pass	AV	11.57004G	45.76	54.00	-8.24	3	Vertical	36	1.00
5785MHz	Pass	PK	11.56276G	57.49	74.00	-16.51	3	Vertical	36	1.00
5785MHz	Pass	PK	23.13976G	39.88	68.20	-28.32	3	Vertical	98	1.53
5785MHz	Pass	AV	11.56996G	53.29	54.00	-0.71	3	Horizontal	150	1.50
5785MHz	Pass	PK	11.57016G	60.14	74.00	-13.86	3	Horizontal	150	1.50
5785MHz	Pass	PK	23.13986G	44.19	68.20	-24.01	3	Horizontal	36	1.65
5825MHz	Pass	AV	5.8334G	105.97	Inf	-Inf	3	Vertical	84	1.77
5825MHz	Pass	PK	5.5982G	57.34	68.20	-10.86	3	Vertical	84	1.77
5825MHz	Pass	PK	5.8334G	116.41	Inf	-Inf	3	Vertical	84	1.77
5825MHz	Pass	PK	5.9762G	58.82	68.20	-9.38	3	Vertical	84	1.77
5825MHz	Pass	AV	5.8166G	104.14	Inf	-Inf	3	Horizontal	188	2.86
5825MHz	Pass	PK	5.5658G	57.96	68.20	-10.24	3	Horizontal	188	2.86
5825MHz	Pass	PK	5.8166G	116.74	Inf	-Inf	3	Horizontal	188	2.86
5825MHz	Pass	PK	6.0938G	59.36	68.20	-8.84	3	Horizontal	188	2.86
5825MHz	Pass	AV	11.64992G	45.72	54.00	-8.28	3	Vertical	154	2.18
5825MHz	Pass	PK	11.65024G	57.73	74.00	-16.27	3	Vertical	154	2.18
5825MHz	Pass	PK	23.30002G	38.91	68.20	-29.29	3	Vertical	101	1.88
5825MHz	Pass	AV	11.65G	53.50	54.00	-0.50	3	Horizontal	150	1.50
5825MHz	Pass	PK	11.65008G	60.04	74.00	-13.96	3	Horizontal	150	1.50
5825MHz	Pass	PK	23.29984G	42.39	68.20	-25.81	3	Horizontal	38	1.65
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	46.94	54.00	-7.06	3	Vertical	128	1.66
5190MHz	Pass	AV	5.1764G	104.49	Inf	-Inf	3	Vertical	128	1.66
5190MHz	Pass	PK	5.1468G	64.95	74.00	-9.05	3	Vertical	128	1.66
5190MHz	Pass	PK	5.176G	113.05	Inf	-Inf	3	Vertical	128	1.66
5190MHz	Pass	AV	5.1464G	46.53	54.00	-7.47	3	Horizontal	25	1.84
5190MHz	Pass	AV	5.1848G	100.87	Inf	-Inf	3	Horizontal	25	1.84
5190MHz	Pass	PK	5.1488G	66.59	74.00	-7.41	3	Horizontal	25	1.84
5190MHz	Pass	PK	5.1824G	112.10	Inf	-Inf	3	Horizontal	25	1.84
5190MHz	Pass	AV	20.75992G	26.01	54.00	-27.99	3	Vertical	195	1.50
5190MHz	Pass	PK	10.38248G	55.83	68.20	-12.37	3	Vertical	272	1.49
5190MHz	Pass	PK	20.7608G	37.72	74.00	-36.28	3	Vertical	195	1.50
5190MHz	Pass	AV	20.7599G	31.85	54.00	-22.15	3	Horizontal	140	1.57
5190MHz	Pass	PK	10.38008G	57.06	68.20	-11.14	3	Horizontal	147	1.49
5190MHz	Pass	PK	20.75986G	39.46	74.00	-34.54	3	Horizontal	140	1.57
5230MHz	Pass	AV	5.142G	46.25	54.00	-7.75	3	Vertical	131	1.93
5230MHz	Pass	AV	5.2172G	105.45	Inf	-Inf	3	Vertical	131	1.93
5230MHz	Pass	PK	5.1452G	58.49	74.00	-15.51	3	Vertical	131	1.93
5230MHz	Pass	PK	5.2164G	113.72	Inf	-Inf	3	Vertical	131	1.93
5230MHz	Pass	AV	5.1464G	46.23	54.00	-7.77	3	Horizontal	0	1.38
5230MHz	Pass	AV	5.2188G	103.56	Inf	-Inf	3	Horizontal	0	1.38
5230MHz	Pass	PK	5.1476G	58.20	74.00	-15.80	3	Horizontal	0	1.38
5230MHz	Pass	PK	5.2208G	112.35	Inf	-Inf	3	Horizontal	0	1.38
5230MHz	Pass	AV	20.91994G	27.35	54.00	-26.65	3	Vertical	198	1.50
5230MHz	Pass	PK	10.45312G	56.78	68.20	-11.42	3	Vertical	291	1.97
5230MHz	Pass	PK	20.92006G	39.45	74.00	-34.55	3	Vertical	198	1.50
5230MHz	Pass	AV	20.91994G	34.11	54.00	-19.89	3	Horizontal	140	1.53
5230MHz	Pass	PK	10.45984G	56.72	68.20	-11.48	3	Horizontal	163	1.21
5230MHz	Pass	PK	20.91984G	42.70	74.00	-31.30	3	Horizontal	140	1.53
5270MHz	Pass	AV	5.2572G	99.30	Inf	-Inf	3	Vertical	128	1.50
5270MHz	Pass	AV	5.3636G	45.65	54.00	-8.35	3	Vertical	128	1.50
5270MHz	Pass	PK	5.2564G	109.70	Inf	-Inf	3	Vertical	128	1.50
5270MHz	Pass	PK	5.3632G	58.05	74.00	-15.95	3	Vertical	128	1.50
5270MHz	Pass	AV	5.2516G	99.64	Inf	-Inf	3	Horizontal	171	1.55
5270MHz	Pass	AV	5.3624G	45.66	54.00	-8.34	3	Horizontal	171	1.55
5270MHz	Pass	PK	5.2528G	111.50	Inf	-Inf	3	Horizontal	171	1.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.3508G	61.09	74.00	-12.91	3	Horizontal	171	1.55
5270MHz	Pass	AV	21.07996G	35.60	54.00	-18.40	3	Vertical	97	1.58
5270MHz	Pass	PK	10.54888G	57.29	68.20	-10.91	3	Vertical	353	1.50
5270MHz	Pass	PK	21.07982G	44.59	74.00	-29.41	3	Vertical	97	1.58
5270MHz	Pass	AV	21.0799G	36.34	54.00	-17.66	3	Horizontal	140	1.58
5270MHz	Pass	PK	10.53984G	57.50	68.20	-10.70	3	Horizontal	159	1.20
5270MHz	Pass	PK	21.07986G	44.24	74.00	-29.76	3	Horizontal	140	1.58
5310MHz	Pass	AV	5.2956G	99.78	Inf	-Inf	3	Vertical	128	1.81
5310MHz	Pass	AV	5.3652G	45.87	54.00	-8.13	3	Vertical	128	1.81
5310MHz	Pass	PK	5.2984G	111.33	Inf	-Inf	3	Vertical	128	1.81
5310MHz	Pass	PK	5.352G	69.77	74.00	-4.23	3	Vertical	128	1.81
5310MHz	Pass	AV	5.2964G	97.65	Inf	-Inf	3	Horizontal	356	1.42
5310MHz	Pass	AV	5.3628G	45.73	54.00	-8.27	3	Horizontal	356	1.42
5310MHz	Pass	PK	5.2968G	108.29	Inf	-Inf	3	Horizontal	356	1.42
5310MHz	Pass	PK	5.3528G	65.89	74.00	-8.11	3	Horizontal	356	1.42
5310MHz	Pass	AV	10.62312G	44.57	54.00	-9.43	3	Vertical	9	1.83
5310MHz	Pass	AV	21.24014G	28.17	54.00	-25.83	3	Vertical	208	1.53
5310MHz	Pass	PK	10.60416G	57.47	74.00	-16.53	3	Vertical	9	1.83
5310MHz	Pass	PK	21.2445G	39.45	74.00	-34.55	3	Vertical	208	1.53
5310MHz	Pass	AV	10.61992G	48.21	54.00	-5.79	3	Horizontal	159	1.36
5310MHz	Pass	AV	21.24012G	32.55	54.00	-21.45	3	Horizontal	150	1.62
5310MHz	Pass	PK	10.61024G	58.15	74.00	-15.85	3	Horizontal	159	1.36
5310MHz	Pass	PK	21.2399G	41.24	74.00	-32.76	3	Horizontal	150	1.62
5510MHz	Pass	AV	5.4412G	46.27	54.00	-7.73	3	Vertical	100	2.00
5510MHz	Pass	AV	5.5072G	99.51	Inf	-Inf	3	Vertical	100	2.00
5510MHz	Pass	PK	5.456G	65.28	74.00	-8.72	3	Vertical	100	2.00
5510MHz	Pass	PK	5.4616G	63.51	68.20	-4.69	3	Vertical	100	2.00
5510MHz	Pass	PK	5.52G	111.44	Inf	-Inf	3	Vertical	100	2.00
5510MHz	Pass	AV	5.4592G	45.78	54.00	-8.22	3	Horizontal	173	1.32
5510MHz	Pass	AV	5.5276G	97.74	Inf	-Inf	3	Horizontal	173	1.32
5510MHz	Pass	PK	5.4396G	63.80	74.00	-10.20	3	Horizontal	173	1.32
5510MHz	Pass	PK	5.4672G	66.50	68.20	-1.70	3	Horizontal	173	1.32
5510MHz	Pass	PK	5.5272G	110.70	Inf	-Inf	3	Horizontal	173	1.32
5510MHz	Pass	AV	11.01984G	44.51	54.00	-9.49	3	Vertical	145	2.67
5510MHz	Pass	AV	22.03992G	28.85	54.00	-25.15	3	Vertical	93	1.72
5510MHz	Pass	PK	11.02056G	56.88	74.00	-17.12	3	Vertical	145	2.67
5510MHz	Pass	PK	22.0399G	38.57	74.00	-35.43	3	Vertical	93	1.72
5510MHz	Pass	AV	11.01992G	51.34	54.00	-2.66	3	Horizontal	155	1.48
5510MHz	Pass	AV	22.0399G	33.97	54.00	-20.03	3	Horizontal	162	1.55
5510MHz	Pass	PK	11.01984G	59.03	74.00	-14.97	3	Horizontal	155	1.48
5510MHz	Pass	PK	22.03984G	40.25	74.00	-33.75	3	Horizontal	162	1.55
5550MHz	Pass	AV	5.46G	45.87	54.00	-8.13	3	Vertical	131	1.50
5550MHz	Pass	AV	5.538G	100.11	Inf	-Inf	3	Vertical	131	1.50
5550MHz	Pass	PK	5.4572G	57.89	74.00	-16.11	3	Vertical	131	1.50
5550MHz	Pass	PK	5.4684G	58.11	68.20	-10.09	3	Vertical	131	1.50
5550MHz	Pass	PK	5.546G	110.79	Inf	-Inf	3	Vertical	131	1.50
5550MHz	Pass	AV	5.4592G	45.71	54.00	-8.29	3	Horizontal	17	1.72
5550MHz	Pass	AV	5.568G	101.97	Inf	-Inf	3	Horizontal	17	1.72
5550MHz	Pass	PK	5.458G	57.60	74.00	-16.40	3	Horizontal	17	1.72
5550MHz	Pass	PK	5.4684G	57.78	68.20	-10.42	3	Horizontal	17	1.72
5550MHz	Pass	PK	5.5656G	113.49	Inf	-Inf	3	Horizontal	17	1.72
5550MHz	Pass	AV	11.1G	45.04	54.00	-8.96	3	Vertical	32	1.49
5550MHz	Pass	AV	22.19996G	31.47	54.00	-22.53	3	Vertical	93	1.72
5550MHz	Pass	PK	11.10816G	57.50	74.00	-16.50	3	Vertical	32	1.49
5550MHz	Pass	PK	22.1998G	39.83	74.00	-34.17	3	Vertical	93	1.72
5550MHz	Pass	AV	11.09992G	51.97	54.00	-2.03	3	Horizontal	155	1.47
5550MHz	Pass	AV	22.20006G	32.10	54.00	-21.90	3	Horizontal	160	1.55
5550MHz	Pass	PK	11.1G	59.14	74.00	-14.86	3	Horizontal	155	1.47
5550MHz	Pass	PK	22.19976G	40.63	74.00	-33.37	3	Horizontal	160	1.55
5670MHz	Pass	AV	5.655G	100.26	Inf	-Inf	3	Vertical	129	1.75
5670MHz	Pass	PK	5.6556G	111.96	Inf	-Inf	3	Vertical	129	1.75
5670MHz	Pass	PK	5.7288G	65.66	68.20	-2.54	3	Vertical	129	1.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	AV	5.652G	99.45	Inf	-Inf	3	Horizontal	2	1.32
5670MHz	Pass	PK	5.652G	110.72	Inf	-Inf	3	Horizontal	2	1.32
5670MHz	Pass	PK	5.7294G	62.37	68.20	-5.83	3	Horizontal	2	1.32
5670MHz	Pass	AV	11.33992G	45.35	54.00	-8.65	3	Vertical	37	1.50
5670MHz	Pass	AV	22.67988G	28.14	54.00	-25.86	3	Vertical	92	1.70
5670MHz	Pass	PK	11.33968G	57.87	74.00	-16.13	3	Vertical	37	1.50
5670MHz	Pass	PK	22.68012G	37.69	74.00	-36.31	3	Vertical	92	1.70
5670MHz	Pass	AV	11.33992G	52.62	54.00	-1.38	3	Horizontal	153	1.49
5670MHz	Pass	AV	22.6799G	28.84	54.00	-25.16	3	Horizontal	41	1.52
5670MHz	Pass	PK	11.33976G	59.78	74.00	-14.22	3	Horizontal	153	1.49
5670MHz	Pass	PK	22.68004G	38.16	74.00	-35.84	3	Horizontal	41	1.52
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.416G	45.61	54.00	-8.39	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	97.64	Inf	-Inf	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	57.71	74.00	-16.29	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	57.00	68.20	-11.20	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	108.90	Inf	-Inf	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.92G	59.67	68.20	-8.53	3	Vertical	124	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.48	54.00	-8.52	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	98.94	Inf	-Inf	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4376G	57.86	74.00	-16.14	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	57.61	68.20	-10.59	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	109.61	Inf	-Inf	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	59.59	68.20	-8.61	3	Horizontal	175	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	44.53	54.00	-9.47	3	Vertical	36	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.84G	24.19	54.00	-29.81	3	Vertical	158	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40584G	56.69	74.00	-17.31	3	Vertical	36	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83994G	36.83	74.00	-37.17	3	Vertical	158	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	52.69	54.00	-1.31	3	Horizontal	149	1.58
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.83992G	27.30	54.00	-26.70	3	Horizontal	42	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42008G	59.09	74.00	-14.91	3	Horizontal	149	1.58
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83992G	37.52	74.00	-36.48	3	Horizontal	42	1.50
5755MHz	Pass	AV	5.4586G	45.62	54.00	-8.38	3	Vertical	118	2.20
5755MHz	Pass	AV	5.7574G	100.00	Inf	-Inf	3	Vertical	118	2.20
5755MHz	Pass	PK	5.599G	59.36	68.20	-8.84	3	Vertical	118	2.20
5755MHz	Pass	PK	5.7598G	111.22	Inf	-Inf	3	Vertical	118	2.20
5755MHz	Pass	PK	6.0166G	58.88	68.20	-9.32	3	Vertical	118	2.20
5755MHz	Pass	AV	5.4574G	45.85	54.00	-8.15	3	Horizontal	18	1.50
5755MHz	Pass	AV	5.7706G	98.84	Inf	-Inf	3	Horizontal	18	1.50
5755MHz	Pass	PK	5.6398G	58.92	68.20	-9.28	3	Horizontal	18	1.50
5755MHz	Pass	PK	5.7646G	111.13	Inf	-Inf	3	Horizontal	18	1.50
5755MHz	Pass	PK	6.0166G	59.53	68.20	-8.67	3	Horizontal	18	1.50
5755MHz	Pass	AV	11.53G	44.27	54.00	-9.73	3	Vertical	212	3.00
5755MHz	Pass	AV	23.01986G	27.19	54.00	-26.81	3	Vertical	99	1.53
5755MHz	Pass	PK	11.49712G	57.59	74.00	-16.41	3	Vertical	212	3.00
5755MHz	Pass	PK	23.01972G	38.03	74.00	-35.97	3	Vertical	99	1.53
5755MHz	Pass	AV	11.50992G	52.31	54.00	-1.69	3	Horizontal	149	1.50
5755MHz	Pass	AV	23.01996G	30.29	54.00	-23.71	3	Horizontal	35	1.65
5755MHz	Pass	PK	11.51008G	59.58	74.00	-14.42	3	Horizontal	149	1.50
5755MHz	Pass	PK	23.01998G	39.38	74.00	-34.62	3	Horizontal	35	1.65
5795MHz	Pass	AV	5.7794G	103.28	Inf	-Inf	3	Vertical	3	1.90
5795MHz	Pass	PK	5.5058G	59.65	68.20	-8.55	3	Vertical	3	1.90
5795MHz	Pass	PK	5.7962G	110.39	Inf	-Inf	3	Vertical	3	1.90
5795MHz	Pass	PK	6.0062G	59.30	68.20	-8.90	3	Vertical	3	1.90
5795MHz	Pass	AV	5.7878G	99.85	Inf	-Inf	3	Horizontal	15	1.50
5795MHz	Pass	PK	5.579G	58.37	68.20	-9.83	3	Horizontal	15	1.50
5795MHz	Pass	PK	5.789G	110.64	Inf	-Inf	3	Horizontal	15	1.50
5795MHz	Pass	PK	6.0194G	59.28	68.20	-8.92	3	Horizontal	15	1.50
5795MHz	Pass	AV	11.58992G	44.95	54.00	-9.05	3	Vertical	271	2.73
5795MHz	Pass	PK	11.6068G	56.82	74.00	-17.18	3	Vertical	271	2.73
5795MHz	Pass	PK	23.17962G	37.75	68.20	-30.45	3	Vertical	102	1.73
5795MHz	Pass	AV	11.58992G	53.25	54.00	-0.75	3	Horizontal	148	1.50
5795MHz	Pass	PK	11.58992G	59.68	74.00	-14.32	3	Horizontal	148	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	23.17994G	39.99	68.20	-28.21	3	Horizontal	40	1.64
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	49.03	54.00	-4.97	3	Vertical	131	2.12
5210MHz	Pass	AV	5.177G	101.96	Inf	-Inf	3	Vertical	131	2.12
5210MHz	Pass	AV	5.35G	46.32	54.00	-7.68	3	Vertical	131	2.12
5210MHz	Pass	PK	5.15G	69.46	74.00	-4.54	3	Vertical	131	2.12
5210MHz	Pass	PK	5.177G	112.77	Inf	-Inf	3	Vertical	131	2.12
5210MHz	Pass	PK	5.35G	62.14	74.00	-11.86	3	Vertical	131	2.12
5210MHz	Pass	AV	5.15G	47.20	54.00	-6.80	3	Horizontal	2	1.28
5210MHz	Pass	AV	5.177G	99.73	Inf	-Inf	3	Horizontal	2	1.28
5210MHz	Pass	AV	5.359G	46.04	54.00	-7.96	3	Horizontal	2	1.28
5210MHz	Pass	PK	5.133G	71.87	74.00	-2.13	3	Horizontal	2	1.28
5210MHz	Pass	PK	5.177G	111.43	Inf	-Inf	3	Horizontal	2	1.28
5210MHz	Pass	PK	5.381G	58.54	74.00	-15.46	3	Horizontal	2	1.28
5210MHz	Pass	AV	20.83984G	30.76	54.00	-23.24	3	Vertical	196	1.51
5210MHz	Pass	PK	10.4168G	56.52	68.20	-11.68	3	Vertical	287	2.76
5210MHz	Pass	PK	20.83992G	41.59	74.00	-32.41	3	Vertical	196	1.51
5210MHz	Pass	AV	20.83996G	38.72	54.00	-15.28	3	Horizontal	140	1.80
5210MHz	Pass	PK	10.404G	56.39	68.20	-11.81	3	Horizontal	162	1.49
5210MHz	Pass	PK	20.83992G	45.53	74.00	-28.47	3	Horizontal	140	1.80
5290MHz	Pass	AV	5.134G	46.05	54.00	-7.95	3	Vertical	141	1.50
5290MHz	Pass	AV	5.259G	100.88	Inf	-Inf	3	Vertical	141	1.50
5290MHz	Pass	AV	5.361G	46.11	54.00	-7.89	3	Vertical	141	1.50
5290MHz	Pass	PK	5.126G	58.56	74.00	-15.44	3	Vertical	141	1.50
5290MHz	Pass	PK	5.258G	109.41	Inf	-Inf	3	Vertical	141	1.50
5290MHz	Pass	PK	5.354G	67.94	74.00	-6.06	3	Vertical	141	1.50
5290MHz	Pass	PK	5.523G	59.05	68.20	-9.15	3	Vertical	141	1.50
5290MHz	Pass	AV	5.137G	46.04	54.00	-7.96	3	Horizontal	360	1.44
5290MHz	Pass	AV	5.26G	96.54	Inf	-Inf	3	Horizontal	360	1.44
5290MHz	Pass	AV	5.359G	45.89	54.00	-8.11	3	Horizontal	360	1.44
5290MHz	Pass	PK	5.115G	58.38	74.00	-15.62	3	Horizontal	360	1.44
5290MHz	Pass	PK	5.258G	109.11	Inf	-Inf	3	Horizontal	360	1.44
5290MHz	Pass	PK	5.365G	67.13	74.00	-6.87	3	Horizontal	360	1.44
5290MHz	Pass	PK	5.49G	58.00	68.20	-10.20	3	Horizontal	360	1.44
5290MHz	Pass	AV	21.15984G	38.04	54.00	-15.96	3	Vertical	96	1.57
5290MHz	Pass	PK	10.6048G	57.17	74.00	-16.83	3	Vertical	103	1.50
5290MHz	Pass	PK	21.16012G	44.13	74.00	-29.87	3	Vertical	96	1.57
5290MHz	Pass	AV	21.15998G	33.61	54.00	-20.39	3	Horizontal	122	1.52
5290MHz	Pass	PK	10.58256G	58.72	68.20	-9.48	3	Horizontal	161	1.50
5290MHz	Pass	PK	21.16G	41.88	74.00	-32.12	3	Horizontal	122	1.52
5530MHz	Pass	AV	5.35G	45.51	54.00	-8.49	3	Vertical	66	1.87
5530MHz	Pass	AV	5.446G	46.33	54.00	-7.67	3	Vertical	66	1.87
5530MHz	Pass	AV	5.497G	97.89	Inf	-Inf	3	Vertical	66	1.87
5530MHz	Pass	PK	5.34G	58.31	68.20	-9.89	3	Vertical	66	1.87
5530MHz	Pass	PK	5.453G	65.43	74.00	-8.57	3	Vertical	66	1.87
5530MHz	Pass	PK	5.469G	65.83	68.20	-2.37	3	Vertical	66	1.87
5530MHz	Pass	PK	5.497G	109.70	Inf	-Inf	3	Vertical	66	1.87
5530MHz	Pass	PK	5.726G	59.09	68.20	-9.11	3	Vertical	66	1.87
5530MHz	Pass	AV	5.35G	45.51	54.00	-8.49	3	Horizontal	4	1.30
5530MHz	Pass	AV	5.459G	45.79	54.00	-8.21	3	Horizontal	4	1.30
5530MHz	Pass	AV	5.499G	96.81	Inf	-Inf	3	Horizontal	4	1.30
5530MHz	Pass	PK	5.347G	57.63	68.20	-10.57	3	Horizontal	4	1.30
5530MHz	Pass	PK	5.45G	66.17	74.00	-7.83	3	Horizontal	4	1.30
5530MHz	Pass	PK	5.466G	61.93	68.20	-6.27	3	Horizontal	4	1.30
5530MHz	Pass	PK	5.499G	107.36	Inf	-Inf	3	Horizontal	4	1.30
5530MHz	Pass	PK	5.762G	58.79	68.20	-9.41	3	Horizontal	4	1.30
5530MHz	Pass	AV	11.09584G	44.24	54.00	-9.76	3	Vertical	21	1.18
5530MHz	Pass	AV	22.1199G	36.09	54.00	-17.91	3	Vertical	93	1.71
5530MHz	Pass	PK	11.02832G	56.53	74.00	-17.47	3	Vertical	21	1.18
5530MHz	Pass	PK	22.12G	43.39	74.00	-30.61	3	Vertical	93	1.71
5530MHz	Pass	AV	11.06G	51.49	54.00	-2.51	3	Horizontal	154	1.48
5530MHz	Pass	AV	22.12002G	36.64	54.00	-17.36	3	Horizontal	153	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	11.05984G	59.17	74.00	-14.83	3	Horizontal	154	1.48
5530MHz	Pass	PK	22.1201G	44.23	74.00	-29.77	3	Horizontal	153	1.76
5610MHz	Pass	AV	5.452G	45.87	54.00	-8.13	3	Vertical	124	1.50
5610MHz	Pass	AV	5.576G	96.85	Inf	-Inf	3	Vertical	124	1.50
5610MHz	Pass	PK	5.426G	58.23	74.00	-15.77	3	Vertical	124	1.50
5610MHz	Pass	PK	5.465G	57.25	68.20	-10.95	3	Vertical	124	1.50
5610MHz	Pass	PK	5.577G	109.27	Inf	-Inf	3	Vertical	124	1.50
5610MHz	Pass	PK	5.742G	60.31	68.20	-7.89	3	Vertical	124	1.50
5610MHz	Pass	AV	5.459G	45.63	54.00	-8.37	3	Horizontal	308	1.77
5610MHz	Pass	AV	5.586G	99.11	Inf	-Inf	3	Horizontal	308	1.77
5610MHz	Pass	PK	5.456G	59.39	74.00	-14.61	3	Horizontal	308	1.77
5610MHz	Pass	PK	5.461G	57.58	68.20	-10.62	3	Horizontal	308	1.77
5610MHz	Pass	PK	5.585G	107.29	Inf	-Inf	3	Horizontal	308	1.77
5610MHz	Pass	PK	5.739G	59.23	68.20	-8.97	3	Horizontal	308	1.77
5610MHz	Pass	AV	11.21984G	45.53	54.00	-8.47	3	Vertical	36	1.50
5610MHz	Pass	AV	22.4398G	36.44	54.00	-17.56	3	Vertical	91	1.60
5610MHz	Pass	PK	11.23248G	57.02	74.00	-16.98	3	Vertical	36	1.50
5610MHz	Pass	PK	22.43984G	42.40	74.00	-31.60	3	Vertical	91	1.60
5610MHz	Pass	AV	11.22G	52.15	54.00	-1.85	3	Horizontal	155	1.48
5610MHz	Pass	AV	22.43978G	32.66	54.00	-21.34	3	Horizontal	29	1.87
5610MHz	Pass	PK	11.22G	58.87	74.00	-15.13	3	Horizontal	155	1.48
5610MHz	Pass	PK	22.44G	41.22	74.00	-32.78	3	Horizontal	29	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3984G	46.04	54.00	-7.96	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6564G	97.75	Inf	-Inf	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3972G	58.73	74.00	-15.27	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.84	68.20	-11.36	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	102.94	Inf	-Inf	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9288G	59.47	68.20	-8.73	3	Vertical	314	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4188G	45.71	54.00	-8.29	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6588G	99.11	Inf	-Inf	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4104G	58.09	74.00	-15.91	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.41	68.20	-10.79	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6518G	109.52	Inf	-Inf	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.93G	59.25	68.20	-8.95	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35008G	44.65	54.00	-9.35	3	Vertical	250	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75986G	33.37	54.00	-20.63	3	Vertical	90	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40752G	57.31	74.00	-16.69	3	Vertical	250	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.75992G	41.62	74.00	-32.38	3	Vertical	90	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	51.82	54.00	-2.18	3	Horizontal	149	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75994G	36.55	54.00	-17.45	3	Horizontal	43	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38016G	59.34	74.00	-14.66	3	Horizontal	149	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76014G	42.72	74.00	-31.28	3	Horizontal	43	1.49
5775MHz	Pass	AV	5.7414G	99.41	Inf	-Inf	3	Vertical	120	1.49
5775MHz	Pass	PK	5.6394G	61.51	68.20	-6.69	3	Vertical	120	1.49
5775MHz	Pass	PK	5.7426G	110.87	Inf	-Inf	3	Vertical	120	1.49
5775MHz	Pass	PK	5.9886G	59.80	68.20	-8.40	3	Vertical	120	1.49
5775MHz	Pass	AV	5.7522G	101.71	Inf	-Inf	3	Horizontal	23	1.98
5775MHz	Pass	PK	5.6442G	59.09	68.20	-9.11	3	Horizontal	23	1.98
5775MHz	Pass	PK	5.751G	109.90	Inf	-Inf	3	Horizontal	23	1.98
5775MHz	Pass	PK	6.0042G	59.38	68.20	-8.82	3	Horizontal	23	1.98
5775MHz	Pass	AV	11.55G	45.87	54.00	-8.13	3	Vertical	48	1.93
5775MHz	Pass	AV	23.09988G	31.19	54.00	-22.81	3	Vertical	99	1.53
5775MHz	Pass	PK	11.51016G	57.83	74.00	-16.17	3	Vertical	48	1.93
5775MHz	Pass	PK	23.1G	38.88	74.00	-35.12	3	Vertical	99	1.53
5775MHz	Pass	AV	11.55G	53.41	54.00	-0.59	3	Horizontal	149	1.52
5775MHz	Pass	AV	23.0999G	35.53	54.00	-18.47	3	Horizontal	41	1.67
5775MHz	Pass	PK	11.54984G	59.89	74.00	-14.11	3	Horizontal	149	1.52
5775MHz	Pass	PK	23.1001G	40.11	74.00	-33.89	3	Horizontal	41	1.67
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1048G	48.82	54.00	-5.18	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1744G	102.19	Inf	-Inf	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.448G	47.75	54.00	-6.25	3	Vertical	125	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	71.18	74.00	-2.82	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1756G	113.07	Inf	-Inf	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	71.96	74.00	-2.04	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	64.94	68.20	-3.26	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1132G	47.65	54.00	-6.35	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.184G	102.56	Inf	-Inf	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	47.13	54.00	-6.87	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	64.63	74.00	-9.37	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1852G	110.79	Inf	-Inf	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3856G	62.49	74.00	-11.51	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	60.84	68.20	-7.36	3	Horizontal	23	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.00014G	33.65	54.00	-20.35	3	Vertical	199	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49554G	57.33	68.20	-10.87	3	Vertical	274	2.43
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.00008G	43.71	74.00	-30.29	3	Vertical	199	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.00014G	40.13	54.00	-13.87	3	Horizontal	140	1.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49964G	57.58	68.20	-10.62	3	Horizontal	161	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	20.99996G	46.43	74.00	-27.57	3	Horizontal	140	1.58
5570MHz	Pass	AV	5.4236G	46.88	54.00	-7.12	3	Vertical	126	1.46
5570MHz	Pass	AV	5.4956G	98.07	Inf	-Inf	3	Vertical	126	1.46
5570MHz	Pass	PK	5.3252G	60.81	68.20	-7.39	3	Vertical	126	1.46
5570MHz	Pass	PK	5.4116G	65.51	74.00	-8.49	3	Vertical	126	1.46
5570MHz	Pass	PK	5.468G	65.94	68.20	-2.26	3	Vertical	126	1.46
5570MHz	Pass	PK	5.4968G	109.38	Inf	-Inf	3	Vertical	126	1.46
5570MHz	Pass	PK	5.786G	64.64	68.20	-3.56	3	Vertical	126	1.46
5570MHz	Pass	AV	5.4332G	47.09	54.00	-6.91	3	Horizontal	12	1.50
5570MHz	Pass	AV	5.5016G	97.39	Inf	-Inf	3	Horizontal	12	1.50
5570MHz	Pass	PK	5.3324G	58.27	68.20	-9.93	3	Horizontal	12	1.50
5570MHz	Pass	PK	5.384G	60.17	74.00	-13.83	3	Horizontal	12	1.50
5570MHz	Pass	PK	5.462G	60.63	68.20	-7.57	3	Horizontal	12	1.50
5570MHz	Pass	PK	5.5004G	108.89	Inf	-Inf	3	Horizontal	12	1.50
5570MHz	Pass	PK	5.7728G	59.73	68.20	-8.47	3	Horizontal	12	1.50
5570MHz	Pass	AV	11.13986G	45.44	54.00	-8.56	3	Vertical	33	1.44
5570MHz	Pass	AV	22.27994G	36.03	54.00	-17.97	3	Vertical	91	1.61
5570MHz	Pass	PK	11.14346G	57.50	74.00	-16.50	3	Vertical	33	1.44
5570MHz	Pass	PK	22.2799G	41.71	74.00	-32.29	3	Vertical	91	1.61
5570MHz	Pass	AV	11.13994G	51.86	54.00	-2.14	3	Horizontal	156	1.45
5570MHz	Pass	AV	22.27992G	35.50	54.00	-18.50	3	Horizontal	159	1.57
5570MHz	Pass	PK	11.14012G	59.65	74.00	-14.35	3	Horizontal	156	1.45
5570MHz	Pass	PK	22.28008G	40.96	74.00	-33.04	3	Horizontal	159	1.57


5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	46.94	54.00	-7.06	7.27	3	Vertical	128	1.66	39.67	33.19	8.08	34.00
AV	5.1764G	104.49	Inf	-Inf	7.25	3	Vertical	128	1.66	97.24	33.15	8.10	34.00
PK	5.1468G	64.95	74.00	-9.05	7.27	3	Vertical	128	1.66	57.68	33.19	8.08	34.00
PK	5.176G	113.05	Inf	-Inf	7.25	3	Vertical	128	1.66	105.80	33.15	8.10	34.00

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1464G	46.53	54.00	-7.47	7.27	3	Horizontal	25	1.84	39.26	33.19	8.08	34.00
AV	5.1848G	100.87	Inf	-Inf	7.24	3	Horizontal	25	1.84	93.63	33.13	8.11	34.00
PK	5.1488G	66.59	74.00	-7.41	7.28	3	Horizontal	25	1.84	59.31	33.20	8.08	34.00
PK	5.1824G	112.10	Inf	-Inf	7.25	3	Horizontal	25	1.84	104.85	33.14	8.11	34.00


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	103.30	Inf	-Inf	7.11	3	Vertical	11	1.50	96.19	32.90	8.20	33.99
AV	5.361G	45.82	54.00	-8.18	7.11	3	Vertical	11	1.50	38.71	32.88	8.22	33.99
PK	5.3274G	114.75	Inf	-Inf	7.11	3	Vertical	11	1.50	107.64	32.90	8.20	33.99
PK	5.3554G	64.42	74.00	-9.58	7.11	3	Vertical	11	1.50	57.31	32.89	8.21	33.99

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	103.57	Inf	-Inf	7.10	3	Horizontal	182	2.24	96.47	32.90	8.19	33.99
AV	5.362G	46.18	54.00	-7.82	7.11	3	Horizontal	182	2.24	39.07	32.88	8.22	33.99
PK	5.3116G	115.23	Inf	-Inf	7.10	3	Horizontal	182	2.24	108.13	32.90	8.19	33.99
PK	5.3502G	71.27	74.00	-2.73	7.12	3	Horizontal	182	2.24	64.15	32.90	8.21	33.99


5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	46.05	54.00	-7.95	7.21	3	Vertical	141	1.50	38.84	33.14	8.07	34.00
AV	5.259G	100.88	Inf	-Inf	7.15	3	Vertical	141	1.50	93.73	32.98	8.16	33.99
AV	5.361G	46.11	54.00	-7.89	7.11	3	Vertical	141	1.50	39.00	32.88	8.22	33.99
PK	5.126G	58.56	74.00	-15.44	7.17	3	Vertical	141	1.50	51.39	33.10	8.07	34.00
PK	5.258G	109.41	Inf	-Inf	7.14	3	Vertical	141	1.50	102.27	32.98	8.15	33.99
PK	5.354G	67.94	74.00	-6.06	7.11	3	Vertical	141	1.50	60.83	32.89	8.21	33.99
PK	5.523G	59.05	68.20	-9.15	7.27	3	Vertical	141	1.50	51.78	32.95	8.31	33.99

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	46.04	54.00	-7.96	7.23	3	Horizontal	360	1.44	38.81	33.15	8.08	34.00
AV	5.26G	96.54	Inf	-Inf	7.15	3	Horizontal	360	1.44	89.39	32.98	8.16	33.99
AV	5.359G	45.89	54.00	-8.11	7.11	3	Horizontal	360	1.44	38.78	32.88	8.22	33.99
PK	5.115G	58.38	74.00	-15.62	7.12	3	Horizontal	360	1.44	51.26	33.06	8.06	34.00
PK	5.258G	109.11	Inf	-Inf	7.14	3	Horizontal	360	1.44	101.97	32.98	8.15	33.99
PK	5.365G	67.13	74.00	-6.87	7.10	3	Horizontal	360	1.44	60.03	32.87	8.22	33.99
PK	5.49G	58.00	68.20	-10.20	7.27	3	Horizontal	360	1.44	50.73	32.96	8.29	33.98


5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	46.88	54.00	-7.12	7.07	3	Vertical	126	1.46	39.81	32.80	8.25	33.98
AV	5.4956G	98.07	Inf	-Inf	7.29	3	Vertical	126	1.46	90.78	32.98	8.29	33.98
PK	5.3252G	60.81	68.20	-7.39	7.11	3	Vertical	126	1.46	53.70	32.90	8.20	33.99
PK	5.4116G	65.51	74.00	-8.49	7.06	3	Vertical	126	1.46	58.45	32.80	8.25	33.99
PK	5.468G	65.94	68.20	-2.26	7.17	3	Vertical	126	1.46	58.77	32.87	8.28	33.98
PK	5.4968G	109.38	Inf	-Inf	7.30	3	Vertical	126	1.46	102.08	32.99	8.29	33.98
PK	5.786G	64.64	68.20	-3.56	8.28	3	Vertical	126	1.46	56.36	33.84	8.54	34.10

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	47.09	54.00	-6.91	7.08	3	Horizontal	12	1.50	40.01	32.80	8.26	33.98
AV	5.5016G	97.39	Inf	-Inf	7.32	3	Horizontal	12	1.50	90.07	33.00	8.30	33.98
PK	5.3324G	58.27	68.20	-9.93	7.11	3	Horizontal	12	1.50	51.16	32.90	8.20	33.99
PK	5.384G	60.17	74.00	-13.83	7.07	3	Horizontal	12	1.50	53.10	32.83	8.23	33.99
PK	5.462G	60.63	68.20	-7.57	7.14	3	Horizontal	12	1.50	53.49	32.85	8.27	33.98
PK	5.5004G	108.89	Inf	-Inf	7.32	3	Horizontal	12	1.50	101.57	33.00	8.30	33.98
PK	5.7728G	59.73	68.20	-8.47	8.22	3	Horizontal	12	1.50	51.51	33.79	8.52	34.09


5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	105.97	Inf	-Inf	8.48	3	Vertical	84	1.77	97.49	34.03	8.57	34.12
PK	5.5982G	57.34	68.20	-10.86	7.23	3	Vertical	84	1.77	50.11	32.90	8.35	34.02
PK	5.8334G	116.41	Inf	-Inf	8.48	3	Vertical	84	1.77	107.93	34.03	8.57	34.12
PK	5.9762G	58.82	68.20	-9.38	8.55	3	Vertical	84	1.77	50.27	34.10	8.63	34.18

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	104.14	Inf	-Inf	8.42	3	Horizontal	188	2.86	95.72	33.97	8.56	34.11
PK	5.5658G	57.96	68.20	-10.24	7.22	3	Horizontal	188	2.86	50.74	32.90	8.33	34.01
PK	5.8166G	116.74	Inf	-Inf	8.42	3	Horizontal	188	2.86	108.32	33.97	8.56	34.11
PK	6.0938G	59.36	68.20	-8.84	8.65	3	Horizontal	188	2.86	50.71	34.10	8.79	34.24


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	103.28	Inf	-Inf	8.25	3	Vertical	3	1.90	95.03	33.82	8.53	34.10
PK	5.5058G	59.65	68.20	-8.55	7.31	3	Vertical	3	1.90	52.34	32.99	8.30	33.98
PK	5.7962G	110.39	Inf	-Inf	8.33	3	Vertical	3	1.90	102.06	33.88	8.55	34.10
PK	6.0062G	59.30	68.20	-8.90	8.56	3	Vertical	3	1.90	50.74	34.10	8.65	34.19

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	99.85	Inf	-Inf	8.29	3	Horizontal	15	1.50	91.56	33.85	8.54	34.10
PK	5.579G	58.37	68.20	-9.83	7.23	3	Horizontal	15	1.50	51.14	32.90	8.34	34.01
PK	5.789G	110.64	Inf	-Inf	8.30	3	Horizontal	15	1.50	102.34	33.86	8.54	34.10
PK	6.0194G	59.28	68.20	-8.92	8.57	3	Horizontal	15	1.50	50.71	34.10	8.67	34.20


5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	99.41	Inf	-Inf	8.09	3	Vertical	120	1.49	91.32	33.68	8.49	34.08
PK	5.6394G	61.51	68.20	-6.69	7.49	3	Vertical	120	1.49	54.02	33.14	8.39	34.04
PK	5.7426G	110.87	Inf	-Inf	8.10	3	Vertical	120	1.49	102.77	33.69	8.49	34.08
PK	5.9886G	59.80	68.20	-8.40	8.54	3	Vertical	120	1.49	51.26	34.10	8.63	34.19

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	101.71	Inf	-Inf	8.12	3	Horizontal	23	1.98	93.59	33.71	8.50	34.09
PK	5.6442G	59.09	68.20	-9.11	7.52	3	Horizontal	23	1.98	51.57	33.17	8.39	34.04
PK	5.751G	109.90	Inf	-Inf	8.11	3	Horizontal	23	1.98	101.79	33.70	8.50	34.09
PK	6.0042G	59.38	68.20	-8.82	8.56	3	Horizontal	23	1.98	50.82	34.10	8.65	34.19


5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.54G	51.02	54.00	-2.98	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.904G	34.26	54.00	-19.74	3	Vertical	35	1.58	-
Mode 1	Pass	AV	10.36G	44.12	68.20	-24.08	3	Vertical	49	1.50	-
Mode 1	Pass	AV	12.85G	46.31	68.20	-21.89	3	Vertical	44	2.93	-
Mode 1	Pass	AV	15.54G	45.76	54.00	-8.24	3	Vertical	11	2.04	-
Mode 1	Pass	PK	4.904G	48.21	74.00	-25.79	3	Vertical	35	1.58	-
Mode 1	Pass	PK	10.36G	57.67	88.20	-30.53	3	Vertical	49	1.50	-
Mode 1	Pass	PK	12.85G	60.10	88.20	-28.10	3	Vertical	44	2.93	-
Mode 1	Pass	PK	15.54G	59.67	74.00	-14.33	3	Vertical	11	2.04	-
Mode 1	Pass	AV	4.904G	34.18	54.00	-19.82	3	Horizontal	18	1.74	-
Mode 1	Pass	AV	10.36G	44.70	68.20	-23.50	3	Horizontal	175	1.87	-
Mode 1	Pass	AV	12.85G	47.83	68.20	-20.37	3	Horizontal	46	1.67	-
Mode 1	Pass	AV	15.54G	51.02	54.00	-2.98	3	Horizontal	336	1.50	-
Mode 1	Pass	PK	4.904G	47.36	74.00	-26.64	3	Horizontal	18	1.74	-
Mode 1	Pass	PK	10.36G	58.49	88.20	-29.71	3	Horizontal	175	1.87	-
Mode 1	Pass	PK	12.85G	60.43	88.20	-27.77	3	Horizontal	46	1.67	-
Mode 1	Pass	PK	15.54G	65.29	74.00	-8.71	3	Horizontal	336	1.50	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

