



SBG50CGA438A LABEL Positions


Device label on device bottom, two separate labels



QR label stick on side of the device




Giftbox label stick on giftbox, follow label position




Pallet label 4pcs/pallet, stick on different side of the pallet.

Carton label stick on carton box, follow label mark.



40FT 144 pcs/Pallet
(3 pcs/Carton x 48 Cartons)



REVISIONS	
Created new drawing.	
01/21/25	
Modify label contents.	
02/26/25	
Modify label based on retail rule	
05/20/25	
Modify QR code and QSG label contents	
05/22/25	

Label Specification, SBG50CGA438A Label Specification

VANTIVA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF VANTIVA
VANTIVA
AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

6352823A

Part Number: 6352817A (Device Label)

Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm

REVISIONS	
Created new drawing.	
01/21/25	001

vantiva
Power Rating: 12V --- 3.0A ---
Model: SBG50 | MADE IN INDONESIA
Need Help: www.surfboard.com/consumersupport

Wi-Fi 7
CERTIFIED

UL US
LISTED
L1E
E198937

FC
FCC ID: G95SBG50

HW Version: XX
WAN MAC: XXXXXXXXXXXXX
SN: CPXXXXXXXX
05202025F69


This SN is for foolproof since three seperate device labels

SN: CPXXXXXXXX

HFC MAC: XXXXXXXXXXXXX

Web UI Access: <http://192.168.0.1>
Web UI Password: 123456789012345
Wi-Fi SSID: XXXXXXXX
Wi-Fi Security Key: XXXXXXXXXXXXXXXXX

PGT print



vendor pre-printed



packaging style


Notes:
Font: Arial
SN: CPYYWWPPXXX
CP : Fixed
YY = Year of production; 2022 = 22
WW = Week of production
PP:
Range "CJ" for DEV units SBG50CGA438A
Range "CK" for PROD units SBG50CGA438A
XXX: incremental alphanumeric combination, Max 33*33*33 = 35,937Kpcs per week
The barcoded serialnumbers should not include any space. Text add squares for each 4 digits.

Label Specification, SBG50CGA438A Device Label


VANTIVA
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF VANTIVA
AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

Part Number: 6351064A(QR label)

Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm



packaging style



Vendor

QR contents:
WIFI:T:<security_type>;S:<SSID>;P:<password>;
HFCMAC:<CM MAC Address>;MO:<ModelID>;SN:<Serial Number>;
SSID:<Wi-Fi Name>;MODE:<Wi-Fi Security Mode>;
PA:<Wi-Fi Security Passphrase>;V:<Vendor>;
FA:<Product Family>;WANMAC:<WAN MAC Address>
(- No spaces behind/before ;; or ; or :)


REVISIONS	
Created new drawing.	
11/18/24	001
Modify QR code and QSG label contents	
05/22/25	

Part Number: 6352819A(Giftbox Label)

Notes:
Label size: 90 *40mm
Font: Arial
UPC Code: 850030172389
SN: The barcoded serialnumbers should not include any space. Text add squares for each 4 digits.

Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm

REVISIONS	
Created new drawing.	
01/21/25	001



The distance between printing and edge of label is 3.5mm (indicated by dotted lines)

PGT print




vendor pre-printed

Label Specification, SBG50CGA438A Giftbox Label

Part Number: 6352821A(Pallet Label)

Notes:
Label size: 125*65mm
Font: Arial Bold, size 24pt
Pallet ID = P M M M P P Y W W D N N N N
P - This is a Constant. P for Pellet.
M M M
 M M M=515 for S B G 5 0 C G A 4 3 8 A - P R O D
 M M M=516 for S B G 5 0 C G A 4 3 8 A - D E V
P P - Plant. Pegatron Batam(New) = 69
Y = Year of production; 8=2018
W W = Week of production;
D = Day of production;
N N N N = Counter. Reset to 0001 every day;



Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm

REVISIONS	
Created new drawing.	
01/21/25	001
Modify based on retail rule	
05/20/25	

Label Specification, S B G 5 0 C G A 4 3 8 A Pallet Label

Part Number: 6355174A(QSG Label)

Notes:
Label size: 82*31mm
Stick on QSG
Font: Arial
QR code size: 19 *19mm; Contents same as QR label 6351064A
SN text: add squares for each 4 digits.
The distance between printing and edge of label is 3.5mm

Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm

REVISIONS	
Created new drawing.	
05/20/25	001
Modify QR code and QSG label contents	
05/22/25	

Model:

SBG50

HFC MAC Address:

0102030405060708

Serial Number:

CPYYWWPPXXX




Label Specification, SBG50CGA438A QSG Label

Part Number: 6353957A(Seal Label)

Notes:
Seal label for PE bag
Label should be faced up when users open product gift boxes

Dimension	Tolerance
0-50mm	+/- 0.20mm
50-200mm	+/- 0.25mm

REVISIONS	
Created new drawing.	
05/20/25	001



vendor pre-printed

Label Specification, SBG50CGA438A Seal Label