







Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.38	0.10	10.48	17.00	Pass
40	5200	10.24	0.10	10.34	17.00	Pass
48	5240	10.46	0.10	10.57	17.00	Pass




Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.77	0.10	10.88	17.00	Pass
40	5200	10.48	0.10	10.59	17.00	Pass
48	5240	10.62	0.10	10.72	17.00	Pass




Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.51	0.10	10.62	17.00	Pass
40	5200	10.59	0.10	10.70	17.00	Pass
48	5240	10.78	0.10	10.88	17.00	Pass



Date: 11.APR.2025 10:42:42




Date: 11.APR.2025 10:57:02




Date: 11.APR.2025 11:02:43

Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.91	0.10	10.01	17.00	Pass
40	5200	9.77	0.10	9.88	17.00	Pass
48	5240	10.09	0.10	10.19	17.00	Pass



Date: 11.APR.2025 10:46:25



Date: 11.APR.2025 10:59:12




Date: 11.APR.2025 11:03:21

Test Mode UNII-1_TX BE(EHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.53	17.00	Pass
40	5200	16.41	17.00	Pass
48	5240	16.62	17.00	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.19	0.19	8.38	17.00	Pass
46	5230	8.04	0.19	8.23	17.00	Pass




Date: 11.APR.2025 13:32:56




Date: 11.APR.2025 13:38:50

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.19	0.19	8.39	17.00	Pass
46	5230	8.17	0.19	8.36	17.00	Pass




Date: 11.APR.2025 13:33:50




Date: 11.APR.2025 13:42:24

Test Mode UNII-1_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.07	0.19	8.26	17.00	Pass
46	5230	8.14	0.19	8.33	17.00	Pass




Date: 11.APR.2025 13:13:11




Date: 11.APR.2025 13:44:30

Test Mode UNII-1_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.89	0.19	8.08	17.00	Pass
46	5230	7.81	0.19	8.00	17.00	Pass



Date: 11.APR.2025 13:13:17




Date: 11.APR.2025 13:46:21

Test Mode UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.30	17.00	Pass
46	5230	14.25	17.00	Pass


Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.99	0.36	5.35	17.00	Pass




Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.24	0.36	5.59	17.00	Pass




Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.82	0.10	4.93	11.00	Pass
60	5300	4.60	0.10	4.70	11.00	Pass
64	5320	4.64	0.10	4.74	11.00	Pass



Date: 11.APR.2025 11:04:33




Date: 11.APR.2025 11:18:27




Date: 11.APR.2025 11:31:30

Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.97	0.10	5.08	11.00	Pass
60	5300	4.33	0.10	4.43	11.00	Pass
64	5320	4.64	0.10	4.75	11.00	Pass



Date: 11.APR.2025 11:05:52




Date: 11.APR.2025 11:21:01




Date: 11.APR.2025 11:34:30

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.16	0.19	2.35	11.00	Pass
62	5310	1.94	0.19	2.13	11.00	Pass




Date: 11.APR.2025 13:49:45




Date: 11.APR.2025 13:55:21

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.34	0.19	2.53	11.00	Pass
62	5310	2.05	0.19	2.24	11.00	Pass




Date: 11.APR.2025 13:50:26




Date: 11.APR.2025 13:57:35

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.16	0.19	2.35	11.00	Pass
62	5310	2.07	0.19	2.27	11.00	Pass




Date: 11.APR.2025 13:51:18




Date: 11.APR.2025 13:58:42

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.21	0.19	2.40	11.00	Pass
62	5310	1.89	0.19	2.08	11.00	Pass



Date: 11.APR.2025 13:52:18




Date: 11.APR.2025 13:59:38

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.43	11.00	Pass
62	5310	8.20	11.00	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.87	0.36	-0.52	11.00	Pass



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.83	0.36	-0.47	11.00	Pass



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.82	0.36	-0.47	11.00	Pass



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.77	0.36	-0.41	11.00	Pass




Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.55	11.00	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.05	0.59	-2.46	11.00	Pass



Date: 11.APR.2025 15:09:07

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.28	0.59	-2.69	11.00	Pass



Date: 11.APR.2025 15:09:33

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.08	0.59	-3.49	11.00	Pass



Date: 11.APR.2025 15:10:06

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.09	0.59	-2.50	11.00	Pass




Date: 11.APR.2025 15:10:34

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.26	11.00	Pass


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.73	0.10	4.83	11.00	Pass
116	5580	4.57	0.10	4.68	11.00	Pass
140	5700	4.36	0.10	4.47	11.00	Pass




Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.59	0.10	4.69	11.00	Pass
116	5580	4.41	0.10	4.51	11.00	Pass
140	5700	4.67	0.10	4.77	11.00	Pass




Test Mode UNII-2C_TX BE(EHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.02	0.10	5.12	11.00	Pass
116	5580	4.72	0.10	4.83	11.00	Pass
140	5700	4.62	0.10	4.73	11.00	Pass



Date: 11.APR.2025 11:46:06




Date: 11.APR.2025 11:50:47




Date: 11.APR.2025 11:53:10

Test Mode UNII-2C_TX BE(EHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.72	0.10	4.83	11.00	Pass
116	5580	4.68	0.10	4.79	11.00	Pass
140	5700	4.59	0.10	4.70	11.00	Pass



Date: 11.APR.2025 11:47:25



Date: 11.APR.2025 11:51:09




Date: 11.APR.2025 11:53:41

Test Mode UNII-2C_TX BE(EHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.89	11.00	Pass
116	5580	10.72	11.00	Pass
140	5700	10.69	11.00	Pass

Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.07	0.19	2.26	11.00	Pass
110	5550	1.83	0.19	2.03	11.00	Pass
134	5670	2.00	0.19	2.19	11.00	Pass



Date: 11.APR.2025 14:04:13




Date: 11.APR.2025 14:08:11




Date: 11.APR.2025 14:11:46

Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.54	0.19	2.73	11.00	Pass
110	5550	2.28	0.19	2.47	11.00	Pass
134	5670	2.06	0.19	2.25	11.00	Pass



Date: 11.APR.2025 14:05:13






Date: 11.APR.2025 14:08:37



Date: 11.APR.2025 14:12:25




Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.76	0.19	2.95	11.00	Pass
110	5550	2.44	0.19	2.63	11.00	Pass
134	5670	1.80	0.19	1.99	11.00	Pass



Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.41	0.19	2.60	11.00	Pass
110	5550	2.16	0.19	2.35	11.00	Pass
134	5670	2.16	0.19	2.35	11.00	Pass




Test Mode UNII-2C_TX BE(EHT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.66	11.00	Pass
110	5550	8.39	11.00	Pass
134	5670	8.22	11.00	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.64	0.36	-0.28	11.00	Pass
122	5610	-0.48	0.36	-0.13	11.00	Pass




Date: 11.APR.2025 14:13:24




Date: 11.APR.2025 14:41:47

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.59	0.36	-0.23	11.00	Pass
122	5610	-0.41	0.36	-0.05	11.00	Pass




Date: 11.APR.2025 14:13:50




Date: 11.APR.2025 14:42:14

Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.24	0.36	0.11	11.00	Pass
122	5610	-0.89	0.36	-0.53	11.00	Pass




Date: 11.APR.2025 14:38:20




Date: 11.APR.2025 14:43:28

Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.94	0.36	-0.58	11.00	Pass
122	5610	-0.74	0.36	-0.39	11.00	Pass



Date: 11.APR.2025 14:39:46




Date: 11.APR.2025 14:45:48

Test Mode UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.78	11.00	Pass
122	5610	5.75	11.00	Pass


Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.50	0.59	-2.91	11.00	Pass




Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.59	0.59	-3.00	11.00	Pass




Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.32	0.59	-2.73	11.00	Pass



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.48	0.59	-2.89	11.00	Pass




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.14	11.00	Pass


Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.38	8.37	0.10	8.47	30.00	Pass
157	5785	1.44	8.43	0.10	8.53	30.00	Pass
165	5825	1.02	8.01	0.10	8.12	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 13:12:35



Date: 11.APR.2025 13:17:30




Date: 11.APR.2025 13:29:12


Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.53	8.52	0.10	8.63	30.00	Pass
157	5785	1.44	8.43	0.10	8.54	30.00	Pass
165	5825	1.01	8.00	0.10	8.11	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 13:12:59




Date: 11.APR.2025 13:18:03




Date: 11.APR.2025 13:29:32

Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.56	8.55	0.10	8.66	30.00	Pass
157	5785	2.08	9.07	0.10	9.17	30.00	Pass
165	5825	2.12	9.11	0.10	9.21	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


Date: 11.APR.2025 13:14:24




Date: 11.APR.2025 13:18:25




Date: 11.APR.2025 13:29:57

Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.97	7.96	0.10	8.07	30.00	Pass
157	5785	1.02	8.01	0.10	8.11	30.00	Pass
165	5825	0.45	7.44	0.10	7.54	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


Date: 11.APR.2025 13:14:59



Date: 11.APR.2025 13:18:58



Date: 11.APR.2025 13:30:18


Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.48	30.00	Pass
157	5785	14.63	30.00	Pass
165	5825	14.31	30.00	Pass


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.13	5.86	0.19	6.05	30.00	Pass
159	5795	-0.99	6.00	0.19	6.19	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 14:16:36




Date: 11.APR.2025 14:19:47


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.25	5.74	0.19	5.93	30.00	Pass
159	5795	-0.89	6.10	0.19	6.29	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 14:17:05




Date: 11.APR.2025 14:20:12


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.57	6.42	0.19	6.61	30.00	Pass
159	5795	-0.45	6.54	0.19	6.73	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 14:18:11




Date: 11.APR.2025 14:21:04


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.76	5.23	0.19	5.42	30.00	Pass
159	5795	-1.53	5.46	0.19	5.65	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 11.APR.2025 14:18:38



Date: 11.APR.2025 14:21:34


Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.04	30.00	Pass
159	5795	12.25	30.00	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.04	3.95	0.36	4.31	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.04	2.95	0.36	3.31	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.41	3.58	0.36	3.94	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.79	2.20	0.36	2.55	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.60	30.00	Pass

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5180.0168
120	5180.0168
102	5180.0172
Maximum Deviation (MHz)	0.0172
Maximum Deviation (ppm)	3.32

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0180
10	5180.0018
20	5180.0160
30	5180.0148
40	5180.0176
Maximum Deviation (MHz)	0.0180
Maximum Deviation (ppm)	3.47

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5260.0164
120	5260.0152
102	5260.0144
Maximum Deviation (MHz)	0.0164
Maximum Deviation (ppm)	3.12

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0152
10	5260.0160
20	5260.0164
30	5260.0172
40	5260.0144
Maximum Deviation (MHz)	5260.0172
Maximum Deviation (ppm)	3.27

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5500.0192
120	5500.0184
102	5500.0184
Maximum Deviation (MHz)	0.0192
Maximum Deviation (ppm)	3.49

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0180
10	5500.0176
20	5500.0168
30	5500.0164
40	5500.0188
Maximum Deviation (MHz)	0.0188
Maximum Deviation (ppm)	3.42

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5745.0200
120	5745.0164
102	5745.0160
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.48

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0152
10	5745.0148
20	5745.0148
30	5745.0148
40	5745.0160
Maximum Deviation (MHz)	0.0160
Maximum Deviation (ppm)	2.79

End of Test Report

