

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo
備註	**Av:版本**				

101.00 mm

THOMSON

Part No.:DSLXXXXXXXXXX

Modelname: Wifi Tablet

Serial Numbers :

DYDYD20UUUUUUUCC

DYDYD20UUUUUUUCC

DYDYD20UUUUUUUCC

DYDYD20UUUUUUUCC

DYDYD20UUUUUUUCC

Carton ID:XXXXX OF XXXXX

Q'TY : 5 PCS

Date:

MM/DD/YY

Time:

HH/MM/SS

MADE IN PRC

**Attention **
Carton Label


Remark:
1.LOGO: Black color
2.MAC.S/N.provided by Thomson
3.S/N format refer to P7
--- DDD:Manufacture Date
--- YY: Manufacture Year
---20:S/N version
---UUUUUU:unique part of the serial number
---CC:S/N Checksum
5.Barcode:Code39(barcode height 4mm)
6.Font: Arial

確認簽名

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo

備註	AV:版本 ETSI:規格
----	---------------

Label -1 -Product label



****Attention****

- 1. Character : Arial bold, font
- 2. Label dimension: 40*40mm

Remark:


- 1.LOGO: Black color
- 2.MAC.S/N.provided by Thomson
- 3.S/N format refer to P7
 - DDD:Manufacture Date
 - YY: Manufacture Year
 - 20:S/N version
 - UUUUUU:unique part of the serial number
 - CC:S/N Checksum
- 5.Barcode:Code39(barcode height 4mm)
- 6.Font: Arial

確認簽名	
------	--

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo

備註	AV:版本 ETSI:規格
----	---------------

Label -2-Cradle label



****Attention****


- 1. Character : Arial bold, font
- 2. Label dimension: 30*20mm

確認簽名	
------	--

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo

備註	AV:版本 ETSI:規格
----	---------------

White Box label



****Attention****

- 1. Character : Arial bold, font
- 2. Label dimension : 64*28mm


Remark:

- 1.LOGO: Black color
- 2.MAC.S/N.provided by Thomson
- 3.S/N format refer to P7
- DDD:Manufacture Date
- YY: Manufacture Year
- 20:S/N version
- UUUUUU:unique part of the serial number
- CC:S/N Checksum
- 5.Barcode:Code39(barcode height 4mm)
- 6.Font: Arial

確認簽名	
------	--

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo
備註	AV:版本 ETSI:規格				


Label -1 -Product label



確認簽名	
------	--

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo
備註	AV:版本 ETSI:規格				

Label -2-Cradle label



確認簽名	
------	--

日期	產品機種	產品料號	客戶名稱	申請者	設計者
2008.6.5	POMMES	7332POMMES*0EA1	THOMSON	Gloria Tang	Karen Lo
備註	Av為版本				

1. Serial number algorithms

a) Alphanumeric serials (default)

This algorithm generates alphanumerical serial numbers..

Serial	D1	Y1	D2	Y2	D3	V1	V2	U1	U2	U3	U4	U5	U6	C1	C2
Example	0	0	3	5	4	2	2	B	0	1	8	9	0	A	2

- D1 to D3 : Day number of the last test (from 1 to 366), integer
Eg: 3 February is the 34th day of the year.
D1=0, D2=3, D3=4
- Y1 to Y2 : Last two digits of the year, integer
Eg: year 2005
Y1=0, Y2=5
- V1 to V2 : Serial number version.
The current version for alphanumeric serials is 22.
V1=2, v2=2
- U1 to U6
This is the unique part of the serial number and is made of the hexadecimal representation of the XOR operation performed between the 3 least significant bits of the MAC address assigned to the modem and the three bits 0x494E56
Eg : Considering the MAC address 0x00073AF956C6, the first XOR argument is 0xF956C6, the second argument is always 0x494E56 and the XOR result is 0xB01890.
Then U1=B, U2=0, U3=1, U4=8, U5=9, U6=0.
- C1 to C2 : Serial number checksum, hexadecimal number
The ASCII value of the 13 characters (not including the checksum itself) of the serial number are added together. The last (on the right) two digits of the hexadecimal representation of the sum (left padded with zero is lower than 0xFF) is the checksum.
Eg: Considering the 14 left characters of a serial number : 0035422B01890, the sum equals 0x2A4. The checksum is then 0xA2: C1=A, C2=4.

確認簽名