MODEL:28871AALUSSRCG
Customer Model:28871FE2-A
TITLE:PACKING S/NO LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.	ENG-28871-09		
REV.#	B	PAGE NO.	2/9
PREP.BY	Mary lee		
APPR.BY			

S/N LABEL
Size: 56X15MM

Stock: Permanent pressure sensitive white label(mirror coated)

S/N LABEL
Size: 56X15MM

Barcode Format: code 39
Barcode content: Model no. + date code

Date code format:

D=Day of week(E.g.: 1=Mon, 2=Tue 3=Wed, 4=Thu, etc.)
Y=last digital of year(E.g.: 5=2005, 6=2006, etc.)
WW=Fiscal week(E.g.:01=week 1, 02=Week 2, etc.)
WT=Factory ID(E.g.:WT=Wisetronics. GF= FY Giant)

Serial number format:

E. g S/NO 70000001

Year manufacturer(7=2007)
Repeating instrument
Line number(0000001-9999999)

Line number(0000001-9999999)
a> For new model or new version letter, the serial number starts wit 0000001.
E.g.: Model 2-6920A last unit S/No 50333336
Model 2-6920B first unit S/No 50000001
b> For existing model, serial number will continue from where it stopped with exception that the first digit changed to represent the last digit of the year.
E.g.: In 2005 last unit S/No 50333336
In 2006 first unit S/No 60333337

Note: Serial number shall be 8 digital running sequentially (zero filled where necessary). No two units from the same product shall bear identical serial number.

Barcode Content

Start/stop codes will not be included in barcode.
Barcode shall contain Model Number, Version Letter, Date Code and Factory ID Code.
Serial Number will **not** be inclrded in barcode,
Spaces and other field delimiters should **not** be included into barcode data string.
Barcode format: code 39
all alpha-number characters printed on label to be at least 1. 9mm(0. 075in.) In height. All alphabets shall be printed upper-case.

MODEL:28871AALUSSRCG
Customer Model:28871FE2-A

TITLE:PACKING INFORMATION FOR HANDSET LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.		ENG-28871-09	
REV.#	B	PAGE NO.	4/9
PREP.BY	Mary lee		
APPR.BY			

H/S back



H/S bottom



Model:28871FE2-A
S/N:7 0000001

ENGRAVE MARKING

HS Label
P/N:KEM-PK28611
SIZE 25X8mm
USE BLANK LABEL PRINTING
P/N:KEM -PK18460-99

1:1



Checked by our electron team

Batteries were separate wrapped with one polybag

*Photo direction

Battery door and batteries were wrapped with one polybag

*Photo direction



Pls provide the No. of battery prior to use sheet

MODEL:28871AALUSSRCG
Customer Model:28871FE2-A

TITLE:PACKING INFORMATION FOR BASE LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.		ENG-28871-09	
REV.#	B	PAGE NO.	5/9
PREP.BY	Mary lee		
APPR.BY			



MODEL:28871AALUSSRCG
Customer Model:28871FE2-A

TITLE:PACKING INFORMATION FORCHARGER LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.		ENG-28871-09	
REV.#	B	PAGE NO.	6/8
PREP.BY	Mary lee		
APPR.BY			

Charger back



ENGRAVE MARKING
checked by our mech team

Charger bottom



S/N LABEL
SIZE: W56H15mm

MODEL:28861AALUSSRCG
Customer Model:28861FE2-A
TITLE:PACKING S/NO LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.	ENG-28861-09		
REV.#	B	PAGE NO.	2/9
PREP.BY	Mary lee		
APPR.BY			

S/N LABEL
Size: 56X15MM

Stock: Permanent pressure sensitive white label(mirror coated)

S/N LABEL
SIZE:50 X 15 MM

Barcode Format: code 39
Barcode content: Model no. + date code

Date code format:

D=Day of week(E.g.: 1=Mon, 2=Tue 3=Wed, 4=Thu, etc.)
Y=last digital of year(E.g.: 5=2005, 6=2006, etc.)
WW=Fiscal week(E.g.:01=week 1, 02=Week 2, etc.)
WT=Factory ID(E.g.:WT=Wisetronics. GF= FY Giant)

Serial number format:

E.g S/NO 70000001

Year manufacturer(7=2007)
Repeating instrument
Line number(0000001-9999999)

Line number(0000001-9999999)
a> For new model or new version letter, the serial number starts wit 0000001.
E.g.: Model 2-6920A last unit S/No 50333336
Model 2-6920B first unit S/No 50000001
b> For existing model, serial number will continue from where it stopped with exception that the first digit changed to represent the last digit of the year.
E.g.: In 2005 last unit S/No 50333336
In 2006 first unit S/No 60333337

Note: Serial number shall be 8 digital running sequentially (zero filled where necessary). No two units from the same product shall bear identical serial number.

Barcode Content

Start/stop codes will not be included in barcode.
Barcode shall contain Model Number, Version Letter, Date Code and Factory ID Code.
Serial Number will **not** be inclrded in barcode,
Spaces and other field delimiters should **not** be included into barcode data string.
Barcode format: code 39
all alpha-number characters printed on label to be at least 1.9mm(0.075in.) In height. All alphabets shall be printed upper-case.

MODEL:28861AALUSSRCG
Customer Model:28861FE2-A

TITLE:PACKING INFORMATION FOR HANDSET LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.		ENG-28861-09	
REV.#	B	PAGE NO.	4/9
PREP.BY	Mary lee		
APPR.BY			

H/S back



H/S bottom



HS Label
P/N:KEM-PK28611
SIZE 25X8mm
USE BLANK LABEL PRINTING
P/N:KEM -PK18460-99

1:1



Checked by our electron team

Batteries were separate wrapped with one polybag

*Photo direction

Battery door and batteries were wrapped with one polybag

*Photo direction

Bttery sheet

XXXXXXXX(rev. 0)

Pls provide the No. of prior to use sheet

MODEL:28861AALUSSRCG
Customer Model:28861FE2-A

TITLE:PACKING INFORMATION FOR BASE LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.	ENG-28861-09		
REV.#	B	PAGE NO.	5/9
PREP.BY	Mary lee		
APPR.BY			





Sensormatic security tag inside base rear cabin
P/N:KEM-PK5967-01

MODEL:28861AALUSSRCG
Customer Model:28861FE2-A

TITLE:PACKING INFORMATION FORCHARGER LABEL

GIANT N.T( )GTENG DEPT.			
DOCUMENT NO.		ENG-28861-09	
REV.#	B	PAGE NO.	6/8
PREP.BY	Mary lee		
APPR.BY			

Charger back



ENGRAVE MARKING
checked by our mech team

Charger bottom



S/N LABEL
SIZE: W56H15mm