

PARTS LIST PART TABULATION		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR D	
						DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		DATE 00-10-09	
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		S H E E T 1 OF 13			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER		PART OR IDENTIFYING NUMBER		NOMEN - CLATURE	DESCRIPTION		CODES
1	1					EA		7510367-5		7510367-5		PWB	DME CMPTR/VID		
2	1					EA	07187	0164-5		0164-5		WASHER	CRES 0.124 ID		V
3	1					EA	07187	0770-5		MS15795-803		WASHER	CRES 0.125 ID		
4	1					EA	07187	0919-14		MS51957-14		SCREW	PNH CRES 4-40X5-16		
5	1					EA	07187	2504359-6		NAS671C4		NUT	MIL-S-7742		
6	1					EA		7510199-100		7510199-100		CABLE	HEX CRES 4-40		V
51	28					EA		7011730-437		7011730-437		CAP	W 1 02		V
													0.10 UF !10% 50 VDCW		V
													SURFACE MOUNT		
													C 4 02 C 5 02 C 8 04		
													C 9 03 C 10 05 C 11 05		
													C 14 07 C 15 07 C 19 04		
													C 20 06 C 24 09 C 25 08		
													C 45 08 C 46 08 C 48 01		
													C 49 01 C 50 01 C 51 01		
													C 53 03 C 57 06 C105 10		
													C117 10 C124 12 C125 04		
													C126 04 C127 09 C128 09		
													C129 09		
53	24					EA		7011730-525		7011730-525		CAP	0.010 UF !10% 100 VDCW		V
													SURFACE MOUNT		
													C 17 06 C 18 06 C 26 12		
													C 27 12 C 29 12 C 30 04		
													C 31 04 C 39 12 C 41 12		
													C 44 12 C 54 03 C 55 04		
													C 56 02 C101 11 C106 11		
													C107 11 C108 11 C109 11		
													C110 11 C113 11 C114 11		
													C115 11 C116 11 C123 11		
55	3					EA		7011730-529		7011730-529		CAP	0.022 UF !10% 100 VDCW		V
													SURFACE MOUNT		
56	2					EA		7013064-317		7013064-317		CAP	C118 10 C119 10 C120 10		
													47 UF !10% 10 VDCW		V
													SURFACE MOUNT		
57	1					EA		7013064-515		7013064-515		CAP	C 12 05 C 47 05		
													22 UF !10% 20 VDCW		V
													SURFACE MOUNT		
58	1					EA		7013064-608		7013064-608		CAP	C 38 08		
													1.5 UF !10% 25 VDCW		V
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER)ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR	
						DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		D	
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY-DME CMPTR/VID		DATE 00-10-09		SHEET 2 OF 13	
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES			
59	1					EA		7013064-708	7013064-708	CAP	SURFACE MOUNT C 13 07 1.5 UF !10% 35 VDCW	V			
60	2					EA		7013064-811	7013064-811	CAP	SURFACE MOUNT C 7 02 4.7 UF !10% 50 VDCW	V			
61	2					EA		7500053-500	7500053-500	CAP	SURFACE MOUNT C111 11 C112 11 7.0 PF !10% 100 VDCW	V			
62	2					EA		7500054-100	7500054-100	CAP	C 1 02 C 23 09 10 PF !5% 50 VDCW	V			
64	2					EA		7500054-101	7500054-101	CAP	SURFACE MOUNT C 2 02 C 42 12 100 PF !5% 50 VDCW	V			
65	3					EA		7500054-102	7500054-102	CAP	SURFACE MOUNT C 58 02 C 61 12 1000 PF !5% 50 VDCW	V			
66	3					EA		7500054-150	7500054-150	CAP	SURFACE MOUNT C 34 12 C 35 12 C 36 12 15 PF !5% 50 VDCW	V			
68	3					EA		7500054-270	7500054-270	CAP	SMD C 16 06 C 22 09 C 28 06 27 PF !5% 50 VDCW	V			
69	3					EA		7500054-471	7500054-471	CAP	SURFACE MOUNT C 3 02 C 59 02 C 60 02 470 PF !5% 50 VDCW	V			
70	1					EA		7500054-472	7500054-472	CAP	SURFACE MOUNT C 33 12 C 37 12 C 40 12 4700 PF !5% 50 VDCW	V			
71	2					EA		7500054-680	7500054-680	CAP	SMD C 52 02 68 PF !5% 50 VDCW	V			
73	5					EA		7500075-101	7500075-101	DIODE	SURFACE MOUNT C 21 09 C 43 07 STATIC SENSITIVE DEVICE	V			
74	3					EA		7500077-18	7500077-18	DIODE	SURFACE MOUNT CR 2 12 CR 3 12 CR 4 12 CR 6 12 CR 7 08 STATIC SENSITIVE DEVICE	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS			FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)							
X NO SPECIFIC QTY REQD (QTY TABLE)			- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)							
* ORIGINAL CONFIGURATION (QTY TABLE)			- AW/PS CRITICAL ITEMS					4 BULK OR SUNDRY ITEM							
MATERIAL CODE (NOT A DWG)			- SPECIAL CONFIGURATION CONTROL ITEMS					5 REFERENCE DOCUMENT							
_ NOT APPLICABLE								7 MACHINED CASTING DWG							
								3 ASSEMBLY							
								8 SELECT PER AO OR MI							
								V VENDOR (SUPPLIER)ITEM-							
								SPEC SOURCE DWG							
								* CUSTOMER-FURNISHED ITEM							
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell				PRODUCT ENGINEER		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR	
						M. HOWK				55939		PL 7510180-905		D	
						DESIGN CHECKER		END ITEM							
PART TABULATION		STATIC SENS				NEXT ASSY		LIST TITLE		SHEET		DATE		00-10-09	
						7510184		CIRCUIT CARD ASSEMBLY-DME CMPTR/VID		3 OF 13					
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES			
75	3					EA	07187	2503896-36	2503896-36	C0IL	SURFACE MOUNT CR 1 05 CR 8 05 CR 11 05 4.70 UH !10% L 5 01 L 6 01 L 7 01	V			
76	4					EA	58960	632660-24	632660-24	C0IL	330 UH ! 5% L 1 12 L 2 12 L 3 12 L 4 12	V			
77	1					EA		7004975-16	7004975-16	C0NN	P 3 14	V			
78	1					EA		7010917-120	7010917-120	XSTR	STATIC SENSITIVE DEVICE IRFD9120 Q 1 05	V			
79	1					EA		7012042-103	7012042-103	XSTR	STATIC SENSITIVE DEVICE BSR14	V			
80	1					EA		7012042-201	7012042-201	XSTR	SURFACE MOUNT Q105 08 NPN	V			
81	1					EA		7012043-202	7012043-202	XSTR	MXTA43 SMD STATIC SENSITIVE DEVICE Q104 10	V			
82	1					EA		7500385-511	7500385-511	XSTR	PNP SMD STATIC SENSITIVE DEVICE Q101 10	V			
83	2					EA		7500619-29	7500619-29	XSTR	PNP STATIC SENSITIVE DEVICE Q103 10	V			
84	4					EA	07187	2500639-35	2500639-35	RESIST0R	NPN DARLINGTON STATIC SENSITIVE DEVICE Q106 11 Q107 11 5000 0HMS !5% 1 W	V			
87	1					EA		337708-35	RW69V2R7	RESIST0R	R 7 07 R 13 07 R102 11 R103 11 2.7 0HMS !5% 3 W				
88	2					EA		7500042-241	7500042-241	RESIST0R	MIL-R-26/4 R120 10 26.7 0HMS !1% 1/4 W	V			
89	8					EA		7500042-268	7500042-268	RESIST0R	SURFACE MOUNT R 69 02 R 83 05 51.1 0HMS !1% 1/4 W	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS			FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)							
X NO SPECIFIC QTY REQD (QTY TABLE)			- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)							
* ORIGINAL CONFIGURATION (QTY TABLE)			- AW/PS CRITICAL ITEMS					4 BULK OR SUNDRY ITEM							
MATERIAL CODE (NOT A DWG)			- SPECIAL CONFIGURATION CONTROL ITEMS					5 REFERENCE DOCUMENT							
_ NOT APPLICABLE								2 SUBSEQUENT SELECT (ITEMS)							
								7 MACHINED CASTING DWG							
								3 ASSEMBLY							
								8 SELECT PER AO OR MI							
								V VENDOR (SUPPLIER)ITEM-SPEC SOURCE DWG							
								* CUSTOMER-FURNISHED ITEM							
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST PART TABULATION		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO. 55939		DRAWING NO. PL 7510180-905		REV. LTR D	
						DESIGN CHECKER		END ITEM 7510100		CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		DATE 00-10-09			
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184				S H E E T 4 OF 13			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION		CODES		
91	6					EA		7500042-296	7500042-296	RESISTOR	SURFACE MOUNT R112 11 R113 11 R114 11 R115 11 R116 10 R117 10 R118 10 R183 02 100 0HMS !1% 1/4 W V SURFACE MOUNT R 1 02 R 25 12 R 70 02 R 71 02 R 73 03 R184 09 267 0HMS !1% 1/4 W V SMD R 8 07				
92	1					EA		7500042-337	7500042-337	RESISTOR	511 0HMS !1% 1/4 W V SURFACE MOUNT R 24 12 R 28 12 R 29 12 R 66 04 R130 11 R131 11 1000 0HMS !1% 1/4 W V SURFACE MOUNT R 11 07 R 18 06 R 26 12 R 30 12 R 32 12 R 51 06 R 63 03 R 64 03 R 74 03 R 75 03 R 76 03 R 77 03 R 78 03 R 79 09 R 80 09 R 81 09 R 84 04 R 85 04 R 86 04 R171 10 R177 08				
93	6					EA		7500042-364	7500042-364	RESISTOR	3010 0HMS !1% 1/4 W V SURFACE MOUNT R 9 07 R 27 12 R127 10 5110 0HMS !1% 1/4 W V SURFACE MOUNT R 4 09 R 40 07 R 43 08 R 65 03 R104 11 R105 11 R106 11 R109 11 R121 10 R122 10 R125 10 R140 13				
96	21					EA		7500042-392	7500042-392	RESISTOR	10,000 0HMS !1% 1/4 W V SURFACE MOUNT R 10 07 R 12 07 R 22 04 R 37 06 R 39 12 R 41 07 R 42 07 R 50 08 R 52 12 R 53 07 R 54 04 R 55 04				
98	3					EA		7500042-438	7500042-438	RESISTOR					
100	12					EA		7500042-460	7500042-460	RESISTOR					
102	29					EA		7500042-488	7500042-488	RESISTOR					
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER)ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR			
PART TABULATION						DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		DATE			
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		SHEET 5 OF 13					
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES					
103	3					EA		7500042-505	7500042-505	RESISTOR	R 59 04 R 60 04 R 61 04 R 62 02 R132 11 R133 11 R170 10 R172 10 R173 10 R174 10 R175 10 R176 08 R178 08 R179 08 R180 08 R181 08 R182 05 15,000 OHMS !1% 1/4 W SURFACE MOUNT	V					
104	2					EA		7500042-509	7500042-509	RESISTOR	R 6 02 R 23 04 R 34 12 16,500 OHMS !1% 1/4 W SURFACE MOUNT	V					
107	9					EA		7500042-517	7500042-517	RESISTOR	R 15 07 R 58 04 20,000 OHMS !1% 1/4 W SURFACE MOUNT	V					
108	1					EA		7500042-534	7500042-534	RESISTOR	R 14 07 R 31 12 R108 11 R111 11 R123 10 R124 10 R128 10 R134 10 R135 10 30,100 OHMS !1% 1/4 W SURFACE MOUNT	V					
109	2					EA		7500042-541	7500042-541	RESISTOR	R 56 04 35,700 OHMS !1% 1/4 W SMD	V					
111	12					EA		7500042-556	7500042-556	RESISTOR	R 33 12 R 46 12 51,100 OHMS !1% 1/4 W SURFACE MOUNT	V					
112	2					EA		7500042-568	7500042-568	RESISTOR	R 3 02 R 16 05 R 17 05 R 38 12 R 44 08 R 45 07 R 49 08 R 67 04 R 68 05 R107 11 R110 11 R129 06 68,100 OHMS !1% 1/4 W SURFACE MOUNT	V					
113	1					EA		7500042-578	7500042-578	RESISTOR	R 5 02 R 48 08 86,600 OHMS !1% 1/4 W SMD	V					
114	2					EA		7500042-584	7500042-584	RESISTOR	R 57 04 0.100 MEGOHMS !1% 1/4 W SURFACE MOUNT	V					
115	4					EA		7500042-617	7500042-617	RESISTOR	R 36 12 R 72 03 0.221 MEGOHMS !1% 1/4 W	V					
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																	
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE			FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS					- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER)ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM				
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.																	

PARTS LIST		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR D	
						DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		DATE 00-10-09	
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		S H E E T 6 OF 13			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER		PART OR IDENTIFYING NUMBER		NOMEN-CLATURE	DESCRIPTION		CODES
117	6					EA		7500033-1		7500033-1		TERMINAL	SURFACE MOUNT R 2 02 R 21 09 R 35 12 R 47 12 TP 3 07 TP 4 08 TP 5 08V TP 6 08 TP 8 02 TP 9 09		
118	1					EA		7026481-400		7026481-400		MICROCKT	STATIC SENSITIVE DEVICE		
119	1					EA		7500136-25		7500136-25		MICROCKT	U 31 08 STATIC SENSITIVE DEVICE		V
120	1					EA		7500178-2		7500178-2		MICROCKT	LM336 SURFACE MOUNT U 26 06 STATIC SENSITIVE DEVICE		V
121	1					EA		7012044-103		7012044-103		AMP	LM335 SURFACE MOUNT U 27 04 HIGH SPEED		V
122	1					EA		7012044-402		7012044-402		AMP	LM218 SMD STATIC SENSITIVE DEVICE U 32 12		V
123	2					EA		7012044-406		7012044-406		AMP	TL084 SURFACE MOUNT U 21 07 STATIC SENSITIVE DEVICE		V
124	1					EA		7012045-556		7012045-556		MICROCKT	LT1014 SURFACE MOUNT U 15 06 U 16 07 TIMER		V
125	1					EA		7013101-103		7013101-103		MICROCKT	556 SMD STATIC SENSITIVE DEVICE U 12 02 SINGLE COMPARATOR		V
126	1					EA		7013101-201		7013101-201		MICROCKT	SMD STATIC SENSITIVE DEVICE U 18 06 STATIC SENSITIVE DEVICE		V
127	2					EA		7013101-402		7013101-402		MICROCKT	SURFACE MOUNT U 23 12 STATIC SENSITIVE DEVICE		V
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER)ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell				PRODUCT ENGINEER		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR	
						M. HOWK				55939		PL 7510180-905		D	
						DESIGN CHECKER		END ITEM							
PART TABULATION		STATIC SENS				NEXT ASSY		LIST TITLE		SHEET		DATE		7 OF 13	
						7510184		CIRCUIT CARD ASSEMBLY-DME CMPTR/VID				00-10-09			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES			
128	1					EA		7013844-100	7013844-100	MICR0CKT	LM2901 SURFACE MOUNT U 30 08 U104 10 STATIC SENSITIVE DEVICE SURFACE MOUNT	V			
129	1					EA		7016061-250	7016061-250	MICR0CKT	U 5 05 NVRAM 2004I-25 STATIC SENSITIVE DEVICE	V			
130	1					EA		7023643-34	7023643-34	MICR0CKT	U 10 05 PROGRAMABLE GATE ARRAY	V			
131	1					EA		7025724-101	7025724-101	MICR0CKT	U109 09 PROGRAMMED PROM STATIC SENSITIVE DEVICE	3			
132	1					EA		7500057-132	7500057-132	MICR0CKT	U110 09 STATIC SENSITIVE DEVICE	V			
133	1					EA		7500057-138	7500057-138	MICR0CKT	74HC132 SURFACE MOUNT U 13 02 STATIC SENSITIVE DEVICE	V			
134	1					EA		7500057-2	7500057-2	MICR0CKT	74HC138 SURFACE MOUNT U 9 04 N0R GATE	V			
135	1					EA		7500057-244	7500057-244	MICR0CKT	74HC02 SMD STATIC SENSITIVE DEVICE 74HC02 U 14 04 BUFFER/LINE DRIVER	V			
136	2					EA		7500057-373	7500057-373	MICR0CKT	74HC244 SMD STATIC SENSITIVE DEVICE U 33 03 D-LATCH	V			
137	2					EA		7500057-4	7500057-4	MICR0CKT	74HC373 SMD STATIC SENSITIVE DEVICE U 3 03 U 11 04 STATIC SENSITIVE DEVICE 74HC04 SURFACE MOUNT U 1 02 U108 09	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS				FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)						
X NO SPECIFIC QTY REQD (QTY TABLE)				- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)						
* ORIGINAL CONFIGURATION (QTY TABLE)				- AW/PS CRITICAL ITEMS					4 BULK OR SUNDRY ITEM						
MATERIAL CODE (NOT A DWG)				- SPECIAL CONFIGURATION CONTROL ITEMS					5 REFERENCE DOCUMENT						
_ NOT APPLICABLE									7 MACHINED CASTING DWG						
									8 SELECT PER AO OR MI						
									V VENDOR (SUPPLIER)ITEM-						
									SPEC SOURCE DWG						
									* CUSTOMER-FURNISHED ITEM						
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST PART TABULATION		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR	
						DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		D	
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		DATE 00-10-09		S H E E T 8 OF 13	
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN - CLATURE	DESCRIPTION	CODES			
138	1					EA		7500057-999	7500057-999	MICR0CKT	NAND GATE 74HC00 SMD STATIC SENSITIVE DEVICE U107 04	V			
139	3					EA		7500092-453	7500092-453	MICR0CKT	MUX/DEMUX 4053B SMD STATIC SENSITIVE DEVICE U 6 05 U 19 08 U 20 08	V			
140	2					EA		7500093-125	7500093-125	MICR0CKT	DG508A SURFACE MOUNT U 24 04 U 25 04	V			
141	1					EA		7500141-85	7500141-85	MICR0CKT	MICR0C0NTR0LLER 80C31 SMD STATIC SENSITIVE DEVICE U 2 03	V			
142	1					EA		7000262-448	7000262-448	MICR0CKT	STATIC SENSITIVE DEVICE U102 11	V			
143	1					EA		7500189-29	7500189-29	MICR0CKT	LINE DRIVER 88C29 STATIC SENSITIVE DEVICE U105 10	V			
144	1					EA		7500219-638	7500219-638	MICR0CKT	LINE DRIVER UA9638 STATIC SENSITIVE DEVICE U103 11	V			
145	1					EA		7500508-1	7500508-1	MICR0CKT	STATIC SENSITIVE DEVICE 7549J SURFACE MOUNT U 7 06	V			
146	1					EA		7500527-201	7500527-201	MICR0CKT	STATIC SENSITIVE DEVICE DG201 SURFACE MOUNT U 17 07	V			
147	1					EA		7510228-211	7510228-211	MICR0CKT	NAV DME MAIN EPROM STATIC SENSITIVE DEVICE U 4 05	3			
148	1					EA		7510243-205	7510243-205	MICR0CKT	DME ANALOG EPROM STATIC SENSITIVE DEVICE	3			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE			FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM							
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST PART TABULATION		Honeywell				PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO. 55939		DRAWING NO. PL 7510180-905		REV. LTR D	
						DESIGN CHECKER		END ITEM 7510100		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		DATE 00-10-09			
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184				S H E E T 9 OF 13			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER		PART OR IDENTIFYING NUMBER		NOMEN- CLATURE	DESCRIPTION		CODES
149	1					EA	58960	2504035-249		2504035-249		DIODE	U101 10 STATIC SENSITIVE DEVICE 1N4623		V
150	1					EA		7500076-251		7500076-251		DIODE	VR 5 08 STATIC SENSITIVE DEVICE SURFACE MOUNT		V
152	1					EA		7500279-2		7500279-2		XTALUNIT	VR101 10 12 MHZ HC43U		V
153	1					EA		7500279-3		7500279-3		XTALUNIT	Y 1 02 16.18254 MHZ HC43U		V
701	X					EA		M7012784		M7012784		MFGSPEC	Y 2 09		5
702	X					EA		M7010975		M7010975		MFGSPEC	CONFORMAL COAT		5
703	X					AR	07187	97P537800		M4020018		ADHESIVE	SEALANT, TYPE III GREY		4
704	X					AR	07187	95P227800		P2597605-147		LACQUER	MIL-A-46146		4
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS						CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell		PRODUCT ENGINEER		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR		
				M. HOWK				55939		PL 7510180-905		D		
				DESIGN CHECKER		END ITEM						DATE 00-10-09		
REFERENCE DESIGNATION		STATIC SENS		SPECIAL DESIGNATION		NEXT ASSY		LIST TITLE		SHEET		10 OF 13		
						7510184		CIRCUIT CARD ASSEMBLY-DME CMPTR/VID						
FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH
61	C 1	7.0 PF !10% 100 VDCW		02	53	C 41	0.010 UF !10% 100 VDCW		12	51	C125	0.10 UF !10% 50 VDCW		04
62	C 2	10 PF !5% 50 VDCW		02	62	C 42	10 PF !5% 50 VDCW		12	51	C126	0.10 UF !10% 50 VDCW		04
68	C 3	27 PF !5% 50 VDCW		02	71	C 43	68 PF !5% 50 VDCW		07	51	C127	0.10 UF !10% 50 VDCW		09
51	C 4	0.10 UF !10% 50 VDCW		02	53	C 44	0.010 UF !10% 100 VDCW		12	51	C128	0.10 UF !10% 50 VDCW		09
51	C 5	0.10 UF !10% 50 VDCW		02	51	C 45	0.10 UF !10% 50 VDCW		08	51	C129	0.10 UF !10% 50 VDCW		09
59	C 7	1.5 UF !10% 35 VDCW		02	51	C 46	0.10 UF !10% 50 VDCW		08	74	CR 1			05
51	C 8	0.10 UF !10% 50 VDCW		04	56	C 47	47 UF !10% 10 VDCW		05	73	CR 2			12
51	C 9	0.10 UF !10% 50 VDCW		03	51	C 48	0.10 UF !10% 50 VDCW		01	73	CR 3			12
51	C 10	0.10 UF !10% 50 VDCW		05	51	C 49	0.10 UF !10% 50 VDCW		01	73	CR 4			12
51	C 11	0.10 UF !10% 50 VDCW		05	51	C 50	0.10 UF !10% 50 VDCW		01	73	CR 6			12
56	C 12	47 UF !10% 10 VDCW		05	51	C 51	0.10 UF !10% 50 VDCW		01	73	CR 7			08
58	C 13	1.5 UF !10% 25 VDCW		07	70	C 52	4700 PF !5% 50 VDCW		02	74	CR 8			05
51	C 14	0.10 UF !10% 50 VDCW		07			SMD			74	CR 11			05
51	C 15	0.10 UF !10% 50 VDCW		07	51	C 53	0.10 UF !10% 50 VDCW		03	76	L 1	330 UH ! 5%		12
66	C 16	15 PF !5% 50 VDCW		06	53	C 54	0.010 UF !10% 100 VDCW		03	76	L 2	330 UH ! 5%		12
		SMD			53	C 55	0.010 UF !10% 100 VDCW		04	76	L 3	330 UH ! 5%		12
53	C 17	0.010 UF !10% 100 VDCW		06	53	C 56	0.010 UF !10% 100 VDCW		02	76	L 4	330 UH ! 5%		12
53	C 18	0.010 UF !10% 100 VDCW		06	51	C 57	0.10 UF !10% 50 VDCW		06	75	L 5	4.70 UH !10%		01
51	C 19	0.10 UF !10% 50 VDCW		04	64	C 58	100 PF !5% 50 VDCW		02	75	L 6	4.70 UH !10%		01
51	C 20	0.10 UF !10% 50 VDCW		06	68	C 59	27 PF !5% 50 VDCW		02	75	L 7	4.70 UH !10%		01
71	C 21	68 PF !5% 50 VDCW		09	68	C 60	27 PF !5% 50 VDCW		02	77	P 3			14
66	C 22	15 PF !5% 50 VDCW		09	64	C 61	100 PF !5% 50 VDCW		12	78	Q 1			05
		SMD			53	C101	0.010 UF !10% 100 VDCW		11	81	Q101	PNP		10
61	C 23	7.0 PF !10% 100 VDCW		09	51	C105	0.10 UF !10% 50 VDCW		10			SMD		
51	C 24	0.10 UF !10% 50 VDCW		09	53	C106	0.010 UF !10% 100 VDCW		11	82	Q103	PNP		10
51	C 25	0.10 UF !10% 50 VDCW		08	53	C107	0.010 UF !10% 100 VDCW		11	80	Q104	NPN		10
53	C 26	0.010 UF !10% 100 VDCW		12	53	C108	0.010 UF !10% 100 VDCW		11			MXTA43 SMD		
53	C 27	0.010 UF !10% 100 VDCW		12	53	C109	0.010 UF !10% 100 VDCW		11	79	Q105			08
66	C 28	15 PF !5% 50 VDCW		06	53	C110	0.010 UF !10% 100 VDCW		11	83	Q106	NPN DARLINGTON		11
		SMD			60	C111	4.7 UF !10% 50 VDCW		11	83	Q107	NPN DARLINGTON		11
53	C 29	0.010 UF !10% 100 VDCW		12	60	C112	4.7 UF !10% 50 VDCW		11	91	R 1	100 0HMS !1% 1/4 W		02
53	C 30	0.010 UF !10% 100 VDCW		04	53	C113	0.010 UF !10% 100 VDCW		11	115	R 2	0.221 MEG0 !1% 1/4 W		02
53	C 31	0.010 UF !10% 100 VDCW		04	53	C114	0.010 UF !10% 100 VDCW		11	111	R 3	51,100 0HMS !1% 1/4 W		02
69	C 33	470 PF !5% 50 VDCW		12	53	C115	0.010 UF !10% 100 VDCW		11	100	R 4	5110 0HMS !1% 1/4 W		09
65	C 34	1000 PF !5% 50 VDCW		12	53	C116	0.010 UF !10% 100 VDCW		11	112	R 5	68,100 0HMS !1% 1/4 W		02
65	C 35	1000 PF !5% 50 VDCW		12	51	C117	0.10 UF !10% 50 VDCW		10	103	R 6	15,000 0HMS !1% 1/4 W		02
65	C 36	1000 PF !5% 50 VDCW		12	55	C118	0.022 UF !10% 100 VDCW		10	84	R 7	5000 0HMS !5% 1 W		07
69	C 37	470 PF !5% 50 VDCW		12	55	C119	0.022 UF !10% 100 VDCW		10	92	R 8	267 0HMS !1% 1/4 W		07
57	C 38	22 UF !10% 20 VDCW		08	55	C120	0.022 UF !10% 100 VDCW		10			SMD		
53	C 39	0.010 UF !10% 100 VDCW		12	53	C123	0.010 UF !10% 100 VDCW		11	98	R 9	3010 0HMS !1% 1/4 W		07
69	C 40	470 PF !5% 50 VDCW		12	51	C124	0.10 UF !10% 50 VDCW		12	102	R 10	10,000 0HMS !1% 1/4 W		07
SPECIAL SYMBOLS				FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)					
X NO SPECIFIC QTY REQD (QTY TABLE)				- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY		4 BULK OR SUNDRY ITEM		8 SELECT PER AO OR MI	
* ORIGINAL CONFIGURATION (QTY TABLE)				- AW/PS CRITICAL ITEMS					(FIRST SELECT ITEM)		5 REFERENCE DOCUMENT		V VENDOR (SUPPLIER) ITEM-	
MATERIAL CODE (NOT A DWG)				- SPECIAL CONFIGURATION CONTROL ITEMS					2 SUBSEQUENT SELECT (ITEMS)		7 MACHINED CASTING DWG		SPEC SOURCE DWG	
_ NOT AVAILABLE									3 ASSEMBLY				* CUSTOMER-FURNISHED ITEM	
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.														

PARTS LIST		Honeywell		PRODUCT ENGINEER M. HOWK		CONTRACT NO.		FSCM NO.		DRAWING NO.		REV. LTR D		
REFERENCE DESIGNATION				DESIGN CHECKER		END ITEM 7510100		55939		PL 7510180-905		DATE 00-10-09		
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7510184		LIST TITLE CIRCUIT CARD ASSEMBLY- DME CMPTR/VID		SHEET 11 OF 13				
FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH
96	R 11	1000 OHMS !1% 1/4 W		07	102	R 52	10,000 OHMS !1% 1/4 W		12	107	R108	20,000 OHMS !1% 1/4 W		11
102	R 12	10,000 OHMS !1% 1/4 W		07	102	R 53	10,000 OHMS !1% 1/4 W		07	100	R109	5110 OHMS !1% 1/4 W		11
84	R 13	5000 OHMS !5% 1 W		07	102	R 54	10,000 OHMS !1% 1/4 W		04	111	R110	51,100 OHMS !1% 1/4 W		11
107	R 14	20,000 OHMS !1% 1/4 W		07	102	R 55	10,000 OHMS !1% 1/4 W		04	107	R111	20,000 OHMS !1% 1/4 W		11
104	R 15	16,500 OHMS !1% 1/4 W		07	108	R 56	30,100 OHMS !1% 1/4 W		04	89	R112	51.1 OHMS !1% 1/4 W		11
111	R 16	51,100 OHMS !1% 1/4 W		05	113	R 57	86,600 OHMS !1% 1/4 W		04	89	R113	51.1 OHMS !1% 1/4 W		11
111	R 17	51,100 OHMS !1% 1/4 W		05			SMD			89	R114	51.1 OHMS !1% 1/4 W		11
96	R 18	1000 OHMS !1% 1/4 W		06	104	R 58	16,500 OHMS !1% 1/4 W		04	89	R115	51.1 OHMS !1% 1/4 W		11
115	R 21	0.221 MEG0 !1% 1/4 W		09	102	R 59	10,000 OHMS !1% 1/4 W		04	89	R116	51.1 OHMS !1% 1/4 W		10
102	R 22	10,000 OHMS !1% 1/4 W		04	102	R 60	10,000 OHMS !1% 1/4 W		04	89	R117	51.1 OHMS !1% 1/4 W		10
103	R 23	15,000 OHMS !1% 1/4 W		04	102	R 61	10,000 OHMS !1% 1/4 W		04	89	R118	51.1 OHMS !1% 1/4 W		10
93	R 24	511 OHMS !1% 1/4 W		12	102	R 62	10,000 OHMS !1% 1/4 W		02	87	R120	2.7 OHMS !5% 3 W		10
91	R 25	100 OHMS !1% 1/4 W		12	96	R 63	1000 OHMS !1% 1/4 W		03	100	R121	5110 OHMS !1% 1/4 W		10
96	R 26	1000 OHMS !1% 1/4 W		12	96	R 64	1000 OHMS !1% 1/4 W		03	100	R122	5110 OHMS !1% 1/4 W		10
98	R 27	3010 OHMS !1% 1/4 W		12	100	R 65	5110 OHMS !1% 1/4 W		03	107	R123	20,000 OHMS !1% 1/4 W		10
93	R 28	511 OHMS !1% 1/4 W		12	93	R 66	511 OHMS !1% 1/4 W		04	107	R124	20,000 OHMS !1% 1/4 W		10
93	R 29	511 OHMS !1% 1/4 W		12	111	R 67	51,100 OHMS !1% 1/4 W		04	100	R125	5110 OHMS !1% 1/4 W		10
96	R 30	1000 OHMS !1% 1/4 W		12	111	R 68	51,100 OHMS !1% 1/4 W		05	98	R127	3010 OHMS !1% 1/4 W		10
107	R 31	20,000 OHMS !1% 1/4 W		12	88	R 69	26.7 OHMS !1% 1/4 W		02	107	R128	20,000 OHMS !1% 1/4 W		10
96	R 32	1000 OHMS !1% 1/4 W		12	91	R 70	100 OHMS !1% 1/4 W		02	111	R129	51,100 OHMS !1% 1/4 W		06
109	R 33	35,700 OHMS !1% 1/4 W		12	91	R 71	100 OHMS !1% 1/4 W		02	93	R130	511 OHMS !1% 1/4 W		11
		SMD			114	R 72	0.100 MEG0 !1% 1/4 W		03	93	R131	511 OHMS !1% 1/4 W		11
103	R 34	15,000 OHMS !1% 1/4 W		12	91	R 73	100 OHMS !1% 1/4 W		03	102	R132	10,000 OHMS !1% 1/4 W		11
115	R 35	0.221 MEG0 !1% 1/4 W		12	96	R 74	1000 OHMS !1% 1/4 W		03	102	R133	10,000 OHMS !1% 1/4 W		11
114	R 36	0.100 MEG0 !1% 1/4 W		12	96	R 75	1000 OHMS !1% 1/4 W		03	107	R134	20,000 OHMS !1% 1/4 W		10
102	R 37	10,000 OHMS !1% 1/4 W		06	96	R 76	1000 OHMS !1% 1/4 W		03	107	R135	20,000 OHMS !1% 1/4 W		10
111	R 38	51,100 OHMS !1% 1/4 W		12	96	R 77	1000 OHMS !1% 1/4 W		03	100	R140	5110 OHMS !1% 1/4 W		13
102	R 39	10,000 OHMS !1% 1/4 W		12	96	R 78	1000 OHMS !1% 1/4 W		03	102	R170	10,000 OHMS !1% 1/4 W		10
100	R 40	5110 OHMS !1% 1/4 W		07	96	R 79	1000 OHMS !1% 1/4 W		09	96	R171	1000 OHMS !1% 1/4 W		10
102	R 41	10,000 OHMS !1% 1/4 W		07	96	R 80	1000 OHMS !1% 1/4 W		09	102	R172	10,000 OHMS !1% 1/4 W		10
102	R 42	10,000 OHMS !1% 1/4 W		07	96	R 81	1000 OHMS !1% 1/4 W		09	102	R173	10,000 OHMS !1% 1/4 W		10
100	R 43	5110 OHMS !1% 1/4 W		08	88	R 83	26.7 OHMS !1% 1/4 W		05	102	R174	10,000 OHMS !1% 1/4 W		10
111	R 44	51,100 OHMS !1% 1/4 W		08	96	R 84	1000 OHMS !1% 1/4 W		04	102	R175	10,000 OHMS !1% 1/4 W		10
111	R 45	51,100 OHMS !1% 1/4 W		07	96	R 85	1000 OHMS !1% 1/4 W		04	102	R176	10,000 OHMS !1% 1/4 W		08
109	R 46	35,700 OHMS !1% 1/4 W		12	96	R 86	1000 OHMS !1% 1/4 W		04	96	R177	1000 OHMS !1% 1/4 W		08
		SMD			84	R102	5000 OHMS !5% 1 W		11	102	R178	10,000 OHMS !1% 1/4 W		08
115	R 47	0.221 MEG0 !1% 1/4 W		12	84	R103	5000 OHMS !5% 1 W		11	102	R179	10,000 OHMS !1% 1/4 W		08
112	R 48	68,100 OHMS !1% 1/4 W		08	100	R104	5110 OHMS !1% 1/4 W		11	102	R180	10,000 OHMS !1% 1/4 W		08
111	R 49	51,100 OHMS !1% 1/4 W		08	100	R105	5110 OHMS !1% 1/4 W		11	102	R181	10,000 OHMS !1% 1/4 W		08
102	R 50	10,000 OHMS !1% 1/4 W		08	100	R106	5110 OHMS !1% 1/4 W		11	102	R182	10,000 OHMS !1% 1/4 W		05
96	R 51	1000 OHMS !1% 1/4 W		06	111	R107	51,100 OHMS !1% 1/4 W		11	89	R183	51.1 OHMS !1% 1/4 W		02
SPECIAL SYMBOLS				FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)					
X NO SPECIFIC QTY REQD (QTY TABLE)				- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY		4 BULK OR SUNDRY ITEM		8 SELECT PER AO OR MI	
* ORIGINAL CONFIGURATION (QTY TABLE)				- AW/PS CRITICAL ITEMS					(FIRST SELECT ITEM)		5 REFERENCE DOCUMENT		V VENDOR (SUPPLIER) ITEM-	
MATERIAL CODE (NOT A DWG)				- SPECIAL CONFIGURATION CONTROL ITEMS					2 SUBSEQUENT SELECT (ITEMS)		7 MACHINED CASTING DWG		SPEC SOURCE DWG	
_ NOT AVAILABLE									3 ASSEMBLY				* CUSTOMER-FURNISHED ITEM	
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.														

PARTS LIST			Honeywell			PRODUCT ENGINEER M. HOWK			CONTRACT NO.			FSCM NO.		DRAWING NO.			REV. LTR D		
						DESIGN CHECKER			END ITEM 7510100			55939		PL 7510180-905			DATE 00-10-09		
						SPECIAL DESIGNATION STATIC SENS			NEXT ASSY 7510184			LIST TITLE CIRCUIT CARD ASSEMBLY-DME CMPTR/VID						SHEET 12 OF 13	
FIND NO	REF DES	ELECTRICAL VALUES			SH	FIND NO	REF DES	ELECTRICAL VALUES			SH	FIND NO	REF DES	ELECTRICAL VALUES			SH		
91	R184	100 0HMS !1% 1/4 W			09	120	U 27				04								
117	TP 3				07	127	U 30				08								
117	TP 4				08	121	U 32	HIGH SPEED			12								
117	TP 5				08			LM218 SMD											
117	TP 6				08	135	U 33	BUFFER/LINE DRIVER			03								
117	TP 8				02			74HC244 SMD											
117	TP 9				09	148	U101	DME ANALOG EPROM			10								
137	U 1				02	142	U102				11								
141	U 2	MICR0C0NTR0LLER			03	144	U103	LINE DRIVER			11								
		80C31 SMD						UA9638											
136	U 3	D-LATCH			03	127	U104				10								
		74HC373 SMD				143	U105	LINE DRIVER			10								
118	U 31				08			88C29											
147	U 4	NAV DME MAIN EPROM			05	138	U107	NAND GATE			04								
128	U 5				05			74HC00 SMD											
139	U 6	MUX/DEMUX 4053B			05	137	U108				09								
		SMD				130	U109	PROGRAMABLE GATE ARRAY			09								
145	U 7				06	131	U110	PROGRAMMED PROM			09								
133	U 9				04	149	VR 5				08								
129	U 10	NVRAM 2004I-25			05	150	VR101				10								
136	U 11	D-LATCH			04	6	W 1				02								
		74HC373 SMD				152	Y 1	12 MHZ			02								
124	U 12	TIMER			02			HC43U											
		556 SMD				153	Y 2	16.18254 MHZ			09								
132	U 13				02			HC43U											
134	U 14	N0R GATE			04														
		74HC02 SMD																	
123	U 15				06														
123	U 16				07														
146	U 17				07														
125	U 18	SINGLE C0MPARAT0R			06														
		SMD																	
139	U 19	MUX/DEMUX 4053B			08														
		SMD																	
139	U 20	MUX/DEMUX 4053B			08														
		SMD																	
122	U 21				07														
126	U 23				12														
140	U 24				04														
140	U 25				04														
119	U 26				06														
SPECIAL SYMBOLS					FIND (ITEM) NUMBERS 1 TO 999					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)									
X NO SPECIFIC QTY REQD (QTY TABLE)					- ASSY OR DETAIL ITEMS					1 SELECT AT ASSEMBLY									
* ORIGINAL CONFIGURATION (QTY TABLE)					- AW/PS CRITICAL ITEMS					4 BULK OR SUNDRY ITEM									
MATERIAL CODE (NOT A DWG)					- SPECIAL CONFIGURATION					5 REFERENCE DOCUMENT									
_ NOT AVAILABLE					CONTROL ITEMS					7 MACHINED CASTING DWG									
					- REF DOCUMENTS, BULK					8 SELECT PER AO OR MI									
					SUNDRIES OR ACCEPTABLE					V VENDOR (SUPPLIER) ITEM-									
					SUBSTITUTES (ALTERNATE					SPEC SOURCE DWG									
					ITEMS)					* CUSTOMER-FURNISHED									
					- EMP/RADIATION HARD ITEMS					ITEM									
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.																			

PARTS LIST	Honeywell	PRODUCT ENGINEER	CONTRACT NO.	FSCM NO.	DRAWING NO.	REV. LTR	
		M. HOWK		55939	PL 7510180-905	D	
		DESIGN CHECKER	END ITEM			DATE	
REVISION RECORD		SPECIAL DESIGNATION	NEXT ASSY	LIST TITLE		SHEET	
		STATIC SENS	7510184	CIRCUIT CARD ASSEMBLY-DME CMPTR/VID		13 OF 13	
REV LTR	DESCRIPTION OF REVISIONS					DATE MO DAY YR	APPROVAL
A	INITIAL RELEASE. INCORPORATES REVS XA-XF.					3-12-98	
B	ITEM 118 PN WAS 7001392-898. 99007 (U) SEE DWG SHT 1.					7-24-98	
C	ITEM 147 PN WAS 7510228-208. 101873 (U) SEE DWG SH 1					9-22-98	
D	ADDED REFERENCE DESIGNATOR TO ITEM 6. INCLUDES CLASS II CHANGES. 104057 (U)					6-29-00	
	PICTORIAL CHANGES ONLY. 24326 (M)					10- 9-00	
SHEET INDEX		ALL SHEETS OF THIS DOCUMENT BEAR THE SAME REVISION LETTER.					
CAUTION: REVISION STATUS OF PARTS LIST SHALL BE THE SAME AS BASIC DRAWING NUMBER.							

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS