




NOTES:
UNLESS OTHERWISE SPECIFIED:
1. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
2. ALL RESISTANCE VALUES ARE IN OHMS.
3. ALL INDUCTANCE VALUES ARE IN MICROHENRIES.
4. PARTIAL REFERENCE DESIGNATIONS ARE SHOWN;
FOR COMPLETE DESIGNATIONS PREFIX PART
DESIGNATION WITH SUBASSEMBLY DESIGNATION.
5. INTERPRET DRAWING PER ANSI Y32.2-1975 AND
ANSI/IEEE STD 991-1986. LOGIC SYMBOLS
CONFORM TO ANSI/IEEE STD 91-1984.



EPIC - DME INTERFACE CARD
SCHEMATIC DIAGRAM SHEET NO. 1 OF 3

COMPUTER GENERATED

12-8-1998-13-43	MICHEL MOREAU	SIZE	CAGE CODE	DRAWING NO.	REV
Honeywell	SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT.	E	55939	7026160-901	-
SCALE				SHEET	2

7026160-901
SHEET 2
DRAWING NO. 5-13-13



REVISIONS			
ZONE	REV	DESCRIPTION	DATE



EPIC - DME INTERFACE CARD
SCHEMATIC DIAGRAM SHEET NO. 2

COMPUTER GENERATED

12-8-1998-13:43	MICHEL MOREAU	SIZE	CAGE CODE	DRAWING NO.	REV
Honeywell	SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT.	E	55939	7026160-901	-
SCALE		SHEET		3	



CONNECTOR PIN SUMMARY.
CAD REQUIREMENT/REFERENCE.
EPIC - DME INTERFACE CARD
SCHEMATIC DIAGRAM SHEET NO. 3

COMPUTER GENERATED