

PARTS LIST		Honeywell		PRODUCT ENGINEER P. SCHWERMANN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203				SHEET 1 OF 19			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
1	1					EA		7026229-2	7026229-2	PWB			
2	1					EA		7004588-221	7004588-221	INSUL		V	
3	1					EA		7004588-222	7004588-222	INSUL		V	
4	6					EA	07187	0164-5	0164-5	WASHER	CRES 0.124 ID	V	
5	2					EA		7500518-1	7500518-1	WASHER		V	
6	6					EA	58960	2504638-5	NAS620C4L	WASHER	CRES 0.115 ID		
7	2					EA	07187	2504359-6	NAS671C4	NUT	HEX CRES 4-40		
8	4					EA	07187	0919-14	MS51957-14	SCREW	PNH CRES 4-40X5-16		
9	1					EA		7026211-901	7026211-901	HEATSINK	MIL-S-7742		
51	18					EA	07187	4006200-85	M39014/02-XV	CAP	1,000,000 UUF 110% 50 VDCW MIL-C-39014/2	3	
											C 23 19 C 24 19 C 25 19 C 26 19 C 56 18 C 59 18 C 62 18 C 64 18 C 71 16 C 72 16 C 73 16 C 74 16 C 75 16 C 76 16 C 80 16 C 81 16 C 82 16 C 83 16		
52	16					EA		7011730-225	7011730-225	CAP	1 UF 110% 25 VDCW SURFACE MOUNT	V	
											C 2 21 C 67 22 C 89 21 C 93 20 C114 20 C118 20 C119 20 C146 19 C151 18 C152 18 C178 19 C182 21 C183 21 C191 21 C196 18 C211 21		
53	3					EA		7011730-437	7011730-437	CAP	0.10 UF 110% 50 VDCW SURFACE MOUNT	V	
54	10					EA		7011730-540	7011730-540	CAP	C134 20 C161 19 C174 18 0.10 UF 110% 100 VDCW SURFACE MOUNT	V	
											C 66 21 C 69 18 C 78 16 C 79 16 C235 17 C254 16 C271 17 C274 16 C275 16 C277 16		
55	1					EA		7011730-646	7011730-646	CAP	220 PF 110% 200 VDCW SURFACE MOUNT	V	
											C 88 20		

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) — NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 — ASSY OR DETAIL ITEMS — AW/PS CRITICAL ITEMS — SPECIAL CONFIGURATION CONTROL ITEMS	— REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) — EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM— SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER P. SCHWERMANN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE			
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18		S H E E T 2 OF 19			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203									
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION		CODES		
56	15					EA		7013064-318	7013064-318	CAP	220 UF 120% 10 VDCW SURFACE MOUNT C 1 21 C 17 18 C 18 18 C 19 18 C 20 19 C 57 19 C 60 21 C 63 17 C 65 18 C123 18 C125 18 C126 18 C127 18 C128 19 C129 19		V		
57	14					EA		7013064-321	7013064-321	CAP	100 UF 110% 10 VDCW SURFACE MOUNT C 3 10 C 4 10 C 15 02 C 35 02 C 36 02 C 37 02 C 52 02 C 53 02 C 54 02 C 55 10 C 58 10 C 61 02 C 68 09 C 77 22		V		
58	7					EA		7013064-714	7013064-714	CAP	22 MFD 120% 35 VDCW SURFACE MOUNT C 16 20 C 21 20 C 70 17 C121 20 C130 20 C131 20 C141 20		V		
59	2					EA		7021790-66	7021790-66	CAP	470 UF 120% 35 VDCW C 40 17 C 41 17		V		
60	14					EA		7022903-102	7022903-102	CAP	1000 PF 110% 50 VDCW SURFACE MOUNT C 96 01 C172 19 C200 19 C201 19 C206 23 C217 18 C221 21 C224 19 C232 18 C238 18 C250 18 C260 17 C266 16 C273 16		V		
61	11					EA		7022903-103	7022903-103	CAP	0.010 UF 110% 50 VDCW SURFACE MOUNT C 90 21 C102 14 C176 23 C179 19 C190 23 C197 19 C198 19 C204 15 C212 21 C218 18 C240 18		V		
62	136					EA		7022903-104	7022903-104	CAP	0.1 UF 110% 16 VDCW SURFACE MOUNT C 5 02 C 6 02 C 7 02 C 8 02 C 9 02 C 10 02 C 11 05 C 12 05 C 13 05		V		
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) ... NOT APPLICABLE				FIND ITEM NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AD OR MI V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER P. SCHWERMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE					
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18		S H E E T 3 OF 19					
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203											
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION				CODES		
											C 14	05	C 22	05	C 27	02	
											C 28	02	C 29	02	C 30	02	
											C 31	02	C 32	05	C 33	05	
											C 34	05	C 38	02	C 39	02	
											C 42	05	C 43	05	C 44	05	
											C 45	05	C 46	02	C 47	02	
											C 48	02	C 49	02	C 50	02	
											C 51	02	C 84	10	C 85	10	
											C 86	10	C 87	10	C 91	10	
											C 94	10	C 95	10	C 97	14	
											C 98	14	C 99	14	C100	14	
											C101	14	C104	06	C105	06	
											C106	06	C107	06	C109	14	
											C110	05	C111	05	C112	10	
											C113	10	C115	07	C116	07	
											C120	10	C124	14	C132	06	
											C133	10	C135	06	C136	06	
											C137	06	C138	05	C139	05	
											C140	14	C142	10	C143	10	
											C144	10	C145	14	C147	19	
											C148	19	C149	14	C153	10	
											C154	10	C155	10	C156	01	
											C157	06	C158	06	C159	06	
											C160	14	C162	06	C163	05	
											C164	05	C165	07	C166	07	
											C167	14	C168	02	C169	10	
											C171	14	C175	10	C177	10	
											C180	19	C184	10	C185	10	
											C187	18	C188	18	C193	15	
											C194	15	C195	15	C202	10	
											C203	10	C205	15	C208	09	
											C209	09	C210	01	C213	15	
											C214	17	C215	15	C216	10	
											C222	18	C223	15	C225	09	
											C226	15	C227	10	C228	10	
											C229	10	C231	09	C233	09	
											C237	15	C239	01	C241	10	
											C243	01	C244	10	C247	15	
											C248	15	C249	09	C252	09	
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																	
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AD OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell						PRODUCT ENGINEER P. SCHWERMAN		CONTRACT NO. X-RELEASE		FSCM NO.	DRAWING NO.	REV. LTR XE		
PART TABULATION								DESIGN CHECKER		END ITEM 7026203		55939	PL 7026230-902	DATE 01-12-18		
								SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS		SHEET 4 OF 19		
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMENCLATURE	DESCRIPTION				CODES	
63	13					EA		7022904-101	7022904-101	CAP	C255 16 C256 09 C259 15 C261 01 C264 15 C268 09 C269 09 C270 01 C272 09 C276 06 100 UUF 11% 50 VDCW SURFACE MOUNT C181 19 C189 22 C199 19 C207 18 C220 22 C230 24 C234 24 C236 24 C245 24 C246 24 C257 24 C258 24 C267 24	V				
64	2					EA		7022904-221	7022904-221	CAP	220 UUF 11% 50 VDCW SURFACE MOUNT C219 18 C242 17	V				
65	3					EA		7022904-471	7022904-471	CAP	470 UUF 11% 50 VDCW SURFACE MOUNT C 92 15 C117 15 C251 17	V				
66	7					EA		7012934-10	7012934-10	DIODE	STATIC SENSITIVE DEVICE MMBD7000L SURFACE MOUNT CR 4 17 CR 5 18 CR 8 17 CR 24 17 CR 25 17 CR 26 17 CR999 24	V				
67	7					EA		7018422-160	7018422-160	DIODE	STATIC SENSITIVE DEVICE SURFACE MOUNT CR 1 20 CR 2 02 CR 3 02 CR 6 21 CR 9 20 CR 11 20 CR 27 16	V				
68	14					EA		7029802-100	7029802-100	DIODE	STATIC SENSITIVE DEVICE MBRM140T3 SURFACE MOUNT CR 7 21 CR 10 02 CR 12 18 CR 13 19 CR 14 19 CR 15 17 CR 16 17 CR 17 19 CR 18 18 CR 19 18 CR 20 18 CR 21 18 CR 22 09 CR 23 16	V				
69	2					EA		7018958-150	7018958-150	FUSE	SURFACE MOUNT F 1 19 F 2 18	V				
70	1					EA		7026619-315	7026619-315	CONN	J 3 25	V				
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS							REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS			CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM				
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.																

PARTS LIST	Honeywell	PRODUCT ENGINEER P. SCHWERMANN	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026230-902	REV. LTR XE
		DESIGN CHECKER	END ITEM 7026203			DATE 01-12-18
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS	SHEET 5 OF 19	

FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES
71	1					EA		7028415-620	7028415-620	CONN	J 1 25	V
72	1					EA		7028438-628	7028438-628	CONN	J 2 25	V
73	3					EA		7026393-14	7026393-14	INDUCTOR	STATIC SENSITIVE DEVICE PACIOU-4 SURFACE MOUNT L 1 19 L 2 18 L 3 18 L 4 16 L 5 16	V
74	2					EA		7030469-400				
75	7					EA		7012042-110	7012042-110	XSTR	STATIC SENSITIVE DEVICE MMBT5551 SURFACE MOUNT Q 7 21 Q 9 17 Q 11 17 Q 12 17 Q 16 16 Q 19 17 Q 22 16	V
76	5					EA		7012043-106	7012043-106	XSTR	STATIC SENSITIVE DEVICE MMBT2907A SURFACE MOUNT Q 3 23 Q 6 22 Q 8 17 Q 13 17 Q 17 16	V
77	1					EA		7012992-110	7012992-110	XSTR	STATIC SENSITIVE DEVICE IRLL110 Q 10 21	V
78	1					EA		7012992-640	7012992-640	XSTR	STATIC SENSITIVE DEVICE IRF640S SURFACE MOUNT Q 1 20 Q 14 17	V
79	1					EA		7014906-100	7014906-100	DIODE	Q 14 17	V
80	1					EA		7012992-101	7012992-101	XSTR	STATIC SENSITIVE DEVICE IRFR220 SURFACE MOUNT Q 21 16	V
81	1					EA		7019398-260	7019398-260	XSTR	STATIC SENSITIVE DEVICE IRFP260 Q 15 17	V
82	1					EA		7026622-100	7026622-100	XSTR	STATIC SENSITIVE DEVICE Q 20 09	V
83	4					EA		7028983-100	7028983-100	MOSFET	STATIC SENSITIVE DEVICE Q 2 19 Q 4 18 Q 5 18 Q 18 20	V
84	10					EA		7018400-200	7018400-200	RESISTOR	10.00 OHMS 1% 1 W	V

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND ITEM NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	--

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST	Honeywell	PRODUCT ENGINEER P. SCHWERTMAN	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026230-902	REV. LTR XE
		DESIGN CHECKER	END ITEM 7026203			DATE 01-12-18
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS	SHEET 6 OF 19	

FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES
85	2					EA		7018400-392	7018400-392	RESISTOR	SURFACE MOUNT R 41 21 R 57 16 R 59 16 R 60 16 R 61 16 R 62 16 R118 17 R119 17 R154 17 R155 17 1000.0 OHMS 11% 1 W	V
86	7					EA		7018400-94	7018400-94	RESISTOR	SURFACE MOUNT R 46 20 R 53 20 0.100 OHMS 11% 1 W	V
87	1					EA		7018433-392	7018433-392	RESISTOR	SURFACE MOUNT R 73 20 R101 19 R102 19 R103 18 R104 18 R105 18 R106 18 1000.0 OHMS 10.1% 1/8 W	V
88	1					EA		7018433-421	7018433-421	RESISTOR	SURFACE MOUNT R 48 17 2000 OHMS 10.1% 1/8 W	V
89	4					EA		7018433-438	7018433-438	RESISTOR	SURFACE MOUNT R134 19 3010.0 OHMS 10.1% 1/8 W	V
90	6					EA		7018433-488	7018433-488	RESISTOR	SURFACE MOUNT R251 18 R258 18 R273 18 R281 18 10,000 OHMS 10.1% 1/8 W	V
91	2					EA		7018433-525	7018433-525	RESISTOR	SURFACE MOUNT R 42 19 R177 19 R235 18 R319 22 R322 22 R331 22 24,300 OHMS 11% 1/8 W	V
92	7					EA		7022518-200	7022518-200	RESISTOR	SURFACE MOUNT R 47 17 R239 17 10 OHMS 11% 1/16 W	V
93	17					EA		7022518-254	7022518-254	RESISTOR	R 70 20 R 76 20 R 78 20 R 80 20 R 98 19 R 99 18 R329 06 36.5 OHMS 11% 1/16 W R 1 04 R 2 04 R 3 04 R 4 04 R 11 04 R 72 11 R 75 01 R 81 01 R 85 14 R109 11 R114 03 R116 03	V

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQ'D (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
--	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER P. SCHWERMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE			
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		DATE 01-12-18		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		SHEET 7 OF 19			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203									
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION		CODES		
94	3					EA		7022518-267	7022518-267	RESISTOR	R135 01 R188 15 R216 08 R240 09 R284 10 49.9 OHMS 1% 1/16 W	V			
95	2					EA		7022518-276	7022518-276	RESISTOR	R 74 15 R 88 15 R328 15 61.9 OHMS 1% 1/16 W	V			
96	14					EA		7022518-296	7022518-296	RESISTOR	R289 09 R292 09 100 OHMS 1% 1/16 W	V			
97	7					EA		7022518-325	7022518-325	RESISTOR	R120 18 R125 23 R126 23 R129 23 R130 23 R133 18 R174 18 R208 21 R211 22 R212 19 R220 18 R221 18 R265 17 R324 16	V			
98	2					EA		7022518-356	7022518-356	RESISTOR	200 OHMS 1% 1/16 W R100 19 R121 18 R173 18 R298 24 R313 16 R320 16 R325 16	V			
99	24					EA		7022518-363	7022518-363	RESISTOR	422 OHMS 1% 1/16 W R290 09 R291 09 499 OHMS 1% 1/16 W	V			
100	26					EA		7022518-392	7022518-392	RESISTOR	R 65 20 R 66 21 R 71 21 R122 22 R127 23 R144 21 R150 23 R181 21 R196 24 R197 24 R201 24 R202 24 R207 21 R225 24 R226 24 R229 24 R231 24 R266 17 R278 17 R279 17 R297 24 R310 16 R311 16 R312 16	V			
101	1					EA		7022518-409	7022518-409	RESISTOR	1000 OHMS 1% 1/16 W R 36 12 R 77 21 R 90 05 R124 23 R136 08 R142 19 R157 19 R160 22 R163 22 R166 22 R167 22 R182 19 R184 17 R224 17 R234 21 R256 09 R263 18 R274 09 R295 24 R306 17 R307 17 R308 17 R314 16 R315 16 R323 17 R333 16	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND ITEM NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AD OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER P. SCHWERMANN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203				SHEET 8 OF 19			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
102	12					EA		7022518-421	7022518-421	RESISTOR	2000 OHMS 11% 1/16 W R131 23 R148 23 R170 23 R195 23 R203 21 R204 21 R205 21 R206 21 R244 24 R299 24 R305 17 R309 17	V	
103	12					EA		7022518-459	7022518-459	RESISTOR	4990 OHMS 11% 1/16 W R123 22 R141 19 R145 22 R152 23 R199 23 R242 24 R243 24 R246 24 R276 24 R296 24 R301 24 R330 16	V	
104	9					EA		7022518-488	7022518-488	RESISTOR	10,000 OHMS 11% 1/16 W R156 23 R186 17 R194 23 R238 17 R267 17 R271 17 R275 24 R285 17 R302 24	V	
105	13					EA		7022518-505	7022518-505	RESISTOR	15,000 OHMS 11% 1/16 W R117 19 R140 19 R146 23 R151 23 R159 22 R164 22 R175 18 R180 21 R189 22 R190 22 R252 18 R253 18 R264 18	V	
106	10					EA		7022518-517	7022518-517	RESISTOR	20,000 OHMS 11% 1/16 W R193 23 R200 23 R230 24 R245 24 R259 24 R268 17 R270 16 R277 24 R286 16 R300 24	V	
107	12					EA		7022518-555	7022518-555	RESISTOR	49,900 OHMS 11% 1/16 W R107 19 R115 19 R128 23 R147 23 R191 22 R198 23 R227 24 R237 17 R260 24 R293 24 R303 24 R304 24	V	
108	18					EA		7022518-584	7022518-584	RESISTOR	0.100 MEGO 11% 1/16 W R 82 01 R 83 23 R143 19 R158 19 R183 17 R187 17 R213 17 R228 17 R232 18 R233 18 R261 24 R269 17 R272 16 R287 17 R294 24 R318 22 R326 22 R332 22	V	
109	18					EA		7022518-613	7022518-613	RESISTOR	0.200 MEGO 11% 1/16 W R137 22 R138 23 R139 19	V	
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE													
SPECIAL SYMBOLS X NO SPECIFIC QTY READ (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) — NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 — ASSY OR DETAIL ITEMS — AW/PS CRITICAL ITEMS — SPECIAL CONFIGURATION CONTROL ITEMS						CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AD OR MI V VENDOR (SUPPLIER) ITEM— SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell				PRODUCT ENGINEER P. SCHWERMANN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
PART TABULATION						DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18	
						SPECIAL DESIGNATION STATIC SENS						SHEET 9 OF 19			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES			
110	32					EA		7026564-100	7026564-100	RESISTOR	R149 23 R165 22 R168 23 R169 23 R171 23 R172 23 R176 18 R185 17 R192 23 R209 21 R223 17 R236 17 R250 18 R262 18 R288 17 100 OHMS 1/16 W STATIC SENSITIVE DEVICE R 9 12 R 10 13 R 18 12 R 19 12 R 24 12 R 25 13 R 29 12 R 30 13 R 31 13 R 37 12 R 38 12 R 40 12 R 43 12 R 44 13 R 49 13 R 50 13 R 51 13 R 52 13 R 68 13 R 86 13 R 87 13 R 91 12 R 95 13 R 96 13 R108 13 R110 13 R153 12 R210 13 R219 13 R247 13 R248 13 R249 13	V			
111	8					EA		7026564-102	7026564-102	RESISTOR	1000 OHMS 1/16 W STATIC SENSITIVE DEVICE R 7 03 R 22 04 R 23 04 R 45 01 R132 14 R162 03 R217 03 R283 01	V			
112	12					EA		7026564-103	7026564-103	RESISTOR	10000 OHMS 1/16 W STATIC SENSITIVE DEVICE R 5 14 R 12 07 R 34 03 R 39 15 R 69 14 R 92 11 R 97 11 R222 08 R254 08 R255 03 R280 14 R317 03	V			
113	19					EA		7026564-200	7026564-200	RESISTOR	20 OHMS 1/16 W STATIC SENSITIVE DEVICE R 6 04 R 13 04 R 14 04 R 15 04 R 16 04 R 17 04 R 20 03 R 21 04 R 26 04 R 27 04 R 28 04 R 35 03 R 54 09 R 79 02 R178 02 R218 01 R241 01 R257 01 R282 01	V			
114	3					EA		7500042-200	7500042-200	RESISTOR	10.0 OHMS 11% 1/4 W	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST PART TABULATION	Honeywell	PRODUCT ENGINEER P. SCHWERMANN	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026230-902	REV. LTR XE
		DESIGN CHECKER	END ITEM 7026203			DATE 01-12-18
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		S H E E T 10 OF 19

FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES
115	2					EA		7500042-392	7500042-392	RESISTOR	SURFACE MOUNT R 55 16 R 64 21 R 84 20 1000 OHMS 11% 1/4 W	V
116	2					EA		7500042-556	7500042-556	RESISTOR	SURFACE MOUNT R 89 20 R901 19 51,100 OHMS 11% 1/4 W	V
117	4					EA		7500042-584	7500042-584	RESISTOR	SURFACE MOUNT R 56 17 R 58 17 0.100 MEGΩ 11% 1/4 W	V
119	1							7030468-400			SURFACE MOUNT R 63 16 R214 17 R316 17 R327 21	
120	5					EA		7029385-108	7029385-108	TP	T 1 20 TP 1 21 TP 2 21 TP 3 17V TP 4 21 TP 5 16	V
121	6					EA		7013101-403	7013101-403	MICROCKT	STATIC SENSITIVE DEVICE LM239	V
											SURFACE MOUNT U 14 22 U 15 23 U 20 16 U 21 24 U 22 24 U 27 18	
122	1					EA		7018384-105	7018384-105	MICROCKT	STATIC SENSITIVE DEVICE 79M05	V
											SURFACE MOUNT U 18 21	
123	5					EA		7025288-710	7025288-710	MICROCKT	STATIC SENSITIVE DEVICE U 6 05 U 7 05 U 8 05 U 30 06 U 31 06	V
124	1					EA		7025551-400	7025551-400	MICROCKT	STATIC SENSITIVE DEVICE 79C970A	V
125	2					EA		7026475-999	7026475-999	MICROCKT	U 23 09 STATIC SENSITIVE DEVICE	V
126	1					EA		7027998-510	7027998-510	IC	U 2 01 U 34 09 288 MACROCELLS CPLD STATIC SENSITIVE DEVICE	V
127	2					EA		7028979-106	7028979-106	IC	U 24 01 STATIC SENSITIVE DEVICE	V
128	2					EA		7028980-100	7028980-100	IC	XCV100E U 5 10 U 16 10 STATIC SENSITIVE DEVICE	V

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) ... NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST	Honeywell	PRODUCT ENGINEER P. SCHWERMANN	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026230-902	REV. LTR XE
		DESIGN CHECKER	END ITEM 7026203			DATE 01-12-18
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS	SHEET 11 OF 19	

FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES
129	1							7028981-250			U 9 14 U 19 15	
130	2					EA		7028984-400	7028984-400	IC	U 29 02 STATIC SENSITIVE DEVICE LTC1628	V
131	2					EA		7029326-400	7029326-400	IC	U 12 19 U 17 18 STATIC SENSITIVE DEVICE	V
132	4					EA		7029524-490	7029524-490	IC	U 1 21 U 13 21 STATIC SENSITIVE DEVICE	V
133	1					EA		7030883-400	7030883-400	IC	U 3 07 U 4 07 U 10 07 U 11 07 STATIC SENSITIVE DEVICE	V
134	1					EA		7029527-250	7029527-250	IC	FM24CL16 U 28 06 STATIC SENSITIVE DEVICE	V
135	1					EA		7500136-25	7500136-25	MICROCKT	ICS525R-021T U 25 10 STATIC SENSITIVE DEVICE	V
136	2					EA		7013009-240	7013009-240	DIODE	LM336 SURFACE MOUNT U 26 16	V
137	4					EA		7500076-206	7500076-206	DIODE	VR 5 16 VR 6 16 STATIC SENSITIVE DEVICE	V
138	2					EA		7014912-1	7014912-1	BEAD	SURFACE MOUNT VR 1 17 VR 2 16 VR 3 21 VR 4 17	V
139	2					EA		7500000-102	7500000-102	RESISTOR	Z 1 19 Z 2 18 1000 OHMS 12% 1/4 W	V
140	1					EA		7500054-120	7500054-120	CAP	R998 14 R999 14 12 PF 15% 50 VDCW	V
141	1					EA		7500042-284	7500042-284	RESISTOR	SURFACE MOUNT C901 19 75.0 OHMS 11% 1/4 W	V
701	X					EA		M7012784	M7012784	MFGSPEC	R902 19	5
702	X					EA		M7010975	M7010975	MFGSPEC	CONFORMAL COAT	5
703	X					AR	58960	57C013200	P4056790-1	WIRE	KAPTON-INSULATED,	4

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell				PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
						DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS		DATE 01-12-18			
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203							
PART TABULATION															
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION	QUANTITY			
704	X					AR		97A097800	97A097800	ADHESIVE	32 AWG	4			
705	X					AR	58960	291453250-26	AMS3654	TUBING	SUPER BONDER 414 LOCTITE	4			
706	X					AR		97P537800-3	MIL-A-46146	ADHESIVE	ELECTRICAL INSULATION, SIZE NO. 26, NATURAL SEALANT, GROUP III, TYPE I GREY MIL-A-46146	4			
SPECIAL SYMBOLS		FIND ITEM NUMBERS 1 TO 999						CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)							
X NO SPECIFIC QTY REQD (QTY TABLE)		- ASSY OR DETAIL ITEMS						1 SELECT AT ASSEMBLY							
* ORIGINAL CONFIGURATION (QTY TABLE)		- AW/PS CRITICAL ITEMS						4 BULK OR SUNDRY ITEM							
MATERIAL CODE (NOT A DWG)		- SPECIAL CONFIGURATION						5 REFERENCE DOCUMENT							
_ NOT APPLICABLE		CONTROL ITEMS						7 MACHINED CASTING DWG							
		- REF DOCUMENTS, BULK						8 SELECT PER AO OR MI							
		SUNDRIES OR ACCEPTABLE						V VENDOR (SUPPLIER) ITEM-							
		SUBSTITUTES (ALTERNATE						SPEC SOURCE DWG							
		ITEMS)						* CUSTOMER-FURNISHED							
		- EMP/RADIATION HARD ITEMS						ITEM							

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 01-12-18	
Honeywell		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS				SHEET 13 OF 19	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
56	C 1	220 UF 120% 10 VDCW	21	62	C 38	0.1 UF 110% 16 VDCW	02	51	C 73	1,000,000 UUF 110%	16
52	C 2	1 UF 110% 25 VDCW	21	62	C 39	0.1 UF 110% 16 VDCW	02			50 VDCW	
57	C 3	100 UF 110% 10 VDCW	10	59	C 40	470 UF 120% 35 VDCW	17	51	C 74	1,000,000 UUF 110%	16
57	C 4	100 UF 110% 10 VDCW	10	59	C 41	470 UF 120% 35 VDCW	17			50 VDCW	
62	C 5	0.1 UF 110% 16 VDCW	02	62	C 42	0.1 UF 110% 16 VDCW	05	51	C 75	1,000,000 UUF 110%	16
62	C 6	0.1 UF 110% 16 VDCW	02	62	C 43	0.1 UF 110% 16 VDCW	05			50 VDCW	
62	C 7	0.1 UF 110% 16 VDCW	02	62	C 44	0.1 UF 110% 16 VDCW	05	51	C 76	1,000,000 UUF 110%	16
62	C 8	0.1 UF 110% 16 VDCW	02	62	C 45	0.1 UF 110% 16 VDCW	05			50 VDCW	
62	C 9	0.1 UF 110% 16 VDCW	02	62	C 46	0.1 UF 110% 16 VDCW	02	57	C 77	100 UF 110% 10 VDCW	22
62	C 10	0.1 UF 110% 16 VDCW	02	62	C 47	0.1 UF 110% 16 VDCW	02	54	C 78	0.10 UF 110% 100 VDCW	16
62	C 11	0.1 UF 110% 16 VDCW	05	62	C 48	0.1 UF 110% 16 VDCW	02	54	C 79	0.10 UF 110% 100 VDCW	16
62	C 12	0.1 UF 110% 16 VDCW	05	62	C 49	0.1 UF 110% 16 VDCW	02	51	C 80	1,000,000 UUF 110%	16
62	C 13	0.1 UF 110% 16 VDCW	05	62	C 50	0.1 UF 110% 16 VDCW	02			50 VDCW	
62	C 14	0.1 UF 110% 16 VDCW	05	62	C 51	0.1 UF 110% 16 VDCW	02	51	C 81	1,000,000 UUF 110%	16
57	C 15	100 UF 110% 10 VDCW	02	57	C 52	100 UF 110% 10 VDCW	02			50 VDCW	
58	C 16	22 MFD 120% 35 VDCW	20	57	C 53	100 UF 110% 10 VDCW	02	51	C 82	1,000,000 UUF 110%	16
56	C 17	220 UF 120% 10 VDCW	18	57	C 54	100 UF 110% 10 VDCW	02			50 VDCW	
56	C 18	220 UF 120% 10 VDCW	18	57	C 55	100 UF 110% 10 VDCW	10	51	C 83	1,000,000 UUF 110%	16
56	C 19	220 UF 120% 10 VDCW	18	51	C 56	1,000,000 UUF 110%	18			50 VDCW	
56	C 20	220 UF 120% 10 VDCW	19			50 VDCW		62	C 84	0.1 UF 110% 16 VDCW	10
58	C 21	22 MFD 120% 35 VDCW	20	56	C 57	220 UF 120% 10 VDCW	19	62	C 85	0.1 UF 110% 16 VDCW	10
62	C 22	0.1 UF 110% 16 VDCW	05	57	C 58	100 UF 110% 10 VDCW	10	62	C 86	0.1 UF 110% 16 VDCW	10
51	C 23	1,000,000 UUF 110%	19	51	C 59	1,000,000 UUF 110%	18	62	C 87	0.1 UF 110% 16 VDCW	10
		50 VDCW				50 VDCW		55	C 88	220 PF 110% 200 VDCW	20
51	C 24	1,000,000 UUF 110%	19	56	C 60	220 UF 120% 10 VDCW	21	52	C 89	1 UF 110% 25 VDCW	21
		50 VDCW		57	C 61	100 UF 110% 10 VDCW	02	61	C 90	0.010 UF 110% 50 VDCW	21
51	C 25	1,000,000 UUF 110%	19	51	C 62	1,000,000 UUF 110%	18	62	C 91	0.1 UF 110% 16 VDCW	10
		50 VDCW				50 VDCW		65	C 92	470 UUF 11% 50 VDCW	15
51	C 26	1,000,000 UUF 110%	19	56	C 63	220 UF 120% 10 VDCW	17	52	C 93	1 UF 110% 25 VDCW	20
		50 VDCW		51	C 64	1,000,000 UUF 110%	18	62	C 94	0.1 UF 110% 16 VDCW	10
						50 VDCW		62	C 95	0.1 UF 110% 16 VDCW	10
62	C 27	0.1 UF 110% 16 VDCW	02	56	C 65	220 UF 120% 10 VDCW	18	60	C 96	1000 PF 110% 50 VDCW	01
62	C 28	0.1 UF 110% 16 VDCW	02	54	C 66	0.10 UF 110% 100 VDCW	21	62	C 97	0.1 UF 110% 16 VDCW	14
62	C 29	0.1 UF 110% 16 VDCW	02	52	C 67	1 UF 110% 25 VDCW	22	62	C 98	0.1 UF 110% 16 VDCW	14
62	C 30	0.1 UF 110% 16 VDCW	02	57	C 68	100 UF 110% 10 VDCW	09	62	C 99	0.1 UF 110% 16 VDCW	14
62	C 31	0.1 UF 110% 16 VDCW	02	54	C 69	0.10 UF 110% 100 VDCW	18	62	C100	0.1 UF 110% 16 VDCW	14
62	C 32	0.1 UF 110% 16 VDCW	05	58	C 70	22 MFD 120% 35 VDCW	17	62	C101	0.1 UF 110% 16 VDCW	14
62	C 33	0.1 UF 110% 16 VDCW	05	51	C 71	1,000,000 UUF 110%	16	61	C102	0.010 UF 110% 50 VDCW	14
62	C 34	0.1 UF 110% 16 VDCW	05			50 VDCW		62	C104	0.1 UF 110% 16 VDCW	06
57	C 35	100 UF 110% 10 VDCW	02	51	C 72	1,000,000 UUF 110%	16	62	C105	0.1 UF 110% 16 VDCW	06
57	C 36	100 UF 110% 10 VDCW	02			50 VDCW		62	C106	0.1 UF 110% 16 VDCW	06
57	C 37	100 UF 110% 10 VDCW	02								

SPECIAL SYMBOLS

X NO SPECIFIC QTY REQD (QTY TABLE)

* ORIGINAL CONFIGURATION (QTY TABLE)

MATERIAL CODE (NOT A DWG)

... NOT AVAILABLE

FIND (ITEM) NUMBERS 1 TO 999

- ASSY OR DETAIL ITEMS

- AW/PS CRITICAL ITEMS

- SPECIAL CONFIGURATION CONTROL ITEMS

CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)

1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)

2 SUBSEQUENT SELECT (ITEMS)

3 ASSEMBLY

4 BULK OR SUNDRY ITEM

5 REFERENCE DOCUMENT

7 MACHINED CASTING DWG

8 SELECT PER AO OR MI

V VENDOR (SUPPLIER) ITEM-

SPEC SOURCE DWG

* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 01-12-18	
Honeywell		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS				SHEET 14 OF 19	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
62	C107	0.1 UF !10% 16 VDCW	06	52	C151	1 UF !10% 25 VDCW	18	52	C196	1 UF !10% 25 VDCW	18
62	C109	0.1 UF !10% 16 VDCW	14	52	C152	1 UF !10% 25 VDCW	18	61	C197	0.010 UF !10% 50 VDCW	19
62	C110	0.1 UF !10% 16 VDCW	05	62	C153	0.1 UF !10% 16 VDCW	10	61	C198	0.010 UF !10% 50 VDCW	19
62	C111	0.1 UF !10% 16 VDCW	05	62	C154	0.1 UF !10% 16 VDCW	10	63	C199	100 UUF !1% 50 VDCW	19
62	C112	0.1 UF !10% 16 VDCW	10	62	C155	0.1 UF !10% 16 VDCW	10	60	C200	1000 PF !10% 50 VDCW	19
62	C113	0.1 UF !10% 16 VDCW	10	62	C156	0.1 UF !10% 16 VDCW	01	60	C201	1000 PF !10% 50 VDCW	19
52	C114	1 UF !10% 25 VDCW	20	62	C157	0.1 UF !10% 16 VDCW	06	62	C202	0.1 UF !10% 16 VDCW	10
62	C115	0.1 UF !10% 16 VDCW	07	62	C158	0.1 UF !10% 16 VDCW	06	62	C203	0.1 UF !10% 16 VDCW	10
62	C116	0.1 UF !10% 16 VDCW	07	62	C159	0.1 UF !10% 16 VDCW	06	61	C204	0.010 UF !10% 50 VDCW	15
65	C117	470 UUF !1% 50 VDCW	15	62	C160	0.1 UF !10% 16 VDCW	14	62	C205	0.1 UF !10% 16 VDCW	15
52	C118	1 UF !10% 25 VDCW	20	53	C161	0.10 UF !10% 50 VDCW	19	60	C206	1000 PF !10% 50 VDCW	23
52	C119	1 UF !10% 25 VDCW	20	62	C162	0.1 UF !10% 16 VDCW	06	63	C207	100 UUF !1% 50 VDCW	18
62	C120	0.1 UF !10% 16 VDCW	10	62	C163	0.1 UF !10% 16 VDCW	05	62	C208	0.1 UF !10% 16 VDCW	09
58	C121	22 MFD !20% 35 VDCW	20	62	C164	0.1 UF !10% 16 VDCW	05	62	C209	0.1 UF !10% 16 VDCW	09
56	C123	220 UF !20% 10 VDCW	18	62	C165	0.1 UF !10% 16 VDCW	07	62	C210	0.1 UF !10% 16 VDCW	01
62	C124	0.1 UF !10% 16 VDCW	14	62	C166	0.1 UF !10% 16 VDCW	07	52	C211	1 UF !10% 25 VDCW	21
56	C125	220 UF !20% 10 VDCW	18	62	C167	0.1 UF !10% 16 VDCW	14	61	C212	0.010 UF !10% 50 VDCW	21
56	C126	220 UF !20% 10 VDCW	18	62	C168	0.1 UF !10% 16 VDCW	02	62	C213	0.1 UF !10% 16 VDCW	15
56	C127	220 UF !20% 10 VDCW	18	62	C169	0.1 UF !10% 16 VDCW	10	62	C214	0.1 UF !10% 16 VDCW	17
56	C128	220 UF !20% 10 VDCW	19	62	C171	0.1 UF !10% 16 VDCW	14	62	C215	0.1 UF !10% 16 VDCW	15
56	C129	220 UF !20% 10 VDCW	19	60	C172	1000 PF !10% 50 VDCW	19	62	C216	0.1 UF !10% 16 VDCW	10
58	C130	22 MFD !20% 35 VDCW	20	53	C174	0.10 UF !10% 50 VDCW	18	60	C217	1000 PF !10% 50 VDCW	18
58	C131	22 MFD !20% 35 VDCW	20	62	C175	0.1 UF !10% 16 VDCW	10	61	C218	0.010 UF !10% 50 VDCW	18
62	C132	0.1 UF !10% 16 VDCW	06	61	C176	0.010 UF !10% 50 VDCW	23	64	C219	220 UUF !1% 50 VDCW	18
62	C133	0.1 UF !10% 16 VDCW	10	62	C177	0.1 UF !10% 16 VDCW	10	63	C220	100 UUF !1% 50 VDCW	22
53	C134	0.10 UF !10% 50 VDCW	20	52	C178	1 UF !10% 25 VDCW	19	60	C221	1000 PF !10% 50 VDCW	21
62	C135	0.1 UF !10% 16 VDCW	06	61	C179	0.010 UF !10% 50 VDCW	19	62	C222	0.1 UF !10% 16 VDCW	18
62	C136	0.1 UF !10% 16 VDCW	06	62	C180	0.1 UF !10% 16 VDCW	19	62	C223	0.1 UF !10% 16 VDCW	15
62	C137	0.1 UF !10% 16 VDCW	06	63	C181	100 UUF !1% 50 VDCW	19	60	C224	1000 PF !10% 50 VDCW	19
62	C138	0.1 UF !10% 16 VDCW	05	52	C182	1 UF !10% 25 VDCW	21	62	C225	0.1 UF !10% 16 VDCW	09
62	C139	0.1 UF !10% 16 VDCW	05	52	C183	1 UF !10% 25 VDCW	21	62	C226	0.1 UF !10% 16 VDCW	15
62	C140	0.1 UF !10% 16 VDCW	14	62	C184	0.1 UF !10% 16 VDCW	10	62	C227	0.1 UF !10% 16 VDCW	10
58	C141	22 MFD !20% 35 VDCW	20	62	C185	0.1 UF !10% 16 VDCW	10	62	C228	0.1 UF !10% 16 VDCW	10
62	C142	0.1 UF !10% 16 VDCW	10	62	C187	0.1 UF !10% 16 VDCW	18	62	C229	0.1 UF !10% 16 VDCW	10
62	C143	0.1 UF !10% 16 VDCW	10	62	C188	0.1 UF !10% 16 VDCW	18	63	C230	100 UUF !1% 50 VDCW	24
62	C144	0.1 UF !10% 16 VDCW	10	63	C189	100 UUF !1% 50 VDCW	22	62	C231	0.1 UF !10% 16 VDCW	09
62	C145	0.1 UF !10% 16 VDCW	14	61	C190	0.010 UF !10% 50 VDCW	23	60	C232	1000 PF !10% 50 VDCW	18
52	C146	1 UF !10% 25 VDCW	19	52	C191	1 UF !10% 25 VDCW	21	62	C233	0.1 UF !10% 16 VDCW	09
62	C147	0.1 UF !10% 16 VDCW	19	62	C193	0.1 UF !10% 16 VDCW	15	63	C234	100 UUF !1% 50 VDCW	24
62	C148	0.1 UF !10% 16 VDCW	19	62	C194	0.1 UF !10% 16 VDCW	15	54	C235	0.10 UF !10% 100 VDCW	17
62	C149	0.1 UF !10% 16 VDCW	14	62	C195	0.1 UF !10% 16 VDCW	15	63	C236	100 UUF !1% 50 VDCW	24

SPECIAL SYMBOLS	FIND (ITEM) NUMBERS 1 TO 999	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)
X NO SPECIFIC QTY REQD (QTY TABLE)	- ASSY OR DETAIL ITEMS	1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)
* ORIGINAL CONFIGURATION (QTY TABLE)	- AW/PS CRITICAL ITEMS	4 BULK OR SUNDRY ITEM
MATERIAL CODE (NOT A DWG)	- SPECIAL CONFIGURATION CONTROL ITEMS	5 REFERENCE DOCUMENT
_ NOT AVAILABLE		7 MACHINED CASTING DWG
		8 SELECT PER AQ OR MI
		V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG
		* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
REFERENCE DESIGNATION		Honeywell		DESIGN CHECKER		END ITEM 7026203				DATE 01-12-18	
		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS				SHEET 15 OF 19	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
62	C237	0.1 UF 110% 16 VDCW	15	66	CR 4		17	75	Q 7		21
60	C238	1000 PF 110% 50 VDCW	18	66	CR 5		18	76	Q 8		17
62	C239	0.1 UF 110% 16 VDCW	01	67	CR 6		21	75	Q 9		17
61	C240	0.010 UF 110% 50 VDCW	18	68	CR 7		21	77	Q 10		21
62	C241	0.1 UF 110% 16 VDCW	10	66	CR 8		17	75	Q 11		17
64	C242	220 UUF 11% 50 VDCW	17	67	CR 9		20	75	Q 12		17
62	C243	0.1 UF 110% 16 VDCW	01	68	CR 10		02	76	Q 13		17
62	C244	0.1 UF 110% 16 VDCW	10	67	CR 11		20	79	Q 14		17
63	C245	100 UUF 11% 50 VDCW	24	68	CR 12		18	81	Q 15		17
63	C246	100 UUF 11% 50 VDCW	24	68	CR 13		19	75	Q 16		16
62	C247	0.1 UF 110% 16 VDCW	15	68	CR 14		19	76	Q 17		16
62	C248	0.1 UF 110% 16 VDCW	15	68	CR 15		17	83	Q 18		20
62	C249	0.1 UF 110% 16 VDCW	09	68	CR 16		17	75	Q 19		17
60	C250	1000 PF 110% 50 VDCW	18	68	CR 17		19	82	Q 20		09
65	C251	470 UUF 11% 50 VDCW	17	68	CR 18		18	80	Q 21		16
62	C252	0.1 UF 110% 16 VDCW	09	68	CR 19		18	75	Q 22		16
54	C254	0.10 UF 110% 100 VDCW	16	68	CR 20		18	93	R 1	36.5 OHMS 11% 1/16 W	04
62	C255	0.1 UF 110% 16 VDCW	16	68	CR 21		18	93	R 2	36.5 OHMS 11% 1/16 W	04
62	C256	0.1 UF 110% 16 VDCW	09	68	CR 22		09	93	R 3	36.5 OHMS 11% 1/16 W	04
63	C257	100 UUF 11% 50 VDCW	24	68	CR 23		16	93	R 4	36.5 OHMS 11% 1/16 W	04
63	C258	100 UUF 11% 50 VDCW	24	66	CR 24		17	112	R 5	10000 OHMS 1/16 W	14
62	C259	0.1 UF 110% 16 VDCW	15	66	CR 25		17	113	R 6	20 OHMS 1/16 W	04
60	C260	1000 PF 110% 50 VDCW	17	66	CR 26		17	111	R 7	1000 OHMS 1/16 W	03
62	C261	0.1 UF 110% 16 VDCW	01	67	CR 27		16	110	R 9	100 OHMS 1/16 W	12
62	C264	0.1 UF 110% 16 VDCW	15	66	CR999		24	110	R 10	100 OHMS 1/16 W	13
60	C266	1000 PF 110% 50 VDCW	16	69	F 1		19	93	R 11	36.5 OHMS 11% 1/16 W	04
63	C267	100 UUF 11% 50 VDCW	24	69	F 2		18	112	R 12	10000 OHMS 1/16 W	07
62	C268	0.1 UF 110% 16 VDCW	09	71	J 1		25	113	R 13	20 OHMS 1/16 W	04
62	C269	0.1 UF 110% 16 VDCW	09	72	J 2		25	113	R 14	20 OHMS 1/16 W	04
62	C270	0.1 UF 110% 16 VDCW	01	70	J 3		25	113	R 15	20 OHMS 1/16 W	04
54	C271	0.10 UF 110% 100 VDCW	17	73	L 1		19	113	R 16	20 OHMS 1/16 W	04
62	C272	0.1 UF 110% 16 VDCW	09	73	L 2		18	113	R 17	20 OHMS 1/16 W	04
60	C273	1000 PF 110% 50 VDCW	16	73	L 3		18	110	R 18	100 OHMS 1/16 W	12
54	C274	0.10 UF 110% 100 VDCW	16	74	L 4		16	110	R 19	100 OHMS 1/16 W	12
54	C275	0.10 UF 110% 100 VDCW	16	74	L 5		16	113	R 20	20 OHMS 1/16 W	03
62	C276	0.1 UF 110% 16 VDCW	06	78	Q 1		20	113	R 21	20 OHMS 1/16 W	04
54	C277	0.10 UF 110% 100 VDCW	16	83	Q 2		19	111	R 22	1000 OHMS 1/16 W	04
140	C901	12 PF 15% 50 VDCW	19	76	Q 3		23	111	R 23	1000 OHMS 1/16 W	04
67	CR 1		20	83	Q 4		18	110	R 24	100 OHMS 1/16 W	12
67	CR 2		02	83	Q 5		18	110	R 25	100 OHMS 1/16 W	13
67	CR 3		02	76	Q 6		22	113	R 26	20 OHMS 1/16 W	04

SPECIAL SYMBOLS

X NO SPECIFIC QTY REQD (QTY TABLE)

* ORIGINAL CONFIGURATION (QTY TABLE)

MATERIAL CODE (NOT A DWG)

— NOT AVAILABLE

FIND (ITEM) NUMBERS 1 TO 999

— ASSY OR DETAIL ITEMS

— AW/PS CRITICAL ITEMS

— SPECIAL CONFIGURATION CONTROL ITEMS

CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)

1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)

2 SUBSEQUENT SELECT (ITEMS)

3 ASSEMBLY

4 BULK OR SUNDRY ITEM

5 REFERENCE DOCUMENT

7 MACHINED CASTING DWG

8 SELECT PER AO OR MI

V VENDOR (SUPPLIER) ITEM—

SPEC SOURCE DWG

* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 01-12-18	
Honeywell		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS				SHEET 16 OF 19	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
113	R 27	20 OHMS 1/16 W	04	92	R 70	10 OHMS 11% 1/16 W	20	93	R116	36.5 OHMS 11% 1/16 W	03
113	R 28	20 OHMS 1/16 W	04	99	R 71	499 OHMS 11% 1/16 W	21	105	R117	15,000 OHMS 11% 1/16 W	19
110	R 29	100 OHMS 1/16 W	12	93	R 72	36.5 OHMS 11% 1/16 W	11	84	R118	10.00 OHMS 11% 1 W	17
110	R 30	100 OHMS 1/16 W	13	86	R 73	0.100 OHMS 11% 1 W	20	84	R119	10.00 OHMS 11% 1 W	17
110	R 31	100 OHMS 1/16 W	13	94	R 74	49.9 OHMS 11% 1/16 W	15	96	R120	100 OHMS 11% 1/16 W	18
112	R 34	10000 OHMS 1/16 W	03	93	R 75	36.5 OHMS 11% 1/16 W	01	97	R121	200 OHMS 11% 1/16 W	18
113	R 35	20 OHMS 1/16 W	03	92	R 76	10 OHMS 11% 1/16 W	20	99	R122	499 OHMS 11% 1/16 W	22
100	R 36	1000 OHMS 11% 1/16 W	12	100	R 77	1000 OHMS 11% 1/16 W	21	103	R123	4990 OHMS 11% 1/16 W	22
110	R 37	100 OHMS 1/16 W	12	92	R 78	10 OHMS 11% 1/16 W	20	100	R124	1000 OHMS 11% 1/16 W	23
110	R 38	100 OHMS 1/16 W	12	113	R 79	20 OHMS 1/16 W	02	96	R125	100 OHMS 11% 1/16 W	23
112	R 39	10000 OHMS 1/16 W	15	92	R 80	10 OHMS 11% 1/16 W	20	96	R126	100 OHMS 11% 1/16 W	23
110	R 40	100 OHMS 1/16 W	12	93	R 81	36.5 OHMS 11% 1/16 W	01	99	R127	499 OHMS 11% 1/16 W	23
84	R 41	10.00 OHMS 11% 1 W	21	108	R 82	0.100 MEGO 11% 1/16 W	01	107	R128	49,900 OHMS 11% 1/16 W	23
90	R 42	10,000 OHMS 10.1% 1/8 W	19	108	R 83	0.100 MEGO 11% 1/16 W	23	96	R129	100 OHMS 11% 1/16 W	23
110	R 43	100 OHMS 1/16 W	12	114	R 84	10.0 OHMS 11% 1/4 W	20	96	R130	100 OHMS 11% 1/16 W	23
110	R 44	100 OHMS 1/16 W	13	93	R 85	36.5 OHMS 11% 1/16 W	14	102	R131	2000 OHMS 11% 1/16 W	23
111	R 45	1000 OHMS 1/16 W	01	110	R 86	100 OHMS 1/16 W	13	111	R132	1000 OHMS 1/16 W	14
85	R 46	1000.0 OHMS 11% 1 W	20	110	R 87	100 OHMS 1/16 W	13	96	R133	100 OHMS 11% 1/16 W	18
91	R 47	24,300 OHMS 11% 1/8 W	17	94	R 88	49.9 OHMS 11% 1/16 W	15	88	R134	2000 OHMS 10.1% 1/8 W	19
		SURFACE MOUNT		115	R 89	1000 OHMS 11% 1/4 W	20	93	R135	36.5 OHMS 11% 1/16 W	01
87	R 48	1000.0 OHMS 10.1% 1/8 W	17	100	R 90	1000 OHMS 11% 1/16 W	05	100	R136	1000 OHMS 11% 1/16 W	08
110	R 49	100 OHMS 1/16 W	13	110	R 91	100 OHMS 1/16 W	12	109	R137	0.200 MEGO 11% 1/16 W	22
110	R 50	100 OHMS 1/16 W	13	112	R 92	10000 OHMS 1/16 W	11	109	R138	0.200 MEGO 11% 1/16 W	23
110	R 51	100 OHMS 1/16 W	13	110	R 95	100 OHMS 1/16 W	13	109	R139	0.200 MEGO 11% 1/16 W	19
110	R 52	100 OHMS 1/16 W	13	110	R 96	100 OHMS 1/16 W	13	105	R140	15,000 OHMS 11% 1/16 W	19
85	R 53	1000.0 OHMS 11% 1 W	20	112	R 97	10000 OHMS 1/16 W	11	103	R141	4990 OHMS 11% 1/16 W	19
113	R 54	20 OHMS 1/16 W	09	92	R 98	10 OHMS 11% 1/16 W	19	100	R142	1000 OHMS 11% 1/16 W	19
114	R 55	10.0 OHMS 11% 1/4 W	16	92	R 99	10 OHMS 11% 1/16 W	18	108	R143	0.100 MEGO 11% 1/16 W	19
116	R 56	51,100 OHMS 11% 1/4 W	17	97	R100	200 OHMS 11% 1/16 W	19	99	R144	499 OHMS 11% 1/16 W	21
84	R 57	10.00 OHMS 11% 1 W	16	86	R101	0.100 OHMS 11% 1 W	19	103	R145	4990 OHMS 11% 1/16 W	22
116	R 58	51,100 OHMS 11% 1/4 W	17	86	R102	0.100 OHMS 11% 1 W	19	105	R146	15,000 OHMS 11% 1/16 W	23
84	R 59	10.00 OHMS 11% 1 W	16	86	R103	0.100 OHMS 11% 1 W	18	107	R147	49,900 OHMS 11% 1/16 W	23
84	R 60	10.00 OHMS 11% 1 W	16	86	R104	0.100 OHMS 11% 1 W	18	102	R148	2000 OHMS 11% 1/16 W	23
84	R 61	10.00 OHMS 11% 1 W	16	86	R105	0.100 OHMS 11% 1 W	18	109	R149	0.200 MEGO 11% 1/16 W	23
84	R 62	10.00 OHMS 11% 1 W	16	86	R106	0.100 OHMS 11% 1 W	18	99	R150	499 OHMS 11% 1/16 W	23
117	R 63	0.100 MEGO 11% 1/4 W	16	107	R107	49,900 OHMS 11% 1/16 W	19	105	R151	15,000 OHMS 11% 1/16 W	23
114	R 64	10.0 OHMS 11% 1/4 W	21	110	R108	100 OHMS 1/16 W	13	103	R152	4990 OHMS 11% 1/16 W	23
99	R 65	499 OHMS 11% 1/16 W	20	93	R109	36.5 OHMS 11% 1/16 W	11	110	R153	100 OHMS 1/16 W	12
99	R 66	499 OHMS 11% 1/16 W	21	110	R110	100 OHMS 1/16 W	13	84	R154	10.00 OHMS 11% 1 W	17
110	R 68	100 OHMS 1/16 W	13	93	R114	36.5 OHMS 11% 1/16 W	03	84	R155	10.00 OHMS 11% 1 W	17
112	R 69	10000 OHMS 1/16 W	14	107	R115	49,900 OHMS 11% 1/16 W	19	104	R156	10,000 OHMS 11% 1/16 W	23

SPECIAL SYMBOLS

X NO SPECIFIC QTY REQD (QTY TABLE)

* ORIGINAL CONFIGURATION (QTY TABLE)

MATERIAL CODE (NOT A DWG)

— NOT AVAILABLE

FIND (ITEM) NUMBERS 1 TO 999

— ASSY OR DETAIL ITEMS

— AW/PS CRITICAL ITEMS

— SPECIAL CONFIGURATION CONTROL ITEMS

CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)

1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)

2 SUBSEQUENT SELECT (ITEMS)

3 ASSEMBLY

4 BULK OR SUNDRY ITEM

5 REFERENCE DOCUMENT

7 MACHINED CASTING DWG

8 SELECT PER AO OR MI

V VENDOR (SUPPLIER) ITEM—

SPEC SOURCE DWG

* CUSTOMER—FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE				
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 01-12-18				
Honeywell		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS				SHEET 17 OF 19				
FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH
100	R157	1000 OHMS !1% 1/16 W		19	103	R199	4990 OHMS !1% 1/16 W		23	93	R240	36.5 OHMS !1% 1/16 W		09
108	R158	0.100 MEGO !1% 1/16 W		19	106	R200	20,000 OHMS !1% 1/16 W		23	113	R241	20 OHMS 1/16 W		01
105	R159	15,000 OHMS !1% 1/16 W		22	99	R201	499 OHMS !1% 1/16 W		24	103	R242	4990 OHMS !1% 1/16 W		24
100	R160	1000 OHMS !1% 1/16 W		22	99	R202	499 OHMS !1% 1/16 W		24	103	R243	4990 OHMS !1% 1/16 W		24
111	R162	1000 OHMS 1/16 W		03	102	R203	2000 OHMS !1% 1/16 W		21	102	R244	2000 OHMS !1% 1/16 W		24
100	R163	1000 OHMS !1% 1/16 W		22	102	R204	2000 OHMS !1% 1/16 W		21	106	R245	20,000 OHMS !1% 1/16 W		24
105	R164	15,000 OHMS !1% 1/16 W		22	102	R205	2000 OHMS !1% 1/16 W		21	103	R246	4990 OHMS !1% 1/16 W		24
109	R165	0.200 MEGO !1% 1/16 W		22	102	R206	2000 OHMS !1% 1/16 W		21	110	R247	100 OHMS 1/16 W		13
100	R166	1000 OHMS !1% 1/16 W		22	99	R207	499 OHMS !1% 1/16 W		21	110	R248	100 OHMS 1/16 W		13
100	R167	1000 OHMS !1% 1/16 W		22	96	R208	100 OHMS !1% 1/16 W		21	110	R249	100 OHMS 1/16 W		13
109	R168	0.200 MEGO !1% 1/16 W		23	109	R209	0.200 MEGO !1% 1/16 W		21	109	R250	0.200 MEGO !1% 1/16 W		18
109	R169	0.200 MEGO !1% 1/16 W		23	110	R210	100 OHMS 1/16 W		13	89	R251	3010.0 OHMS 10.1% 1/8 W		18
102	R170	2000 OHMS !1% 1/16 W		23	96	R211	100 OHMS !1% 1/16 W		22	105	R252	15,000 OHMS !1% 1/16 W		18
109	R171	0.200 MEGO !1% 1/16 W		23	96	R212	100 OHMS !1% 1/16 W		19	105	R253	15,000 OHMS !1% 1/16 W		18
109	R172	0.200 MEGO !1% 1/16 W		23	108	R213	0.100 MEGO !1% 1/16 W		17	112	R254	10000 OHMS 1/16 W		08
97	R173	200 OHMS !1% 1/16 W		18	117	R214	0.100 MEGO !1% 1/4 W		17	112	R255	10000 OHMS 1/16 W		03
96	R174	100 OHMS !1% 1/16 W		18	93	R216	36.5 OHMS !1% 1/16 W		08	100	R256	1000 OHMS !1% 1/16 W		09
105	R175	15,000 OHMS !1% 1/16 W		18	111	R217	1000 OHMS 1/16 W		03	113	R257	20 OHMS 1/16 W		01
109	R176	0.200 MEGO !1% 1/16 W		18	113	R218	20 OHMS 1/16 W		01	89	R258	3010.0 OHMS 10.1% 1/8 W		18
90	R177	10,000 OHMS 10.1% 1/8 W		19	110	R219	100 OHMS 1/16 W		13	106	R259	20,000 OHMS !1% 1/16 W		24
113	R178	20 OHMS 1/16 W		02	96	R220	100 OHMS !1% 1/16 W		18	107	R260	49,900 OHMS !1% 1/16 W		24
101	R179	1500 OHMS !1% 1/16 W		21	96	R221	100 OHMS !1% 1/16 W		18	108	R261	0.100 MEGO !1% 1/16 W		24
105	R180	15,000 OHMS !1% 1/16 W		21	112	R222	10000 OHMS 1/16 W		08	109	R262	0.200 MEGO !1% 1/16 W		18
99	R181	499 OHMS !1% 1/16 W		21	109	R223	0.200 MEGO !1% 1/16 W		17	100	R263	1000 OHMS !1% 1/16 W		18
100	R182	1000 OHMS !1% 1/16 W		19	100	R224	1000 OHMS !1% 1/16 W		17	105	R264	15,000 OHMS !1% 1/16 W		18
108	R183	0.100 MEGO !1% 1/16 W		17	99	R225	499 OHMS !1% 1/16 W		24	96	R265	100 OHMS !1% 1/16 W		17
100	R184	1000 OHMS !1% 1/16 W		17	99	R226	499 OHMS !1% 1/16 W		24	99	R266	499 OHMS !1% 1/16 W		17
109	R185	0.200 MEGO !1% 1/16 W		17	107	R227	49,900 OHMS !1% 1/16 W		24	104	R267	10,000 OHMS !1% 1/16 W		17
104	R186	10,000 OHMS !1% 1/16 W		17	108	R228	0.100 MEGO !1% 1/16 W		17	106	R268	20,000 OHMS !1% 1/16 W		17
108	R187	0.100 MEGO !1% 1/16 W		17	99	R229	499 OHMS !1% 1/16 W		24	108	R269	0.100 MEGO !1% 1/16 W		17
93	R188	36.5 OHMS !1% 1/16 W		15	106	R230	20,000 OHMS !1% 1/16 W		24	106	R270	20,000 OHMS !1% 1/16 W		16
105	R189	15,000 OHMS !1% 1/16 W		22	99	R231	499 OHMS !1% 1/16 W		24	104	R271	10,000 OHMS !1% 1/16 W		17
105	R190	15,000 OHMS !1% 1/16 W		22	108	R232	0.100 MEGO !1% 1/16 W		18	108	R272	0.100 MEGO !1% 1/16 W		16
107	R191	49,900 OHMS !1% 1/16 W		22	108	R233	0.100 MEGO !1% 1/16 W		18	89	R273	3010.0 OHMS 10.1% 1/8 W		18
109	R192	0.200 MEGO !1% 1/16 W		23	100	R234	1000 OHMS !1% 1/16 W		21	100	R274	1000 OHMS !1% 1/16 W		09
106	R193	20,000 OHMS !1% 1/16 W		23	90	R235	10,000 OHMS 10.1% 1/8 W		18	104	R275	10,000 OHMS !1% 1/16 W		24
104	R194	10,000 OHMS !1% 1/16 W		23	109	R236	0.200 MEGO !1% 1/16 W		17	103	R276	4990 OHMS !1% 1/16 W		24
102	R195	2000 OHMS !1% 1/16 W		23	107	R237	49,900 OHMS !1% 1/16 W		17	106	R277	20,000 OHMS !1% 1/16 W		24
99	R196	499 OHMS !1% 1/16 W		24	104	R238	10,000 OHMS !1% 1/16 W		17	99	R278	499 OHMS !1% 1/16 W		17
99	R197	499 OHMS !1% 1/16 W		24	91	R239	24,300 OHMS !1% 1/8 W		17	99	R279	499 OHMS !1% 1/16 W		17
107	R198	49,900 OHMS !1% 1/16 W		23			SURFACE MOUNT		112	112	R280	10000 OHMS 1/16 W		14
SPECIAL SYMBOLS		FIND (ITEM) NUMBERS 1 TO 999				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)								
X NO SPECIFIC QTY REQD (QTY TABLE)		- ASSY OR DETAIL ITEMS				1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)								
* ORIGINAL CONFIGURATION (QTY TABLE)		- AW/PS CRITICAL ITEMS				4 BULK OR SUNDRY ITEM								
MATERIAL CODE (NOT A DWG)		- SPECIAL CONFIGURATION CONTROL ITEMS				5 REFERENCE DOCUMENT								
... NOT AVAILABLE						2 SUBSEQUENT SELECT (ITEMS)								
						3 ASSEMBLY								
						7 MACHINED CASTING DWG								
						8 SELECT PER AO OR MI								
						V VENDOR (SUPPLIER)-ITEM-								
						SPEC SOURCE DWG								
						* CUSTOMER-FURNISHED ITEM								
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.														

PARTS LIST		PRODUCT ENGINEER P. SCHWERTMAN		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026230-902		REV. LTR XE	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 01-12-18	
		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- CPU/PS				SHEET 18 OF 19	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
89	R281	3010.0 OHMS 10.1% 1/8 W	18	100	R323	1000 OHMS 11% 1/16 W	17	121	U 21		24
113	R282	20 OHMS 1/16 W	01	96	R324	100 OHMS 11% 1/16 W	16	121	U 22		24
111	R283	1000 OHMS 1/16 W	01	97	R325	200 OHMS 11% 1/16 W	16	124	U 23		09
93	R284	36.5 OHMS 11% 1/16 W	10	108	R326	0.100 MEGO 11% 1/16 W	22	126	U 24	288 MACROCELLS CPLD	01
104	R285	10,000 OHMS 11% 1/16 W	17	117	R327	0.100 MEGO 11% 1/4 W	21	134	U 25		10
106	R286	20,000 OHMS 11% 1/16 W	16	94	R328	49.9 OHMS 11% 1/16 W	15	135	U 26		16
108	R287	0.100 MEGO 11% 1/16 W	17	92	R329	10 OHMS 11% 1/16 W	06	121	U 27		18
109	R288	0.200 MEGO 11% 1/16 W	17	103	R330	4990 OHMS 11% 1/16 W	16	133	U 28		06
95	R289	61.9 OHMS 11% 1/16 W	09	90	R331	10,000 OHMS 10.1% 1/8 W	22	129	U 29		02
98	R290	422 OHMS 11% 1/16 W	09	108	R332	0.100 MEGO 11% 1/16 W	22	123	U 30		06
98	R291	422 OHMS 11% 1/16 W	09	100	R333	1000 OHMS 11% 1/16 W	16	123	U 31		06
95	R292	61.9 OHMS 11% 1/16 W	09	115	R901	1000 OHMS 11% 1/4 W	19	125	U 34		09
107	R293	49,900 OHMS 11% 1/16 W	24	141	R902	75.0 OHMS 11% 1/4 W	19	137	VR 1		17
108	R294	0.100 MEGO 11% 1/16 W	24	139	R998	1000 OHMS 12% 1/4 W	14	137	VR 2		16
100	R295	1000 OHMS 11% 1/16 W	24	139	R999	1000 OHMS 12% 1/4 W	14	137	VR 3		21
103	R296	4990 OHMS 11% 1/16 W	24	119	T 1		20	137	VR 4		17
99	R297	499 OHMS 11% 1/16 W	24	120	TP 1		21	136	VR 5		16
97	R298	200 OHMS 11% 1/16 W	24	120	TP 2		21	136	VR 6		16
102	R299	2000 OHMS 11% 1/16 W	24	120	TP 3		17	138	Z 1		19
106	R300	20,000 OHMS 11% 1/16 W	24	120	TP 4		21	138	Z 2		18
103	R301	4990 OHMS 11% 1/16 W	24	120	TP 5		16				
104	R302	10,000 OHMS 11% 1/16 W	24	131	U 1		21				
107	R303	49,900 OHMS 11% 1/16 W	24	125	U 2		01				
107	R304	49,900 OHMS 11% 1/16 W	24	132	U 3		07				
102	R305	2000 OHMS 11% 1/16 W	17	132	U 4		07				
100	R306	1000 OHMS 11% 1/16 W	17	127	U 5		10				
100	R307	1000 OHMS 11% 1/16 W	17	123	U 6		05				
100	R308	1000 OHMS 11% 1/16 W	17	123	U 7		05				
102	R309	2000 OHMS 11% 1/16 W	17	123	U 8		05				
99	R310	499 OHMS 11% 1/16 W	16	128	U 9		14				
99	R311	499 OHMS 11% 1/16 W	16	132	U 10		07				
99	R312	499 OHMS 11% 1/16 W	16	132	U 11		07				
97	R313	200 OHMS 11% 1/16 W	16	130	U 12		19				
100	R314	1000 OHMS 11% 1/16 W	16	131	U 13		21				
100	R315	1000 OHMS 11% 1/16 W	16	121	U 14		22				
117	R316	0.100 MEGO 11% 1/4 W	17	121	U 15		23				
112	R317	10000 OHMS 1/16 W	03	127	U 16		10				
108	R318	0.100 MEGO 11% 1/16 W	22	130	U 17		18				
90	R319	10,000 OHMS 10.1% 1/8 W	22	122	U 18		21				
97	R320	200 OHMS 11% 1/16 W	16	128	U 19		15				
90	R322	10,000 OHMS 10.1% 1/8 W	22	121	U 20		16				

SPECIAL SYMBOLS		FIND (ITEM) NUMBERS 1 TO 999		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)			
X NO SPECIFIC QTY REQD (QTY TABLE)	- ASSY OR DETAIL ITEMS			1 SELECT AT ASSEMBLY	4 BULK OR SUNDRY ITEM	8 SELECT PER AO OR MI	
* ORIGINAL CONFIGURATION (QTY TABLE)	- AW/PS CRITICAL ITEMS			(FIRST SELECT ITEM)	5 REFERENCE DOCUMENT	V VENDOR (SUPPLIER) ITEM-	
MATERIAL CODE (NOT A DWG)	- SPECIAL CONFIGURATION			2 SUBSEQUENT SELECT (ITEMS)	7 MACHINED CASTING DWG	SPEC SOURCE DWG	
_ NOT AVAILABLE	CONTROL ITEMS			3 ASSEMBLY		* CUSTOMER-FURNISHED	
						ITEM	

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST	Honeywell	PRODUCT ENGINEER P. SCHWERMANN	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026230-902	REV. LTR XE
		DESIGN CHECKER	END ITEM 7026203			DATE 01-12-18
		REVISION RECORD	SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY-CPU/PS	SHEET 19 OF 19

REV LTR	DESCRIPTION OF REVISIONS	DATE MO DAY YR	APPROVAL
XA	RELEASED FOR ENGINEERING BUILD AND PARTS PROCUREMENT. PARTS LIST RELEASED ONLY.	3-20-01	
XB	RENAMED REFERENCE DESIGNATORS ONLY.	4-16-01	
XC	ITEMS 66 AND 93 QTYS WERE 6 AND 18 RESP. ITEMS 127 AND 133 PNS WERE 7028979-506 AND	10-30-01	
XC	7029526-410 RESP. ADDED ITEMS 139, 703, 704, 705 AND 706.	10-30-01	
XD	ITEMS 96, 97, 102, 105, 106, 107, 109 AND 115 QTYS WERE 15, 8, 11, 14, 11, 11, 19 AND 1	11- 9-01	
XD	RESP. ADDED ITEMS 140 AND 141.	11- 9-01	
XE	ITEM 133 PN WAS 7030833-400.	12-18-01	

SHEET INDEX	ALL SHEETS OF THIS DOCUMENT BEAR THE SAME REVISION LETTER.
-------------	--

CAUTION: REVISION STATUS OF PARTS LIST SHALL BE THE SAME AS BASIC DRAWING NUMBER.

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS