

PARTS LIST		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		DATE 02-01-22		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		SHEET 1 OF 21	
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203							
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
1	1					EA		7026237-2	7026237-2	PWB			
2	1					EA		7029984-901	7029984-901	SHIELD		3	
3	1					EA		7029985-901	7029985-901	SHIELD		3	
4	1					EA		7029986-901	7029986-901	SHIELD		3	
5	1					EA		7029987-1	7029987-1	COVER			
6	1					EA		7029987-2					
7	2					EA		7517984-1	7517984-1	CONN		V	
8	120					EA	07187	4027606-6	4027606-6	SOLDER		V	
51	33					EA		7011730-225	7011730-225	CAP	1 UF !10% 25 VDCW SURFACE MOUNT C 14 10 C 18 12 C 40 12 C 53 10 C 63 10 C 77 08 C 95 08 C100 08 C202 10 C204 15 C210 10 C222 01 C223 01 C224 01 C225 01 C231 15 C240 16 C243 16 C259 08 C261 18 C270 06 C282 07 C283 07 C303 06 C500 02 C501 03 C502 03 C503 05 C504 05 C505 05 C506 06 C507 14 C508 15	V	
52	1					EA		7013064-318	7013064-318	CAP	220 UF !20% 10 VDCW SURFACE MOUNT C 44 18	V	
53	2					EA		7013064-713	7013064-713	CAP	10 UF !10% 35 VDCW SURFACE MOUNT C 4 11 C113 10	V	
56	2					EA		7015930-22	7015930-22	CAP	2.0 PF 0.1 PF 150 VDCW C154 20 C307 02	V	
57	1					EA		7015930-236	7015930-236	CAP	7.5 PF 10.1 PF 150 VDCW C163 02	V	
58	1					EA		7015930-241	7015930-241	CAP	12 PF !1% 150 VDCW C131 02	V	
61	7					EA		7022903-907	7022903-907	CAP	1500 PF !5% 50 VDCW C 85 21 C 86 21 C 87 21 C109 21 C112 21 C257 21 C263 21	V	
62	32					EA		7022903-912	7022903-912	CAP	3900 !5% 50 VDCW C 9 13 C 12 15 C 19 15	V	
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE													
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE			FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell				PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION						DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22			
						SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203				SHEET 2 OF 21			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION				CODES
63	56					EA		7022903-917	7022903-917	CAP	C 20 14 C 24 15 C 31 13 C 36 14 C 39 13 C 51 13 C 52 13 C107 20 C123 06 C126 05 C132 06 C136 06 C141 05 C146 05 C147 05 C155 05 C159 05 C174 05 C207 15 C245 20 C276 06 C292 05 C603 06 C604 09 C605 09 C606 12 C607 14 C608 15 C609 15 0.010 UF 15% 50 VDCW V C 3 09 C 5 09 C 6 09 C 21 09 C 22 09 C 38 10 C 42 15 C 45 10 C 56 01 C 58 01 C 60 01 C 65 01 C 99 10 C158 06 C177 18 C201 09 C205 15 C209 15 C211 15 C212 15 C219 15 C220 15 C221 15 C227 15 C229 15 C230 15 C235 16 C236 16 C237 16 C238 15 C239 15 C241 16 C246 16 C249 16 C250 16 C256 21 C262 21 C264 07 C271 07 C272 07 C273 06 C275 07 C278 06 C279 06 C280 06 C287 07 C289 06 C290 07 C291 07 C293 06 C294 06 C298 06 C300 06 C301 06 C302 06 C306 06 0.100 UF 15% 16 VDCW V SURFACE MOUNT C 1 01 C 2 01 C 10 10 C 28 20 C 29 01 C 33 11 C 34 10 C 49 10 C 57 01 C 59 01 C 61 01 C 64 01 C 94 08 C 96 19 C106 08 C114 21 C116 08 C125 05 C142 05 C148 03 C171 03				
64	58					EA		7022903-944	7022903-944	CAP					
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB			
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22		SHEET 3 OF 21			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203									
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION		CODES		
65	2					EA		7022904-10	7022904-10	CAP	C173 18 C208 15 C213 15 C218 15 C228 15 C232 16 C233 15 C234 15 C242 18 C244 18 C247 18 C248 16 C251 08 C252 18 C253 18 C254 18 C255 18 C258 18 C260 08 C265 07 C266 18 C267 07 C268 18 C269 18 C277 06 C281 06 C284 18 C285 18 C286 18 C288 06 C295 18 C296 18 C297 18 C299 06 C304 06 C305 06 C509 17	V			
66	13					EA		7022904-100	7022904-100	CAP	1 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C120 05 C144 05 10 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C 8 15 C 11 10 C 13 13 C 26 15 C 27 10 C 48 10 C 62 13 C 73 08 C 74 08 C115 08 C117 08 C124 06 C138 06	V			
67	1					EA		7022904-101	7022904-101	CAP	100 UUF 11% 50 VDCW SURFACE MOUNT C 46 10	V			
68	5					EA		7022904-120	7022904-120	CAP	12 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C 37 11 C 50 13 C 88 21 C145 03 C156 03	V			
70	9					EA		7022904-151	7022904-151	CAP	150 UUF 11% 50 VDCW SURFACE MOUNT C 47 10 C 68 11 C 69 12 C 70 12 C 71 11 C 80 12 C 97 12 C108 12 C118 11	V			
71	1					EA		7022904-18	7022904-18	CAP	1.8 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C168 03	V			
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell				PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION						DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		S H E E T 4 OF 21	
						SPECIAL DESIGNATION STATIC SENS									
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION		CODES		
73	1					EA		7022904-22	7022904-22	CAP	2.2 UUF 10.25% UUF 50 VDCW SURFACE MOUNT C122 05		V		
74	6					EA		7022904-220	7022904-220	CAP	22 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C 25 15 C 78 11 C 81 11 C111 11 C137 06 C167 03		V		
75	11					EA		7022904-221	7022904-221	CAP	220 UUF 11% 50 VDCW SURFACE MOUNT C105 20 C127 20 C149 03 C161 03 C162 03 C170 03 C176 03 C274 19 C600 02 C601 03 C602 03		V		
76	2					EA		7022904-27	7022904-27	CAP	2.7 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C 89 21 C 90 21		V		
77	1					EA		7022904-270	7022904-270	CAP	27 UUF 11% 50 VDCW SURFACE MOUNT C169 05		V		
78	4					EA		7022904-271	7022904-271	CAP	270 UUF 11% 50 VDCW SURFACE MOUNT C 76 10 C 82 10 C 84 10 C 98 10		V		
79	4					EA		7022904-33	7022904-33	CAP	3.3 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C 75 12 C 79 12 C165 04 C175 04		V		
80	4					EA		7022904-330	7022904-330	CAP	33 UUF 11% 50 VDCW SURFACE MOUNT C 15 15 C128 06 C160 04 C166 04		V		
81	1					EA		7022904-390	7022904-390	CAP	39 UUF 11% 50 VDCW SURFACE MOUNT C 17 20		V		
82	2					EA		7022904-47	7022904-47	CAP	4.7 UUF 10.25 UUF 50 VDCW		V		
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS						- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203				SHEET 5 OF 21			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
83	2					EA		7022904-470	7022904-470	CAP	SURFACE MOUNT C 16 15 C129 06 47 UUF 11% 50 VDCW	V	
84	6					EA		7022904-471	7022904-471	CAP	SURFACE MOUNT C133 02 C153 02 470 UUF 11% 50 VDCW	V	
85	1					EA		7022904-5	7022904-5	CAP	SURFACE MOUNT C 32 12 C110 08 C200 10 C215 16 C216 16 C217 16 0.5 UUF 10.25 UUF 50 VDCW	V	
86	4					EA		7022904-680	7022904-680	CAP	SURFACE MOUNT C121 05 68 UUF 11% 50 VDCW	V	
87	3					EA		7022904-82	7022904-82	CAP	SURFACE MOUNT C 7 15 C 23 15 C119 06 C135 06 8.2 UUF 10.25 UUF 50 VDCW	V	
88	1					EA		7500054-944	7500054-944	CAP	SURFACE MOUNT C 43 11 C 66 11 C143 05 3300 PF 11% 50 VDCW	V	
89	2					EA		7012934-10	7012934-10	DIODE	SURFACE MOUNT C104 10 STATIC SENSITIVE DEVICE MMBD7000L	V	
90	1					EA		7500077-18	7500077-18	DIODE	SURFACE MOUNT CR 5 20 CR 7 20 STATIC SENSITIVE DEVICE	V	
91	1					EA		7500103-31	7500103-31	DIODE	SURFACE MOUNT CR 4 12 STATIC SENSITIVE DEVICE BBY31	V	
92	3					EA		7500133-400	7500133-400	DIODE	SURFACE MOUNT CR 6 11 STATIC SENSITIVE DEVICE	V	
93	3					EA		7500361-100	7500361-100	DIODE	SURFACE MOUNT CR 1 13 CR 3 13 CR 9 02 STATIC SENSITIVE DEVICE	V	
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE													
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE			FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS					CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM					

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		SHEET 6 OF 21					
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203				LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
94	2					EA		7029740-1	7029740-1	FILTER	SURFACE MOUNT		
95	1					EA		7026619-305	7026619-305	CONN	CR 2 14 CR 8 02 CR 10 03	V	
96	1					EA		7028414-621	7028414-621	CONN	FL 1 14 FL 2 04	V	
97	2					EA		7500334-2	7500334-2	CONN	J 2 22	V	
98	2					EA		7029528-3	7029528-3	IC	ASP/YTE	V	
											J 1 22		
											J 3 02 J 4 13	V	
											STATIC SENSITIVE DEVICE	V	
											HMC221		
99	1					EA		7019607-1	7019607-1	COIL	K 1 21 K 2 21	V	
100	2					EA		7019607-116	7019607-116	COIL	SURFACE MOUNT	V	
											L 18 21		
											0.18 UH 15%	V	
101	4					EA		7019607-128	7019607-128	COIL	SURFACE MOUNT	V	
											L 16 11 L 21 12		
											1.8 UH 15%	V	
											SURFACE MOUNT		
											L 3 14 L 9 13 L 12 14		
102	2					EA		7019607-132	7019607-132	COIL	L 34 05	V	
											3.9 UH 15%		
											SURFACE MOUNT		
											L 1 09 L 5 09		
103	5					EA		7019607-14	7019607-14	COIL	SURFACE MOUNT	V	
											L 2 15 L 11 13 L 24 06		
											L 44 04 L 45 04		
104	1					EA		7019607-15	7019607-15	COIL	SURFACE MOUNT	V	
											L 43 05		
105	4					EA		7019607-17	7019607-17	COIL	SURFACE MOUNT	V	
											L 6 15 L 7 13 L 15 13		
											L 25 06		
106	8					EA		7019607-18	7019607-18	COIL	SURFACE MOUNT	V	
											L 10 13 L 26 05 L 27 02		
											L 41 02 L 46 03 L 47 03		
											L 48 03 L 60 18		
107	1					EA		7019607-19	7019607-19	COIL	SURFACE MOUNT	V	
											L 8 13		
109	3					EA		7019607-5	7019607-5	COIL	SURFACE MOUNT	V	
											L 32 03 L 35 03 L 37 03		
110	1					EA		7019607-7	7019607-7	COIL	SURFACE MOUNT	V	

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST PART TABULATION		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB			
				DESIGN CHECKER		END ITEM 7026203						DATE 02-01-22			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		S H E E T 7 OF 21					
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION		CODES		
111	2					EA		7019607-8	7019607-8	COIL	L 31 05 0.039 UH !2% SURFACE MOUNT		V		
112	1					EA		7019607-9	7019607-9	COIL	L 19 12 L 33 03 0.047 UH !2% SURFACE MOUNT		V		
113	8					EA		7029531-8	7029531-8	INDUCTOR	L 36 03 STATIC SENSITIVE DEVICE A03T		V		
114	2					EA		7029532-120	7029532-120	INDUCTOR	SURFACE MOUNT L 22 11 L 28 02 L 29 02 L 30 02 L 39 02 L 40 02 L 49 02 L 50 02		V		
115	2					EA		7029532-22	7029532-22	INDUCTOR	STATIC SENSITIVE DEVICE 1812SMS-120N SURFACE MOUNT L 4 20 L 42 20		V		
116	2					EA		7012042-103	7012042-103	XSTR	STATIC SENSITIVE DEVICE 1812SMS-22N SURFACE MOUNT L 13 11 L 14 11		V		
117	3					EA		7012042-301	7012042-301	XSTR	BSR14 SURFACE MOUNT Q 1 11 Q 2 11		V		
118	5					EA		7012043-101	7012043-101	XSTR	STATIC SENSITIVE DEVICE PZT2222A SURFACE MOUNT Q200 14 Q202 03 Q203 02		V		
119	1					EA		7012043-103	7012043-103	XSTR	SURFACE MOUNT Q 9 19 Q 11 19 Q 12 20 Q201 20 Q204 19		V		
120	2					EA		7026621-100	7026621-100	XSTR	STATIC SENSITIVE DEVICE BSR16 SURFACE MOUNT Q 3 11		V		
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE															
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		Honeywell					PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB			
PART TABULATION							DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22		SHEET 8 OF 21	
							SPECIAL DESIGNATION STATIC SENS											
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES						
121	1					EA		7500069-303	7500069-303	XSTR	Q 6 01 Q 7 01 STATIC SENSITIVE DEVICE MRF9511 SURFACE MOUNT	V						
122	2					EA		7018400-313	7018400-313	RESISTOR	Q 10 11 150.0 OHMS !1% 1 W SURFACE MOUNT	V						
123	2					EA		7022518-200	7022518-200	RESISTOR	R 72 20 R148 20 10 OHMS !1% 1/16 W	V						
124	5					EA		7022518-222	7022518-222	RESISTOR	R 87 12 R143 05 16.9 OHMS !1% 1/16 W	V						
125	3					EA		7022518-238	7022518-238	RESISTOR	R 13 09 R 78 09 R 79 09 R 80 09 R210 09	V						
126	5					EA		7022518-255	7022518-255	RESISTOR	24.9 OHMS !1% 1/16 W R124 21 R141 05 R152 03	V						
127	12					EA		7022518-267	7022518-267	RESISTOR	37.4 OHMS !1% 1/16 W R 57 14 R 58 13 R235 16 R241 17 R248 07	V						
128	1					EA		7022518-282	7022518-282	RESISTOR	49.9 OHMS !1% 1/16 W R 38 13 R 65 13 R 74 12 R112 21 R114 21 R156 04	V						
129	28					EA		7022518-296	7022518-296	RESISTOR	R159 04 R217 09 R222 16 R223 16 R224 16 R250 19 71.5 OHMS !1% 1/16 W R 95 21	V						
130	6					EA		7022518-313	7022518-313	RESISTOR	100 OHMS !1% 1/16 W R 96 21 R101 21 R103 12 R115 08 R121 12 R123 21 R158 05 R244 08 R409 17 R500 17 R501 07 R502 07 R503 17 R504 17 R505 17 R506 17 R507 17 R508 17 R509 17 R510 17 R511 17 R512 17 R513 17 R514 17 R515 17 R516 16 R517 16 R518 17	V						
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																		
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS						- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM								

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell					PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION							DESIGN CHECKER		END ITEM 7026203		DATE 02-01-22					
							SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		SHEET 9 OF 21			
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES				
131	2					EA		7022518-325	7022518-325	RESISTOR	200 OHMS 11% 1/16 W	V				
132	3					EA		7022518-363	7022518-363	RESISTOR	R402 05 R403 05 499 OHMS 11% 1/16 W	V				
133	1					EA		7022518-380	7022518-380	RESISTOR	R 24 13 R 66 13 R249 19 750 OHMS 11% 1/16 W	V				
134	16					EA		7022518-392	7022518-392	RESISTOR	R 62 10 1000 OHMS 11% 1/16 W	V				
135	5					EA		7022518-409	7022518-409	RESISTOR	R 15 20 R 17 11 R 19 20 R 51 11 R 81 21 R 82 21 R127 21 R137 21 R138 11 R140 05 R145 05 R218 14 R258 03 R260 02 R404 06 R407 15	V				
136	6					EA		7022518-421	7022518-421	RESISTOR	1500 OHMS 11% 1/16 W R102 19 R118 19 R133 20 R234 20 R259 19	V				
137	1					EA		7022518-434	7022518-434	RESISTOR	2000 OHMS 11% 1/16 W R 90 08 R 91 08 R144 05 R153 03 R220 19 R242 08	V				
138	15					EA		7022518-459	7022518-459	RESISTOR	2740 OHMS 11% 1/16 W R 48 10 4990 OHMS 11% 1/16 W	V				
139	1					EA		7022518-466	7022518-466	RESISTOR	R 1 20 R 2 20 R 21 20 R 28 20 R 76 12 R110 19 R117 19 R119 10 R120 19 R122 11 R135 11 R211 19 R216 19 R237 17 R240 08	V				
140	43					EA		7022518-488	7022518-488	RESISTOR	5.9K OHMS 11% 1/16 W R104 10 10,000 OHMS 11% 1/16 W	V				
											R 4 20 R 5 01 R 8 01 R 9 01 R 11 01 R 16 11 R 25 20 R 30 20 R 31 20 R 35 22 R 36 22 R 40 20 R 44 20 R 49 20 R 73 10 R 84 08 R 85 08 R 86 19 R 89 08 R 92 19 R 94 10 R107 21 R109 21 R111 11 R113 21 R126 20 R134 19					

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST PART TABULATION	Honeywell	PRODUCT ENGINEER B. LONGBRAKE	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026238-902	REV. LTR XB
		DESIGN CHECKER	END ITEM 7026203			DATE 02-01-22
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER	S H E E T 10 OF 21	

FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES
141	2					EA		7022518-495	7022518-495	RESISTOR	R147 20 R151 20 R203 17 R204 17 R212 19 R219 14 R236 20 R238 16 R243 17 R247 03 R251 19 R253 02 R405 07 R406 07 R408 16 R520 01 11,800 OHMS 11% 1/16 W R 99 10 R100 10	V
142	11					EA		7022518-517	7022518-517	RESISTOR	20,000 OHMS 11% 1/16 W R 3 20 R 6 01 R 7 01 R 22 11 R 27 11 R 29 20 R 32 20 R 88 21 R105 10 R128 19 R519 01	V
143	1					EA		7022518-551	7022518-551	RESISTOR	45,300 OHMS 11% 1/16 W R 83 08	V
144	2					EA		7022518-555	7022518-555	RESISTOR	49,900 OHMS 11% 1/16 W R205 17 R239 08	V
145	5					EA		7022518-584	7022518-584	RESISTOR	0.100 MEGO 11% 1/16 W R 45 12 R116 08 R165 18 R200 10 R215 19	V
146	2					EA		7022518-613	7022518-613	RESISTOR	0.200 MEGO 11% 1/16 W R 59 12 R 70 12	V
147	1					EA		7022518-630	7022518-630	RESISTOR	0.309 MEGO 11% 1/16 W R125 08	V
148	1					EA		7022518-631	7022518-631	RESISTOR	0.309 MEGO 11% 1/16 W R 20 12	V
149	1					EA		7022518-675	7022518-675	RESISTOR	0.887 MEGO 11% 1/16 W R 26 12	V
150	1					EA		7022518-678	7022518-678	RESISTOR	0.953 MEGO 11% 1/16 W R131 08	V
151	13					EA		7026564-100	7026564-100	RESISTOR	100 OHMS 1/16 W STATIC SENSITIVE DEVICE R 37 15 R 46 15 R 55 15 R 63 17 R 77 17 R106 17 R129 17 R139 17 R142 17 R149 06 R154 17 R155 06 R157 06	V
152	2					EA		7026564-103	7026564-103	RESISTOR	10000 OHMS 1/16 W STATIC SENSITIVE DEVICE	V

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION				DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22	
				SPECIAL DESIGNATION STATIC SENS		SHEET 11 OF 21							
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES	
153	2					EA		7500042-184	7500042-184	RESISTOR	R130 08 R412 17 6.81 OHMS 11% 1/4 W SURFACE MOUNT	V	
154	6					EA		7500042-229	7500042-229	RESISTOR	R206 10 R207 10 20.0 OHMS 11% 1/4 W SURFACE MOUNT	V	
156	9					EA		7500042-325	7500042-325	RESISTOR	R226 14 R227 14 R246 02 R255 02 R256 03 R257 03 200 OHMS 11% 1/4 W SURFACE MOUNT	V	
157	3					EA		7500042-364	7500042-364	RESISTOR	R 97 08 R 98 08 R108 21 R228 15 R232 15 R262 06 R266 06 R521 08 R522 08 511 OHMS 11% 1/4 W SURFACE MOUNT	V	
158	1					EA		7500042-376	7500042-376	RESISTOR	R225 14 R252 02 R261 03 681 OHMS 11% 1/4 W SURFACE MOUNT	V	
159	2					EA		7500042-488	7500042-488	RESISTOR	R 93 11 10,000 OHMS 11% 1/4 W SURFACE MOUNT	V	
160	1					EA		7029385-108	7029385-108	TP	R 18 13 R150 02	V	
161	1					EA		7031362-410	7031362-410	IC	TP 1 11 STATIC SENSITIVE DEVICE XCR3384XL	V	
162	1					EA		7012044-125	7012044-125	AMPL	U 20 17 STATIC SENSITIVE DEVICE 0P184	V	
163	1					EA		7012044-415	7012044-415	AMPL	SURFACE MOUNT U 12 10 STATIC SENSITIVE DEVICE AD824A	V	
164	4					EA		7013101-403	7013101-403	MICROCKT	SURFACE MOUNT U 15 08 STATIC SENSITIVE DEVICE LM239	V	
											U 2 20 U 4 U 14 21 U 19 19		

ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE

SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE	FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS	- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM
---	--	---	---

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		Honeywell					PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION							DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22	
							SPECIAL DESIGNATION STATIC SENS		S H E E T 12 OF 21							
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION	CODES				
165	1					EA		7022680-603	7022680-603	MICROCKT	STATIC SENSITIVE DEVICE AD603 SURFACE MOUNT U 26 05	V				
166	1					EA		7025082-1	7025082-1	MIXER	STATIC SENSITIVE DEVICE U 24 04	V				
167	1					EA		7026475-14	7026475-14	MICROCKT	STATIC SENSITIVE DEVICE U300 17	V				
168	1					EA		7026518-999	7026518-999	MICROCKT	STATIC SENSITIVE DEVICE U 28 18	V				
169	1					EA		7029016-100	7029016-100	IC	STATIC SENSITIVE DEVICE U 8 10	V				
170	2					EA		7029018-400	7029018-400	IC	STATIC SENSITIVE DEVICE U 9 15 U 25 06	V				
171	2					EA		7029019-400	7029019-400	IC	STATIC SENSITIVE DEVICE U 10 16 U 22 07	V				
172	1					EA		7029527-250	7029527-250	IC	STATIC SENSITIVE DEVICE ICS525R-021T U 18 21	V				
173	2					EA		7029741-400	7029741-400	IC	STATIC SENSITIVE DEVICE AD8350AR20 U 6 15 U 21 06	V				
174	1					EA		7029742-400	7029742-400	IC	STATIC SENSITIVE DEVICE AD8403 U 16 08	V				
175	2					EA		7029744-400	7029744-400	IC	STATIC SENSITIVE DEVICE ADP3331 U 7 12 U 17 08	V				
176	1					EA		7029745-330	7029745-330	IC	STATIC SENSITIVE DEVICE ADP3330 U200 10	V				
177	2					EA		7029748-400	7029748-400	IC	STATIC SENSITIVE DEVICE MGA-72543 U 23 05 U 27 03	V				
178	2					EA		7030361-400	7030361-400	IC	STATIC SENSITIVE DEVICE MC100EL16 U202 15 U203 06	V				
179	3					EA		7030611-400	7030611-400	AMPL	STATIC SENSITIVE DEVICE INA-54063	V				
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS						- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM						
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.																

PARTS LIST		Honeywell					PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
PART TABULATION							DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		DATE 02-01-22	
							SPECIAL DESIGNATION STATIC SENS		SHEET 13 OF 21							
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN-CLATURE	DESCRIPTION	CODES				
180	2					EA		7013008-205	7013008-205	DIODE	U 1 09 U 5 09 U 11 12 STATIC SENSITIVE DEVICE SURFACE MOUNT	V				
181	6					EA		7014912-1	7014912-1	BEAD	VR200 20 VR201 20 SURFACE MOUNT	V				
182	18					EA		7028383-600	7028383-600	BEAD	Z 4 01 Z 5 01 Z 6 01 Z 7 01 Z304 06 Z308 15 STATIC SENSITIVE DEVICE SURFACE MOUNT	V				
183	1					EA		7022904-121	7022904-121	CAP	Z 1 15 Z 2 10 Z 8 06 Z200 10 Z203 10 Z204 10 Z300 02 Z301 03 Z302 05 Z303 05 Z305 06 Z306 06 Z307 14 Z309 15 Z310 15 Z400 09 Z401 09 Z402 12 120 PF 11% 50 VDCW SURFACE MOUNT	V				
184	1					EA		7022904-820	7022904-820	CAP	C 93 11 82 UUF 11% 50 VDCW SURFACE MOUNT	V				
185	1					EA		7022904-12	7022904-12	CAP	C510 18 1.2 UUF 10.25% UUF 50 VDCW SURFACE MOUNT	V				
186	1					EA		7015930-238	7015930-238	CAP	C400 03 9.1 UUF 10.1 PF 150 VDCW	V				
187	1					EA		7015930-25	7015930-25	CAP	C139 02 2.4 UUF 10.1 PF 150 VDCW	V				
188	1					EA		7015930-18	7015930-18	CAP	C152 02 1.6 UUF 10.1 PF 150 VDCW	V				
189	1					EA		7015930-17	7015930-17	CAP	C151 02 1.5 PF 10.1 PF 150 VDCW	V				
190	2					EA		7015930-244	7015930-244	CAP	C150 02 16 PF 11% 150 VDCW	V				
191	1					EA		7015930-12	7015930-12	CAP	C130 02 C164 02 1.0 PF 10.1 PF 150 VDCW	V				
192	1					EA		7015930-245	7015930-245	CAP	C610 02 18 PF 11% 150 VDCW C172 02	V				
ASSEMBLY VARIABLES CONTINUED ON FOLLOWING PAGE																
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE		FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS						- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM						

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST PART TABULATION		Honeywell		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB			
				DESIGN CHECKER		END ITEM 7026203						DATE 02-01-22			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER		S H E E T 14 OF 21					
FIND NO	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	QUANTITY REQUIRED	UNIT OF MEAS	FSCM NO.	DRAWING OR DOCUMENT NUMBER	PART OR IDENTIFYING NUMBER	NOMEN- CLATURE	DESCRIPTION	CODES			
193	1					EA		7015930-242	7015930-242	CAP	13 PF 11% 150 VDCW C308 02	V			
194	1					EA		7022904-56	7022904-56	CAP	5.6 UUF 10.25 UUF 50 VDCW SURFACE MOUNT C157 02	V			
195	1					EA		7022518-276	7022518-276	RESISTOR	61.9 OHMS 11% 1/16 W R 67 11	V			
196	2					EA		7022518-298	7022518-298	RESISTOR	105 OHMS 11% 1/16 W R 61 11 R 69 11	V			
701	X					EA		M7012784	M7012784	MFGSPEC		5			
702	X					EA		M7010975	M7010975	MFGSPEC	CONFORMAL COAT	5			
703	X					AR	58960	57C013200	P4056790-1	WIRE	KAPTON-INSULATED, 32 AWG	4			
704	X					AR	07187	970287800	MMM-A-134	ADHESIVE	TYPE I	4			
SPECIAL SYMBOLS X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT APPLICABLE				FIND (ITEM) NUMBERS 1 TO 999 - ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY) 1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203						DATE 02-01-22	
		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER				SHEET 15 OF 21	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
64	C 1	0.100 UF 15% 16 VDCW	01	87	C 43	8.2 UUF 10.25 UUF	11	61	C 85	1500 PF 15% 50 VDCW	21
64	C 2	0.100 UF 15% 16 VDCW	01			50 VDCW		61	C 86	1500 PF 15% 50 VDCW	21
63	C 3	0.010 UF 15% 50 VDCW	09	52	C 44	220 UF 120% 10 VDCW	18	61	C 87	1500 PF 15% 50 VDCW	21
53	C 4	10 UF 110% 35 VDCW	11	63	C 45	0.010 UF 15% 50 VDCW	10	68	C 88	12 UUF 10.25 UUF 50 VDCW	21
63	C 5	0.010 UF 15% 50 VDCW	09	67	C 46	100 UUF 11% 50 VDCW	10	76	C 89	2.7 UUF 10.25 UUF	21
63	C 6	0.010 UF 15% 50 VDCW	09	70	C 47	150 UUF 11% 50 VDCW	10			50 VDCW	
86	C 7	68 UUF 11% 50 VDCW	15	66	C 48	10 UUF 10.25 UUF 50 VDCW	10	76	C 90	2.7 UUF 10.25 UUF	21
66	C 8	10 UUF 10.25 UUF 50 VDCW	15	64	C 49	0.100 UF 15% 16 VDCW	10			50 VDCW	
62	C 9	3900 15% 50 VDCW	13	68	C 50	12 UUF 10.25 UUF 50 VDCW	13	183	C 93	120 PF 11% 50 VDCW	11
64	C 10	0.100 UF 15% 16 VDCW	10	62	C 51	3900 15% 50 VDCW	13	64	C 94	0.100 UF 15% 16 VDCW	08
66	C 11	10 UUF 10.25 UUF 50 VDCW	10	62	C 52	3900 15% 50 VDCW	13	51	C 95	1 UF 110% 25 VDCW	08
62	C 12	3900 15% 50 VDCW	15	51	C 53	1 UF 110% 25 VDCW	10	64	C 96	0.100 UF 15% 16 VDCW	19
66	C 13	10 UUF 10.25 UUF 50 VDCW	13	63	C 56	0.010 UF 15% 50 VDCW	01	70	C 97	150 UUF 11% 50 VDCW	12
51	C 14	1 UF 110% 25 VDCW	10	64	C 57	0.100 UF 15% 16 VDCW	01	78	C 98	270 UUF 11% 50 VDCW	10
80	C 15	33 UUF 11% 50 VDCW	15	63	C 58	0.010 UF 15% 50 VDCW	01	63	C 99	0.010 UF 15% 50 VDCW	10
82	C 16	4.7 UUF 10.25 UUF	15	64	C 59	0.100 UF 15% 16 VDCW	01	51	C100	1 UF 110% 25 VDCW	08
		50 VDCW		63	C 60	0.010 UF 15% 50 VDCW	01	88	C104	3300 PF 11% 50 VDCW	10
81	C 17	39 UUF 11% 50 VDCW	20	64	C 61	0.100 UF 15% 16 VDCW	01	75	C105	220 UUF 11% 50 VDCW	20
51	C 18	1 UF 110% 25 VDCW	12	66	C 62	10 UUF 10.25 UUF 50 VDCW	13	64	C106	0.100 UF 15% 16 VDCW	08
62	C 19	3900 15% 50 VDCW	15	51	C 63	1 UF 110% 25 VDCW	10	62	C107	3900 15% 50 VDCW	20
62	C 20	3900 15% 50 VDCW	14	64	C 64	0.100 UF 15% 16 VDCW	01	70	C108	150 UUF 11% 50 VDCW	12
63	C 21	0.010 UF 15% 50 VDCW	09	63	C 65	0.010 UF 15% 50 VDCW	01	61	C109	1500 PF 15% 50 VDCW	21
63	C 22	0.010 UF 15% 50 VDCW	09	87	C 66	8.2 UUF 10.25 UUF	11	84	C110	470 UUF 11% 50 VDCW	08
86	C 23	68 UUF 11% 50 VDCW	15			50 VDCW		74	C111	22 UUF 10.25 UUF 50 VDCW	11
62	C 24	3900 15% 50 VDCW	15	70	C 68	150 UUF 11% 50 VDCW	11	61	C112	1500 PF 15% 50 VDCW	21
74	C 25	22 UUF 10.25 UUF 50 VDCW	15	70	C 69	150 UUF 11% 50 VDCW	12	53	C113	10 UF 110% 35 VDCW	10
66	C 26	10 UUF 10.25 UUF 50 VDCW	15	70	C 70	150 UUF 11% 50 VDCW	12	64	C114	0.100 UF 15% 16 VDCW	21
66	C 27	10 UUF 10.25 UUF 50 VDCW	10	70	C 71	150 UUF 11% 50 VDCW	11	66	C115	10 UUF 10.25 UUF 50 VDCW	08
64	C 28	0.100 UF 15% 16 VDCW	20	66	C 73	10 UUF 10.25 UUF 50 VDCW	08	64	C116	0.100 UF 15% 16 VDCW	08
64	C 29	0.100 UF 15% 16 VDCW	01	66	C 74	10 UUF 10.25 UUF 50 VDCW	08	66	C117	10 UUF 10.25 UUF 50 VDCW	08
62	C 31	3900 15% 50 VDCW	13	79	C 75	3.3 UUF 10.25 UUF	12	70	C118	150 UUF 11% 50 VDCW	11
84	C 32	470 UUF 11% 50 VDCW	12			50 VDCW		86	C119	68 UUF 11% 50 VDCW	06
64	C 33	0.100 UF 15% 16 VDCW	11	78	C 76	270 UUF 11% 50 VDCW	10	65	C120	1 UUF 10.25 UUF 50 VDCW	05
64	C 34	0.100 UF 15% 16 VDCW	10	51	C 77	1 UF 110% 25 VDCW	08	85	C121	0.5 UUF 10.25 UUF	05
62	C 36	3900 15% 50 VDCW	14	74	C 78	22 UUF 10.25 UUF 50 VDCW	11			50 VDCW	
68	C 37	12 UUF 10.25 UUF 50 VDCW	11	79	C 79	3.3 UUF 10.25 UUF	12	73	C122	2.2 UUF 10.25 UUF	05
63	C 38	0.010 UF 15% 50 VDCW	10			50 VDCW				50 VDCW	
62	C 39	3900 15% 50 VDCW	13	70	C 80	150 UUF 11% 50 VDCW	12	62	C123	3900 15% 50 VDCW	06
51	C 40	1 UF 110% 25 VDCW	12	74	C 81	22 UUF 10.25 UUF 50 VDCW	11	66	C124	10 UUF 10.25 UUF 50 VDCW	06
63	C 42	0.010 UF 15% 50 VDCW	15	78	C 82	270 UUF 11% 50 VDCW	10	64	C125	0.100 UF 15% 16 VDCW	05
				78	C 84	270 UUF 11% 50 VDCW	10	62	C126	3900 15% 50 VDCW	05

SPECIAL SYMBOLS

X NO SPECIFIC QTY REQD (QTY TABLE)

* ORIGINAL CONFIGURATION (QTY TABLE)

MATERIAL CODE (NOT A DWG)

— NOT AVAILABLE

FIND (ITEM) NUMBERS 1 TO 999

— ASSY OR DETAIL ITEMS

— AW/PS CRITICAL ITEMS

— SPECIAL CONFIGURATION CONTROL ITEMS

CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)

1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)

2 SUBSEQUENT SELECT (ITEMS)

3 ASSEMBLY

4 BULK OR SUNDRY ITEM

5 REFERENCE DOCUMENT

7 MACHINED CASTING DWG

8 SELECT PER AO OR MI

V VENDOR (SUPPLIER) ITEM—

SPEC SOURCE DWG

* CUSTOMER—FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
REFERENCE DESIGNATION		Honeywell		DESIGN CHECKER		END ITEM 7026203		DATE 02-01-22		SHEET 16 OF 21	
		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER					
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
75	C127	220 UUF 11% 50 VDCW	20	80	C166	33 UUF 11% 50 VDCW	04	51	C231	1 UF 110% 25 VDCW	15
80	C128	33 UUF 11% 50 VDCW	06	74	C167	22 UUF 10.25 UUF 50 VDCW	03	64	C232	0.100 UF 15% 16 VDCW	16
82	C129	4.7 UUF 10.25 UUF 50 VDCW	06	71	C168	1.8 UUF 10.25 UUF 50 VDCW	03	64	C233	0.100 UF 15% 16 VDCW	15
190	C130	16 PF 11% 150 VDCW	02	77	C169	27 UUF 11% 50 VDCW	05	64	C234	0.100 UF 15% 16 VDCW	15
58	C131	12 PF 11% 150 VDCW	02	75	C170	220 UUF 11% 50 VDCW	03	63	C235	0.010 UF 15% 50 VDCW	16
62	C132	3900 15% 50 VDCW	06	64	C171	0.100 UF 15% 16 VDCW	03	63	C236	0.010 UF 15% 50 VDCW	16
83	C133	47 UUF 11% 50 VDCW	02	192	C172	18 PF 11% 150 VDCW	02	63	C237	0.010 UF 15% 50 VDCW	16
86	C135	68 UUF 11% 50 VDCW	06	64	C173	0.100 UF 15% 16 VDCW	18	63	C238	0.010 UF 15% 50 VDCW	15
62	C136	3900 15% 50 VDCW	06	62	C174	3900 15% 50 VDCW	05	51	C239	0.010 UF 15% 50 VDCW	15
74	C137	22 UUF 10.25 UUF 50 VDCW	06	79	C175	3.3 UUF 10.25 UUF 50 VDCW	04	63	C240	1 UF 110% 25 VDCW	16
66	C138	10 UUF 10.25 UUF 50 VDCW	06	75	C176	220 UUF 11% 50 VDCW	03	64	C241	0.010 UF 15% 50 VDCW	16
186	C139	9.1 UUF 10.1 PF 150 VDCW	02	63	C177	0.010 UF 15% 50 VDCW	18	51	C242	0.100 UF 15% 16 VDCW	18
62	C141	3900 15% 50 VDCW	05	84	C178	470 UUF 11% 50 VDCW	10	64	C243	1 UF 110% 25 VDCW	16
64	C142	0.100 UF 15% 16 VDCW	05	63	C201	0.010 UF 15% 50 VDCW	09	64	C244	0.100 UF 15% 16 VDCW	18
87	C143	8.2 UUF 10.25 UUF 50 VDCW	05	51	C202	1 UF 110% 25 VDCW	10	62	C245	3900 15% 50 VDCW	20
65	C144	1 UUF 10.25 UUF 50 VDCW	05	63	C203	0.010 UF 15% 50 VDCW	15	63	C246	0.010 UF 15% 50 VDCW	16
68	C145	12 UUF 10.25 UUF 50 VDCW	03	62	C204	1 UF 110% 25 VDCW	15	64	C247	0.100 UF 15% 16 VDCW	18
62	C146	3900 15% 50 VDCW	05	64	C205	0.010 UF 15% 50 VDCW	15	63	C248	0.100 UF 15% 16 VDCW	16
62	C147	3900 15% 50 VDCW	05	64	C206	0.010 UF 15% 50 VDCW	15	63	C249	0.010 UF 15% 50 VDCW	16
64	C148	0.100 UF 15% 16 VDCW	03	63	C207	3900 15% 50 VDCW	15	63	C250	0.010 UF 15% 50 VDCW	16
75	C149	220 UUF 11% 50 VDCW	03	51	C208	0.100 UF 15% 16 VDCW	15	64	C251	0.100 UF 15% 16 VDCW	08
189	C150	1.5 PF 10.1 PF 150 VDCW	02	63	C209	0.010 UF 15% 50 VDCW	15	64	C252	0.100 UF 15% 16 VDCW	18
188	C151	1.6 UUF 10.1 PF 150 VDCW	02	63	C210	1 UF 110% 25 VDCW	10	64	C253	0.100 UF 15% 16 VDCW	18
187	C152	2.4 UUF 10.1 PF 150 VDCW	02	64	C211	0.010 UF 15% 50 VDCW	15	64	C254	0.100 UF 15% 16 VDCW	18
83	C153	47 UUF 11% 50 VDCW	02	84	C212	0.010 UF 15% 50 VDCW	15	63	C255	0.100 UF 15% 16 VDCW	18
56	C154	2.0 PF 0.1 PF 150 VDCW	20	84	C213	0.100 UF 15% 16 VDCW	15	63	C256	0.010 UF 15% 50 VDCW	21
62	C155	3900 15% 50 VDCW	05	84	C214	470 UUF 11% 50 VDCW	16	61	C257	1500 PF 15% 50 VDCW	21
68	C156	12 UUF 10.25 UUF 50 VDCW	03	64	C215	470 UUF 11% 50 VDCW	16	64	C258	0.100 UF 15% 16 VDCW	18
194	C157	5.6 UUF 10.25 UUF 50 VDCW	02	63	C216	470 UUF 11% 50 VDCW	16	51	C259	1 UF 110% 25 VDCW	08
63	C158	0.010 UF 15% 50 VDCW	06	63	C217	0.100 UF 15% 16 VDCW	15	64	C260	0.100 UF 15% 16 VDCW	08
62	C159	3900 15% 50 VDCW	05	51	C218	0.010 UF 15% 50 VDCW	15	51	C261	1 UF 110% 25 VDCW	18
80	C160	33 UUF 11% 50 VDCW	04	51	C219	0.010 UF 15% 50 VDCW	15	63	C262	0.010 UF 15% 50 VDCW	21
75	C161	220 UUF 11% 50 VDCW	03	51	C220	0.010 UF 15% 50 VDCW	15	61	C263	1500 PF 15% 50 VDCW	21
75	C162	220 UUF 11% 50 VDCW	03	51	C221	1 UF 110% 25 VDCW	01	63	C264	0.010 UF 15% 50 VDCW	07
57	C163	7.5 PF 10.1 PF 150 VDCW	02	63	C222	1 UF 110% 25 VDCW	01	64	C265	0.100 UF 15% 16 VDCW	07
190	C164	16 PF 11% 150 VDCW	02	64	C223	1 UF 110% 25 VDCW	01	64	C266	0.100 UF 15% 16 VDCW	18
79	C165	3.3 UUF 10.25 UUF 50 VDCW	04	63	C224	1 UF 110% 25 VDCW	01	64	C267	0.100 UF 15% 16 VDCW	07
				63	C225	0.010 UF 15% 50 VDCW	15	64	C268	0.100 UF 15% 16 VDCW	18
					C226	0.100 UF 15% 16 VDCW	15	64	C269	0.100 UF 15% 16 VDCW	18
					C227	0.010 UF 15% 50 VDCW	15	51	C270	1 UF 110% 25 VDCW	06
					C228	0.010 UF 15% 50 VDCW	15	63	C271	0.010 UF 15% 50 VDCW	07
					C229	0.010 UF 15% 50 VDCW					
					C230	0.010 UF 15% 50 VDCW					

SPECIAL SYMBOLS		FIND (ITEM) NUMBERS 1 TO 999		CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)		
X NO SPECIFIC QTY REQD (QTY TABLE)		- ASSY OR DETAIL ITEMS		1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)	4 BULK OR SUNDRY ITEM	8 SELECT PER AO OR MI
* ORIGINAL CONFIGURATION (QTY TABLE)		- AW/PS CRITICAL ITEMS		2 SUBSEQUENT SELECT (ITEMS)	5 REFERENCE DOCUMENT	V VENDOR (SUPPLIER) ITEM-
MATERIAL CODE (NOT A DWG)		- SPECIAL CONFIGURATION CONTROL ITEMS		3 ASSEMBLY	7 MACHINED CASTING DWG	SPEC SOURCE DWG
_ NOT AVAILABLE						* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
REFERENCE DESIGNATION		Honeywell		DESIGN CHECKER		END ITEM 7026203		DATE 02-01-22		SHEET 17 OF 21	
		SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER					
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
63	C272	0.010 UF 15% 50 VDCW	07	51	C502	1 UF 110% 25 VDCW	03	114	L 4		20
63	C273	0.010 UF 15% 50 VDCW	06	51	C503	1 UF 110% 25 VDCW	05	102	L 5	3.9 UH 15%	09
75	C274	220 UUF 11% 50 VDCW	19	51	C504	1 UF 110% 25 VDCW	05	105	L 6		15
63	C275	0.010 UF 15% 50 VDCW	07	51	C505	1 UF 110% 25 VDCW	05	105	L 7		13
62	C276	3900 15% 50 VDCW	06	51	C506	1 UF 110% 25 VDCW	06	107	L 8		13
64	C277	0.100 UF 15% 16 VDCW	06	51	C507	1 UF 110% 25 VDCW	14	101	L 9	1.8 UH 15%	13
63	C278	0.010 UF 15% 50 VDCW	06	51	C508	1 UF 110% 25 VDCW	15	106	L 10		13
63	C279	0.010 UF 15% 50 VDCW	06	64	C509	0.100 UF 15% 16 VDCW	17	103	L 11		13
63	C280	0.010 UF 15% 50 VDCW	06	184	C510	82 UUF 11% 50 VDCW	18	101	L 12	1.8 UH 15%	14
64	C281	0.100 UF 15% 16 VDCW	06	75	C600	220 UUF 11% 50 VDCW	02	115	L 13		11
51	C282	1 UF 110% 25 VDCW	07	75	C601	220 UUF 11% 50 VDCW	03	115	L 14		11
51	C283	1 UF 110% 25 VDCW	07	75	C602	220 UUF 11% 50 VDCW	03	105	L 15		13
64	C284	0.100 UF 15% 16 VDCW	18	62	C603	3900 15% 50 VDCW	06	100	L 16	0.18 UH 15%	11
64	C285	0.100 UF 15% 16 VDCW	18	62	C604	3900 15% 50 VDCW	09	99	L 18		21
64	C286	0.100 UF 15% 16 VDCW	18	62	C605	3900 15% 50 VDCW	09	111	L 19	0.039 UH 12%	12
63	C287	0.010 UF 15% 50 VDCW	07	62	C606	3900 15% 50 VDCW	12	100	L 21	0.18 UH 15%	12
64	C288	0.100 UF 15% 16 VDCW	06	62	C607	3900 15% 50 VDCW	14	113	L 22		11
63	C289	0.010 UF 15% 50 VDCW	06	62	C608	3900 15% 50 VDCW	15	103	L 24		06
63	C290	0.010 UF 15% 50 VDCW	07	62	C609	3900 15% 50 VDCW	15	105	L 25		06
63	C291	0.010 UF 15% 50 VDCW	07	191	C610	1.0 PF 10.1 PF 150 VDCW	02	106	L 26		05
62	C292	3900 15% 50 VDCW	05	92	CR 1		13	106	L 27		02
63	C293	0.010 UF 15% 50 VDCW	06	93	CR 2		14	113	L 28		02
63	C294	0.010 UF 15% 50 VDCW	06	92	CR 3		13	113	L 29		02
64	C295	0.100 UF 15% 16 VDCW	18	90	CR 4		12	113	L 30		02
64	C296	0.100 UF 15% 16 VDCW	18	89	CR 5		20	110	L 31		05
64	C297	0.100 UF 15% 16 VDCW	18	91	CR 6		11	109	L 32		03
63	C298	0.010 UF 15% 50 VDCW	06	89	CR 7		20	111	L 33	0.039 UH 12%	03
64	C299	0.100 UF 15% 16 VDCW	06	93	CR 8		02	101	L 34	1.8 UH 15%	05
63	C300	0.010 UF 15% 50 VDCW	06	92	CR 9		02	109	L 35		03
63	C301	0.010 UF 15% 50 VDCW	06	93	CR 10		03	112	L 36	0.047 UH 12%	03
63	C302	0.010 UF 15% 50 VDCW	06	94	FL 1		14	109	L 37		03
51	C303	1 UF 110% 25 VDCW	06	94	FL 2		04	113	L 39		02
64	C304	0.100 UF 15% 16 VDCW	06	96	J 1		22	113	L 40		02
64	C305	0.100 UF 15% 16 VDCW	06	95	J 2		22	106	L 41		02
63	C306	0.010 UF 15% 50 VDCW	06	97	J 3		02	114	L 42		20
56	C307	2.0 PF 0.1 PF 150 VDCW	02	97	J 4		13	104	L 43		05
193	C308	13 PF 11% 150 VDCW	02	98	K 1		21	103	L 44		04
185	C400	1.2 UUF 10.25% UUF	03	98	K 2		21	103	L 45		04
		50 VDCW		102	L 1	3.9 UH 15%	09	106	L 46		03
51	C500	1 UF 110% 25 VDCW	02	103	L 2		15	106	L 47		03
51	C501	1 UF 110% 25 VDCW	03	101	L 3	1.8 UH 15%	14	106	L 48		03

SPECIAL SYMBOLS	FIND (ITEM) NUMBERS 1 TO 999	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)
X NO SPECIFIC QTY REQD (QTY TABLE)	- ASSY OR DETAIL ITEMS	1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)
* ORIGINAL CONFIGURATION (QTY TABLE)	- AW/PS CRITICAL ITEMS	2 SUBSEQUENT SELECT (ITEMS)
MATERIAL CODE (NOT A DWG)	- SPECIAL CONFIGURATION CONTROL ITEMS	3 ASSEMBLY
— NOT AVAILABLE		4 BULK OR SUNDRY ITEM
		5 REFERENCE DOCUMENT
		6 SELECT PER AO OR MI
		7 MACHINED CASTING DWG
		8 VENDOR (SUPPLIER) ITEM - SPEC SOURCE DWG
		* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER		DATE 02-01-22	
Honeywell		SPECIAL DESIGNATION STATIC SENS								SHEET 18 OF 21	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
113	L 49		02	142	R 29	20,000 OHMS !1% 1/16 W	20	143	R 83	45,300 OHMS !1% 1/16 W	08
113	L 50		02	140	R 30	10,000 OHMS !1% 1/16 W	20	140	R 84	10,000 OHMS !1% 1/16 W	08
106	L 60		18	140	R 31	10,000 OHMS !1% 1/16 W	20	140	R 85	10,000 OHMS !1% 1/16 W	08
116	Q 1		11	142	R 32	20,000 OHMS !1% 1/16 W	20	140	R 86	10,000 OHMS !1% 1/16 W	19
116	Q 2		11	140	R 35	10,000 OHMS !1% 1/16 W	22	123	R 87	10 OHMS !1% 1/16 W	12
119	Q 3		11	140	R 36	10,000 OHMS !1% 1/16 W	22	142	R 88	20,000 OHMS !1% 1/16 W	21
120	Q 6		01	151	R 37	100 OHMS 1/16 W	15	140	R 89	10,000 OHMS !1% 1/16 W	08
120	Q 7		01	127	R 38	49.9 OHMS !1% 1/16 W	13	136	R 90	2000 OHMS !1% 1/16 W	08
118	Q 9		19	140	R 40	10,000 OHMS !1% 1/16 W	20	136	R 91	2000 OHMS !1% 1/16 W	08
121	Q 10		11	130	R 42	150 OHMS !1% 1/16 W	13	140	R 92	10,000 OHMS !1% 1/16 W	19
118	Q 11		19	140	R 44	10,000 OHMS !1% 1/16 W	20	158	R 93	681 OHMS !1% 1/4 W	11
118	Q 12		20	145	R 45	0.100 MEGO !1% 1/16 W	12	140	R 94	10,000 OHMS !1% 1/16 W	10
117	Q200		14	151	R 46	100 OHMS 1/16 W	15	128	R 95	71.5 OHMS !1% 1/16 W	21
118	Q201		20	137	R 48	2740 OHMS !1% 1/16 W	10	129	R 96	100 OHMS !1% 1/16 W	21
117	Q202		03	140	R 49	10,000 OHMS !1% 1/16 W	20	156	R 97	200 OHMS !1% 1/4 W	08
117	Q203		02	130	R 50	150 OHMS !1% 1/16 W	13	156	R 98	200 OHMS !1% 1/4 W	08
118	Q204		19	134	R 51	1000 OHMS !1% 1/16 W	11	141	R 99	11,800 OHMS !1% 1/16 W	10
138	R 1	4990 OHMS !1% 1/16 W	20	151	R 55	100 OHMS 1/16 W	15	141	R100	11,800 OHMS !1% 1/16 W	10
138	R 2	4990 OHMS !1% 1/16 W	20	130	R 56	150 OHMS !1% 1/16 W	14	129	R101	100 OHMS !1% 1/16 W	21
142	R 3	20,000 OHMS !1% 1/16 W	20	126	R 57	37.4 OHMS !1% 1/16 W	14	135	R102	1500 OHMS !1% 1/16 W	19
140	R 4	10,000 OHMS !1% 1/16 W	20	126	R 58	37.4 OHMS !1% 1/16 W	13	129	R103	100 OHMS !1% 1/16 W	12
140	R 5	10,000 OHMS !1% 1/16 W	01	146	R 59	0.200 MEGO !1% 1/16 W	12	139	R104	5.9K OHMS !1% 1/16 W	10
142	R 6	20,000 OHMS !1% 1/16 W	01	196	R 61	105 OHMS !1% 1/16 W	11	142	R105	20,000 OHMS !1% 1/16 W	10
142	R 7	20,000 OHMS !1% 1/16 W	01	133	R 62	750 OHMS !1% 1/16 W	10	151	R106	100 OHMS 1/16 W	17
140	R 8	10,000 OHMS !1% 1/16 W	01	151	R 63	100 OHMS 1/16 W	17	140	R107	10,000 OHMS !1% 1/16 W	21
140	R 9	10,000 OHMS !1% 1/16 W	01	130	R 64	150 OHMS !1% 1/16 W	14	156	R108	200 OHMS !1% 1/4 W	21
140	R 11	10,000 OHMS !1% 1/16 W	01	127	R 65	49.9 OHMS !1% 1/16 W	13	140	R109	10,000 OHMS !1% 1/16 W	21
124	R 13	16.9 OHMS !1% 1/16 W	09	132	R 66	499 OHMS !1% 1/16 W	13	138	R110	4990 OHMS !1% 1/16 W	19
134	R 15	1000 OHMS !1% 1/16 W	20	195	R 67	61.9 OHMS !1% 1/16 W	11	140	R111	10,000 OHMS !1% 1/16 W	11
140	R 16	10,000 OHMS !1% 1/16 W	11	196	R 69	105 OHMS !1% 1/16 W	11	127	R112	49.9 OHMS !1% 1/16 W	21
134	R 17	1000 OHMS !1% 1/16 W	11	146	R 70	0.200 MEGO !1% 1/16 W	12	140	R113	10,000 OHMS !1% 1/16 W	21
159	R 18	10,000 OHMS !1% 1/4 W	13	122	R 72	150.0 OHMS !1% 1 W	20	127	R114	49.9 OHMS !1% 1/16 W	21
134	R 19	1000 OHMS !1% 1/16 W	20	140	R 73	10,000 OHMS !1% 1/16 W	10	129	R115	100 OHMS !1% 1/16 W	08
148	R 20	0.309 MEGO !1% 1/16 W	12	127	R 74	49.9 OHMS !1% 1/16 W	12	145	R116	0.100 MEGO !1% 1/16 W	08
138	R 21	4990 OHMS !1% 1/16 W	20	138	R 76	4990 OHMS !1% 1/16 W	12	138	R117	4990 OHMS !1% 1/16 W	19
142	R 22	20,000 OHMS !1% 1/16 W	11	151	R 77	100 OHMS 1/16 W	17	135	R118	1500 OHMS !1% 1/16 W	19
132	R 24	499 OHMS !1% 1/16 W	13	124	R 78	16.9 OHMS !1% 1/16 W	09	138	R119	4990 OHMS !1% 1/16 W	10
140	R 25	10,000 OHMS !1% 1/16 W	20	124	R 79	16.9 OHMS !1% 1/16 W	09	138	R120	4990 OHMS !1% 1/16 W	19
149	R 26	0.887 MEGO !1% 1/16 W	12	124	R 80	16.9 OHMS !1% 1/16 W	09	129	R121	100 OHMS !1% 1/16 W	12
142	R 27	20,000 OHMS !1% 1/16 W	11	134	R 81	1000 OHMS !1% 1/16 W	21	138	R122	4990 OHMS !1% 1/16 W	11
138	R 28	4990 OHMS !1% 1/16 W	20	134	R 82	1000 OHMS !1% 1/16 W	21	129	R123	100 OHMS !1% 1/16 W	21

SPECIAL SYMBOLS

X NO SPECIFIC QTY REQD (QTY TABLE)

* ORIGINAL CONFIGURATION (QTY TABLE)

MATERIAL CODE (NOT A DWG)

_ NOT AVAILABLE

FIND (ITEM) NUMBERS 1 TO 999

- ASSY OR DETAIL ITEMS

- AW/PS CRITICAL ITEMS

- SPECIAL CONFIGURATION CONTROL ITEMS

CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)

1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)

2 SUBSEQUENT SELECT (ITEMS)

3 ASSEMBLY

4 BULK OR SUNDRY ITEM

5 REFERENCE DOCUMENT

7 MACHINED CASTING DWG

8 SELECT PER AO OR MI

V VENDOR (SUPPLIER) ITEM -

SPEC SOURCE DWG

* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST		PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB	
REFERENCE DESIGNATION		DESIGN CHECKER		END ITEM 7026203		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER		DATE 02-01-22	
Honeywell		SPECIAL DESIGNATION STATIC SENS								SHEET 19 OF 21	
FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH	FIND NO	REF DES	ELECTRICAL VALUES	SH
125	R124	24.9 OHMS !1% 1/16 W	21	138	R211	4990 OHMS !1% 1/16 W	19	157	R261	511 OHMS !1% 1/4 W	03
147	R125	0.309 MEGO !1% 1/16 W	08	140	R212	10,000 OHMS !1% 1/16 W	19	156	R262	200 OHMS !1% 1/4 W	06
140	R126	10,000 OHMS !1% 1/16 W	20	145	R215	0.100 MEGO !1% 1/16 W	19	156	R266	200 OHMS !1% 1/4 W	06
134	R127	1000 OHMS !1% 1/16 W	21	138	R216	4990 OHMS !1% 1/16 W	19	130	R400	150 OHMS !1% 1/16 W	03
142	R128	20,000 OHMS !1% 1/16 W	19	127	R217	49.9 OHMS !1% 1/16 W	09	130	R401	150 OHMS !1% 1/16 W	03
151	R129	100 OHMS 1/16 W	17	134	R218	1000 OHMS !1% 1/16 W	14	131	R402	200 OHMS !1% 1/16 W	05
152	R130	10000 OHMS 1/16 W	08	140	R219	10,000 OHMS !1% 1/16 W	14	131	R403	200 OHMS !1% 1/16 W	05
150	R131	0.953 MEGO !1% 1/16 W	08	136	R220	2000 OHMS !1% 1/16 W	19	134	R404	1000 OHMS !1% 1/16 W	06
135	R133	1500 OHMS !1% 1/16 W	20	127	R222	49.9 OHMS !1% 1/16 W	16	140	R405	10,000 OHMS !1% 1/16 W	07
140	R134	10,000 OHMS !1% 1/16 W	19	127	R223	49.9 OHMS !1% 1/16 W	16	140	R406	10,000 OHMS !1% 1/16 W	07
138	R135	4990 OHMS !1% 1/16 W	11	127	R224	49.9 OHMS !1% 1/16 W	16	134	R407	1000 OHMS !1% 1/16 W	15
134	R137	1000 OHMS !1% 1/16 W	21	157	R225	511 OHMS !1% 1/4 W	14	140	R408	10,000 OHMS !1% 1/16 W	16
134	R138	1000 OHMS !1% 1/16 W	11	154	R226	20.0 OHMS !1% 1/4 W	14	129	R409	100 OHMS !1% 1/16 W	17
151	R139	100 OHMS 1/16 W	17	154	R227	20.0 OHMS !1% 1/4 W	14	152	R412	10000 OHMS 1/16 W	17
134	R140	1000 OHMS !1% 1/16 W	05	156	R228	200 OHMS !1% 1/4 W	15	129	R500	100 OHMS !1% 1/16 W	17
125	R141	24.9 OHMS !1% 1/16 W	05	156	R232	200 OHMS !1% 1/4 W	15	129	R501	100 OHMS !1% 1/16 W	07
151	R142	100 OHMS 1/16 W	17	135	R234	1500 OHMS !1% 1/16 W	20	129	R502	100 OHMS !1% 1/16 W	07
123	R143	10 OHMS !1% 1/16 W	05	126	R235	37.4 OHMS !1% 1/16 W	16	129	R503	100 OHMS !1% 1/16 W	17
136	R144	2000 OHMS !1% 1/16 W	05	140	R236	10,000 OHMS !1% 1/16 W	20	129	R504	100 OHMS !1% 1/16 W	17
134	R145	1000 OHMS !1% 1/16 W	05	138	R237	4990 OHMS !1% 1/16 W	17	129	R505	100 OHMS !1% 1/16 W	17
140	R147	10,000 OHMS !1% 1/16 W	20	140	R238	10,000 OHMS !1% 1/16 W	16	129	R506	100 OHMS !1% 1/16 W	17
122	R148	150.0 OHMS !1% 1 W	20	144	R239	49,900 OHMS !1% 1/16 W	08	129	R507	100 OHMS !1% 1/16 W	17
151	R149	100 OHMS 1/16 W	06	138	R240	4990 OHMS !1% 1/16 W	08	129	R508	100 OHMS !1% 1/16 W	17
159	R150	10,000 OHMS !1% 1/4 W	02	126	R241	37.4 OHMS !1% 1/16 W	17	129	R509	100 OHMS !1% 1/16 W	17
140	R151	10,000 OHMS !1% 1/16 W	20	136	R242	2000 OHMS !1% 1/16 W	08	129	R510	100 OHMS !1% 1/16 W	17
125	R152	24.9 OHMS !1% 1/16 W	03	140	R243	10,000 OHMS !1% 1/16 W	17	129	R511	100 OHMS !1% 1/16 W	17
136	R153	2000 OHMS !1% 1/16 W	03	129	R244	100 OHMS !1% 1/16 W	08	129	R512	100 OHMS !1% 1/16 W	17
151	R154	100 OHMS 1/16 W	17	154	R246	20.0 OHMS !1% 1/4 W	02	129	R513	100 OHMS !1% 1/16 W	17
151	R155	100 OHMS 1/16 W	06	140	R247	10,000 OHMS !1% 1/16 W	03	129	R514	100 OHMS !1% 1/16 W	17
127	R156	49.9 OHMS !1% 1/16 W	04	126	R248	37.4 OHMS !1% 1/16 W	07	129	R515	100 OHMS !1% 1/16 W	17
151	R157	100 OHMS 1/16 W	06	132	R249	499 OHMS !1% 1/16 W	19	129	R516	100 OHMS !1% 1/16 W	16
129	R158	100 OHMS !1% 1/16 W	05	127	R250	49.9 OHMS !1% 1/16 W	19	129	R517	100 OHMS !1% 1/16 W	16
127	R159	49.9 OHMS !1% 1/16 W	04	140	R251	10,000 OHMS !1% 1/16 W	19	129	R518	100 OHMS !1% 1/16 W	17
145	R165	0.100 MEGO !1% 1/16 W	18	157	R252	511 OHMS !1% 1/4 W	02	142	R519	20,000 OHMS !1% 1/16 W	01
145	R200	0.100 MEGO !1% 1/16 W	10	140	R253	10,000 OHMS !1% 1/16 W	02	140	R520	10,000 OHMS !1% 1/16 W	01
140	R203	10,000 OHMS !1% 1/16 W	17	154	R255	20.0 OHMS !1% 1/4 W	02	156	R521	200 OHMS !1% 1/4 W	08
140	R204	10,000 OHMS !1% 1/16 W	17	154	R256	20.0 OHMS !1% 1/4 W	03	156	R522	200 OHMS !1% 1/4 W	08
144	R205	49,900 OHMS !1% 1/16 W	17	154	R257	20.0 OHMS !1% 1/4 W	03	160	TP 1		11
153	R206	6.81 OHMS !1% 1/4 W	10	134	R258	1000 OHMS !1% 1/16 W	03	179	U 1		09
153	R207	6.81 OHMS !1% 1/4 W	10	135	R259	1500 OHMS !1% 1/16 W	19	164	U 2		20
124	R210	16.9 OHMS !1% 1/16 W	09	134	R260	1000 OHMS !1% 1/16 W	02	164	U 4		

SPECIAL SYMBOLS	FIND (ITEM) NUMBERS 1 TO 999	CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)
X NO SPECIFIC QTY REQD (QTY TABLE)	- ASSY OR DETAIL ITEMS	1 SELECT AT ASSEMBLY (FIRST SELECT ITEM)
* ORIGINAL CONFIGURATION (QTY TABLE)	- AW/PS CRITICAL ITEMS	2 SUBSEQUENT SELECT (ITEMS)
MATERIAL CODE (NOT A DWG)	- SPECIAL CONFIGURATION CONTROL ITEMS	3 ASSEMBLY
_ NOT AVAILABLE		4 BULK OR SUNDRY ITEM
		5 REFERENCE DOCUMENT
		6 SELECT PER AO OR MI
		7 MACHINED CASTING DWG
		V VENDOR (SUPPLIER) ITEM
		8 SPEC SOURCE DWG
		* CUSTOMER-FURNISHED ITEM

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.

PARTS LIST				PRODUCT ENGINEER B. LONGBRAKE		CONTRACT NO. X-RELEASE		FSCM NO. 55939		DRAWING NO. PL 7026238-902		REV. LTR XB			
				DESIGN CHECKER		END ITEM 7026203						DATE 02-01-22			
				SPECIAL DESIGNATION STATIC SENS		NEXT ASSY 7026203		LIST TITLE CIRCUIT CARD ASSEMBLY-MARKER/GLIDESLOP RECEIVER		SHEET 20 OF 21					
FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH	FIND NO	REF DES	ELECTRICAL VALUES		SH	
179	U 5			09	182	Z302			05						
173	U 6			15	182	Z303			05						
175	U 7			12	181	Z304			06						
169	U 8			10	182	Z305			06						
170	U 9			15	182	Z306			06						
171	U 10			16	182	Z307			14						
179	U 11			12	181	Z308			15						
162	U 12			10	182	Z309			15						
164	U 14			21	182	Z310			15						
163	U 15			08	182	Z400			09						
174	U 16			08	182	Z401			09						
175	U 17			08	182	Z402			12						
172	U 18			21											
164	U 19			19											
161	U 20			17											
173	U 21			06											
171	U 22			07											
177	U 23			05											
166	U 24			04											
170	U 25			06											
165	U 26			05											
177	U 27			03											
168	U 28			18											
176	U200			10											
178	U202			15											
178	U203			06											
167	U300			17											
180	VR200			20											
180	VR201			20											
182	Z 1			15											
182	Z 2			10											
181	Z 4			01											
181	Z 5			01											
181	Z 6			01											
181	Z 7			01											
182	Z 8			06											
182	Z200			10											
182	Z203			10											
182	Z204			10											
182	Z300			02											
182	Z301			03											
SPECIAL SYMBOLS				FIND (ITEM) NUMBERS 1 TO 999				CODE LEGEND (FOR HONEYWELL REFERENCE ONLY)							
X NO SPECIFIC QTY REQD (QTY TABLE) * ORIGINAL CONFIGURATION (QTY TABLE) MATERIAL CODE (NOT A DWG) _ NOT AVAILABLE				- ASSY OR DETAIL ITEMS - AW/PS CRITICAL ITEMS - SPECIAL CONFIGURATION CONTROL ITEMS				- REF DOCUMENTS, BULK SUNDRIES OR ACCEPTABLE SUBSTITUTES (ALTERNATE ITEMS) - EMP/RADIATION HARD ITEMS				1 SELECT AT ASSEMBLY (FIRST SELECT ITEM) 2 SUBSEQUENT SELECT (ITEMS) 3 ASSEMBLY 4 BULK OR SUNDRY ITEM 5 REFERENCE DOCUMENT 7 MACHINED CASTING DWG 8 SELECT PER AO OR MI V VENDOR (SUPPLIER) ITEM- SPEC SOURCE DWG * CUSTOMER-FURNISHED ITEM			
NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS.															

PARTS LIST	Honeywell	PRODUCT ENGINEER B. LONGBRAKE	CONTRACT NO. X-RELEASE	FSCM NO. 55939	DRAWING NO. PL 7026238-902	REV. LTR XB
		DESIGN CHECKER	END ITEM 7026203			DATE 02-01-22
		SPECIAL DESIGNATION STATIC SENS	NEXT ASSY 7026203	LIST TITLE CIRCUIT CARD ASSEMBLY- MARKER/GLIDESLOP RECEIVER	S H E E T 21 OF 21	
REVISION RECORD		DESCRIPTION OF REVISIONS				DATE MO DAY YR
XA		RELEASE FOR ENGINEERING BUILD AND PARTS PROCUREMENT.				9- 4-01
XB		PL EXTENSIVELY CHANGED.				1-22-02
SHEET INDEX		ALL SHEETS OF THIS DOCUMENT BEAR THE SAME REVISION LETTER.				
CAUTION:		REVISION STATUS OF PARTS LIST SHALL BE THE SAME AS BASIC DRAWING NUMBER.				

NOTE: SEE BASIC DRAWING FOR PROPRIETARY OR DATA RIGHTS NOTATIONS