

1. REQUIREMENTS

1.1 MATERIAL. ADHESIVE BACKED METALLIZED POLYESTER PER 7006940.

1.2 COLOR. SEE TABLE II FOR APPLICABILITY.

1.2.1 BACKGROUND

1.2.1.1 NATURAL ALUMINUM, MATTE SURFACE.

1.2.1.2 RED MATTE FINISH: COLOR SHALL MATCH PANTONE MATCHING SYSTEM NO. PMS 485 C, (GLOSS FINISH NOT APPLICABLE).

1.2.1.3 BLACK MATTE SURFACE PER FED-STD-595, COLOR 37038.

1.2.2 CHARACTERS AND LINES

1.2.2.1 BLACK MATTE SURFACE PER FED-STD-595, COLOR 37038.

1.2.2.2 NATURAL ALUMINUM, MATTE SURFACE.

1.3 CHARACTERS

1.3.1 HONEYWELL INTL. INC. SHALL BE .080 HIGH HELVETICA BOLD TYPE STYLE.

1.3.2 FIGURE 1 LINES 15 AND 16 SHALL BE .08 HIGH HELVETICA BOLD TYPE STYLE.

1.3.3 .06 HIGH HELVETICA REGULAR CHARACTERS UNLESS OTHERWISE SPECIFIED. HELVETICA CONDENSED MAY BE USED, WHERE REQUIRED, TO FIT IN THE CHARACTERS.

1.3.4 FIGURE 1, SPACE BETWEEN LINES SHALL BE .04 UNLESS OTHERWISE SPECIFIED.

1.3.5 FIGURE 1 LINES 1 THRU 14 ARE TO BE CENTERED.

1.4 LABEL CONSTRUCTION. LABELS WILL BE CONSTRUCTED A COMPUTER GENERATED/COMPUTER PRINTED ADHESIVE BACKED METALLIZED POLYESTER. LABEL MUST CONFORM TO THE APPROPRIATE FIGURE AND TABLE INFORMATION.

2. APPLICATION INFORMATION (FOR REFERENCE)

2.1 INSTALL IDENTIFICATION PLATES PER M7015353.

Honeywell	SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT.	SIZE	CAGE CODE	DRAWING NO.	REV
		A	55939	7519382	A
		SCALE	UNIT WT	SHEET	2




FIGURE 1
ART WORK NO. GT7519382-1

TABLE I
CHARACTERS

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 1 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 2 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 3 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 4 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 5 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 6 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 7 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 8 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

--	--	--	--

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 9 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 10 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 11 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		



TABLE I (CONT)

HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 12 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

--

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 13 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

TABLE I (CONT)			
HONEYWELL PART NUMBER	FIGURE NUMBER	LINE 14 24 CHARACTERS MAXIMUM	NOTES
7519382-1	1		

DWG NO.	7519382		SH	9	
REVISIONS					
REV	DESCRIPTION				APPROVED BY/DATE (YY-MM-DD)
—	INITIAL RELEASE				R. BACULA 99-11-15
A	SH1: SH IDX REV. TITLE WAS PLATE, IDENTIFICATION – PMA. SH2: PARA 1.3.1 WAS HONEYWELL INC. SH3: UPDTD FIG1.				J. GHER 17 JUL 00
	105236(U)				S. CLINE
B	SH1: SH IDX REV. SH3: UDTD FIG1.				 12 OCT 00  D. PARRISH
	28444(MAKE)				
Honeywell SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT. SIZE A CAGE CODE 55939 DRAWING NO. 7519382 REV B SCALE NONE UNIT WT SHEET 9					