




Ant.0


Part 27D Mode 4

NR SA n30 5M Ch462500 1RB1 BPSK

H



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4616.00	-59.12 RMS	31.96	-23.17	1.69	-95.23	25.63	-40.00	-19.12	Horizontal
2	6924.00	-56.05 RMS	36.55	-23.36	1.91	-95.23	24.08	-40.00	-16.05	Horizontal
3	9232.00	-54.50 RMS	37.40	-23.98	2.28	-95.23	25.03	-40.00	-14.50	Horizontal
4	11540.00	-52.07 RMS	38.62	-24.47	2.60	-95.23	26.41	-40.00	-12.07	Horizontal
5	13848.00	-47.64 RMS	40.20	-25.08	2.87	-95.23	29.60	-40.00	-7.64	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4616.00	-59.12 RMS	31.96	-23.17	1.69	-95.23	25.63	-40.00	-19.12	Vertical
2	6924.00	-56.24 RMS	36.55	-23.36	1.91	-95.23	23.89	-40.00	-16.24	Vertical
3	9232.00	-54.64 RMS	37.40	-23.98	2.28	-95.23	24.89	-40.00	-14.64	Vertical
4	11540.00	-52.45 RMS	38.62	-24.47	2.60	-95.23	26.03	-40.00	-12.45	Vertical
5	13848.00	-47.04 RMS	40.20	-25.08	2.87	-95.23	30.20	-40.00	-7.04	Vertical




Ant.0

Part 27N Mode 6

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1328.00	-65.95	RMS	24.10	-25.51	1.56	-95.23	29.13	-13.00	-52.95	Horizontal
2	1992.00	-65.79	RMS	26.04	-24.81	1.26	-95.23	26.95	-13.00	-52.79	Horizontal
3	2657.00	-64.49	RMS	27.33	-24.45	1.38	-95.23	26.48	-13.00	-51.49	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1328.00	-63.01	RMS	24.10	-25.51	1.56	-95.23	32.07	-13.00	-50.01	Vertical
2	1992.00	-66.14	RMS	26.04	-24.81	1.26	-95.23	26.60	-13.00	-53.14	Vertical
3	2657.00	-64.45	RMS	27.33	-24.45	1.38	-95.23	26.52	-13.00	-51.45	Vertical




Ant.0

Part 27N Mode 6

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-65.15	RMS	24.13	-25.48	1.53	-95.23	29.90	-13.00	-52.15 Horizontal
2	2015.00	-64.07	RMS	26.25	-24.80	1.26	-95.23	28.45	-13.00	-51.07 Horizontal
3	2687.00	-64.06	RMS	27.50	-24.40	1.38	-95.23	26.69	-13.00	-51.06 Horizontal
4	3358.00	-63.51	RMS	28.33	-23.99	1.42	-95.23	25.96	-13.00	-50.51 Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-62.19	RMS	24.13	-25.48	1.53	-95.23	32.86	-13.00	-49.19 Vertical
2	2015.00	-40.98	RMS	26.25	-24.80	1.26	-95.23	51.54	-13.00	-27.98 Vertical
3	2687.00	-64.17	RMS	27.50	-24.40	1.38	-95.23	26.58	-13.00	-51.17 Vertical
4	3358.00	-60.85	RMS	28.33	-23.99	1.42	-95.23	28.62	-13.00	-47.85 Vertical




Ant.0

Part 27N Mode 6

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-66.38	RMS	24.28	-25.45	1.49	-95.23	28.53	-13.00	-53.38	Horizontal
2	2037.00	-65.81	RMS	26.20	-24.82	1.27	-95.23	26.77	-13.00	-52.81	Horizontal
3	2717.00	-64.49	RMS	27.67	-24.35	1.38	-95.23	26.04	-13.00	-51.49	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-64.58	RMS	24.28	-25.45	1.49	-95.23	30.33	-13.00	-51.58	Vertical
2	2037.00	-65.67	RMS	26.20	-24.82	1.27	-95.23	26.91	-13.00	-52.67	Vertical
3	2717.00	-64.44	RMS	27.67	-24.35	1.38	-95.23	26.09	-13.00	-51.44	Vertical




Ant.0

Part 90R Mode 2

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1577.00	-67.76	RMS	24.50	-25.31	1.31	-95.23	26.97	-42.15	-25.61	Horizontal
2	2365.00	-65.15	RMS	27.20	-24.77	1.30	-95.23	26.35	-13.00	-52.15	Horizontal
3	3154.00	-63.18	RMS	28.01	-23.94	1.47	-95.23	26.51	-13.00	-50.18	Horizontal



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1577.00	-67.87	RMS	24.50	-25.31	1.31	-95.23	26.86	-42.15	-25.72	Vertical
2	2365.00	-65.20	RMS	27.20	-24.77	1.30	-95.23	26.30	-13.00	-52.20	Vertical
3	3154.00	-63.14	RMS	28.01	-23.94	1.47	-95.23	26.55	-13.00	-50.14	Vertical




Ant.0

Part 90R Mode 2

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1582.00	-66.72	RMS	24.54	-25.31	1.31	-95.23	27.97	-42.15	-24.57	Horizontal
2	2373.00	-64.47	RMS	27.11	-24.77	1.29	-95.23	27.13	-13.00	-51.47	Horizontal
3	3164.00	-63.37	RMS	28.03	-23.94	1.47	-95.23	26.30	-13.00	-50.37	Horizontal



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1582.00	-67.49	RMS	24.54	-25.31	1.31	-95.23	27.20	-42.15	-25.34	Vertical
2	2373.00	-64.48	RMS	27.11	-24.77	1.29	-95.23	27.12	-13.00	-51.48	Vertical
3	3164.00	-63.28	RMS	28.03	-23.94	1.47	-95.23	26.39	-13.00	-50.28	Vertical




Ant.0

Part 90R Mode 2

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1587.00	-67.23	RMS	24.64	-25.31	1.31	-95.23	27.36	-42.15	-25.08	Horizontal
2	2380.00	-64.99	RMS	26.90	-24.76	1.29	-95.23	26.81	-13.00	-51.99	Horizontal
3	3174.00	-62.92	RMS	28.05	-23.94	1.47	-95.23	26.73	-13.00	-49.92	Horizontal



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1587.00	-67.36	RMS	24.64	-25.31	1.31	-95.23	27.23	-42.15	-25.21	Vertical
2	2380.00	-64.80	RMS	26.90	-24.76	1.29	-95.23	27.00	-13.00	-51.80	Vertical
3	3174.00	-63.31	RMS	28.05	-23.94	1.47	-95.23	26.34	-13.00	-50.31	Vertical




Ant.0

Part 90S Mode 5

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-66.72	RMS	24.80	-25.30	1.30	-95.23	27.71	-13.00	-53.72	Horizontal
2	2443.00	-64.43	RMS	26.93	-24.72	1.31	-95.23	27.28	-13.00	-51.43	Horizontal
3	3258.00	-63.05	RMS	28.03	-23.96	1.46	-95.23	26.65	-13.00	-50.05	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-67.10	RMS	24.80	-25.30	1.30	-95.23	27.33	-13.00	-54.10	Vertical
2	2443.00	-63.64	RMS	26.93	-24.72	1.31	-95.23	28.07	-13.00	-50.64	Vertical
3	3258.00	-63.08	RMS	28.03	-23.96	1.46	-95.23	26.62	-13.00	-50.08	Vertical




Ant.0

Part 90S Mode 5

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-67.24	RMS		24.84	-25.29	1.30	-95.23	27.14	-13.00	-54.24 Horizontal
2	2451.00	-65.23	RMS		26.99	-24.71	1.31	-95.23	26.41	-13.00	-52.23 Horizontal
3	3268.00	-62.52	RMS		28.07	-23.96	1.45	-95.23	27.15	-13.00	-49.52 Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-67.06	RMS		24.84	-25.29	1.30	-95.23	27.32	-13.00	-54.06 Vertical
2	2451.00	-61.98	RMS		26.99	-24.71	1.31	-95.23	29.66	-13.00	-48.98 Vertical
3	3268.00	-63.41	RMS		28.07	-23.96	1.45	-95.23	26.26	-13.00	-50.41 Vertical




Ant.0

Part 90S Mode 5

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1639.00	-66.74	RMS	24.89	-25.29	1.30	-95.23	27.59	-13.00	-53.74	Horizontal
2	2458.00	-64.95	RMS	26.92	-24.71	1.32	-95.23	26.75	-13.00	-51.95	Horizontal
3	3278.00	-63.21	RMS	28.11	-23.97	1.45	-95.23	26.43	-13.00	-50.21	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1639.00	-66.76	RMS	24.89	-25.29	1.30	-95.23	27.57	-13.00	-53.76	Vertical
2	2458.00	-63.97	RMS	26.92	-24.71	1.32	-95.23	27.73	-13.00	-50.97	Vertical
3	3278.00	-63.16	RMS	28.11	-23.97	1.45	-95.23	26.48	-13.00	-50.16	Vertical




Ant.0

Part 90S Mode 6

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-67.16	RMS	24.80	-25.30	1.30	-95.23	27.27	-13.00	-54.16	Horizontal
2	2444.00	-65.13	RMS	26.94	-24.71	1.31	-95.23	26.56	-13.00	-52.13	Horizontal
3	3259.00	-63.12	RMS	28.04	-23.96	1.46	-95.23	26.57	-13.00	-50.12	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-67.06	RMS	24.80	-25.30	1.30	-95.23	27.37	-13.00	-54.06	Vertical
2	2444.00	-65.06	RMS	26.94	-24.71	1.31	-95.23	26.63	-13.00	-52.06	Vertical
3	3259.00	-63.12	RMS	28.04	-23.96	1.46	-95.23	26.57	-13.00	-50.12	Vertical




Ant.0

Part 90S Mode 7

NR SA n26 15M Ch164300 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

NR SA n26 15M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1630.00	-66.42 RMS	24.80	-25.30	1.30	-95.23	28.01	-13.00	-53.42	Horizontal
2	2445.00	-45.74 RMS	26.95	-24.71	1.31	-95.23	45.94	-13.00	-32.74	Horizontal
3	3260.00	-63.21 RMS	28.04	-23.96	1.46	-95.23	26.48	-13.00	-50.21	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

NR SA n26 15M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1630.00	-67.52 RMS	24.80	-25.30	1.30	-95.23	26.91	-13.00	-54.52	Vertical
2	2445.00	-64.25 RMS	26.95	-24.71	1.31	-95.23	27.43	-13.00	-51.25	Vertical
3	3260.00	-62.96 RMS	28.04	-23.96	1.46	-95.23	26.73	-13.00	-49.96	Vertical




Ant.0

Part 90S Mode 8

NR SA n26 20M Ch164800 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n26 20M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1630.00	-56.67 RMS	24.80	-25.30	1.30	-95.23	37.76	-13.00	-43.67	Horizontal
2	2445.00	-38.76 RMS	26.95	-24.71	1.31	-95.23	52.92	-13.00	-25.76	Horizontal
3	3261.00	-61.57 RMS	28.04	-23.96	1.46	-95.23	28.12	-13.00	-48.57	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n26 20M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1630.00	-59.50 RMS	24.80	-25.30	1.30	-95.23	34.93	-13.00	-46.50	Vertical
2	2445.00	-49.11 RMS	26.95	-24.71	1.31	-95.23	42.57	-13.00	-36.11	Vertical
3	3261.00	-63.28 RMS	28.04	-23.96	1.46	-95.23	26.41	-13.00	-50.28	Vertical




Ant.0

Part 27D Mode 4

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -40 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: NR SA n30 5M Ch461500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2306.00	26.07	RMS	27.12	6.40	0.00	-95.23	87.78	-40.00	66.07	Horizontal



Site : 03CH23-HY

Condition: -40 3m DRH18-E_LE2C05A18EN_240620 Vertical

: NR SA n30 5M Ch461500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2306.00	18.35	RMS	27.12	6.40	0.00	-95.23	80.06	-40.00	58.35	Vertical

Remark: #1 is fundamental signal which can be ignored.