




Ant 4

Part 27N Mode 6

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-63.68	RMS	24.30	-25.51	1.56	-95.23	31.20	-13.00	-50.68	Horizontal
2	1992.00	-66.33	RMS	25.92	-24.81	1.26	-95.23	26.53	-13.00	-53.33	Horizontal
3	2657.00	-64.39	RMS	27.43	-24.45	1.38	-95.23	26.48	-13.00	-51.39	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-61.85	RMS	24.30	-25.51	1.56	-95.23	33.03	-13.00	-48.85	Vertical
2	1992.00	-66.31	RMS	25.92	-24.81	1.26	-95.23	26.55	-13.00	-53.31	Vertical
3	2657.00	-64.47	RMS	27.43	-24.45	1.38	-95.23	26.40	-13.00	-51.47	Vertical




Ant 4

Part 27N Mode 6

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-65.15	RMS	24.23	-25.48	1.53	-95.23	29.80	-13.00	-52.15	Horizontal
2	2015.00	-66.05	RMS	26.00	-24.80	1.26	-95.23	26.72	-13.00	-53.05	Horizontal
3	2687.00	-63.96	RMS	27.67	-24.40	1.38	-95.23	26.62	-13.00	-50.96	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-63.13	RMS	24.23	-25.48	1.53	-95.23	31.82	-13.00	-50.13	Vertical
2	2015.00	-65.85	RMS	26.00	-24.80	1.26	-95.23	26.92	-13.00	-52.85	Vertical
3	2687.00	-63.93	RMS	27.67	-24.40	1.38	-95.23	26.65	-13.00	-50.93	Vertical




Ant 4

Part 27N Mode 6

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-65.70	RMS	24.30	-25.45	1.49	-95.23	29.19	-13.00	-52.70	Horizontal	
2	2037.00	-66.05	RMS	26.00	-24.82	1.27	-95.23	26.73	-13.00	-53.05	Horizontal	
3	2717.00	-64.37	RMS	27.67	-24.35	1.38	-95.23	26.16	-13.00	-51.37	Horizontal	



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-62.19	RMS	24.30	-25.45	1.49	-95.23	32.70	-13.00	-49.19	Vertical	
2	2037.00	-66.04	RMS	26.00	-24.82	1.27	-95.23	26.74	-13.00	-53.04	Vertical	
3	2717.00	-64.14	RMS	27.67	-24.35	1.38	-95.23	26.39	-13.00	-51.14	Vertical	




Ant 4

Part 90R Mode 2

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	dBuV	dBm	dB	
1	1577.00	-64.06	RMS	24.40	-25.31	1.31	-95.23	30.77	-42.15	-21.91	Horizontal	
2	2365.00	-65.15	RMS	26.90	-24.77	1.30	-95.23	26.65	-13.00	-52.15	Horizontal	
3	3154.00	-63.14	RMS	28.20	-23.94	1.47	-95.23	26.36	-13.00	-50.14	Horizontal	



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	dBuV	dBm	dB	
1	1577.00	-66.51	RMS	24.40	-25.31	1.31	-95.23	28.32	-42.15	-24.36	Vertical	
2	2365.00	-64.73	RMS	26.90	-24.77	1.30	-95.23	27.07	-13.00	-51.73	Vertical	
3	3154.00	-62.64	RMS	28.20	-23.94	1.47	-95.23	26.86	-13.00	-49.64	Vertical	




Ant 4

Part 90R Mode 2

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-64.74	RMS	24.42	-25.31	1.31	-95.23	30.07	-42.15	-22.59	Horizontal
2	2373.00	-65.23	RMS	26.90	-24.77	1.29	-95.23	26.58	-13.00	-52.23	Horizontal
3	3164.00	-62.77	RMS	28.20	-23.94	1.47	-95.23	26.73	-13.00	-49.77	Horizontal



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-66.61	RMS	24.42	-25.31	1.31	-95.23	28.20	-42.15	-24.46	Vertical
2	2373.00	-64.71	RMS	26.90	-24.77	1.29	-95.23	27.10	-13.00	-51.71	Vertical
3	3164.00	-62.94	RMS	28.20	-23.94	1.47	-95.23	26.56	-13.00	-49.94	Vertical




Ant 4

Part 90R Mode 2

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-65.73	RMS	24.47	-25.31	1.31	-95.23	29.03	-42.15	-23.58	Horizontal
2	2380.00	-65.23	RMS	26.90	-24.76	1.29	-95.23	26.57	-13.00	-52.23	Horizontal
3	3174.00	-62.95	RMS	28.20	-23.94	1.47	-95.23	26.55	-13.00	-49.95	Horizontal



Site : 03CH23-HY

Condition: 700 AC BAND 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-67.04	RMS	24.47	-25.31	1.31	-95.23	27.72	-42.15	-24.89	Vertical
2	2380.00	-65.30	RMS	26.90	-24.76	1.29	-95.23	26.50	-13.00	-52.30	Vertical
3	3174.00	-62.92	RMS	28.20	-23.94	1.47	-95.23	26.58	-13.00	-49.92	Vertical




Ant 4

Part 90S Mode 5

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-67.61	RMS	24.70	-25.30	1.30	-95.23	26.92	-13.00	-54.61	Horizontal
2	2444.00	-64.87	RMS	26.66	-24.71	1.31	-95.23	27.10	-13.00	-51.87	Horizontal
3	3258.00	-62.79	RMS	28.22	-23.96	1.46	-95.23	26.72	-13.00	-49.79	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-64.46	RMS	24.70	-25.30	1.30	-95.23	30.07	-13.00	-51.46	Vertical
2	2444.00	-64.54	RMS	26.66	-24.71	1.31	-95.23	27.43	-13.00	-51.54	Vertical
3	3258.00	-62.75	RMS	28.22	-23.96	1.46	-95.23	26.76	-13.00	-49.75	Vertical




Ant 4

Part 90S Mode 5

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1634.00	-67.05	RMS	24.70	-25.29	1.30	-95.23	27.47	-13.00	-54.05	Horizontal
2	2451.00	-64.78	RMS	26.60	-24.71	1.31	-95.23	27.25	-13.00	-51.78	Horizontal
3	3268.00	-63.14	RMS	28.24	-23.96	1.45	-95.23	26.36	-13.00	-50.14	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1634.00	-64.54	RMS	24.70	-25.29	1.30	-95.23	29.98	-13.00	-51.54	Vertical
2	2451.00	-64.71	RMS	26.60	-24.71	1.31	-95.23	27.32	-13.00	-51.71	Vertical
3	3268.00	-63.01	RMS	28.24	-23.96	1.45	-95.23	26.49	-13.00	-50.01	Vertical




Ant 4

Part 90S Mode 5

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-67.34	RMS	24.70	-25.29	1.30	-95.23	27.18	-13.00	-54.34	Horizontal
2	2459.00	-65.27	RMS	26.60	-24.71	1.32	-95.23	26.75	-13.00	-52.27	Horizontal
3	3278.00	-62.73	RMS	28.26	-23.97	1.45	-95.23	26.76	-13.00	-49.73	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-65.17	RMS	24.70	-25.29	1.30	-95.23	29.35	-13.00	-52.17	Vertical
2	2459.00	-64.06	RMS	26.60	-24.71	1.32	-95.23	27.96	-13.00	-51.06	Vertical
3	3278.00	-62.61	RMS	28.26	-23.97	1.45	-95.23	26.88	-13.00	-49.61	Vertical




Ant 4

Part 90S Mode 6

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-65.80	RMS	24.70	-25.30	1.30	-95.23	28.73	-13.00	-52.80	Horizontal
2	2444.00	-65.04	RMS	26.66	-24.71	1.31	-95.23	26.93	-13.00	-52.04	Horizontal
3	3259.00	-62.75	RMS	28.22	-23.96	1.46	-95.23	26.76	-13.00	-49.75	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-65.48	RMS	24.70	-25.30	1.30	-95.23	29.05	-13.00	-52.48	Vertical
2	2444.00	-65.19	RMS	26.66	-24.71	1.31	-95.23	26.78	-13.00	-52.19	Vertical
3	3259.00	-62.57	RMS	28.22	-23.96	1.46	-95.23	26.94	-13.00	-49.57	Vertical




Ant 4

Part 90S Mode 7

NR SA n26 15M Ch164300 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-66.96	RMS	24.70	-25.30	1.30	-95.23	27.57	-13.00	-53.96	Horizontal
2	2445.00	-64.82	RMS	26.65	-24.71	1.31	-95.23	27.16	-13.00	-51.82	Horizontal
3	3260.00	-62.81	RMS	28.22	-23.96	1.46	-95.23	26.70	-13.00	-49.81	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-65.03	RMS	24.70	-25.30	1.30	-95.23	29.50	-13.00	-52.03	Vertical
2	2445.00	-64.66	RMS	26.65	-24.71	1.31	-95.23	27.32	-13.00	-51.66	Vertical
3	3260.00	-62.46	RMS	28.22	-23.96	1.46	-95.23	27.05	-13.00	-49.46	Vertical




Ant 4

Part 90S Mode 8

NR SA n26 20M Ch164800 1RB1 BPSK

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-67.79	RMS	24.70	-25.30	1.30	-95.23	26.74	-13.00	-54.79	Horizontal
2	2445.00	-64.99	RMS	26.65	-24.71	1.31	-95.23	26.99	-13.00	-51.99	Horizontal
3	3261.00	-62.48	RMS	28.22	-23.96	1.46	-95.23	27.03	-13.00	-49.48	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-64.51	RMS	24.70	-25.30	1.30	-95.23	30.02	-13.00	-51.51	Vertical
2	2445.00	-64.55	RMS	26.65	-24.71	1.31	-95.23	27.43	-13.00	-51.55	Vertical
3	3261.00	-63.14	RMS	28.22	-23.96	1.46	-95.23	26.37	-13.00	-50.14	Vertical




Ant 4

Ant 0 Mode 4

NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH23-HY


Condition: -40 3m DRH18-E_KV2D06A18ES_241025 Horizontal

: NR SA n30 10M Ch461500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	2306.00	-30.01	RMS	27.14	-24.83	3.11	-95.23	59.80	-40.00	9.99	Horizontal
2	2354.00	-37.97	RMS	26.96	-24.78	3.13	-95.23	51.95	-40.00	2.03	Horizontal



Site : 03CH23-HY

Condition: -40 3m DRH18-E_KV2D06A18ES_241025 Vertical

: NR SA n30 10M Ch461500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	2306.00	-24.74	RMS	27.14	-24.83	3.11	-95.23	65.07	-40.00	15.26	Vertical
2	2352.00	-44.59	RMS	26.98	-24.79	3.13	-95.23	45.32	-40.00	-4.59	Vertical