





LTE Band 26


Middle Channel / 1.4MHz / QPSK




Middle Channel / 1.4MHz / 16QAM




Middle Channel / 3MHz / QPSK




Middle Channel / 3MHz / 16QAM



Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM






LTE Band 26


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM






Conducted Spurious Emission


LTE Band 26 / 1.4MHz

Middle Channel / QPSK



LTE Band 26 / 3MHz


Middle Channel / QPSK






LTE Band 26 / 5MHz

Middle Channel / QPSK



LTE Band 26 / 10MHz


Middle Channel / QPSK





LTE Band 26 / 15MHz

Middle Channel / QPSK



Date: 4.AUG.2021 15:40:17



Appendix B. Test Results of Radiated Test

<EUT with Strap 1>

<Top Antenna>

LTE Band 26

LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-63.31	-13	-50.31	-73.18	-70.22	0.52	9.58	H
	2444	-60.11	-13	-47.11	-73.81	-68.07	0.64	10.76	H
	3258	-58.17	-13	-45.17	-74.58	-67.14	0.75	11.87	H
									H
									H
									H
									H
	1629	-63.57	-13	-50.57	-73.26	-70.48	0.52	9.58	V
	2444	-60.14	-13	-47.14	-74.45	-68.1	0.64	10.76	V
	3258	-58.09	-13	-45.09	-74.64	-67.06	0.75	11.87	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Bottom Antenna>

LTE Band 26

LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1629	-63.97	-13	-50.97	-73.84	-70.88	0.52	9.58	H
	2443	-59.76	-13	-46.76	-73.46	-67.72	0.64	10.75	H
	3257	-58.34	-13	-45.34	-74.75	-67.31	0.75	11.87	H
									H
									H
									H
									H
	1629	-62.30	-13	-49.30	-71.99	-69.21	0.52	9.58	V
	2443	-59.52	-13	-46.52	-73.83	-67.48	0.64	10.75	V
	3257	-58.84	-13	-45.84	-75.39	-67.81	0.75	11.87	V
									V
									V
									V
									V
Middle	1634	-64.56	-13	-51.56	-74.58	-71.48	0.52	9.59	H
	2451	-60.84	-13	-47.84	-74.5	-68.81	0.65	10.76	H
	3267	-59.33	-13	-46.33	-75.74	-68.33	0.75	11.90	H
									H
									H
									H
									H
	1634	-62.29	-13	-49.29	-71.98	-69.21	0.52	9.59	V
	2451	-57.41	-13	-44.41	-71.68	-65.38	0.65	10.76	V
	3267	-59.11	-13	-46.11	-75.64	-68.11	0.75	11.90	V
									V
									V
									V
									V



Highest	1639	-64.44	-13	-51.44	-74.31	-71.37	0.52	9.61	H
	2458	-61.14	-13	-48.14	-74.81	-69.11	0.65	10.77	H
	3277	-59.44	-13	-46.44	-75.88	-68.47	0.75	11.93	H
									H
									H
									H
									H
	1639	-62.03	-13	-49.03	-71.74	-68.96	0.52	9.61	V
	2458	-57.43	-13	-44.43	-71.67	-65.4	0.65	10.77	V
	3277	-59.28	-13	-46.28	-75.77	-68.31	0.75	11.93	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<EUT with Strap 3>

<Top Antenna>

LTE Band 26

LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-63.50	-13	-50.50	-73.42	-70.41	0.52	9.58	H
	2444	-60.29	-13	-47.29	-73.96	-68.25	0.64	10.76	H
	3258	-58.41	-13	-45.41	-74.66	-67.38	0.75	11.87	H
									H
									H
									H
									H
	1629	-63.60	-13	-50.60	-73.38	-70.51	0.52	9.58	V
	2444	-60.37	-13	-47.37	-74.64	-68.33	0.64	10.76	V
	3258	-58.24	-13	-45.24	-74.77	-67.21	0.75	11.87	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Bottom Antenna>

LTE Band 26

LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1634	-62.61	-13	-49.61	-72.63	-69.53	0.52	9.59	H
	2451	-57.61	-13	-44.61	-71.27	-65.58	0.65	10.76	H
	3267	-57.80	-13	-44.80	-74.21	-66.8	0.75	11.90	H
									H
									H
									H
									H
	1634	-61.50	-13	-48.50	-71.19	-68.42	0.52	9.59	V
	2451	-57.61	-13	-44.61	-71.88	-65.58	0.65	10.76	V
	3267	-57.94	-13	-44.94	-74.47	-66.94	0.75	11.90	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————