FR1 n48 / 40MHz / DFT-S OFDM / QPSK	
Lowest Channel	
Full RB	Power Limit -40dBm > -40.89 dBm Pass
	

FR1 n48 / 40MHz / DFT-S OFDM / QPSK	
Middle Channel	
Full RB	
	

FR1 n48 / 40MHz / DFT-S OFDM / QPSK	
Highest Channel	
Full RB	



FR1 n48 / 40MHz / DFT-S OFDM / 16QAM	
Lowest Channel	
Full RB	Power Limit -40dBm > -44.44 dBm Pass
	

FR1 n48 / 40MHz / DFT-S OFDM / 16QAM	
Middle Channel	
Full RB	
	

FR1 n48 / 40MHz / DFT-S OFDM / 16QAM	
Highest Channel	
Full RB	



FR1 n48 / 40MHz / DFT-S OFDM / 64QAM	
Lowest Channel	
Full RB	Power Limit -40dBm > -44.05 dBm Pass
	

FR1 n48 / 40MHz / DFT-S OFDM / 64QAM	
Middle Channel	
Full RB	
	

FR1 n48 / 40MHz / DFT-S OFDM / 64QAM	
Highest Channel	
Full RB	



FR1 n48 / 40MHz / DFT-S OFDM / 256QAM	
Lowest Channel	
Full RB	



FR1 n48 / 40MHz / DFT-S OFDM / 256QAM	
Middle Channel	
Full RB	



FR1 n48 / 40MHz / DFT-S OFDM / 256QAM	
Highest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Channel	
Full RB	Power Limit -40dBm > -41.37 dBm Pass
	

FR1 n48 / 50MHz / DFT-S OFDM / PI/2 BPSK	
Middle Channel	
Full RB	
	

FR1 n48 / 50MHz / DFT-S OFDM / PI/2 BPSK	
Highest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / QPSK	
Lowest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / QPSK	
Middle Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / QPSK	
Highest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 16QAM	
Lowest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 16QAM	
Middle Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 16QAM	
Highest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 64QAM	
Lowest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 64QAM	
Middle Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 64QAM	
Highest Channel	
Full RB	



FR1 n48 / 50MHz / DFT-S OFDM / 256QAM	
Lowest Channel	
Full RB	
	

FR1 n48 / 50MHz / DFT-S OFDM / 256QAM	
Middle Channel	
Full RB	
	

FR1 n48 / 50MHz / DFT-S OFDM / 256QAM	
Highest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / PI/2 BPSK	
Middle Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / PI/2 BPSK	
Highest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / QPSK	
Lowest Channel	
Full RB	
	

FR1 n48 / 60MHz / DFT-S OFDM / QPSK	
Middle Channel	
Full RB	
	

FR1 n48 / 60MHz / DFT-S OFDM / QPSK	
Highest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 16QAM	
Lowest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 16QAM	
Middle Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 16QAM	
Highest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 64QAM	
Lowest Channel	
Full RB	
	

FR1 n48 / 60MHz / DFT-S OFDM / 64QAM	
Middle Channel	
Full RB	
	

FR1 n48 / 60MHz / DFT-S OFDM / 64QAM	
Highest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 256QAM	
Lowest Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 256QAM	
Middle Channel	
Full RB	



FR1 n48 / 60MHz / DFT-S OFDM / 256QAM	
Highest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / PI/2 BPSK	
Middle Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / PI/2 BPSK	
Highest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / QPSK	
Lowest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / QPSK	
Middle Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / QPSK	
Highest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 16QAM	
Lowest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 16QAM	
Middle Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 16QAM	
Highest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 64QAM	
Lowest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 64QAM	
Middle Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 64QAM	
Highest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 256QAM	
Lowest Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 256QAM	
Middle Channel	
Full RB	



FR1 n48 / 70MHz / DFT-S OFDM / 256QAM	
Highest Channel	
Full RB	



FR1 n48 / 80MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Channel	
Full RB	



FR1 n48 / 80MHz / DFT-S OFDM / PI/2 BPSK	
Middle Channel	
Full RB	



FR1 n48 / 80MHz / DFT-S OFDM / PI/2 BPSK	
Highest Channel	
Full RB	



FR1 n48 / 80MHz / DFT-S OFDM / QPSK	
Lowest Channel	
Full RB	Power Limit -40dBm > -41.81 dBm Pass
	

FR1 n48 / 80MHz / DFT-S OFDM / QPSK	
Middle Channel	
Full RB