



CH 345000 (1725 MHz) 256QAM

1 RB



FULL RB



CH 353000 (1765 MHz) 256QAM

1 RB




FULL RB




NR n66 SCS 15 kHz, MIMO-Ant 0, Channel Bandwidth: 35 MHz


CH 345500 (1727.5 MHz) QPSK




CH 352500 (1762.5 MHz) QPSK



CH 345500 (1727.5 MHz) 256QAM



CH 352500 (1762.5 MHz) 256QAM




NR n66 SCS 15 kHz, MIMO-Ant 0, Channel Bandwidth: 40 MHz

CH 346000 (1730 MHz) QPSK

1 RB




FULL RB




CH 352000 (1760 MHz) QPSK

1 RB




FULL RB




CH 346000 (1730 MHz) 256QAM

1 RB



FULL RB



CH 352000 (1760 MHz) 256QAM


1 RB




FULL RB




NR n66 SCS 15 kHz, MIMO-Ant 0, Channel Bandwidth: 45 MHz



CH 346500 (1732.5 MHz)




CH 349000 (1745 MHz)



CH 351500 (1757.5 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n66 SCS 15 kHz, MIMO-Ant 0, Channel Bandwidth: 45 MHz




CH 351500 (1757.5 MHz) QPSK

1 RB




FULL RB




CH 346500 (1732.5 MHz) 256QAM


1 RB



FULL RB



CH 351500 (1757.5 MHz) 256QAM



[RBW = 200 kHz / Reference RBW = 510 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(510/200)

To compensate for this integration before comparison to the limit, 4.07 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 4.07 dB integration compensation factor = 22.08 dB Ref Lvl Offset


NR n66 SCS 15 kHz, MIMO-Ant 3, Channel Bandwidth: 5 MHz

CH 342500 (1712.5 MHz) QPSK

1 RB




FULL RB



CH 355500 (1777.5 MHz) QPSK

1 RB



FULL RB

