

Variant FCC RF Test Report

APPLICANT : ViewSonic Corporation
EQUIPMENT : MID
BRAND NAME : ViewSonic
MODEL NAME : VS13761
FCC ID : GSS-VS13761
STANDARD : FCC Part 15 Subpart C §15.247
CLASSIFICATION : Digital Transmission System (DTS)

This is a variant report which is only valid combine with the original test report.

We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.4-2003 and shown the compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

Reviewed by:



Anderson Chiu / Deputy Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C.



TABLE OF CONTENTS

REVISION HISTORY	3
1 GENERAL DESCRIPTION	4
1.1 Applicant	4
1.2 Manufacturer	4
1.3 Feature of Equipment Under Test	4
APPENDIX A. PHOTOGRAPHS OF EUT	
APPENDIX B. PRODUCT EQUALITY DECLARATION	
APPENDIX C. ORIGINAL REPORT	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FR0N0531B	Rev. 01	This is a variant report which can be referred to appendix B for product equality declaration. Due to the change is for WCDMA band II component only, and the PCB layout, antenna, and housing are all the same. Therefore, the device is not need to perform any test in this report. All the test cases were performed in original report (FCC ID: X7H-N700) which can be referred to appendix C.	Nov. 29, 2010



1 General Description

1.1 Applicant

ViewSonic Corporation

381 Brea Canyon Road, Walnut, CA 91789, U.S.A.

1.2 Manufacturer

ViewSonic Corporation

381 Brea Canyon Road, Walnut, CA 91789, U.S.A.

1.3 Feature of Equipment Under Test

Product Feature & Specification	
Equipment	MID
Brand Name	ViewSonic
Model Name	VS13761
FCC ID	GSS-VS13761
Tx/Rx Frequency Range	2400 MHz ~ 2483.5 MHz
Number of Channels	11
Carrier Frequency of Each Channel	$2412+(n-1)*5$ MHz; n=1~11
Channel Spacing	5 MHz
Antenna Type	PIFA Antenna with gain -5 dBi
Type of Antenna Connector	N/A
HW Version	PR3_125
SW Version	3.16l
Type of Modulation	802.11b : DSSS (BPSK / QPSK / CCK) 802.11g : OFDM (BPSK / QPSK / 16QAM / 64QAM)
EUT Stage	Identical Prototype

Remark:

1. For other wireless features of this EUT, test report will be issued separately.
2. This test report recorded only product characteristics and test results of Digital Transmission System (DTS).
3. The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.



Appendix A. Photographs of EUT

Please refer to Sporton report number EP0N0531 as below.



Appendix B. Product Equality Declaration



Appendix C. Original Report

Please refer to Sporton report number FR090307-01AB as below.