


Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

3 MHz 16QAM




Bandedge Band5 16QAM 1RB 3MHz CH20415

Date: 11.AUG.2017 11:20:55




Bandedge Band5 16QAM 1RB 3MHz CH20635

Date: 11.AUG.2017 13:14:48




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band5 16QAM FRB 3MHz CH20415

Date: 11.AUG.2017 11:19:40



Bandedge Band5 16QAM FRB 3MHz CH20635


Date: 11.AUG.2017 13:16:02



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

5 MHz 16QAM




Bandedge Band5 16QAM 1RB 5MHz CH20450

Date: 11.AUG.2017 14:12:39




Bandedge Band5 16QAM 1RB 5MHz CH20625

Date: 11.AUG.2017 15:59:34




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band5 16QAM FRB 5MHz CH20450

Date: 11.AUG.2017 14:11:36



Bandedge Band5 16QAM FRB 5MHz CH20625

Date: 11.AUG.2017 16:00:47




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

10 MHz 16QAM




Bandedge Band5 16QAM 1RB 10MHz CH20450

Date: 11.AUG.2017 16:26:58




Bandedge Band5 16QAM 1RB 10MHz CH20600

Date: 11.AUG.2017 16:50:18




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band5 16QAM FRB 10MHz CH20450

Date: 11.AUG.2017 16:28:27



Bandedge Band5 16QAM FRB 10MHz CH20600

Date: 11.AUG.2017 16:48:44




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1


Band 12

1.4 MHz QPSK




Bandedge Band2 QPSK 1RB 1.4MHz CH23017

Date: 10.AUG.2017 17:14:53



Bandedge Band12 QPSK 1RB 1.4MHz CH23173


Date: 10.AUG.2017 18:52:18



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band2 QPSK FRB 1.4MHz CH23017

Date: 10.AUG.2017 17:16:33



Bandedge Band12 QPSK FRB 1.4MHz CH23173


Date: 10.AUG.2017 18:54:07



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

3 MHz QPSK




Bandedge Band12 QPSK 1RB 3MHz CH23025

Date: 11.AUG.2017 11:27:16




Bandedge Band12 QPSK 1RB 3MHz CH23165

Date: 11.AUG.2017 13:21:11




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band12 QPSK FRB 3MHz CH23025

Date: 11.AUG.2017 11:26:03



Bandedge Band12 QPSK FRB 3MHz CH23165


Date: 11.AUG.2017 13:19:51



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

5 MHz QPSK




Bandedge Band12 QPSK 1RB 5MHz CH23060

Date: 11.AUG.2017 14:18:29




Bandedge Band12 QPSK 1RB 5MHz CH23155

Date: 11.AUG.2017 16:05:02




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band12 QPSK FRB 5MHz CH23060

Date: 11.AUG.2017 14:17:08



Bandedge Band12 QPSK FRB 5MHz CH23155


Date: 11.AUG.2017 16:06:10



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

10 MHz QPSK




Bandedge Band12 QPSK 1RB 10MHz CH23060

Date: 11.AUG.2017 16:34:44




Bandedge Band12 QPSK 1RB 10MHz CH23130

Date: 11.AUG.2017 16:41:28




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band12 QPSK FRB 10MHz CH23060

Date: 11.AUG.2017 16:36:20



Bandedge Band12 QPSK FRB 10MHz CH23130


Date: 11.AUG.2017 16:39:43



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

1.4 MHz 16QAM




Bandedge Band2 16QAM 1RB 1.4MHz CH23017

Date: 10.AUG.2017 17:13:02




Bandedge Band12 16QAM 1RB 1.4MHz CH23173

Date: 10.AUG.2017 18:50:28




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band2 16QAM FRB 1.4MHz CH23017

Date: 10.AUG.2017 17:11:23



Bandedge Band12 16QAM FRB 1.4MHz CH23173

Date: 10.AUG.2017 18:48:50




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

3 MHz 16QAM




Bandedge Band12 16QAM 1RB 3MHz CH23025

Date: 11.AUG.2017 11:22:48




Bandedge Band12 16QAM 1RB 3MHz CH23165

Date: 11.AUG.2017 13:22:44




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band12 16QAM FRB 3MHz CH23025

Date: 11.AUG.2017 11:24:16



Bandedge Band12 16QAM FRB 3MHz CH23165

Date: 11.AUG.2017 13:23:55




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

5 MHz 16QAM




Bandedge Band12 16QAM 1RB 5MHz CH23060

Date: 11.AUG.2017 14:19:43




Bandedge Band12 16QAM 1RB 5MHz CH23155

Date: 11.AUG.2017 16:03:50




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1




Bandedge Band12 16QAM FRB 5MHz CH23060

Date: 11.AUG.2017 14:20:55



Bandedge Band12 16QAM FRB 5MHz CH23155


Date: 11.AUG.2017 16:02:38



Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1

10 MHz 16QAM




Bandedge Band12 16QAM 1RB 10MHz CH23060

Date: 11.AUG.2017 16:33:15




Bandedge Band12 16QAM 1RB 10MHz CH23130

Date: 11.AUG.2017 16:45:04




Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1



Bandedge Band12 16QAM FRB 10MHz CH23060

Date: 11.AUG.2017 16:31:57



Bandedge Band12 16QAM FRB 10MHz CH23130

Date: 11.AUG.2017 16:46:33

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002, ETSTW-GSM 003

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPHUB1


9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.






Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

WCDMA Band 2					WCDMA Band 4					WCDMA Band 5				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	18.00	0.010	±2.5	120Vac	-30	22.00	0.013	±2.5	120Vac	-30	16.00	0.019	±2.5
	-20	13.00	0.007			-20	31.00	0.018			-20	17.00	0.021	
	-10	40.00	0.022			-10	12.00	0.007			-10	13.00	0.016	
	0	-23.00	-0.012			0	16.00	0.009			0	15.00	0.018	
	10	-24.00	-0.013			10	14.00	0.008			10	23.00	0.028	
	20	28.00	0.015			20	18.00	0.011			20	16.00	0.019	
	30	22.00	0.012			30	12.00	0.007			30	19.00	0.023	
	40	33.00	0.018			40	11.00	0.006			40	21.00	0.025	
132Vac	50	24.00	0.013			50	21.00	0.012			50	14.00	0.017	
	132Vac	25	-18.00	-0.010		132Vac	25	19.00	0.011		132Vac	25	12.00	0.015
108Vac	25	20.00	0.011		108Vac	25	11.00	0.006		108Vac	25	12.00	0.015	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1413	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	15.00	0.009	±2.5	120Vac	-30	24.00	0.029	±2.5
	-20	14.00	0.007			-20	16.00	0.009			-20	21.00	0.025	
	-10	13.00	0.007			-10	11.00	0.006			-10	15.00	0.018	
	0	12.00	0.006			0	21.00	0.012			0	18.00	0.022	
	10	-17.00	-0.009			10	19.00	0.011			10	11.00	0.013	
	20	-13.00	-0.007			20	12.00	0.007			20	-14.00	-0.017	
	30	13.00	0.007			30	11.00	0.006			30	11.00	0.013	
	40	-17.00	-0.009			40	23.00	0.013			40	20.00	0.024	
132Vac	50	15.00	0.008			50	21.00	0.012			50	16.00	0.019	
	132Vac	25	19.00	0.010		132Vac	25	14.00	0.008		132Vac	25	14.00	0.017
108Vac	25	20.00	0.011		108Vac	25	17.00	0.010		108Vac	25	21.00	0.025	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	11.00	0.006	±2.5	120Vac	-30	-22.00	-0.013	±2.5	120Vac	-30	10.00	0.012	±2.5
	-20	15.00	0.008			-20	14.00	0.008			-20	14.00	0.017	
	-10	16.00	0.008			-10	18.00	0.010			-10	18.00	0.021	
	0	13.00	0.007			0	13.00	0.007			0	16.00	0.019	
	10	19.00	0.010			10	15.00	0.009			10	18.00	0.021	
	20	12.00	0.006			20	11.00	0.006			20	-16.00	-0.019	
	30	15.00	0.008			30	16.00	0.009			30	-14.00	-0.017	
	40	22.00	0.012			40	21.00	0.012			40	-13.00	-0.015	
132Vac	50	11.00	0.006			50	14.00	0.008			50	12.00	0.014	
	132Vac	25	31.00	0.016		132Vac	25	18.00	0.010		132Vac	25	14.00	0.017
108Vac	25	18.00	0.009		108Vac	25	16.00	0.009		108Vac	25	19.00	0.022	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247


FCC ID: GX9FPUB1

LTE Band 2 QPSK 10MHz FRB					LTE Band 4 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	12.00	0.007	±2.5
	-20	18.00	0.010			-20	11.00	0.006	
	-10	-47.00	-0.025			-10	8.00	0.005	
	0	-33.00	-0.018			0	6.00	0.003	
	10	-19.00	-0.010			10	-16.00	-0.009	
	20	-25.00	-0.013			20	-7.00	-0.004	
	30	21.00	0.011			30	14.00	0.008	
	40	17.00	0.009			40	19.00	0.011	
	50	-21.00	-0.011			50	21.00	0.012	
132Vac	25	-16.00	-0.009		132Vac	25	-16.00	-0.009	
108Vac	25	-19.00	-0.010		108Vac	25	-9.00	-0.005	

LTE Band 5 QPSK 10MHz FRB					LTE Band 12 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	12.00	0.014	±2.5	120Vac	-30	14.00	0.020	±2.5
	-20	14.00	0.017			-20	-12.00	-0.017	
	-10	-20.00	-0.024			-10	-18.00	-0.025	
	0	-18.00	-0.022			0	-17.00	-0.024	
	10	-18.00	-0.022			10	-14.00	-0.020	
	20	-48.00	-0.057			20	-19.00	-0.027	
	30	17.00	0.020			30	13.00	0.018	
	40	-17.00	-0.020			40	18.00	0.025	
	50	29.00	0.035			50	-26.00	-0.037	
132Vac	25	-19.00	-0.023		132Vac	25	-22.00	-0.031	
108Vac	25	-18.00	-0.022		108Vac	25	-22.00	-0.031	

Test equipment: ETSTW-CE 009, ETSTW-GSM 004

Note: Measurement uncertainty ± 6.09 Hz; Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.



Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1

10 Maximum Permissible Exposure

10.1 RF Exposure Compliance Requirements

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

$$S = \frac{PG}{4\pi R^2}$$

S – Power Density

P – Output power ERP

R – Distance


D – Cable Loss

AG – Antenna Gain

WCDMA Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	22.69/185.7804	Peak value
D	dB		
AG	dB	4.91	
G		3.0974	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.1145	Calculated value

WCDMA Band 4			
Item	Unit	Value	Remarks
P	dBm/mW	23.10/204.1738	Peak value
D	dB		
AG	dB	2.72	
G		1.8707	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0760	Calculated value

WCDMA Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	20.16/103.7528	Peak value
D	dB		
AG	dB	-2.27	
G		0.5929	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0122	Calculated value



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R21805-18133-P-247

FCC ID: GX9FPHUB1

LTE Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	22.59/181.5516	Peak value
D	dB		
AG	dB	4.91	
G		3.0974	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.1119	Calculated value


LTE Band 4			
Item	Unit	Value	Remarks
P	dBm/mW	22.00/158.4893	Peak value
D	dB		
AG	dB	2.72	
G		1.8707	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0590	Calculated value

LTE Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	20.98/125.3141	Peak value
D	dB		
AG	dB	-2.27	
G		0.5929	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0148	Calculated value

LTE Band 12			
Item	Unit	Value	Remarks
P	dBm/mW	20.99/125.6030	Peak value
D	dB		
AG	dB	1.05	
G		1.2735	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0318	Calculated value

Limits:

Limit for General Population / Uncontrolled Exposure	
Frequency (MHz)	Power Density (mW/cm ²)
1500 – 100.000	1.0




Report Number: W6R21805-18133-P-247
FCC ID: GX9FPHUB1

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Report Number: W6R21805-18133-P-247
FCC ID: GX9FPHUB1

Appendix

RF Power Output



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9262

Data : #1


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:25:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.990	-20.02	peak	43.64	23.62	33.00	150	120	-9.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9262

Data : #2


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:43:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1852.015	-23.32	peak	46.42	23.10	33.00	150	125	-9.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9400

Data : #1


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:31:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1880.801	-19.41	peak	43.91	24.50	33.00	150	96	-8.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9400

Data : #2


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:44:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.840	-24.39	peak	46.54	22.15	33.00	150	256	-10.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9538

Data : #1


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:33:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1907.055	-18.45	peak	44.14	25.69	33.00	150	185	-7.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 9538

Data : #2


Date: 2018/5/31

Temperature: 24 °C

50.0 dBm

Time: 下午 04:46:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.542	-25.52	peak	46.65	21.13	33.00	150	156	-11.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1312

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:36:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1712.432	-19.91	peak	42.40	22.49	30.00	150	180	-7.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1312

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 04:07:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1712.432	-27.15	peak	45.84	18.69	30.00	150	196	-11.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1413

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:41:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.055	-21.71	peak	42.58	20.87	30.00	150	230	-9.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1413

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 04:01:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.280	-29.38	peak	45.92	16.54	30.00	150	103	-13.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1513

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:44:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1751.414	-23.67	peak	42.75	19.08	30.00	150	165	-10.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 1513

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:54:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1751.927	-30.03	peak	46.00	15.97	30.00	150	198	-14.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4132

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 02:36:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.4256	-21.68	peak	36.02	14.34	38.45	150	163	-24.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4132

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:24:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	825.9513	-28.86	peak	35.96	7.10	38.45	150	208	-31.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4183

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 02:40:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	834.8051	-17.03	peak	36.15	19.12	38.45	150	169	-19.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4183

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:26:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.5295	-27.47	peak	36.35	8.88	38.45	150	109	-29.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4233

Data : #1


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 02:49:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.6897	-23.89	peak	36.39	12.50	38.45	150	169	-25.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 4233

Data : #2


Date: 2018/5/31

Temperature: 24 °C

60.0 dBm

Time: 下午 03:28:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.0103	-27.65	peak	36.70	9.05	38.45	150	168	-29.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18607

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 上午 11:52:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18607 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.636	-20.39	peak	44.16	23.77	33.00	150	200	-9.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18607

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:21:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18607 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.540	-27.17	peak	45.39	18.22	33.00	150	169	-14.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 上午 11:55:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.904	-21.17	peak	44.17	23.00	33.00	150	117	-10.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:19:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.872	-23.98	peak	45.49	21.51	33.00	150	187	-11.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19193

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:00:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH19193 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.172	-23.75	peak	44.38	20.63	33.00	150	198	-12.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19193

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:17:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH19193 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.236	-25.69	peak	45.84	20.15	33.00	150	198	-12.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18607

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:09:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18607 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.572	-19.79	peak	44.16	24.37	33.00	150	189	-8.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18607

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:12:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18607 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.411	-26.47	peak	45.39	18.92	33.00	150	169	-14.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:05:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18900 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.904	-20.07	peak	44.17	24.10	33.00	150	187	-8.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:14:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18900 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.711	-23.15	peak	45.49	22.34	33.00	150	189	-10.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19193

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:04:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH19193 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.108	-20.70	peak	44.38	23.68	33.00	150	117	-9.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19193

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 12:15:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH19193 POWER

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.236	-24.73	peak	45.84	21.11	33.00	150	93	-11.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18700

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:07:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18700 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.974	-20.01	peak	44.16	24.15	33.00	150	166	-8.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18700

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:03:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18700 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.846	-25.77	peak	45.40	19.63	33.00	150	115	-13.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:17:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1873.590	-19.34	peak	44.16	24.82	33.00	150	188	-8.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:47:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1871.539	-22.51	peak	45.46	22.95	33.00	150	160	-10.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19100

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:24:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH19100 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1892.564	-20.96	peak	44.17	23.21	33.00	150	196	-9.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19100

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:30:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH19100 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1891.539	-22.49	peak	45.53	23.04	33.00	150	77	-9.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18700

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:09:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18700 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.974	-21.24	peak	44.16	22.92	33.00	150	156	-10.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18700

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:52:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18700 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.539	-25.36	peak	45.39	20.03	33.00	150	116	-12.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:15:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18900 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1872.949	-19.22	peak	44.16	24.94	33.00	150	96	-8.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 18900

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:49:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18900 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1875.385	-23.04	peak	45.47	22.43	33.00	150	115	-10.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19100

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:25:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH19100 POWER

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1891.923	-21.38	peak	44.17	22.79	33.00	150	186	-10.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19100

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 01:28:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6R21805-18133

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH19100 POWER

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1892.821	-22.24	peak	45.53	23.29	33.00	150	118	-9.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19957

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:31:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.956	-20.28	peak	43.48	23.20	30.00	150	226	-6.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19957

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:58:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.219	-26.79	peak	47.22	20.43	30.00	150	196	-9.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:41:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.891	-22.39	peak	43.64	21.25	30.00	150	211	-8.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:50:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.987	-27.42	peak	46.73	19.31	30.00	150	96	-10.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20393

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:43:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.819	-24.92	peak	43.80	18.88	30.00	150	89	-11.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20393

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:48:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.819	-26.82	peak	46.24	19.42	30.00	150	169	-10.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19957

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:35:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.315	-19.82	peak	43.48	23.66	30.00	150	98	-6.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 19957

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:57:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.155	-25.34	peak	47.22	21.88	30.00	150	158	-8.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:39:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.083	-22.05	peak	43.64	21.59	30.00	150	122	-8.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:52:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.795	-26.56	peak	46.74	20.18	30.00	150	118	-9.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20393

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:45:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.979	-24.76	peak	43.80	19.04	30.00	150	189	-10.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20393

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 02:46:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.819	-26.36	peak	46.24	19.88	30.00	150	114	-10.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20050

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:08:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1713.077	-19.25	peak	43.50	24.25	30.00	150	118	-5.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20050

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:32:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1713.077	-26.39	peak	47.16	20.77	30.00	150	158	-9.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:12:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1725.192	-21.17	peak	43.59	22.42	30.00	150	189	-7.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:30:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1722.885	-27.39	peak	46.94	19.55	30.00	150	63	-10.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20300

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:21:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1737.692	-23.11	peak	43.68	20.57	30.00	150	114	-9.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20300

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:23:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.128	-26.19	peak	46.66	20.47	30.00	150	85	-9.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :20050

Data :#1


Date: 2018/5/30

Temperature:24 °C

50.0 dBm

Time: 下午 03:07:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.385	-21.52	peak	43.48	21.96	30.00	150	163	-8.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20050

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:33:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.769	-25.52	peak	47.21	21.69	30.00	150	96	-8.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:13:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1724.551	-21.31	peak	43.58	22.27	30.00	150	187	-7.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20175

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:28:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1724.167	-27.21	peak	46.91	19.70	30.00	150	100	-10.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20300

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:19:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.513	-22.36	peak	43.67	21.31	30.00	150	89	-8.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20300

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:26:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1736.539	-25.61	peak	46.63	21.02	30.00	150	135	-8.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20407

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:41:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1872	-20.91	peak	35.64	14.73	38.45	150	115	-23.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20407

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:54:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2513	-18.81	peak	35.57	16.76	38.45	150	300	-21.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:49:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0192	-18.60	peak	36.04	17.44	38.45	150	195	-21.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:50:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.9872	-20.16	peak	35.93	15.77	38.45	150	186	-22.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20643

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:51:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.7551	-18.34	peak	36.44	18.10	38.45	150	185	-20.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20643

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:43:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.8833	-18.70	peak	36.29	17.59	38.45	150	112	-20.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20407

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:43:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2192	-20.71	peak	35.64	14.93	38.45	150	228	-23.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20407

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:52:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.0590	-18.60	peak	35.56	16.96	38.45	150	156	-21.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 03:47:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.8270	-18.37	peak	36.04	17.67	38.45	150	118	-20.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:51:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.7950	-17.54	peak	35.92	18.38	38.45	150	82	-20.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20643

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:40:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.3321	-10.25	peak	36.46	26.21	38.45	150	298	-12.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20643

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 05:42:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.9795	-18.32	peak	36.30	17.98	38.45	150	186	-20.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20470

Data : #1


Date: 2018/5/30

Temperature: 24 °C

60.0 dBm

Time: 下午 05:58:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.9872	-10.96	peak	35.77	24.81	38.45	150	185	-13.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20470

Data : #2


Date: 2018/5/30

Temperature: 24 °C

60.0 dBm

Time: 下午 06:16:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	828.3076	-20.35	peak	35.69	15.34	38.45	150	85	-23.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:04:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	833.8076	-11.08	peak	35.97	24.89	38.45	150	128	-13.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:13:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	833.7436	-19.88	peak	35.86	15.98	38.45	150	196	-22.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20600

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:06:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	840.5385	-9.77	peak	36.20	26.43	38.45	150	165	-12.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20600

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:11:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	841.3077	-18.28	peak	36.09	17.81	38.45	150	155	-20.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20470

Data : #1


Date: 2018/5/30

Temperature: 24 °C

60.0 dBm

Time: 下午 05:59:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.9230	-10.70	peak	35.76	25.06	38.45	150	266	-13.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20470

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:15:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.5385	-20.23	peak	35.67	15.44	38.45	150	196	-23.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:02:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	834.1923	-10.62	peak	35.98	25.36	38.45	150	207	-13.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20525

Data : #2


Date: 2018/5/30

Temperature: 24 °C

60.0 dBm

Time: 下午 06:14:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	834.3205	-19.32	peak	35.88	16.56	38.45	150	100	-21.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20600

Data : #1


Date: 2018/5/30

Temperature: 24 °C

60.0 dBm

Time: 下午 06:08:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	841.5000	-9.47	peak	36.23	26.76	38.45	150	198	-11.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 20600

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:10:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	842.3974	-18.21	peak	36.13	17.92	38.45	150	110	-20.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23017

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:21:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.6360	-12.77	peak	37.65	24.88	34.77	150	186	-9.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23017

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:44:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.1551	-28.99	peak	34.35	5.36	34.77	150	109	-29.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:26:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.4680	-10.49	peak	37.23	26.74	34.77	150	100	-8.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:37:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.0513	-26.44	peak	34.38	7.94	34.77	150	105	-26.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23173

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:30:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.8192	-10.61	peak	36.81	26.20	34.77	150	206	-8.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23173


Data : #2

Date: 2018/5/30

Temperature: 24 °C

Time: 下午 06:36:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.6590	-24.45	peak	34.38	9.93	34.77	150	120	-24.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23017

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:22:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.6038	-12.49	peak	37.65	25.16	34.77	150	114	-9.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23017

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:43:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.0590	-28.89	peak	34.35	5.46	34.77	150	198	-29.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:25:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.5641	-10.44	peak	37.23	26.79	34.77	150	178	-7.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:41:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.9551	-24.42	peak	34.38	9.96	34.77	150	187	-24.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23173


Data : #1

Date: 2018/5/30

Temperature: 24 °C

Time: 下午 06:31:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.8192	-9.98	peak	36.81	26.83	34.77	150	299	-7.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23173

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:33:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.8192	-26.87	peak	34.38	7.51	34.77	150	200	-27.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23060

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:50:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.5385	-12.23	peak	37.63	25.40	34.77	150	182	-9.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23060

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:52:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	701.4360	-28.94	peak	34.37	5.43	34.77	150	168	-29.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:59:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 OPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	701.6667	-10.41	peak	37.56	27.15	34.77	150	84	-7.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:00:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 OPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.1026	-26.48	peak	34.37	7.89	34.77	150	114	-26.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23130

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:07:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.8462	-10.32	peak	37.38	27.06	34.77	150	103	-7.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23130

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:10:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	708.3718	-25.72	peak	34.38	8.66	34.77	150	163	-26.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23060

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:49:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.6667	-11.82	peak	37.62	25.80	34.77	150	189	-8.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23060

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 06:53:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	701.1154	-28.80	peak	34.37	5.57	34.77	150	204	-29.20	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :23095

Data :#1


Date: 2018/5/30

Temperature:24 °C

50.0 dBm

Time: 下午 06:57:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	703.5256	-9.84	peak	37.46	27.62	34.77	150	63	-7.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23095

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:01:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	702.6282	-25.89	peak	34.37	8.48	34.77	150	89	-26.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23130

Data : #1


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:05:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.4230	-8.95	peak	37.35	28.40	34.77	150	36	-6.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 23130

Data : #2


Date: 2018/5/30

Temperature: 24 °C

50.0 dBm

Time: 下午 07:11:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :


Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.4103	-25.30	peak	34.38	9.08	34.77	150	126	-25.69	

*:Maximum data x:Over limit !:over margin



Report Number: W6R21805-18133-P-247
FCC ID: GX9FPHUB1

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3706.731	-59.90	peak	9.74	-50.16	-13.00	150	186	-37.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:51:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3701.923	-63.03	peak	9.65	-53.38	-13.00	150	193	-40.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5557.692	-69.11	peak	10.45	-58.66	-13.00	150	85	-45.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:52:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5557.692	-69.06	peak	10.80	-58.26	-13.00	150	350	-45.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:53:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:19:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:53:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:19:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:53:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:22:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-62.81	peak	9.81	-53.00	-13.00	150	158	-40.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:42:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-61.26	peak	9.60	-51.66	-13.00	150	118	-38.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:23:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-69.54	peak	10.68	-58.86	-13.00	150	263	-45.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:43:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-69.79	peak	10.94	-58.85	-13.00	150	187	-45.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:24:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:44:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:24:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:44:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:24:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:44:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3817.308	-58.14	peak	9.90	-48.24	-13.00	150	300	-35.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:34:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3817.308	-59.88	peak	9.55	-50.33	-13.00	150	196	-37.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5722.855	-69.12	peak	10.91	-58.21	-13.00	150	147	-45.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:35:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5722.855	-68.93	peak	11.07	-57.86	-13.00	150	206	-44.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:29:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:36:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:29:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 上午 11:30:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:01:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3427.885	-57.11	peak	9.12	-47.99	-13.00	150	325	-34.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:13:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3427.885	-62.69	peak	9.47	-53.22	-13.00	150	116	-40.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:02:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5141.828	-68.27	peak	7.15	-61.12	-13.00	150	150	-48.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:14:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5141.828	-67.73	peak	7.94	-59.79	-13.00	150	174	-46.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:11:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:16:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:11:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:16:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:11:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:16:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:13:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-59.07	peak	9.29	-49.78	-13.00	150	193	-36.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:04:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-60.04	peak	9.67	-50.37	-13.00	150	123	-37.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:15:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5197.844	-68.46	peak	7.64	-60.82	-13.00	150	256	-47.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:05:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5197.844	-67.68	peak	8.37	-59.31	-13.00	150	75	-46.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:16:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:06:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:16:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:07:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:16:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:07:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:23:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3504.808	-58.66	peak	9.45	-49.21	-13.00	150	168	-36.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:31:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3504.808	-60.27	peak	9.84	-50.43	-13.00	150	106	-37.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:24:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5257.800	-68.23	peak	8.16	-60.07	-13.00	150	163	-47.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:33:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5257.800	-68.22	peak	8.84	-59.38	-13.00	150	186	-46.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:26:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:34:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:26:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:34:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:26:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 12:34:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:24:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-47.94	peak	0.94	-47.00	-13.00	150	80	-34.00	
*	2370.192	-49.71	peak	5.25	-44.46	-13.00	150	265	-31.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-56.42	peak	2.67	-53.75	-13.00	150	106	-40.75	
*	2379.808	-51.44	peak	6.83	-44.61	-13.00	150	300	-31.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:24:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:26:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:29:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-51.08	peak	1.10	-49.98	-13.00	150	102	-36.98	
*	2365.385	-53.81	peak	5.23	-48.58	-13.00	150	88	-35.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:13:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-56.17	peak	2.79	-53.38	-13.00	150	106	-40.38	
*	2375.000	-54.23	peak	6.80	-47.43	-13.00	150	330	-34.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:30:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:31:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:17:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 01:33:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1687.500	-52.15	peak	1.19	-50.96	-13.00	150	116	-37.96	
*	2269.231	-50.44	peak	4.71	-45.73	-13.00	150	98	-32.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1692.308	-55.98	peak	2.89	-53.09	-13.00	150	206	-40.09	
*	2331.731	-56.24	peak	6.53	-49.71	-13.00	150	300	-36.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:05:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:05:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/31

Temperature: 24 °C

0.0 dBm

Time: 下午 02:10:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:26:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-26.91	peak	9.82	-17.09	-13.00	150	200	-4.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:56:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-30.82	peak	9.60	-21.22	-13.00	150	86	-8.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:27:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-63.45	peak	10.68	-52.77	-13.00	150	75	-39.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:56:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-64.07	peak	10.94	-53.13	-13.00	150	203	-40.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:28:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:58:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:28:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:58:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:28:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:58:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:32:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-36.59	peak	9.82	-26.77	-13.00	150	100	-13.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:50:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-37.16	peak	9.60	-27.56	-13.00			-14.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:32:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-66.77	peak	10.68	-56.09	-13.00	150	122	-43.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:51:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-66.30	peak	10.94	-55.36	-13.00	150	300	-42.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:33:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:52:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:33:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:52:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:33:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:52:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:36:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-49.67	peak	9.82	-39.85	-13.00	150	220	-26.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:45:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-43.82	peak	9.60	-34.22	-13.00	150	103	-21.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:37:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:46:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-68.62	peak	10.94	-57.68	-13.00	150	225	-44.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:37:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:38:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:38:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:32:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-40.94	peak	9.29	-31.65	-13.00	150	100	-18.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:13:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2413.462	-45.34	peak	7.04	-38.30	-13.00	150	96	-25.30	
*	3466.346	-36.48	peak	9.67	-26.81	-13.00	150	203	-13.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:32:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.43	peak	7.59	-59.84	-13.00	150	205	-46.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:14:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:33:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:16:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:33:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:17:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:34:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:17:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:36:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-47.54	peak	9.29	-38.25	-13.00	150	200	-25.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:06:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-43.52	peak	9.67	-33.85	-13.00	150	223	-20.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:37:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5205.128	-67.42	peak	7.70	-59.72	-13.00	150	255	-46.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:07:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.31	peak	8.33	-58.98	-13.00	150	66	-45.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:38:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:08:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:38:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:08:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:39:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:09:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:42:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-52.28	peak	9.29	-42.99	-13.00	150	255	-29.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:48:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-46.17	peak	9.67	-36.50	-13.00	150	200	-23.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:43:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.99	peak	7.59	-60.40	-13.00	150	114	-47.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:49:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5198.718	-67.21	peak	8.38	-58.83	-13.00	150	60	-45.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:43:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:49:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:44:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:50:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:44:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 04:50:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:32:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-46.80	peak	1.10	-45.70	-13.00	150	200	-32.70	
	2509.615	-62.86	peak	5.97	-56.89	-13.00	150	36	-43.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:57:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-54.49	peak	2.79	-51.70	-13.00	150	111	-38.70	
	2509.615	-62.33	peak	7.57	-54.76	-13.00	150	30	-41.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:33:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:57:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:34:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:59:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:37:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-51.19	peak	1.10	-50.09	-13.00	150	82	-37.09	
	2509.615	-62.24	peak	5.97	-56.27	-13.00	150	177	-43.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:53:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1677.885	-57.88	peak	2.82	-55.06	-13.00	150	79	-42.06	
	2509.615	-62.71	peak	7.57	-55.14	-13.00	150	86	-42.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:37:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:53:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:38:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:55:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:41:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1677.885	-52.39	peak	1.13	-51.26	-13.00	150	203	-38.26	
	2509.615	-61.68	peak	5.97	-55.71	-13.00	150	66	-42.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:46:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1677.885	-57.90	peak	2.82	-55.08	-13.00	150	196	-42.08	
*	2509.615	-62.39	peak	7.57	-54.82	-13.00	150	63	-41.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:42:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:48:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:43:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 05:50:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-45.15	peak	-0.04	-45.19	-13.00	150	200	-32.19	
	2120.192	-59.04	peak	3.91	-55.13	-13.00	150	144	-42.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:34:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-45.20	peak	1.65	-43.55	-13.00	150	263	-30.55	
	2120.192	-57.43	peak	5.21	-52.22	-13.00	150	96	-39.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:35:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:07:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:36:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:11:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-44.72	peak	-0.04	-44.76	-13.00	150	311	-31.76	
	2120.192	-59.09	peak	3.91	-55.18	-13.00	150	136	-42.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:28:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1841.346	-58.61	peak	3.65	-54.96	-13.00	150	203	-41.96	
	2120.192	-61.42	peak	5.21	-56.21	-13.00	150	66	-43.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:12:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:13:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:30:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:16:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Horizontal**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1403.846	-52.19	peak	-0.04	-52.23	-13.00	150	223	-39.23	
	2120.192	-61.15	peak	3.91	-57.24	-13.00	150	214	-44.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:22:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1403.846	-52.81	peak	1.62	-51.19	-13.00	150	200	-38.19	
	2120.192	-60.84	peak	5.21	-55.63	-13.00	150	63	-42.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:17:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:23:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:18:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2018/5/29

Temperature: 24 °C

0.0 dBm

Time: 下午 06:24:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: Vertical

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:26:59 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	30.42	peak	-8.44	21.98	43.50	100	35	-21.52	
	183.5671	34.88	peak	-10.75	24.13	43.50	100	265	-19.37	
	230.2204	32.30	peak	-8.43	23.87	46.00	100	240	-22.13	
*	420.7214	30.68	peak	-3.25	27.43	46.00	100	175	-18.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:27:59 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	41.19	peak	-10.03	31.16	40.00	100	85	-8.84	
	66.9340	41.04	peak	-13.11	27.93	40.00	100	170	-12.07	
	105.8116	36.34	peak	-8.44	27.90	43.50	100	160	-15.60	
*	123.3066	43.91	peak	-6.50	37.41	43.50	100	245	-6.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:50:14 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1042.084	41.76	peak	-7.88	33.88	74.00	150	75	-40.12	
*	1561.122	42.62	peak	-8.45	34.17	74.00	150	140	-39.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:51:08 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1168.337	42.20	peak	-9.28	32.92	74.00	150	95	-41.08	
*	1561.122	43.34	peak	-8.45	34.89	74.00	150	245	-39.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:50:26 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:51:20 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:50:50 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:51:44 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:51:00 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:51:53 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:31:02 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	30.60	peak	-6.50	24.10	43.50	100	154	-19.40	
	187.4550	35.36	peak	-10.72	24.64	43.50	100	70	-18.86	
	249.6593	33.10	peak	-7.39	25.71	46.00	100	165	-20.29	
*	558.7374	29.56	peak	-1.17	28.39	46.00	100	239	-17.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:32:01 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	40.68	peak	-10.03	30.65	40.00	100	285	-9.35	
	105.8116	39.15	peak	-8.44	30.71	43.50	100	70	-12.79	
*	123.3066	44.77	peak	-6.50	38.27	43.50	100	135	-5.23	
	249.6593	34.91	peak	-7.39	27.52	46.00	100	90	-18.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:01:19 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1575.150	42.85	peak	-8.32	34.53	74.00	150	175	-39.47	
*	3146.293	41.38	peak	-2.63	38.75	74.00	150	40	-35.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:02:12 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.51	peak	-7.65	33.86	74.00	150	95	-40.14	
*	1561.122	42.81	peak	-8.45	34.36	74.00	150	60	-39.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:01:30 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:02:25 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:01:54 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 8:02:49 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:33:58 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	107.7554	29.59	peak	-7.96	21.63	43.50	100	275	-21.87	
	185.5110	34.66	peak	-10.73	23.93	43.50	100	90	-19.57	
	278.8176	30.64	peak	-6.09	24.55	46.00	100	110	-21.45	
*	418.7776	30.88	peak	-3.25	27.63	46.00	100	165	-18.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:34:58 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	42.02	peak	-10.03	31.99	40.00	100	157	-8.01	
	64.9900	40.08	peak	-12.65	27.43	40.00	100	230	-12.57	
	105.8116	37.33	peak	-8.44	28.89	43.50	100	165	-14.61	
*	123.3066	45.30	peak	-6.50	38.80	43.50	100	80	-4.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:53:46 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.42	peak	-8.45	34.97	74.00	150	35	-39.03	
*	4464.930	41.58	peak	-0.15	41.43	74.00	105	246	-32.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:54:40 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.10	peak	-8.45	34.65	74.00	150	24	-39.35	
*	3861.723	41.94	peak	-1.31	40.63	74.00	150	85	-33.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:53:58 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:54:52 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:10:45 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.8777	32.87	peak	-13.57	19.30	40.00	100	265	-20.70	
	123.3066	36.32	peak	-6.50	29.82	43.50	100	90	-13.68	
*	249.6593	40.12	peak	-7.39	32.73	46.00	100	35	-13.27	
	327.4148	33.14	peak	-5.01	28.13	46.00	100	240	-17.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:11:44 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.4388	41.17	peak	-10.03	31.14	40.00	100	175	-8.86	
	107.7554	36.63	peak	-7.96	28.67	43.50	100	110	-14.83	
	123.3066	38.70	peak	-6.50	32.20	43.50	100	40	-11.30	
	249.6593	37.27	peak	-7.39	29.88	46.00	100	135	-16.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:30:33 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1308.617	42.67	peak	-9.18	33.49	74.00	150	35	-40.51	
*	3272.545	41.63	peak	-2.35	39.28	74.00	150	260	-34.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:31:27 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1196.393	42.64	peak	-9.48	33.16	74.00	150	40	-40.84	
*	1561.122	43.58	peak	-8.45	35.13	74.00	150	75	-38.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:30:45 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:31:39 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:31:09 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:32:03 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:31:19 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:32:13 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:17:30 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	31.34	peak	-6.50	24.84	43.50	100	175	-18.66	
	173.8477	34.01	peak	-10.29	23.72	43.50	100	40	-19.78	
	249.6593	33.24	peak	-7.39	25.85	46.00	100	10	-20.15	
	422.6653	29.50	peak	-3.24	26.26	46.00	100	125	-19.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:18:30 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	40.42	peak	-10.03	30.39	40.00	100	35	-9.61	
	66.9340	40.85	peak	-13.11	27.74	40.00	100	62	-12.26	
*	123.3066	41.77	peak	-6.50	35.27	43.50	100	55	-8.23	
	249.6593	36.66	peak	-7.39	29.27	46.00	100	240	-16.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:37:17 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.67	peak	-7.65	34.02	74.00	150	260	-39.98	
*	1561.122	43.33	peak	-8.45	34.88	74.00	150	145	-39.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:38:11 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1070.140	42.36	peak	-8.34	34.02	74.00	150	65	-39.98	
*	1561.122	42.64	peak	-8.45	34.19	74.00	150	230	-39.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:37:29 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:38:23 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:37:53 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:38:47 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:20:31 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	30.50	peak	-6.50	24.00	43.50	100	85	-19.50	
	185.5110	35.90	peak	-10.73	25.17	43.50	100	270	-18.33	
	420.7214	29.55	peak	-3.25	26.30	46.00	100	110	-19.70	
*	558.7374	34.29	peak	-1.17	33.12	46.00	100	135	-12.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:21:31 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	41.15	peak	-10.03	31.12	40.00	100	145	-8.88	
	64.9900	41.46	peak	-12.65	28.81	40.00	100	240	-11.19	
*	123.3066	44.04	peak	-6.50	37.54	43.50	100	170	-5.96	
	249.6593	38.85	peak	-7.39	31.46	46.00	100	95	-14.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:42:12 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1420.842	42.41	peak	-9.12	33.29	74.00	150	42	-40.71	
*	3146.293	42.16	peak	-2.63	39.53	74.00	150	170	-34.47	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:43:06 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.58	peak	-7.65	33.93	74.00	150	265	-40.07	
*	1561.122	42.82	peak	-8.45	34.37	74.00	150	90	-39.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:42:24 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:43:18 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:24:07 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	29.89	peak	-6.50	23.39	43.50	100	205	-20.11	
	183.5671	33.10	peak	-10.75	22.35	43.50	100	140	-21.15	
*	249.6593	34.66	peak	-7.39	27.27	46.00	100	75	-18.73	
	420.7214	30.42	peak	-3.25	27.17	46.00	100	160	-18.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature: 26.8 °C

80.0 dBuV/m

Time: 11:25:06 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	42.04	peak	-10.03	32.01	40.00	100	80	-7.99	
	64.9900	41.41	peak	-12.65	28.76	40.00	100	90	-11.24	
	105.8116	38.29	peak	-8.44	29.85	43.50	100	265	-13.65	
*	123.3066	43.62	peak	-6.50	37.12	43.50	100	145	-6.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:45:52 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1547.094	42.93	peak	-8.58	34.35	74.00	150	225	-39.65	
*	4549.098	41.71	peak	-0.02	41.69	74.00	150	140	-32.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature: 26.8 °C

90.0 dBuV/m

Time: 7:46:46 AM

Humidity: 62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1056.112	41.99	peak	-8.11	33.88	74.00	150	95	-40.12	
*	1575.150	42.52	peak	-8.32	34.20	74.00	150	236	-39.80	

*:Maximum data x:Over limit !:over margin