





Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 29.JUL.2025 18:08:23

3 MHz
QPSK
1RB




Date: 30.JUL.2025 08:38:18




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:36:26

FRB




Date: 30.JUL.2025 08:36:00




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:38:46

16QAM
1RB




Date: 30.JUL.2025 08:37:01




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:37:46

5 MHz
QPSK
1RB




Date: 30.JUL.2025 09:06:30




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:04:17

FRB




Date: 30.JUL.2025 09:06:59




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:03:40

16QAM
1RB




Date: 30.JUL.2025 09:05:54



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC




Date: 30.JUL.2025 09:05:16

10 MHz

QPSK

1RB




Date: 30.JUL.2025 09:46:47




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:44:02

FRB




Date: 30.JUL.2025 09:44:32




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:47:16

16QAM
1RB




Date: 30.JUL.2025 09:45:10



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC




Date: 30.JUL.2025 09:46:19

15 MHz

QPSK

1RB




Date: 30.JUL.2025 10:01:13




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:59:31

FRB




Date: 30.JUL.2025 10:01:48




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:59:01

16QAM
1RB




Date: 30.JUL.2025 10:00:45




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 10:00:09

20 MHz
QPSK
1RB




Date: 30.JUL.2025 10:05:23




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 10:03:29

FRB




Date: 30.JUL.2025 10:09:45




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 10:02:56

16QAM
1RB




Date: 30.JUL.2025 10:04:47




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 10:04:09

Band 5
1.4 MHz
QPSK
1RB




Date: 29.JUL.2025 18:00:55




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 29.JUL.2025 17:57:41

FRB




Date: 29.JUL.2025 18:01:42




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 29.JUL.2025 17:58:21

16QAM
1RB




Date: 29.JUL.2025 18:00:09




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 29.JUL.2025 17:59:02

3 MHz
QPSK
1RB




Date: 30.JUL.2025 08:34:42




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:32:59

FRB




Date: 30.JUL.2025 08:35:15




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:32:26

16QAM
1RB




Date: 30.JUL.2025 08:34:13




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:33:35

5 MHz
QPSK
1RB




Date: 30.JUL.2025 09:12:38




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:18:11

FRB




Date: 30.JUL.2025 09:11:54




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:18:36

16QAM
1RB




Date: 30.JUL.2025 09:13:32



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC




Date: 30.JUL.2025 09:17:41

10 MHz

QPSK

1RB




Date: 30.JUL.2025 09:43:06




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:41:17

FRB




Date: 30.JUL.2025 09:42:29




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:41:48

16QAM
1RB




Date: 30.JUL.2025 09:39:59




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:40:43

Band 12
1.4 MHz
QPSK
1RB




Date: 30.JUL.2025 08:13:42




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:11:39

FRB




Date: 30.JUL.2025 08:14:11




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:10:59

16QAM
1RB




Date: 30.JUL.2025 08:13:02




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:12:16

3 MHz
QPSK
1RB




Date: 30.JUL.2025 08:21:05




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:18:57

FRB




Date: 30.JUL.2025 08:21:34




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:18:17

16QAM
1RB




Date: 30.JUL.2025 08:19:35




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 08:20:26

5 MHz
QPSK
1RB




Date: 30.JUL.2025 09:21:37




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:19:49

FRB




Date: 30.JUL.2025 09:22:06




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:19:22

16QAM
1RB




Date: 30.JUL.2025 09:21:05



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC




Date: 30.JUL.2025 09:20:25

10 MHz

QPSK

1RB




Date: 30.JUL.2025 09:38:07




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:37:29

FRB




Date: 30.JUL.2025 09:38:40




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:37:02

16QAM
1RB




Date: 30.JUL.2025 09:39:21




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:36:21

Band 13
5 MHz
QPSK
1RB




Date: 30.JUL.2025 09:23:12




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:24:54

FRB




Date: 30.JUL.2025 09:22:44




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30. JUL. 2025 09:25:18

16QAM
1RB




Date: 30. JUL. 2025 09:23:45



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC




Date: 30.JUL.2025 09:24:21

10 MHz

QPSK

1RB




Date: 30.JUL.2025 09:34:02




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:34:30

FRB




Date: 30.JUL.2025 09:33:02




Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:33:33

16QAM
1RB




Date: 30.JUL.2025 09:35:02



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC



Date: 30.JUL.2025 09:35:41

Registration number: W6M22507-24605-C-247


FCC ID: GX9MOBLIR32ADC

9 Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC

9.2 Test Results

Test date: July 30, 2025

Temperature: 25.8 °C

Humidity: 58.0 %

Tester: Sora

9.2.1 Frequency Stability vs. Temperature

LTE BAND2 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-3.10	-0.002	±2.5
	-20	-2.10	-0.001	
	-10	3.80	0.002	
	0	-7.20	-0.004	
	10	2.40	0.001	
	20	-8.70	-0.004	
	30	-4.30	-0.002	
	40	4.40	0.002	
	50	-10.60	-0.005	
138Vac	25	-8.50	-0.004	±2.5
102Vac	25	-5.10	-0.003	

LTE BAND4 QPSK 10MHz FRB				
CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	5.40	0.003	±2.5
	-20	-2.40	-0.001	
	-10	2.30	0.001	
	0	-1.70	-0.001	
	10	-3.90	-0.002	
	20	4.30	0.002	
	30	2.10	0.001	
	40	-1.10	-0.001	
	50	-0.80	0.000	
138Vac	25	-1.80	-0.001	±2.5
102Vac	25	2.00	0.001	



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC

LTE BAND5 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	1.60	0.002	±2.5
	-20	-1.90	-0.002	
	-10	-2.10	-0.003	
	0	2.20	0.003	
	10	4.50	0.005	
	20	-0.70	-0.001	
	30	-4.80	-0.006	
	40	-1.90	-0.002	
	50	-0.70	-0.001	
138Vac	25	-1.70	-0.002	±2.5
102Vac	25	4.30	0.005	

LTE BAND12 QPSK 10MHz FRB				
CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-1.10	-0.002	±2.5
	-20	-2.80	-0.004	
	-10	-3.20	-0.005	
	0	-0.40	-0.001	
	10	0.50	0.001	
	20	-4.70	-0.007	
	30	-2.90	-0.004	
	40	2.30	0.003	
	50	2.50	0.004	
138Vac	25	-1.80	-0.003	±2.5
102Vac	25	0.90	0.001	

LTE BAND13 QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	0.80	0.001	±2.5
	-20	1.60	0.002	
	-10	1.80	0.002	
	0	-2.20	-0.003	
	10	-3.60	-0.005	
	20	1.40	0.002	
	30	-2.70	-0.003	
	40	2.20	0.003	
	50	1.50	0.002	
138Vac	25	-4.80	-0.006	±2.5
102Vac	25	-1.70	-0.002	



Registration number: W6M22507-24605-C-247

FCC ID: GX9MOBLIR32ADC

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:41:31

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-99.08	peak	23.66	-75.42	-13.00	150	175	-62.42	
*	97.7956	-88.82	peak	23.35	-65.47	-13.00	150	215	-52.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:30:19

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.3006	-94.58	peak	23.93	-70.65	-13.00	150	115	-57.65	
*	97.7956	-82.20	peak	23.85	-58.35	-13.00	150	275	-45.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:41:04

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-61.21	peak	-2.74	-63.95	-13.00	150	135	-50.95	
	764.3287	-62.70	peak	-2.99	-65.69	-13.00	150	190	-52.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:56:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	745.0902	-63.00	peak	-1.13	-64.13	-13.00	150	90	-51.13	
*	764.3287	-62.70	peak	-1.40	-64.10	-13.00	150	135	-51.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:25:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-57.07	peak	12.38	-44.69	-13.00	150	140	-31.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:31:04

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-54.93	peak	11.18	-43.75	-13.00	150	75	-30.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:26:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5194.389	-59.89	peak	10.72	-49.17	-13.00	150	215	-36.17	
*	7414.830	-62.06	peak	13.52	-48.54	-13.00	150	175	-35.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:31:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-57.38	peak	11.75	-45.63	-13.00	150	230	-32.63	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:27:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3

Radiated Emission Measurement

Operator: Sora

Data :#8

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:32:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:28:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:32:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:28:18

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 04:33:08

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:43:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.7715	-99.97	peak	23.73	-76.24	-13.00	150	105	-63.24	
*	97.7956	-89.11	peak	23.35	-65.76	-13.00	150	175	-52.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:27:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.6393	-91.52	peak	22.84	-68.68	-13.00	150	175	-55.68	
*	97.7956	-82.12	peak	23.85	-58.27	-13.00	150	300	-45.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:43:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	730.6613	-59.96	peak	-2.28	-62.24	-13.00	150	225	-49.24	
	765.9320	-62.80	peak	-3.01	-65.81	-13.00	150	145	-52.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:54:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	765.9320	-64.10	peak	-1.44	-65.54	-13.00	150	285	-52.54	
	945.4910	-69.68	peak	-1.54	-71.22	-13.00	150	305	-58.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:11:31

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-57.31	peak	12.38	-44.93	-13.00	150	330	-31.93	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #6

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:19:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.66	peak	11.22	-44.44	-13.00	150	220	-31.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:12:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5194.389	-59.04	peak	10.72	-48.32	-13.00	150	285	-35.32	
*	5755.511	-57.30	peak	14.36	-42.94	-13.00	150	160	-29.94	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:20:25

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.25	peak	11.75	-47.50	-13.00	150	315	-34.50	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:13:37

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:21:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:13:49

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:21:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:14:01

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3

Radiated Emission Measurement

Operator: Sora


Data :#10

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 04:21:50

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:46:10

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.9038	-100.39	peak	23.78	-76.61	-13.00	150	165	-63.61	
*	97.7956	-88.31	peak	23.35	-64.96	-13.00	150	205	-51.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:25:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.3006	-93.94	peak	23.93	-70.01	-13.00	150	355	-57.01	
*	97.7956	-81.75	peak	23.85	-57.90	-13.00	150	250	-44.90	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:46:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	743.4870	-61.06	peak	-2.65	-63.71	-13.00	150	75	-50.71	
	764.3287	-63.54	peak	-2.99	-66.53	-13.00	150	160	-53.53	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:52:17

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	764.3287	-63.41	peak	-1.40	-64.81	-13.00	150	155	-51.81	
	945.4910	-70.08	peak	-1.54	-71.62	-13.00	150	260	-58.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:25:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.46	peak	11.00	-39.46	-13.00	150	165	-26.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:31:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-54.90	peak	9.55	-45.35	-13.00	150	300	-32.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:26:03

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.36	peak	10.72	-48.64	-13.00	150	255	-35.64	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:31:58

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-58.89	peak	11.75	-47.14	-13.00	150	250	-34.14	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:26:56

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:32:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:27:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:32:59

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:27:21

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:33:11

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:48:23

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-88.60	peak	23.35	-65.25	-13.00	150	135	-52.25	
	118.2365	-94.70	peak	22.44	-72.26	-13.00	150	190	-59.26	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:22:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.3006	-95.40	peak	23.93	-71.47	-13.00	150	35	-58.47	
*	97.7956	-80.29	peak	23.85	-56.44	-13.00	150	285	-43.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:47:57

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	767.5351	-62.82	peak	-3.03	-65.85	-13.00	150	225	-52.85	
	900.6012	-71.17	peak	0.44	-70.73	-13.00	150	110	-57.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:50:16

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	764.3287	-63.13	peak	-1.40	-64.53	-13.00	150	275	-51.53	
	943.8878	-70.12	peak	-1.53	-71.65	-13.00	150	200	-58.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:42:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.58	peak	11.00	-39.58	-13.00	150	95	-26.58	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:04:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.79	peak	9.55	-41.24	-13.00	150	350	-28.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 03:43:04

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.55	peak	10.72	-48.83	-13.00	150	235	-35.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:04:49

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.39	peak	11.75	-47.64	-13.00	150	125	-34.64	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#3

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 03:43:53

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:06:03

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:44:05

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:06:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 03:44:17

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 04:06:27

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:51:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.9380	-99.30	peak	21.39	-77.91	-13.00	150	85	-64.91	
*	97.7956	-89.12	peak	21.20	-67.92	-13.00	150	175	-54.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:14:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.1122	-91.62	peak	20.90	-70.72	-13.00	150	45	-57.72	
*	97.7956	-80.75	peak	21.70	-59.05	-13.00	150	285	-46.05	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:03:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	309.0180	-61.23	peak	-11.30	-72.53	-13.00	150	145	-59.53	
*	882.9660	-61.86	peak	-2.06	-63.92	-13.00	150	60	-50.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:18:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-60.80	peak	-9.03	-69.83	-13.00	150	255	-56.83	
*	882.9660	-49.87	peak	-3.56	-53.43	-13.00	150	305	-40.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:36:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-54.87	peak	1.56	-53.31	-13.00	150	225	-40.31	
*	2412.826	-54.99	peak	4.18	-50.81	-13.00	150	195	-37.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:43:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-49.80	peak	2.87	-46.93	-13.00	150	135	-33.93	
	2418.838	-51.57	peak	4.60	-46.97	-13.00	150	45	-33.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:38:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:45:12

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:39:05

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:46:01

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:53:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-99.18	peak	21.51	-77.67	-13.00	150	165	-64.67	
*	97.7956	-87.55	peak	21.20	-66.35	-13.00	150	250	-53.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:12:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.0040	-94.50	peak	21.76	-72.74	-13.00	150	225	-59.74	
*	97.7956	-81.12	peak	21.70	-59.42	-13.00	150	300	-46.42	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:34:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-61.17	peak	-11.38	-72.55	-13.00	150	135	-59.55	
*	882.9660	-61.48	peak	-2.06	-63.54	-13.00	150	95	-50.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:26:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	304.2084	-64.41	peak	-9.14	-73.55	-13.00	150	115	-60.55	
*	884.5691	-49.47	peak	-3.56	-53.03	-13.00	150	255	-40.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:57:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1709.419	-44.75	peak	1.88	-42.87	-13.00	150	165	-29.87	
	2436.874	-55.02	peak	4.16	-50.86	-13.00	150	110	-37.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:20:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-45.40	peak	2.87	-42.53	-13.00	150	305	-29.53	
	2509.018	-57.51	peak	4.64	-52.87	-13.00	150	255	-39.87	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:58:04

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#5

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 02:23:07

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:59:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6

Date: 2025/7/25

Temperature:23.1 °C

Time: 下午 02:23:56

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:56:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-95.94	peak	21.51	-74.43	-13.00	150	230	-61.43	
*	97.7956	-88.24	peak	21.20	-67.04	-13.00	150	125	-54.04	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:10:49

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.0040	-94.47	peak	21.76	-72.71	-13.00	150	270	-59.71	
*	97.7956	-81.96	peak	21.70	-60.26	-13.00	150	330	-47.26	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:07:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-60.90	peak	-11.38	-72.28	-13.00	150	165	-59.28	
*	767.5351	-66.13	peak	-5.18	-71.31	-13.00	150	205	-58.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:03:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	273.7475	-48.74	peak	-11.13	-59.87	-13.00	150	95	-46.87	
*	773.9480	-53.99	peak	-3.78	-57.77	-13.00	150	285	-44.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:57:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-45.92	peak	-0.16	-46.08	-13.00	150	110	-33.08	
	2124.249	-55.87	peak	4.40	-51.47	-13.00	150	185	-38.47	
*	2442.886	-47.38	peak	4.15	-43.23	-13.00	150	245	-30.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:04:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-39.44	peak	1.52	-37.92	-13.00	150	265	-24.92	
	2124.249	-51.50	peak	4.64	-46.86	-13.00	150	70	-33.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:58:52

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:13:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:59:46

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:13:49

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 04:58:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-100.27	peak	21.51	-78.76	-13.00	150	355	-65.76	
*	97.7956	-87.41	peak	21.20	-66.21	-13.00	150	110	-53.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:08:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.0040	-93.43	peak	21.76	-71.67	-13.00	150	355	-58.67	
*	97.7956	-82.89	peak	21.70	-61.19	-13.00	150	240	-48.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:42:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-60.56	peak	-11.38	-71.94	-13.00	150	135	-58.94	
	905.4108	-70.86	peak	-1.86	-72.72	-13.00	150	240	-59.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:59:10

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	273.7475	-54.17	peak	-11.13	-65.30	-13.00	150	255	-52.30	
*	773.9480	-58.88	peak	-3.78	-62.66	-13.00	150	195	-49.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:23:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-47.03	peak	-0.16	-47.19	-13.00	150	155	-34.19	
	2124.249	-55.95	peak	4.40	-51.55	-13.00	150	105	-38.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:27:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-40.28	peak	1.52	-38.76	-13.00	150	285	-25.76	
	2124.249	-54.56	peak	4.64	-49.92	-13.00	150	60	-36.92	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:24:29

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:28:41

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:25:24

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:30:08

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:00:31

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-87.86	peak	21.20	-66.66	-13.00	150	120	-53.66	
	119.5992	-96.98	peak	20.23	-76.75	-13.00	150	65	-63.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:06:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.1884	-90.35	peak	20.82	-69.53	-13.00	150	310	-56.53	
*	97.7956	-82.52	peak	21.70	-60.82	-13.00	150	220	-47.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:16:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	341.0822	-59.89	peak	-11.14	-71.03	-13.00	150	85	-58.03	
*	850.9017	-63.27	peak	-2.75	-66.02	-13.00	150	135	-53.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:19:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	341.0822	-55.01	peak	-10.57	-65.58	-13.00	150	280	-52.58	
*	850.9017	-59.58	peak	-3.55	-63.13	-13.00	150	350	-50.13	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:53:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-31.46	peak	0.58	-30.88	-13.00	150	145	-17.88	
	2346.693	-49.38	peak	4.23	-45.15	-13.00	150	105	-32.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:58:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-18.71	peak	2.28	-16.43	-13.00	150	75	-3.43	
	2346.693	-49.98	peak	4.61	-45.37	-13.00	150	255	-32.37	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 08:54:43

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 08:59:38

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin