



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:55:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:00:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:02:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 97.7956         | -88.86        | peak     | 21.20             | -67.66       | -13.00      | 150          | 130            | -54.66      |         |
|     | 118.2365        | -94.88        | peak     | 20.29             | -74.59       | -13.00      | 150          | 285            | -61.59      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/7/25

Temperature: 23.1 °C

Time: 下午 05:04:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 88.9380         | -93.09        | peak     | 21.77             | -71.32       | -13.00      | 150          | 235            | -58.32      |         |
| *   | 97.7956         | -82.62        | peak     | 21.70             | -60.92       | -13.00      | 150          | 290            | -47.92      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:30:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 301.0020        | -61.01        | peak     | -11.33            | -72.34       | -13.00      | 150          | 190            | -59.34      |         |
| *   | 740.2806        | -55.84        | peak     | -4.71             | -60.55       | -13.00      | 150          | 155            | -47.55      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/7/27

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:28:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 329.8596        | -58.37        | peak     | -10.13            | -68.50       | -13.00      | 150          | 320            | -55.50      |         |
| *   | 847.6953        | -61.98        | peak     | -3.59             | -65.57       | -13.00      | 150          | 250            | -52.57      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:08:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1559.118        | -30.56        | peak     | 0.53              | -30.03       | -13.00      | 150          | 110            | -17.03      |         |
|     | 2346.693        | -50.20        | peak     | 4.23              | -45.97       | -13.00      | 150          | 185            | -32.97      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:13:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1559.118        | -19.81        | peak     | 2.24              | -17.57       | -13.00      | 150          | 290            | -4.57       |         |
|     | 2346.693        | -50.69        | peak     | 4.61              | -46.08       | -13.00      | 150          | 125            | -33.08      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 09:09:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 09:14:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/7/25

Temperature:23.1 °C

0.0 dBm

Time: 上午 09:10:33

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/7/25

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:15:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22507-24605

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin